316

316

TEYNHAM
NEWGARDENS
1931 - 1940

062312001

Section **A** for the entry of D
AIR MINISTRY.

OPY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090. Newgardens

REGIST

Kept at TEYNHAM
in the County of KENT
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th… ollowing year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	07	Tr	·09	-	05	-	·19	Tr	Tr	-	-	1
2	11	14	-	11	07	01	Tr	01	32	Tr	Tr	-	2
3	14	04	01	07	94	Tr	-	16	·48	-	Tr	·08	3
4	-	-	-	Tr	01	-	-	01	01	-	01	-	4
5	-	-	-	21	02	62	03	-	01	-	-	08	5
6	-	03	-	03	-	-	-	18	-	14	28	-	6
7	07	02	-	-	Tr	03	27	09	Tr	02	05	-	7
8	Tr	02	03	-	01	53	05	10	-	-	04	01	8
9	-	02	Tr	Tr	-	01	-	07	21	-		03	9
10	04	13	02	-	-	03	Tr	09	-	-	169	01	10
11	07	52	-	-	-	-	-	Tr	02	01	39	Tr	11
12	13	Tr	-	Tr	-	-	-	05	41	-	-	01	12
13	08	Tr	-	Tr	11	-	03	05	-	-	01	-	13
14	02	03	-	Tr	-	03	25	36	-	-	-	-	14
15	01	03	-	42	02	-	06	12	-	-	-	08	15
16	-	12	-	12	21	Tr	03	08	01	-	-	-	16
17	02	04	-	28	01	-	14	07	06	Tr	-	01	17
18	02	17	Tr	27	Tr	02	04	x	-	-	39	-	18
19	Tr	-	-	74	-	Tr	09	42	18	-	02	01	19
20	-	01	Tr	16	Tr	-	·48	24	Tr	-	Tr	-	20
21	Tr	04	-	Tr	50	-	-	06	01	-	-	-	21
22	10	Tr	04	-	-	-	-	11	09	-	02	-	22
23	·45	14	-	-	06	03	~~03~~	-	01	-	07	-	23
24	-	Tr	02	59	01	03	06	11	01	-	Tr	-	24
25	08	Tr	Tr	14	-	-	32	-	Tr	-	-	-	25
26	-	04	Tr	18	01	-	28	-	-	07	21	08	26
27	04	25	-	02	·29	-	05	-	-	-	01	-	27
28	08	13	-	01	03	-	-	-	Tr	.01	Tr	-	28
29	09	x	-	05	10	-	04	-	-	19	01	02	29
30	09	×	-	-	01	-	01	-	-	-	-	-	30
31	15	×	-	×	Tr	×	-	-	×	-	×	-	31
TOTAL	181	201	12	349	241	139	223	254	153	44	320	42	YEAR'S TOTAL 2192
*Days with ·01 in. or more.	19	20	5	17	~~1~~17	11	17	21	14	6	15	11	173
*Days with ·04 in. or more.	~~1~~15	14	1	14	~~1~~8	3	13	19	7	3	9	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Thomas Harvey

[P.T.O.

316

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. Newgardens

REGISTER OF RAINFALL IN 1931.

Kept at TEYNHAM

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 30 ft.

400

Circ F sent 17.2.32.
Obs agrees

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	07	Tr	·09	-	05	-	·19	Tr	Tr	-	-	1
2	11	14	-	11	07	01	Tr	01	32	Tr	Tr	-	2
3	14	04	01	07	94	Tr	-	16	·48	-	Tr	·08	3
4	-	-	-	Tr	01	-	-	01	01	-	01	-	4
5	-	-	-	21	02	62	03	-	01	-	-	08	5
6	-	03	-	03	-	-	-	18	-	14	28	-	6
7	07	02	-	-	Tr	03	27	09	Tr	02	05	-	7
8	Tr	02	03	-	01	53	05	10	-	-	04	01	8
9	-	02	Tr	Tr	-	01	-	07	21	-	x	03	9
10	04	13	02	-	-	03	Tr	09	-	-	169	01	10
11	07	52	-	-	-	-	-	Tr	02	07	39	Tr	11
12	13	Tr	-	Tr	-	-	-	05	41	-	-	01	12
13	08	Tr	-	Tr	11	-	03	05	-	-	01	-	13
14	02	05	-	Tr	-	03	25	36	-	-	-	-	14
15	01	03	-	42	02	-	06	12	-	-	-	08	15
16	-	12	-	12	21	Tr	03	08	01	-	-	-	16
17	02	04	-	28	·01	-	14	07	06	Tr	-	01	17
18	02	17	Tr	27	Tr	02	04	x	-	-	39	-	18
19	Tr	-	-	74	-	Tr	09	42	18	-	02	01	19
20	-	01	Tr	16	Tr	-	·48	24	Tr	-	Tr	-	20
21	Tr	04	-	Tr	50	-	-	06	01	-	-	-	21
22	10	Tr	04	-	-	-	-	11	09	-	02	-	22
23	·45	14	-	-	06	03	~~03~~	-	01	-	07	-	23
24	-	Tr	02	59	01	03	06	11	01	-	Tr	-	24
25	08	Tr	Tr	14	-	-	32	-	Tr	-	-	-	25
26	-	04	Tr	18	01	-	25	-	-	07	21	08	26
27	04	25	-	02	·29	-	05	-	-	-	01	-	27
28	08	13	-	01	03	-	-	-	Tr	.01	Tr	-	28
29	09	X	-	05	10	-	04	-	-	19	01	02	29
30	04	X	-	-	01	-	01	-	-	-	-	-	30
31	13	X	-	X	Tr	X	-	-	X	-	X	-	31
TOTAL	181	201	12	349	241	139	22.3	257	153	44	3.20	42	YEAR'S TOTAL 21.92
*Days with ·01 in. or more.	19	20	5	17	~~16~~ 17	11	17	21	14	6	13	11	173
*Days with ·04 in. or more.	~~1~~ 15	14	1	14	~~1~~ 8	3	13	19	7	3	9	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Thomas [illegible]

[P.T.O.

✓ ✓ W. Uk

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at TEYNHAM

in the County of KENT

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 30 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·0·2	–	0·2	44	–	–	03	–	11	0·2	0·2	1
2	0·1	–	–	0·8	11	–	–	0·2	0·2	Tr	Tr	10	2
3	–	–	–	12	34	Tr	Tr	–	28	0·6	–	–	3
4	Tr	Tr	–	–	Tr	0·5	–	Tr	Tr	0·1	–	–	4
5	0·6	–	Tr	Tr	15	0·7	0·8	10	0·2	–	–	–	5
6	34	–	Tr	19	–	Tr	–	–	Tr	–	–	–	6
7	18	–	0·7	0·3	0·4	–	–	–	Tr	Tr	0·1	0·8	7
8	–	0·4	10	0·5	32	–	–	–	0·2	117	0·3	Tr	8
9	21	Tr	–	0·2	82	–	–	–	–	15	–	–	9
10	59	0·3	–	17	0·4	–	–	–	–	0·5	Tr	–	10
11	24	15	0·1	0·9	Tr	–	0·3	–	–	23	–	–	11
12	0·9	0·5	–	0·1	Tr	0·5	0·8	–	–	30	–	–	12
13	0·1	0·1	–	0·4	0·4	–	0·1	–	0·2	69	–	–	13
14	0·8	Tr	0·2	10	0·7	–	–	–	–	04	–	Tr	14
15	0·1	0·1	–	0·9	12	–	Tr	Tr	–	10	–	Tr	15
16	Tr	–	–	19	0·2	–	–	–	Tr	0·1	–	–	16
17	–	–	–	0·1	–	–	Tr	–	–	0·4	–	–	17
18	Tr	–	–	Tr	–	–	0·2	–	–	–	11	–	18
19	Tr	Tr	–	–	–	Tr	–	–	0·3	0·9	10	–	19
20	–	–	–	0·8	32	–	11	0·2	0·2	53	29	–	20
21	–	0·1	Tr	0·1	0·5	Tr	Tr	–	–	15	–	0·2	21
22	0·1	Tr	33	0·1	20	0·2	12	–	64	16	22	–	22
23	–	10	–	18	Tr	–	–	–	27	94	18	0·5	23
24	–	0·3	–	–	Tr	–	37	–	15	0·4	0·2	Tr	24
25	–	Tr	–	0·1	0·1	–	74	–	07	13	0·1	Tr	25
26	–	–	–	0·2	Tr	–	40	0·6	0·1	Tr	–	–	26
27	–	–	19	0·9	12	–	0·4	–	0·2	25	0·6	Tr	27
28	–	–	0·1	0·1	0·1	–	0·5	–	Tr	0·5	–	–	28
29	–	–	25	0·6	0·1	–	Tr	26	0·4	42	–	–	29
30	–	×	0·5	26	0·2	46	–	Tr	0·3	0·2	0·4	0·3	30
31	–	×	0·8	×	Tr	×	Tr	–	×	Tr	×	0·1	31
TOTAL	1·83	·45	1·11	1·94	3·25	·65	2·05	·49	1·64	5·74	1·09	·31	YEAR'S TOTAL 20·55
*Days with ·01 in. or more.	12	10	10	25	20	5	12	6	15	24	12	7	1·58
*Days with .04 in. or more.	~~X~~ 8	4	7	~~XX~~ 15	15	4	9	3	6	20	7	3	~~X8~~ 102

40-9999

*See Instruction 2 (*f*) on other side.

X Decimal point.

(*Signed*) Olympia Letitia Honeyball

P.T.O.

✓ KA

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Newgardens.

Kept at TEYNHAM

in the County of KENT

400

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	11	·03	·	·	·	·	·	·	02	·03	·		1
2	05	·	·33	-	64	·	·	·	·	03	·01	·		2
3	02	06	·16	·	·	·	·	·	·	-	-	-		3
4	Tr	01	·	·	·	·	·	·	·	·	-	-		4
5	39	·	·11	·	·12	·	·	·	·	·	Tr	-		5
6	·	07	·06	·	·38	·	·	·	·	·03	09	·02		6
7	35	04	03	·	·24	·	·	·	·	·23	Tr	·03		7
8	15	01	·	·	·03	·	·22	·	·	·	-	-		8
9	·	·	·	·	·05	Tr	·01	-	·	Tr	09	-		9
10	-	15	·	·	-	·02	·03	·	-	·13	-	Tr		10
11	12	·	·	-	02	05	Tr	·04	·09	·	·10	-		11
12	-	·	·	02	·	34	Tr	-	·59	·	-	-		12
13	·01	·	·	·	·13	·	·18	·	·36	·	20	·		13
14	Tr	·	·	·	05	·	·01	Tr	·	13	·16	·		14
15	·12	·	·04	·	-	·	29	·06	·	·01	·03	·02		15
16	·13	·02	·62	·	Tr	·27	03	-	·	·	·01	-		16
17	-	·	·27	·	·	Tr	-	·03	·08	·	·02	-		17
18	08	·	·02	·	·	·07	-	·	-	-	Tr	-		18
19	·	·	·19	04	·	·10	-	·	09	·	·01	Tr		19
20	-	·01	·	14	·	·07	Tr	Tr	·	-	·01	·02		20
21	-	·19	·	Tr	·	·04	01	·07	·62	Tr	-	-		21
22	-	Tr	·	·	·	-	-	·14	·12	·03	01	-		22
23	·	-	·	·07	·	·02	-	·	·62	-	Tr	-		23
24	·	·14	·	·13	·02	·28	·	·	·28	Tr	-	·02		24
25	·	-	·	·24	·03	-	-	-	·02	·02	·29	·11		25
26	·	26	-	·01	Tr	·46	·	-	·09	·03	·19	06		26
27	·	·09	·	·	·03	-	Tr	-	Tr	·13	Tr	06		27
28	·	·	·	·	Tr	02	·08	-	-	·20	·	-		28
29	·	·	·	Tr	·02	-	31	-	-	·02	·	-		29
30	·05	X	·10	Tr	-	-	Tr	·	09	05	·	05		30
31	·07	X	·	X	-	X	-	08	X	·	X	·01		31
													Year's Total	
TOTAL	154	116	196	65	176	174	117	42	305	106	125	40	16·16	✓
*Days with ·01 in. or more.	12 ✓	13 ✓	12 ✓	7 ✓	13 ✓	12 ✓	10 ✓	6 ✓	12 ✓	14 ✓	15 ✓	10 ✓	136	✓
*Days with .04 in. or more.	10 ✓	9 ✓	9 ✓	5 ✓	7 ✓	9 ✓	5 ✓	5 ✓	11 ✓	6 ✓	7 ✓	4 ✓	~~78~~	87

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entry required.

(*Signed*) O. L. Honeyball

for Mr O L Honeyball

[P. T.

✓ ✓

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~316~~ 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Newgardens ~~Kept at~~ TEYNHAM
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
„ Ground „ Sea Level 30 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr	Tr	·	Tr	·	·	·	·09	·05	·15	Tr			1
2	Tr	·	·11	·02	Tr	·	·	·	·41	·67	·	29		2
3	Tr	·08	·	·05	·12	Tr	·	Tr	Tr	·29	·	02		3
4	13	·02	·02	·	Tr	·	·	·	·	·18	08	·67		4
5	·01	·	Tr	·	·09	·02	·	·	·	·	03	·15		5
6	·	·	33	09	·16	·21	·	·11	·	·16	02	·43		6
7	01	·02	·	·	Tr	Tr	·	·01	·	·06	·	·10		7
8	·	·	·	·27	·22	·	·	·03	·	·	1·19	·01		8
9	Tr	·	·01	Tr	·01	·	·	·	Tr	·	·42	·11		9
10	·	Tr	·13	·15	·	·	·	·01	·	05	·08	Tr		10
11	66	·	·33	·07	·	·	·05	·04	·	·	Tr	Tr		11
12	11	·01	05	·	·	·	·03	·16	·	·	Tr	·13		12
13	44	·	·14	·02	·	·	·10	·24	·	Tr	·01	·04		13
14	12	·	·36	·03	Tr	Tr	·03	Tr	·	·08	·29	·20		14
15	·02	Tr	·	·	·02	·	·	·	Tr	·	·12	·39		15
16	·07	·01	·21	·02	·13	·	·	·	·	·01	·	·03		16
17	02	·	·46	·03	·02	·	·	·	19	05	03	·31		17
18	·15	·	·	·21	·	·	·15	·	Tr	·	04	33		18
19	·	·	·22	·02	·	Tr	·	·	11	Tr	·	·07		19
20	·	·	20	Tr	·	Tr	09	·	·	·	·	Tr		20
21	·	·	·	07	·	·03	·	·	·	Tr	·	·01		21
22	·	·	·	·	·	·	·02	·11	·12	Tr	·	·		22
23	·	·	·	·34	·	·30	·	·	·	·02	·	14		23
24	·	·02	·01	·10	·	·10	44	Tr	02	·01	Tr	·		24
25	·03	Tr	·	·05	·02	Tr	·	·	·	·02	·	24		25
26	·08	·	·	·16	·	·03	·	·	Tr	·	·	04		26
27	·04	03	·	32	·	·	·	·	·	·	·	·19		27
28	·01	·03	·	·22	·	05	·	·31	·	·	·01	·07		28
29	·	×	·	·	·	·	·16	·26	·27	·	Tr	·01		29
30	17	×	·	·	·	·	·	·02	·	·	·	26		30
31	·01	×	·	×	·	×	Tr	Tr	×	05	×	07		31
TOTAL	2·08	22	2·55	2·24	79	74	1·07	1·39	1·17	1·70	2·32	4·31	Year's Total 20·61	
*Days with ·01 in. or more.	17	8	14	19	9	7	9	12	7	14	12	26	154	
*Days with .04 in. or more.	~~8~~ 10	1	11	13	5	4	6	8	6	10	7	20	~~98~~ 101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

W W W Y ✓ ✓ ✓ CR

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

400

Kept at TEYNHAM

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·18	·02	Tr	·03	·	17	09	·	·07	·07	07	·01		1
2	19	-	·01	·Tr	·	·01	-	·	·02	·25	·01	Tr		2
3	02	·02	·15	·09	·	Tr	Tr	-	·02	·38	·07	-		3
4	-	·03	-	·26	·	·12	·	-	·30	·35	Tr	·14		4
5	-	·42	03	·05	·	·12	02	·	·30	·12	·	·03		5
6	·08	01	-	·19	·	·26	-	·	-	·02	10	Tr		6
7	·07	·05	-	·14	Tr	09	-	-	-	-	·83	·05		7
8	·	Tr	Tr	·27	·	·	·	·38	·	·19	26	·02		8
9	·	·	-	·07	·	·16	·	Tr	·	·53	✓ 35	02		9
10	02	·02	·	Tr	·	·10	·	·	·	-	✓	·07		10
11	·11	-	-	·03	·	·01	·	-	·	·	·23	Tr		11
12	·	·02	-	-	·	·22	-	·29	Tr	·	·50	·		12
13	·02	·07	-	·05	·06	Tr	·	·	-	·	·08	·13		13
14	·05	-	-	03	·32	05	·	·	Tr	·	-	·04		14
15	Tr	14	-	·35	·02	Tr	·	·	·29	·	·14	·04		15
16	·	·06	-	·12	-	·08	Tr	-	·22	Tr	·77	02		16
17	04	-	·06	05	01	15	Tr	Tr	Tr	-	·49	Tr		17
18	·	-	-	·11	·	·02	·20	·	·26	·06	01	·01		18
19	-	-	-	·07	·27	02	·03	·	·03	-	-	-		19
20	Tr	·37	-	05	·01	03	·25	·	Tr	·04	·08	·		20
21	·02	·33	-	·01	·	·	·	·	·01	·09	-	·		21
22	-	07	-	·	·	·	·	·21	·02	-	Tr	·		22
23	·	-	·01	·	-	·	·	·52	Tr	Tr	-	·06		23
24	·05	1·13	Tr	·	·70	·	·	·29	29	·11	·02	✓		24
25	15	·13	·	25	02	·19	·	-	-	Tr	-	✓		25
26	·05	·02	·	·	-	Tr	·	·06	·02	·06	·02	95 ✓		26
27	16	·38	·	Tr	·61	·	·	02	·06	·	06	✓		27
28	·	07	-	-	Tr	·	Tr	·19	·02	·03	Tr	·12		28
29	·	✕	-	-	Tr	·	·	·02	·26	-	Tr	·32		29
30	·08	✕	-	·02	09	·	·	·80	·06	·04	34	·31		30
31	-	✕	·	✕	Tr	✕	·	Tr	✕	·14	✕	·51		31
TOTAL	129 ✓	336 ✓	·26 ✓	224 ✓	211 ✓	180 ✓	59 ✓	278 ✓	245 ✓	248 ✓	4·33	285 ✓	Year's Total. 26·54 ✓	
* Days with .01 in. or more.	16 ✓	19 ✓	5 ✓	20 ✓	10 ✓	17 ✓	5 ✓	10 ✓	17 ✓	~~18~~ 16 ✓	20 ✓	~~19~~ 21	176 ✓	
* Days with .04 in. or more.	12 ✓	12 ✓	2 ✓	15 ✓	6 ✓	12 ✓	3 ✓	8 ✓	~~9~~ 10	~~13~~ 14	~~14~~ 16	~~12~~ 15	125 ✓	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Olympia J. Honeyball

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at TEYNHAM

in the County of KENT

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 30 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·09	·04	·08	-	·56	·11	·04	-	-	·03	·09		1
2	01	·13	-	·01	-	21		·08	-	-	Tr	·12		2
3	Tr	·01	-	·42	·13	·03	·04	-	·01	-	·28	-		3
4	-	-	01	Tr	-	·14	-	-	·18	Tr	·01	·05		4
5	·27	-	-	-	-	-	-	Tr	·05	·29	·02	·04		5
6	·24	-	-	Tr	·04	·03	-	·02	09	·31	·52	-		6
7	·17	-	·02	-	-	·02	Tr	Tr	·01	·08	·38	-		7
8	·21	-	·16	Tr	-	-	Tr	-	-	·09	·41	·18		8
9	·38	-	Tr	-	Tr	-	·28	·01	·02	·05	·17	·01		9
10	03	-	Tr	-	-	·01	·28	92	·09	·26	-	-		10
11	-	-	-	·15	·02	-	-11	-	-	Tr	·58	-		11
12	-	-	-	-	·06	·10	·07	Tr	·02	Tr	·12	23		12
13	-	-	-	-	-	·04	·05	-	-	-	·01			13
14	-	·04	-	-	-	·04	·52	-	-	·12	·05	·15		14
15	·01	·06	-	·02	-	Tr	Tr	-	·09	·01	·01	·09		15
16	·25	·06	-	-	-	-	-	-	·01	Tr	·29	·16		16
17	·12	·61	-	-	-	·07	-	·01	-	-	·25	·15		17
18	·20	·09	-	-	-	·05	·04	·10	Tr	·02	·47	·04		18
19	-	·05	-	Tr	-	·12	Tr	-	-	·04	·01	-		19
20	·28	·10	-	·25	Tr	-	·01	-	·49	-	-	Tr		20
21	-	Tr	Tr	·22	Tr	·99	·36	-	·02	-	-	-		21
22	·04	·31	-	Tr	·06	·01	·04	-	Tr	-	Tr	·14		22
23	-	·02	·01	·06	-	-	·14	-	-	·01	-	-		23
24	07	05	-	Tr	-	-	Tr	-	Tr	·13	-	-		24
25	·37	·01	·08	·13	-	·12	·10	-	·39	·11	·05	-		25
26	Tr	·07	·10	-	Tr	-	-	-	-	·18	-	05		26
27	·19	·02	-	-	-	-	·40	Tr	·19	·03	-	-		27
28	·68	Tr	13	-	-	·18	·04	Tr	·28	-	-	·02		28
29	·02	·01		-	-	·34	·39	-	Tr	Tr	·06	Tr		29
30	·03	✕	-	-	·09	·09	·01	-	-	·06	-	Tr		30
31	·29	✕	·18	✕	·02	✕	·12	-	✕	·44	✕	·06		31
TOTAL	407	173	73	134	42	315	311	118	194	223	372	158	Year's Total 2520	
* Days with .01 in. or more.	21	17	10	9	7	19	~~19~~ 20	7	15	17	19	~~16~~ 17	~~176~~	178
* Days with .04 in. or more.	16	12	6	7	5	14	~~17~~ 18	4	9	13	13	~~14~~ 15	~~130~~	132.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) O. L. Honeyball

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at TEYNHAM. KENT

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 30 ft.

Acc ✓ rf.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	*Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	70	·01	Tr	·05	Tr	-	-	Tr	-	-	·36	·11		1
2	Tr	·14	·05	·36	Tr	-	-	Tr	-	-	·01	1·11		2
3	Tr	·04	·04	-	-	-	-	-	Tr	-	Tr	·46		3
4	·07	·67	-	-	Tr	-	-	-	-	-	-	·27		4
5	·19	·14	·38	Tr	-	-	·72	Tr	-	·72	-	·16		5
6	·02	-	} ✓	-	·13	-	·02	-	-	·07	-	-		6
7	-	·64	}56 ✓	·04	Tr	-	-	-	·02	·05	-	·03		7
8	-	·01	·11	Tr	} ✓	·04	-	-	-	Tr	·22	·62		8
9	-	·02	Tr	·38	}·16 ✓	·04	Tr	02	·20	-	-	·09		9
10	Tr	-	·34	·07	·22	·90	·09	-	-	-	Tr	·47		10
11	Tr	-	·37	·16	}71 ✓	-	·05	-	-	Tr	Tr	·19		11
12	·16	·20	·25	Tr	} ✓	} -	·01	·28	43	Tr	-	·02		12
13	·24	·01	·38	·02	·01	}39	-	-	·26	-	-	·67		13
14	·03	Tr	·16	Tr	·33	·01	-	·23	·03	-	-	·01		14
15	·07	·03	Tr	·10	-	Tr	·31	-	·34	-	Tr	-		15
16	-	·09	·18	·16	Tr	} ✓	-	·27	·06	-	-	Tr		16
17	·40	·01	·01	·19	-	}11 ✓	-	-	·34	-	·36	-		17
18	·41	·05	Tr	·02	·41	45	-	-	·16	Tr	·16	-		18
19	·04	·03	·08	·07	·02	} ✓	·05	-	·08	-	-	Tr		19
20	·42	-	·48	·21	91	}28 ✓	-	-	81	-	-	-		20
21	·27	·53	·26	·02	-	-	·04	·02	-	-	·01	Tr		21
22	·31	·01	·02	Tr	·02	·05	Tr	-	-	1·01	·47	·03		22
23	04	·01	-	-	-	-	-	-	-	·50	·04	Tr		23
24	·50	·27	·02	-	Tr	-	Tr	-	·08	·16	-	-		24
25	·27	·23	·25	-	-	-	-	-	·19	·34	-	·02		25
26	Tr	·24	·07	-	-	-	-	Tr	-	·47	-	·02		26
27	-	·21	·01	·33	-	-	-	-	·02	·10	-	Tr		27
28	} ~~14~~	04	-	·01	-	Tr	-	-	-	Tr	-	·06		28
29	} ✓	×	Tr	-	-	Tr	-	-	-	·28	·04	·01		29
30	·25	✕	-	Tr	-	Tr	-	-	-	·21	·05	·04		30
31	·17	✕	-	✕	-	✕	·02	-	✕	·02	✕	·04		31
TOTAL	4·70	3·63	4·02	2·19	2·92	2·27	·71	·82	2·22	3·59	1·67	4·43	Year's Total 38·47	✓
* Days with .01 in. or more.	~~21~~ 20	23	21 ✓	16	12 ✓	~~12~~ 11	9	5	14	12	10	20	~~174~~	173
* Days with .04 in. or more.	~~17~~ 18	14 ✓	~~16~~ 17	12 ✓	~~7~~ 8	~~8~~ 10	6	3	10	10	~~7~~ 8	13	~~123~~	129.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) O. L. Honeyball [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TEYNHAM
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 30 ft.

Orig

Dec Snow
see note at back

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	Tr	·	·	·06	·48	·25	·	·25	-	·02	·04		1
2	-	-	·	04	·30	·	·01	·	-	·25	-	·01		2
3	·	·	·	·	·14	·	·	·	·	·45	·02	·		3
4	·03	·	·	·	·	Tr	·14	·21	·01	Tr	-	·05		4
5	·01	·	·	·01	·	·	·16	·01	·	·29	·	Tr		5
6	·02	Tr	·	·	·	·	Tr	03	·04	·	Tr	·		6
7	-	-	·	·	·	Tr	·02	·77	·06	·16	Tr	04		7
8	·19	~~·01~~ ·01	·	·	·	Tr	·07	·	05	06	Tr	-		8
9	·10	·	·	Tr	·	·	·04	·44	Tr	·01	-	·42		9
10	·08	·06	·	·	·	·30	·01	·06	·	·	-	·24		10
11	·16	Tr	·	·	·	·02	Tr	·15	·	·	·11	·08		11
12	·19	·	·	·	·	·	Tr	03	·	·08	·03	Tr		12
13	·34	·09	·	·	·	·	·	Tr	·	03	·03	·06		13
14	·13	·11	·	·	·24	·		Tr	·11	·	·01	·04		14
15	01	·13	·	·	·	·	·17	·	·	·22	-	·		15
16	16	·	Tr	·	·02	·	·01	Tr	-	·09	·02	·15		16
17	-	·18	Tr	·	·51	·	07	·	·	·21	·01	·		17
18	02	Tr	·	·	·06	Tr	Tr	·	05	·	·41	·		18
19	·	·	·	·	·01	·	·	Tr	·02	·	·06	Tr		19
20	·	Tr	·	02	·10	·	·	·	·24	·	·43	·24		20
21	Tr	·	·	·01	·	·	·	·06	·10	·	06	·10		21
22	Tr	·	Tr	·01	·	·01	·	·	·	·	·11	Tr +		22
23	Tr	·	·	·04	·	·	·	·	·	Tr	·02	+		23
24	Tr	·	·05	Tr	03	·	·	·	·04	Tr	·46	81 +		24
25	06	·	·43	·01	06	·	Tr	·	07	02	36	+		25
26	·33	17	·03	Tr	·	Tr	·04	·	·35	26	·			26
27	·14	·04	·		·24	·05	24	·	·23	36	-	Tr		27
28	·19	02	·		·23	·04	·	·26	·12	-	Tr	·02		28
29	·20	x	·	·05	·12	·	·	·	Tr	Tr	·13	·25		29
30	·04	✕	·	34	·01	·	·	·	·02	·06	·12	-		30
31	·19	✕	·	✕	·03	✕	·28	·	✕	·11	✕	·18		31
TOTAL	260	·81	·51	·52	246	·90	151	2[illegible]2	176	266	251	273	Year's Total 208~~7~~ 9	✓
* Days with .01 in. or more.	21	~~8~~ 9	3	9	16	6	14	10	16	16	18	1~~8~~9	15~~4~~7	✓
* Days with .04 in. or more.	14	7	2	4	11	4	10	7	13	13	10	1~~8~~9	11~~1~~2	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) V. L. Honeyball

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Newgardens, Teynham

in the County of Kent

Diameter of Funnel of Gauge 6·5 5 in.

Height of top of Gauge above Ground 1 ft. 6 55 in.

,, Ground ,, Sea Level 30 ft.

ape ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	04	·	Tr	·15	·61	·	Tr	·	·	·	·02	Tr		1
2	02	·	Tr	01	·02	·	Tr	23	02	65	·01	-		2
3	20	·01	·	17	·	·	·	18	·	✓ ·50	·06	·31		3
4	22		·18	08	·	·	01	·68	·	✗	·11	·		4
5	-		·	14	01	·	18	·	·	·39	·25	18		5
6	33		01	Tr	Tr	·	02	Tr	·	Tr	·11	·		6
7	09	·05	-	-	·	·	Tr	02	·	02	·13	·03		7
8	-	04	·14	·	·	·	·	14	·	✗ 76	·12	39		8
9	03	Tr	·	·	·	·	·	01	·	✗	·75	17		9
10	10	-	·	·	·	·	·	02	01	✓ 81	·01	·		10
11	·	-	·34	·	06	·83	·	·	·	✗	Tr	04		11
12	·	·	·	·	01	12	·	·	Tr	06	Tr	04		12
13	·	·01	·01	·	-	04	·	·	01	1·50	Tr	08		13
14	·41	·	Tr	01	16	Tr	09	·	02	29	·38	01		14
15	·62	·	·01	Tr	81	-	02	·	35	16	✗ 32	·		15
16	·22	·	·07	Tr	19	23	Tr	·	Tr	Tr	✓	·		16
17	·13	04	·02	·03	Tr	·	08	·	2	·	03	·		17
18	·19	·	·04		02	04	05	·	-	✗ ·28	138	·		18
19	17	-	·	·	·	-	28	Tr	01	✗	·	·		19
20	16	·	·	·	·	01	03	·	·33	·	·	02		20
21	05	·	21	·	·	04	01	·	06	Tr	-	03		21
22	09	·	05	Tr	·	12	14	·	01	·	Tr	·		22
23	02	·16	01	·11	·	01	✗ 16	08	·	11	·48	·01		23
24	03	01	01	24	·	04	✗	·	·	02	·03	·		24
25	1·03	50	07	Tr	·	Tr	38	Tr	·	Tr	·50	·		25
26	31	·	·19	Tr	·	09	04	·	·10	✗	24	08		26
27	19	08	·11	Tr	·	·	-	·	·	·66 ✗	36	·		27
28	01	35	08	-	·	·	-	·	·	✗	09	·		28
29	·	X	·	·38	·	Tr	Tr	·	·	02	03	·07		29
30	·	✕	·	·68	·	·03	Tr	·	·	Tr	04	-		30
31	-	✕	Tr	✕	·	✕	·19	02	✕	-	✕	-		31
TOTAL	466	125	155	200	189	160	168	138	82	723	~~445~~	141	Year's Total 2792	
* Days with .01 in. or more.	23	10	17	11	9	12	16	9	10	21 ~~18~~	23	14 ~~18~~	~~176~~	175 "d"
* Days with .04 in. or more.	19	7	11	8	5	9	11	5	4	16	16	7	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at NEWGARDENS, TEYNHAM

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 30 ft.

Ack'd. Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		Tr		·	·	·	·	·	·	·	·01	·		1
2		·12		·12	·	·01	·01	·	·	·44	·61	·		2
3				08	·	·	·Tr	·	·		1·36	·03		3
4		08		09	·	·	·01	·	·	·	·09	·01		4
5		01		·	·	·	·02	·	·	·54	·56	·18		5
6	·21	04		·	·01	·	·14	·	·		·04	·		6
7	·22	06		·	Tr	·	·22	09	·	·	·	·01		7
8		02		·02	·	·	·	·	·01	·25		·24		8
9				·	·	·	·	·	·	·06	·09	·04		9
10				·	Tr	·	47	·10	Tr	·14	·11	·01		10
11			01	05	·	Tr	·02	·	·	·	·81	·		11
12		04	07	Tr	·	·	·19	·	·10	·	–	·		12
13		03	73	·	·	·49	·	Tr	·04	·	·91	·		13
14		Tr	30	·11	·		Tr	·	·Tr	·02	·	·21		14
15	·32	·	Tr	Tr	·04	·44	1·63	·	·01	·	·41	·		15
16	·	08	·	·	·	·	·24	·	·04	·43	·54	·04		16
17			34	·	·	·	Tr	·	·02	·	·11	·		17
18		40	37	44	·	·	09	·	·02	·23	·04	·14		18
19		09	08	·	·	Tr	·	·	·41	·	·19	15		19
20	·01	Tr	Tr	01	·	06	·	·	Tr	·17	·05	·		20
21	04		·	·	·20	:	·11	·01	·01	·02	17	·		21
22		Tr	·	·	·07	·09	–	·	02	·	·	·		22
23		·16	·	15	·01	02	Tr	·01	·	·10	01	02		23
24		·	·	12	·	·	·	·	·	·14	Tr			24
25		Tr	85	Tr	·	Tr	·61	·	·	·14	·			25
26	·72	·08	51	·	Tr	Tr	·	·	·	·70	·			26
27		·16	·	·	1·18	·	·09	·	·	·	·	·01		27
28	·37	·01	·	02	·	·	·	·	·	·	·	Tr		28
29		·05	05	·	·02	·	·	·	03	·	·	·15		29
30		✕	·	·19	·	·	·	·	·	·12	·	·02		30
31	·05	✕	·	✕	·	✕	·	·	✕	·34	✕	–		31
TOTAL	1·94	~~1·44~~ 1·43	3·31	1·40	1·53	1·1~~0~~ 1	3·85	·21	·71	3·84	6·11	1·26	Year's Total ~~26·85~~ 26·70	
* Days with .01 in. or more.	11	17	10	12	7	8	14	4	11	18	18	16	~~145~~ 146	
* Days with .04 in. or more.	9	12	9	9	4	5	10	2	4	15	16	8	102	d

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) O. L. Honeyball.

[P.T.O.

—

317

GRAVENEY MARCHES

1931 - 1940

0623140001

780104

317

Section **A** for the entry of Daily
AIR MINISTRY.—M

OR OFFICIAL USE.
RGANIZATION.

FORM 1090.

REGISTE

Kept at Graveney Mars
in the County of Kent

Diameter of Funnel of Gauge 8
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this rule should
year in the space on the right of this paragraph.

owing

Jan. 1, following
Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·12											1
2		·04	·07					·16					2
3	·12	·10		·13					·25				3
4	·11	·06			·98			·14	·46			·08	4
5		·09							·21				5
6				·15		·45	·03	·23	·02				6
7				·03						·09	·35		7
8							·18	·06					8
9						·09		·14			·02		9
10		·06							·16		·44		10
11		·28						·06			1·10	·14	11
12	·18	·43							·06		·39		12
13	·10								·31				13
14	·19	·03			·07		·05						14
15						·03	·46						15
16				·34			·47	·29					16
17	·01	·10		·13	·16		·09	·05					17
18		·10		·11			·15	·11	·03				18
19		·18		·23				·20			·31		19
20				·57			·10	·19	·18		·02		20
21				·13			·20						21
22					·44			·15	·06				22
23	·01								·01		·07		23
24	·31	·18			·04			·15					24
25				·15									25
26	·10			·40			·34						26
27	·07			·23			·21				·13		27
28		·21		·02	·28								28
29	·07											·13	29
30		×		·10	·11		·03			·22			30
31	·10	×		×		×			×		×		31
TOTAL	·12 ~~1·38~~ 1·49	~~1·98~~ 1·86	·07	2·42	2·08	·57	2·31	1·93	1·75	·31	2·83	·35	YEAR'S TOTAL 18·~~28~~ 7
*Days with ·01 in. or more.	13	14	1	14	7	3	12	13	11	2	9	3	
*Days with ·04 in. or more.	10	14	1	12	7	2	10	13	8	2	7	3	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L & G. Finn [P.T.O.

317

Section **A** for the entry of Daily Observations. OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 6 ft.

? WD.

corr. for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·12											1
2		·04	·07					·16					2
3	·12	·10		·13					·25				3
4	·11	·06			·98			·14	·46			·08	4
5		·09							·21				5
6				·15		·45	·03	·23	·02				6
7				·03						·09	·35		7
8							·18	·06					8
9						·09		·14			·02		9
10		·06							·16		·44		10
11		·28						·06			1·10	·14	11
12	·18	·43							·06		·39		12
13	·10								·31				13
14	·19	·03			·07		·05						14
15						·03	·46						15
16				·34			·47	·29					16
17	·01	·10		·13	·16		·09	·05					17
18		·10		·11			·15	·11	·03				18
19		·18		·23				·20			·31		19
20				·57			·10	·19	·18		·02		20
21				·13			·20						21
22					·44			·15	·06				22
23	·01								·01		·07		23
24	·31	·18			·04			·15					24
25				·15									25
26	·10			·40			·34						26
27	·07			·23			·21				·13		27
28		·21		·02	·28								28
29	·07	×										·13	29
30		×		·10	·11		·03			·22			30
31	·10	×		×		×			×		×		31
TOTAL	·12 ~~1·38~~ 1·49	~~1·98~~ 1·86	·07	2·42	2·08	·57	2·31	1·93	1·75	·31	2·83	·35	YEAR'S TOTAL 18·2~~8~~7
*Days with ·01 in. or more.	13	14	1	14	7	3	12	13	11	2	9	3	
*Days with ·04 in. or more.	10	14	1	12	7	2	10	13	8	2	7	3	

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) L & G Fine

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2' ft 3" in.

,, Ground ,, Sea Level 6' ft.

Dap NG.

NP.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·20		·39						1
2	·04	·01			·51		·10			·10			2
3				·19	·04			·02		·05		·14	3
4				·17	·26				·28	·05			4
5													5
6	·06				·06		·13	·03	·02				6
7	·39				·06							·05	7
8	·06												8
9			·11		·20				·01	1·19			9
10	·19				·41					·49			10
11	·43			·35	·02					·27			11
12	·41			·05		·30	·03			·23			12
13	·08						·04			·17			13
14	·04				·01					·47			14
15	·06				·07					·29			15
16		·10			·06					·08			16
17				·26	·03								17
18													18
19									·01		·15		19
20										·08			20
21					·11				·06	·55	·45		21
22					·05					·13			22
23			·37		·19		·11		·36	·13			23
24		·10					·10		·49	·81	·21	·01	24
25							·34		·15	·04			25
26					·10		·92		·01	·14			26
27				·08			·43	·33					27
28			·23	·03						·48			28
29							·08		·05				29
30		×	·30	·06				·22	·04	·40			30
31		×	·07	×		×			×		×	·01	31
TOTAL	1·76	·21	1·08	1·19	2·38	·30	2·67	·60	1·48	6·15	·81	·21	YEAR'S TOTAL 18·84
*Days with ·01 in. or more.	~~10~~	~~3~~	~~5~~	~~8~~	~~17~~	~~1~~	~~11~~	~~4~~	~~11~~	~~20~~	~~3~~	~~4~~	~~97~~
*Days with .04 in. or more.	~~10~~	~~2~~	~~3~~	~~7~~	~~14~~	~~1~~	~~10~~	~~2~~	~~7~~	~~20~~	~~3~~	~~2~~	~~82~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Graveney Marshe

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 6 ft.

year 2" low.

Return corrected for W. D.

Letter sent re low total 8/6/34

Days 17

W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·06	·06						·06					1
2		·10												2
3	·02		·20		·32									3
4		·06	·10		·25					·30				4
5														5
6	·25		·07											6
7		·01			·41						·10			7
8	·43													8
9	·14						·11			·25				9
10											·07			10
11										·08				11
12	·10								·08					12
13						·14			·34		·08			13
14					·32		·11		·58		·15			14
15					·07					·15	·07			15
16	·09						·14	·11						16
17	·13		·64			·13	·34							17
18			·26						·12		·06			18
19	·09					·08								19
20			·12			·26			·06					20
21						·11			·03					21
22								·03	·67					22
23						·62		·15	·04	·06				23
24									·30					24
25		·10		·31					·34					25
26				·21							·60			26
27		·25				·62			·10			·20		27
28											·14	·05		28
29									·24					29
30		×					·42							30
31	·06	× 6		×		×		·06	×	·04	×		"d"	31
TOTAL	~~1·25~~ 1·31	·58	~~1·45~~ 1·39	·52	1·37	1·96	1·12	~~·29~~ ·35	~~2·96~~ 2·90	·88	1·27	·25	Year's Total 13·90	
*Days with ·01 in. or more.	~~8~~	~~6~~	~~7~~	~~2~~	~~5~~	~~7~~	~~5~~	~~3~~	~~13~~	~~6~~	~~8~~	~~2~~	~~72~~	
*Days with .04 in. or more.	~~7~~	~~5~~	~~7~~	~~2~~	~~5~~	~~7~~	~~5~~	~~2~~	~~12~~	~~6~~	~~8~~	~~2~~	~~68~~	

[illegible]

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn

[P.T.O.

f 756473/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Kent/3

1933 Low only

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 6 ft.

Letter 4/5/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2								·20		·18		·18		2
3			·20						·30	·86		·11		3
4					·25			·12		·36		·02		4
5	·17				·24					·07	·08	·54		5
6			·31									·11		6
7						·15				·24		·31		7
8								·06		·07		·11		8
9					·35			·04			1·04			9
10				·40							·39	·11		10
11			·15	·13						·05	·20			11
12	·44		·24	·06				·04				·23		12
13	·24						·11	·15				·10		13
14	·39		·15				·20	·05						14
15	·13		·32				·09			·04	·33	·21		15
16					·05						·13	·45		16
17	·02		·15									·05		17
18	·09		·34						·79	·03	·06	·15		18
19				·15			·14					·11		19
20			·25						·10			·08		20
21			·14									·02		21
22							·09		·06					22
23				·07				·10						23
24				·22		·18		·02				·10		24
25				·10			·77	·05						25
26				·09		·18						·15		26
27				·05		·05								27
28												·13		28
29				·24		·25		·29				·08		29
30		X					·16	·03	·24					30
31	·22	X		X		X			X		X	·28		31
TOTAL	1·70	nil	2·25	1·51	·89	·81	1·56	1·15	1·49	1·90	2·23	3·72 ~~3·63~~	Year's Total. 19·21 ~~19·12~~	
* Days with .01 in. or more.	~~8~~		~~10~~	~~10~~	~~4~~	~~5~~	~~7~~	~~12~~	~~5~~	~~9~~	~~7~~	~~22~~ 3	~~100~~	
* Days with .04 in. or more.	~~7~~		~~10~~	~~10~~	~~4~~	~~5~~	~~7~~	~~10~~	~~5~~	~~8~~	~~7~~	~~20~~ 1	~~94~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Fine

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

np 1934

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" Ground " Sea Level 6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·02				·17	·07		·20	·13	·10			1
2	·19									·20				2
3	·02		·29						·10	·21				3
4				·25		·08			·29	·79				4
5		·35		·15		·11			·63	·10				5
6				·13							·12			6
7	·19			·09		·20				·23	·99			7
8				·30				·78		·36	·28	·05		8
9						·32					·16			9
10				·04							·12	·15		10
11	·10					·08					·20			11
12								·47			·24			12
13	·02	·10		·10							·12	·29		13
14	·04				·40	·11								14
15				·31					·27			·13		15
16						·07			·23		·68			16
17	·08			·09		·30		·07	·03		·55			17
18				·09			·10		·23					18
19					·20	·08	·05			·05				19
20		·44		·22		·07	·10			·04				20
21		·31								·07				21
22											·18			22
23								·23						23
24	·07	·76		·35	·35			·30	·30	·11		·08		24
25	·22	·26			·25	·30					·08	·40		25
26	·07							·07				·32		26
27	·05				·25			·20	·13			·09		27
28					·20			·05	·03					28
29				·09								·34		29
30	·13	✕						·90	·33	·12	·34	·25		30
31		✕		✕		✕		·04	✕	·15	✕	·34		31
TOTAL	1·45	2·24	·29	2·21	1·65	1·89	·32	3·11	2·77	2·56	4·16	2·44	Year's Total 25·09	
* Days with .01 in. or more.	13	7	1	13	6	12	4	10	12	13	14	11	~~116~~	
* Days with .04 in. or more.	11	6	1	13	6	12	4	10	10	13	14	11	116	111

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn [P.T.O.

Fm

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 2 ft. 3 in.

,, Ground ,, Sea Level 6 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·16	·05			·41	·08					·11		1
2		·24					·04	·10				·25		2
3				·29		·06					·31			3
4						·17			·28	·02				4
5	·24									·29				5
6	·13					·02		·03			·51			6
7	·15					·04			·13	·39	·43	·08		7
8	·16		·08							·29	·51	·28		8
9	·33						·39		·02	·07	·18			9
10							·48	1·20		·55				10
11				·10		·07	·27				·59			11
12						·05	·05				·11			12
13							·07				·03	·26		13
14							·73			·06	·05	·56		14
15						·06			·25			·20		15
16	·34	·14									·38			16
17	·15	·53				·19					·32	·09		17
18		·07					·03	·01			·53	·15		18
19	·14	·08						·13						19
20	·09	·13		·25					·78					20
21						·75	·27							21
22		·30		·20	·05	·07								22
23							·14					·25		23
24	·12	·04								·19				24
25	·49	·08		·19			·13		·68	·06		·05		25
26		·03	·15						·09					26
27		·07					·15		·16					27
28	·50		·07			·32	·35		·10					28
29	·03	·07				·38								29
30	·03	✕			·13	·08					·12			30
31	·25	✕	·20	✕		✕	·13		✕	·27	✕		'd'	31
TOTAL	3·41	1·94	·55	1·03	·18	2·67	3·31	1·47	2·49	2·19	4·07	2·28	Year's Total 25·59	
* Days with .01 in. or more.	~~16~~	~~13~~	~~5~~	~~5~~	~~2~~	~~14~~	~~15~~	~~5~~	~~9~~	~~10~~	~~13~~	~~11~~	~~118~~	
* Days with .04 in. or more.	14	12	5	5	2	13	14	3	8	9	12	11	108	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. W. [illegible] [P.T.O.

Jm

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 3 in.

,, Ground ,, Sea Level 6 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·69		·02	·09							·28	·15		1
2		·10	·07	·45								·88		2
3		·03	·09									·57		3
4	·08	·46										·26		4
5	·15	·27	·41				·15			·58		·18		5
6			·39		·10									6
7	·10	·65	·29		·08				·04			·05		7
8		·03								·08		·69		8
9				·33	·09				·14			·28		9
10			·08	·09	·08	·70	·10				·18	·40		10
11			·48	·03	·14							·18		11
12	·10	·27	·25		·61				·37					12
13	·27		·44		·05	·22		·19	·37			·82		13
14	·07		·11		·40			·40	·09			·03		14
15	·03	·04			·02	·02	·35		·27					15
16		·05	·12	·20		·05		·32	·08					16
17	·35	·04		·19					·83		·32			17
18	·35	·10			·41	·32			·22		·10			18
19	·10	·01		·06	·02	·07	·03		·09					19
20	·35		·29	·20	·85		·02							20
21	·33	·45	·30	·07		·25								21
22	·22	·29				·12				·88	·20	·03		22
23	·03	·04								·38				23
24	·38	·09							·18	·10				24
25	·22	·29	·29						·18	·23				25
26		·10	·10							·54				26
27		·20		·29										27
28						·02				·10		·10		28
29										·25	·06			29
30	·24	✕								·19	·07	·08		30
31	·19	✕		✕		✕			✕	·04	✕	·04	d	31
TOTAL	4·25	3·51	3·73	2·00	2·85	1·77	·65	·91	2·86	3·37	1·21	4·74	Year's Total 31·85	
* Days with .01 in. or more.	~~19~~	~~19~~	~~16~~	~~11~~	~~12~~	~~9~~	~~5~~	~~3~~	~~12~~	~~11~~	~~7~~	~~16~~	~~140~~	
* Days with .04 in. or more.	17	16	15	10	10	7	3	3	12	11	7	14	125	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Grauney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 3 in.

,, Ground ,, Sea Level 6 ft.

~~Dec Snow~~ notified 4/2/39

corr. for Dec. 19-29 snow. W. J. H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					·10				·32					1
2	·03			·04	·14		·25			·18		·05		2
3					·28					·43				3
4						·04	·11	·20		·30				4
5	·02						·48	·01						5
6							·05							6
7								·85	·41	·14				7
8	·18						·04			·03				8
9	·19	·08					·02	·47		·02		·32		9
10	·19					·39	·03	·06				·17		10
11	·17										·09	·08		11
12	·15						·03							12
13	·39									·01	·07			13
14	·10				·23				·27			·05		14
15		·26					·22			·11		·15		15
16	·13						·07			·02		4		16
17		·08			·72		·03			·35				17
18	·02				·05						·51			18
19	·01								·02		·06	4		19
20						·02			·37		·50	4		20
21				·03				·03	·20		·04	4		21
22											·09	4 (1·50)		22
23														23
24			·11						·11		·41	4		24
25	·05		·38	·09	·08		·04		·09		·55			25
26	·33	·10	·03				·06	·02	·12	·34		4		26
27	·07	·08			·14	·05	·21			·60	·23			27
28	·18	·06		·05	·12	·03		·78	·30			~~·50~~		28
29	·14				·02			·02	·01			·27		29
30		✕		·23	·08					·06	·33			30 "
31	·19	✕		✕	·40	✕			✕	·07	✕	·17		31 d "
TOTAL	2·54	·66	·52	·44	2·36	·53	1·64	2·44	2·22	2·66	2·88	(2·76) ~~1·76~~	Year's Total ~~20·65~~	days too low 21·65
* Days with .01 in. or more.	18	6	3	5	12	5	14	9	11	14	11	16 ~~9~~	~~117~~	~~124~~
* Days with .04 in. or more.	14	6	2	4	11	3	10	5	9	10	11	16 ~~9~~	~~94~~	101

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Fein [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Graveney Marshes
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
,, Ground ,, Sea Level 6 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02			·24	·65		·10					·05		1
2								·31		·57				2
3	·22			·14				·19			·10	·33		3
4	·12		·20					1·10		·38	·16			4
5				·24						·27	·24	·23		5
6	·28		·04							·09	·04			6
7	·12	·11						·03		·04	·16	·02		7
8		·04	·12					·02		·12	·02	·41		8
9	·03	·05								·67	·95	·18		9
10	·08					·17		·03		·05	·04			10
11			·30		·09	·33				·60				11
12										·08				12
13			·03						·03	2·02		·16		13
14	·47		·02		·10		·03			·45	·35			14
15	·50				·89				·19	·56	·06			15
16	·21		·07		·30	·33	·10				·28			16
17	·07	·05		·03			·05				·03			17
18	·14		·05			·54	·05			·62	·42			18
19	·14						·23			1·35				19
20	·15						·25					·08		20
21	·02		·15				·15			·07				21
22	·07	·18	·08			·15	·12							22
23								·08		·13	·30			23
24	·11			·45						·03	·03			24
25	·97	·50					·43				·40			25
26	·43		·47				·03			·14	·17			26
27	·16		·12							·80	·43			27
28		·41	·05							·20	·09			28
29				·42						·08				29
30		×		·57										30
31		×		×		×	·13		×		×		d	31
TOTAL	4·31	1·34	1·70	2·09	2·03	1·52	1·67	1·76	·22	9·32	4·27	1·46	Year's Total 31·69	
* Days with .01 in. or more.	20	7	13	7	5	5	12	7	2	22	19	8	127	
* Days with .04 in. or more.	17	7	11	6	5	5	10	4	1	21	16	7	110	

† Spare column, no entries required.

(*Signed*) L. H. Finn [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 317 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Graveney Marshes

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 3 in.

,, Ground ,, Sea Level 6 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·01			1
2				·23			·01			·25	·48			2
3				·03						·11	1·46	·05		3
4				·05						·10	·11	·12		4
5							·03				·47	·10		5
6							·20			·36	·11			6
7	·57						·19	·02						7
8				·03					·30	·23		·17		8
9										·03	·12	·07		9
10							·12	·04		·25	·14	·03		10
11											·76			11
12			·23	·06		·58	·14							12
13			·70								1·02			13
14			·26	·11								·20		14
15			·02		·04	·28	1·40				·26			15
16			·16			·25	·37		·20	·51	·62	·05		16
17			·17								·05			17
18			·47	·45			·05			·17	·06			18
19		·10	·11						·61					19
20						·07					·25			20
21					·03		·15			·28	·15			21
22					·16	·06			·04		·01			22
23		·09		·08						·02				23
24							·11			·20		·01		24
25				·16			·43			·35				25
26	·77		·64				·01			·87		·02		26
27			·43				·04			·05				27
28					·58									28
29			·03									·09		29
30		✕		·16						·04				30
31		✕		✕		✕			✕	·50	✕			31
TOTAL	1·34	·19	3·22	1·36	·81	1·24	3·25	·06	1·15	4·32	6·08	·91	Year's Total 23·93	
* Days with .01 in. or more.	2	2	11	10	4	5	14	2	4	17	17	11	99	
* Days with .04 in. or more.	2	2	9	8	3	5	11	1	4	15	15	8	83	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. H. Finn [P.T.O.

318

MILTON S.W.

1931 – 1940

062218001 780107

318.

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090. **REGI** ...931 .

Kept at Milton Sey

in the County of Ken

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA ... **DAY.**

An observer who does not conform ... *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·06	12	·10	–	–	–	·10	–	–	–	–	1
2	·11	·16	–	·13	·06	–	–	–	·36	–	–	·08	2
3	·14	·04	–	·09	·88	–	–	·22	·51	–	–	–	3
4	–	·02	–	–	·02	–	–	–	·05	–	–	–	4
5	–	–	–	·10	·02	·53	·01	·25	–	–	–	–	5
6	–	·04	–	·03	–	·01	–	–	–	·13	·34	–	6
7	·11	·01	–	–	·01	–	·04	·06	–	·06	·05	–	7
8	–	·04	–	–	–	·10	·12	·08	–	–	·08	·09	8
9	·02	·02	–	–	–	–	–	–	·54	–	·40	·05	9
10	·01	·15	–	–	–	·04	–	·07	–	–	1·34	–	10
11	·08	·54	–	–	–	–	–	–	·02	–	·18	–	11
12	·13	–	–	–	–	–	–	·10	·48	–	–	·01	12
13	·06	–	–	–	·14	–	–	·05	–	–	–	–	13
14	·01	·04	–	–	–	·02	·40	·51	–	–	·02	–	14
15	·01	·05	–	·37	·05	–	·08	·07	–	–	–	·11	15
16	·03	·13	–	·11	·19	–	·10	·05	–	–	–	–	16
17	–	·08	–	·31	–	–	·13	·48	·07	·06	–	–	17
18	·01	·14	–	·25	–	·10	·08	·17	–	–	·35	–	18
19	·01	–	–	·70	–	·05	·09	·23	·17	–	·02	–	19
20	–	·05	–	·11	–	–	·38	·17	–	–	–	–	20
21	–	–	–	–	·49	–	–	·06	·01	–	–	–	21
22	·07	–	–	–	–	–	–	·14	·09	–	·02	–	22
23	·44	·14	–	–	·10	·03	–	–	·01	–	·06	–	23
24	–	–	·02	·48	–	–	·04	·13	·01	–	–	–	24
25	·10	–	–	·53	–	–	·33	–	–	–	–	–	25
26	–	–	–	·22	–	–	·33	–	–	–	·17	–	26
27	·05	·24	–	·03	·28	–	·10	–	–	–	–	–	27
28	·07	·01	–	–	·02	–	–	–	–	–	–	–	28
29	·11	–	–	·05	·10	–	·04	–	–	·25	–	–	29
30	·05	×	–	–	–	–	·01	–	–	–	–	–	30
31	·11	×	–	×	·01	×	–	–	×	–	×	–	31
TOTAL	1·73	1·96	·14	3·61	2·37	·88	2·28	2·94	2·32	·50	3·03	·34	YEAR'S TOTAL 22·10"
*Days with ·01 in. or more.	21	19	2	16	14	8	16	18	12	4	12	5	147
*Days with ·04 in. or more.	13.	15	1	14	9	5	14	18	8	4	9	4	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sittingbourne UDC

P.T.O.

318

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at MILTON SEWAGE WORKS
in the County of KENT
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground one ft one in.
,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·06	12	·10	–	–	–	·10	–	–	–	–	1
2	·11	·16	–	·13	·06	–	–	–	·36	–	–	·08	2
3	·14	·04	–	·09	·88	–	–	·22	·51	–	–	–	3
4	–	·02	–	–	·02	–	–	–	·05	–	–	–	4
5	–	–	–	·10	·02	·53	·01	·25	–	–	–	–	5
6	–	·04	–	·03	–	·01	–	–	–	13	·34	–	6
7	·11	·01	–	–	·01	–	·04	·06	–	·06	·05	–	7
8	–	·04	–	–	–	·10	·12	·08	–	–	·08	·09	8
9	·02	·02	–	–	–	–	–	–	·54	–	·40	·05	9
10	·01	·15	–	–	–	·04	–	·07	–	–	1·34	–	10
11	·08	·54	–	–	–	–	–	–	·02	–	·18	–	11
12	·13	–	–	–	–	–	–	·10	·48	–	–	·01	12
13	·06	–	–	–	·14	–	–	·05	–	–	–	–	13
14	·01	·04	–	–	–	·02	·40	·51	–	–	·02	–	14
15	·01	·05	–	·37	·05	–	·08	·07	–	–	–	·11	15
16	·03	13	–	·11	·19	–	·10	·05	–	–	–	–	16
17	–	·08	–	·31	–	–	·13	·48	·07	·06	–	–	17
18	·01	·14	–	·25	–	·10	·08	·17	–	–	·35	–	18
19	·01	–	–	·70	–	·05	·09	·23	·17	–	·02	–	19
20	–	·05	–	·11	–	–	·38	·17	–	–	–	–	20
21	–	–	–	–	·49	–	–	·06	·01	–	–	–	21
22	·07	–	–	–	–	–	–	·14	·09	–	·02	–	22
23	·44	·14	–	–	·10	·03	–	–	·01	–	·06	–	23
24	–	–	·02	·48	–	–	·04	·13	·01	–	–	–	24
25	·10	–	–	53	–	–	·33	–	–	–	–	–	25
26	–	–	–	·22	–	–	·33	–	–	–	·17	–	26
27	·05	·24	–	·03	·28	–	·10	–	–	–	–	–	27
28	·07	·01	–	–	·02	–	–	–	–	–	–	–	28
29	·11	–	–	·05	·10	–	·04	–	–	·25	–	–	29
30	·05	X	–	–	–	–	·01	–	–	–	–	–	30
31	·11	X	–	X	·01	X	–	–	X	–	X	–	31
TOTAL	1·73	1·96	·14	3·61	2·37	·88	2·28	2·94	2·32	·50	3·03	·34	YEAR'S TOTAL 22·10"
*Days with ·01 in. or more.	21	19	2	16	14	8	16	18	12	4	12	5	147
*Days with ·04 in. or more.	13.	15	1	14	9	5	14	18	8	4	9	4	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sittingbourne UDC

P.T.O.

318

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at MILTON SEWAGE WORKS

in the County of KENT

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground one ft one in.

,, Ground ,, Sea Level nineteen ft.

Sent Circ. F. 26. 5. 33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	—	·15	·38	—	—	·06	—	·07	·03	·02	1
2	—	—	—	·16	·09	—	—	—	·04	—	—	·08	2
3	—	—	—	·07	·21	—	—	—	·38	—	—	—	3
4	·04	—	—	—	—	·14	—	·01	—	—	·03	—	4
5	·08	—	·02	—	—	·05	·05	·12	·03	—	—	—	5
6	·47	—	·01	·18	—	—	—	—	·02	—	—	—	6
7	·14	—	·09	·05	—	—	—	—	—	—	·04	·05	7
8	—	—	·09	·06	·10	—	—	—	·06	1·25	—	—	8
9	·20	—	—	·07	·10	—	—	—	—	·36	—	—	9
10	·78	—	—	·25	·05	—	—	—	—	·03	—	—	10
11	·20	·02	·09	—	·02	—	·02	—	—	·36	—	—	11
12	·08	·04	—	—	—	—	·25	—	—	·18	—	—	12
13	·01	·06	—	·06	·04	—	—	—	—	·62	—	—	13
14	·08	·03	—	·09	·05	—	—	—	—	·04	—	·01	14
15	—	—	—	·08	·09	—	—	—	—	·16	—	·01	15
16	·02	—	—	·17	—	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	·05	—	·09	—	·13	·01	18
19	—	—	—	—	—	—	—	—	—	·12	·08	—	19
20	—	—	—	·10	·09	—	·11	—	·09	·57	·23	—	20
21	—	—	—	—	·04	—	—	—	·03	·16	—	—	21
22	—	—	·32	—	·09	·04	·04	—	·47	·28	·22	—	22
23	—	·08	—	—	—	—	—	—	·21	1·05	·15	—	23
24	—	·02	—	—	—	—	·46	—	·31	·04	—	—	24
25	—	—	—	—	·40	—	·65	—	—	·16	·04	—	25
26	—	—	·15	—	—	—	·18	—	—	·29	·05	—	26
27	—	—	—	·16	·20	—	·12	—	—	·09	·07	—	27
28	—	—	—	—	—	—	·05	—	·14	·08	—	—	28
29	—	—	·27	·08	—	—	—	·34	—	·42	—	—	29
30	—	×	·05	·15	—	·47	·03	—	—	·06	—	·03	30
31	—	×	·04	×	—	×	—	—	×	·04	×	·04	31
TOTAL	2·11	·26	1·13	1·88	1·95	·70	2·01	·53	1·87	6·43	1·07	·25	20·19 YEAR'S TOTAL ~~19·66~~
*Days with ·01 in. or more.	12	7	10	16	15	4	12	4	12	22	11	8	133
*Days with ·04 in. or more.	9	3	8	16	14	4	10	3	9	21	9	3	109

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) MW Lashmar

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** ~~318~~ 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SEWAGE WORKS - MILTON

in the County of KENT

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground one ft one in.

,, Ground ,, Sea Level nineteen ft.

~~BA~~

11/1/34 J.W.W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·11	·07	-	-	-	-	-	-	·70	·16	-	1
2	·05	·13	·36	-	·26	-	-	-	-	-	-	-	2
3	·10	·06	·18	-	-	-	-	-	-	-	-	-	3
4	·25	-	-	-	-	-	-	-	-	-	-	-	4
5	-	-	·08	-	·10	-	-	-	-	-	-	-	5
6	·47	·07	·09	-	·28	-	-	-	-	-	·07	-	6
7	-	·03	-	-	·15	-	-	-	-	·33	·01	·04	7
8	-	-	-	-	·04	-	·40	-	-	-	-	-	8
9	-	-	-	-	·07	-	-	-	-	-	·09	-	9
10	·08	·23	-	-	-	-	-	-	-	-	-	-	10
11	-	-	-	-	-	·10	-	·03	·10	·16	·04	-	11
12	-	-	-	·06	·01	·43	-	-	·56	-	·14	-	12
13	-	-	-	-	·08	-	·18	-	·39	·03	-	-	13
14	·17	-	-	-	·15	-	-	·02	-	·15	·09	-	14
15	·11	-	·05	-	-	-	·18	-	-	-	·04	-	15
16	-	-	·56	-	-	·21	·01	-	-	-	-	-	16
17	·03	-	·31	-	-	-	-	·04	·10	-	·05	-	17
18	-	-	-	-	-	·06	-	-	-	-	-	-	18
19	-	·04	·31	·12	-	·15	-	-	-	-	·02	-	19
20	-	-	-	-	-	·08	-	-	-	-	·01	-	20
21	-	·08	-	·05	-	·04	·05	·20	·59	-	-	-	21
22	-	·04	-	-	-	·02	-	·15	·11	·06	·02	-	22
23	-	-	-	·10	·04	·03	-	-	·63	-	-	-	23
24	-	·17	-	·12	·02	·39	-	-	·21	-	-	-	24
25	-	-	-	·20	·01	-	-	-	-	·01	·34	-	25
26	-	·26	-	-	-	·46	-	-	·09	·03	·25	·15	26
27	-	-	-	-	·02	-	-	-	-	·14	-	·04	27
28	-	-	-	-	-	·10	-	-	-	·22	-	·06	28
29	-		-	-	-	-	·37	-	-	-	-	-	29
30	-	✕	·12	-	-	-	-	-	·07	-	-	·05	30
31	-	✕	-	✕	-	✕	-	·08	✕	-	✕	-	31
TOTAL	1·33 ✓	1·22 ✓	~~2·01~~ 2·13	·65 ✓	1·23 ✓	2·07 ✓	1·19 ✓	·52 ✓	2·85 ✓	1·83 ✓	1·33 ✓	·34 ✓	YEAR'S TOTAL 16·69 ✓
*Days with ·01 in. or more.	~~9~~	~~11~~	~~10~~ ✓	~~6~~	~~13~~	~~12~~	~~6~~	~~6~~	~~10~~	~~10~~	~~14~~	~~5~~	~~112~~ ✓
*Days with .04 in. or more.	8	10	10 ✓	6	9	10	5	4	10	7	10	5	94 ✓

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Mrw Lashmar

P.T.O.

756248/27

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sewage Works, Sittingbourne

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~xxx~~ 1 ft. 1~~5~~ in.

,, Ground ,, Sea Level 19 ft.

Amendments to March 15th & April 22nd by surrounding stns. Observer agrees [illegible] that gauge is read daily in future. See Enc. 8a of f 756248/27. D. [illegible] 7/6/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	0·03	—		1
2	—	0·03	—	—	—	—	—	0·07	—	0·08	—	0·19		2
3	0·03	—	0·09	—	—	—	—	—	0·41	0·49	—	0·15		3
4	0·10	—	—	0·04	—	—	—	—	—	0·27	—	0·04		4
5	—	—	0·01	—	0·04	—	—	—	—	0·08	0·08	0·59		5
6	—	—	—	—	0·05	—	—	—	—	—	—	0·14		6
7	—	—	0·26	—	—	0·25	—	0·1	—	0·22	—	0·26		7
8	—	—	—	—	—	—	—	0·07	—	0·05	—	0·09		8
9	—	—	—	0·18	0·19	—	—	—	—	—	0·99	—		9
10	—	—	—	0·12	—	—	—	—	—	—	0·41	0·09		10
11	0·60	—	— }	—	—	—	—	TR	—	0·05	0·15	—		11
12	0·60	—	0·44 }	0·05	—	—	0·08	0·03	—	—	—	0·16		12
13	0·44	—	0·06	—	—	—	0·03	0·14	—	—	—	0·09		13
14	0·09	—	0·12	—	—	—	0·1	0·15	—	—	—	—		14
15	—	—	(·40)	—	—	0·01	0·02	—	—	0·05	0·32	0·41		15
16	0·08	—	—	—	0·02	—	—	—	—	—	0·09	0·32		16
17	0·02	—	0·20	0·01	0·01	—	—	—	—	0·01	—	0·04		17
18	0·10	—	0·39	0·02	—	—	—	—	0·08	0·05	0·03	0·27		18
19	—	—	—	0·24	—	—	0·05	—	—	—	0·01	0·26		19
20	—	—	0·22	—	—	—	—	—	0·11	—	—	0·03		20
21	—	—	0·09	—	—	—	0·07	—	—	—	—	—		21
22	—	—	—	(·19)	—	0·03	—	—	—	—	—	—		22
23	—	—	—	—	—	—	—	0·12	0·10	—	—	—		23
24	—	—	—	0·26	—	0·38	—	—	—	0·01	—	0·13		24
25	0·08	—	—	—	—	0·07	0·69	—	0·03	—	—	—		25
26	—	0·02	—	0·09	—	—	—	—	—	—	—	0·23		26
27	0·40	—	—	0·11	—	0·02	—	—	—	—	—	0·04		27
28	0·01	—	—	0·46	—	—	—	—	—	—	—	0·16		28
29	—	—	—	0·19	—	0·19	—	0·35	—	—	—	0·06		29
30	—	×	—	—	—	—	0·23	0·05	0·25	—	—	0·01		30
31	—	×	—	×	—	×	—	—	×	—	×	0·33		31
													Year's Total.	
TOTAL	2·55	0·05	(2·28) ~~1·88~~	(1·87) ~~1·77~~	0·31	0·95	1·27	1·09	0·98	1·36	2·11	4·09	18·41	(18·91)
* Days with .01 in. or more.	~~12~~	~~2~~	~~11~~	~~12~~	~~6~~	~~7~~	~~8~~	~~10~~	~~6~~	~~11~~	~~9~~	~~23~~	~~116~~	"d"
* Days with .04 in. or more.	~~9~~		~~9~~	~~10~~	~~3~~	~~4~~	~~6~~	~~8~~	~~5~~	~~9~~	~~6~~	~~21~~	~~90~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side

(*Signed*) M. W. Eastman

[P.T.O.

Xf. 756248/27 X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sittingbourne
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 19 ft.

SITTINGBOURNE & MILTON
URBAN DISTRICT COUNCIL.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·26						·08		·07		·07			1
2	·13									·26	·01			2
3		·04	·15			·12			·06	·37	·06			3
4				·27		·09			·19	·25		·21		4
5		·42		·06		·10	·03		·46	·10		·05		5
6				·17		·10					·08			6
7	·04	·06		·12							·78	·05		7
8						·13		·34		·15	·23	·03		8
9				·38		·07				·73	·15	·02		9
10				·11		·02					·23	·05		10
11	·14					·16					·22			11
12								·20			·57	·06		12
13				·05	·10	·03					·05			13
14	·02			·06	·18							·03		14
15		·16		·36		·09			·26		·19	·02		15
16		·07		·14		·16			·15		·90	·01		16
17			·06	·08		·03	·01	·02	·03		·45			17
18				·08		·02	·16		·24	·05		·02		18
19					·25		·07		·01		·03			19
20		·27			·09		·39		·01	·02	·04			20
21	·02	·34		·04					·01		·04			21
22		·05						·14						22
23								·35	·01	·16		·08		23
24	·08	·89			·56	·15		·40	·28			·17		24
25	·09	·13		·28								·28		25
26	·11	·26						·08	·01	·05		·39		26
27		·27			·31			·01	·03	·03	·05	·10		27
28		·05			·02				·02			·17		28
29		×						·02	·20			·30		29
30	·06	×			·08	~~·08~~		·65		·03	·30	·30		30
31		×	×	×	·10	×			×	·14	×	·39	d	31
TOTAL	·95	3·01 ~~2·96~~	·26	2·20	1·69	1·27	0·74	2·21	2·04	2·34	4·45	2·73	Year's Total 23·85	
* Days with .01 in. or more.	10	13	2	14	9	14	6	10	17	13	19	20	~~147~~	
* Days with .04 in. or more.	8	13	2	14	8	10	4	7	9	10	17	14	~~116~~	

print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

SITTINGBOURNE & MILTON
URBAN DISTRICT COUNCIL.

(Signed) W W Lashmar . Survr

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Sewage Works - Milton

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·11	-	·07	-	·32	·09	·03	-	-	·04	·09		1
2	·01	·10	-	-	-	·11	·01	·06	-	-	-	·10		2
3	-	-	-	·34	·07	·05	·02	-	-	-	·24	-		3
4	-	-	·01	-	-	·18	-	-	·20	-	-	·05		4
5	·28	-	-	-	-	-	-	-	·11	·39	·08	·06		5
6	·28	-	-	-	-	·03	-	-	·07	·16	·31	-		6
7	·18	-	·01	-	-	·02	-	·02	·01	·13	·33	-		7
8	·18	-	·12	-	-	-	·02	-	-	·03	·31	·18		8
9	·32	-	-	-	·01	-	·27	-	·02	·03	·02	-		9
10	·19	-	-	-	-	·01	·07	1·20	·07	·09	-	-		10
11	-	-	-	·12	·01	-	·13	-	-	-	·50	-		11
12	-	-	-	·02	·02	·19	·05	-	·01	-	·10	·03		12
13	-	-	-	-	-	·03	-	-	-	-	-	·15		13
14	-	·04	-	-	-	·01	·50	-	-	·12	·04	·46		14
15	-	·08	-	-	-	-	-	-	·09	-	-	·10		15
16	·26	·07	-	-	-	-	-	-	·01	-	·28	·14		16
17	·16	·65	-	-	-	·07	-	·02	-	-	·17	·05		17
18	·07	·12	-	-	-	-	·05	-	-	·02	·33	·04		18
19	·10	·03	-	-	-	·05	-	·08	-	·02	-	-		19
20	·14	·09	-	·25	-	-	-	-	·50	-	-	-		20
21	-	-	-	·26	-	·76	·55	-	·03	-	-	-		21
22	·04	·32	-	·01	·04	·01	·05	-	-	-	-	·15		22
23	-	·01	-	·04	-	·03	·12	-	-	·01	-	-		23
24	·06	·02	-	-	-	-	-	-	·01	·13	-	-		24
25	·30	-	·12	·13	-	·09	·08	-	·46	·04	·03	·03		25
26	-	·08	·09	-	-	-	-	-	·03	·14	-	·01		26
27	·22	-	-	-	-	-	-	-	·14	·02	-	-		27
28	·61	-	·03	-	-	·16	·30	-	·07	-	-	·01		28
29	·03	·05	·07	-	-	·68	·05	-	-	-	·04	-		29
30	·02	✕	-	-	·04	·10	-	-	-	·06	-	-		30
31	·26	✕	·18	✕	-	✕	·07	-	✕	·31	✕	·03		31
TOTAL	3·92	1·77	0·63	1·26	0·19	2·90	2·43	1·41	1·83	1·70	2·82	1·68	Year's Total 22·54	
* Days with .01 in. or more.	21	14	8	10	6	19	17	6	16	16	15	17	165	
* Days with .04 in. or more.	18	11	5	7	3	11	14	3	9	10	13	12	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M.W. Lashmar

SH.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sewage Disposal Works, Milton

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·59	–	–	·06	–	–	·14	–	·03	–	·40	·01		1
2	–	·10	–	·27	–	–	–	–	–	–	–	·78		2
3	–	·07	·05	–	–	–	–	–	–	–	–	·50		3
4	·07	·58	–	–	–	–	–	–	–	–	–	·46		4
5	·14	·11	·39	–	–	–	–	–	–	·03	–	·03		5
6	·01	–	·52	–	·10	–	·18	–	–	·06	–	–		6
7	–	·64	·14	·02	–	–	–	–	·02	–	–	–		7
8	–	–	·06	–	·02	–	–	–	–	–	·14	·83		8
9	–	·02	–	·40	·11	·03	·02	–	·14	–	–	·14		9
10	–	–	·26	·06	·16	·93	·09	–	–	–	–	·36		10
11	–	–	·38	·03	·11	–	·04	–	–	–	–	·13		11
12	·16	·19	·11	–	·46	·13	–	–	·31	–	–	·06		12
13	·20	–	·43	–	–	·18	–	·24	·26	–	–	·60		13
14	·02	·01	·12	–	·24	–	–	·04	·02	–	–	–		14
15	·07	·03	–	·07	–	–	·46	·83	·29	–	–	–		15
16	·01	·09	·16	·13	–	–	–	–	·09	–	–	–		16
17	·35	–	·03	·16	–	·03	–	·24	·25	–	·30	–		17
18	·44	·04	–	·01	·36	·77	–	–	·12	–	·16	–		18
19	·09	·02	·05	·05	·04	·32	·08	–	·03	–	–	–		19
20	·39	–	·40	·29	·83	–	–	–	·02	–	–	–		20
21	·27	·48	·13	–	–	–	–	·03	–	–	–	–		21 Cd.s
22	·24	–	–	–	·01	·18	–	–	–	·90	·28	·02		22
23	·04	–	–	–	–	–	–	–	–	·48	·04	–		23
24	·63	·30	–	–	–	–	–	–	·06	·13	–	–		24
25	·26	·29	·24	–	–	–	–	–	·13	·24	–	·01		25
26	–	·14	·06	–	–	–	–	–	–	·38	–	–		26
27	–	·09	–	·33	–	–	–	–	·02	·10	–	–		27
28	–	–	–	–	–	–	–	–	–	–	–	·06		28
29	·11		–	–	–	–	–	–	–	·20	·02	·02		29
30	·17	☒	–	–	–	·14	–	–	–	·08	·04	·02		30
31	·18	☒	–	☒	–	☒	–	–	☒	·02	☒	·02		31
TOTAL	4·44	3·20	3·53	1·88	2·44	2·71	1·01	1·38	1·79	2·62	1·38	4·14	Year's Total 30·52	✓ ✓
* Days with .01 in. or more.	21	17	17	13	11	9	7	5	15	12	8	17	152	✓ ✓
* Days with .04 in. or more.	18	13	16	10	9	7	6	4	9	9	7	11	119	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

SITTINGBOURNE & MILTON
URBAN DISTRICT COUNCIL.

(Signed) M.W. Lashmar
Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sewage Disposal Works Milton

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 19 ft.

Dec Snow

notified, 21/2/39

corr. for Dec 19-26 snow.

W.J.B.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	-	-	-	0.17	0.42	0.39	-	0.21	-	-	0.01		1
2	0.01	-	-	0.03	0.24	-	-	-	-	0.25	-	-		2
3	-	-	-	-	0.18	-	-	-	-	0.31	-	-		3
4	0.02	-	-	-	-	-	0.06	0.18	-	0.07	-	0.03		4
5	0.01	-	-	-	-	-	-	-	-	0.19	-	-		5
6	0.01	-	-	-	-	-	-	0.01	0.03	-	-	-		6
7	-	-	-	-	-	-	0.02	0.04	-	0.16	-	0.03		7
8	0.18	-	-	-	-	-	0.03	0.59	0.03	0.04	-	-		8
9	0.08	-	-	-	-	-	0.05	-	-	-	-	-		9
10	0.06	0.05	-	-	-	0.25	-	0.47	-	-	-	0.68		10
11	0.18	-	-	-	-	0.02	-	0.05	-	-	0.07	0.06		11
12	0.12	-	-	-	-	-	-	0.07	-	0.08	0.02	-		12
13	0.30	-	-	-	-	-	-	-	-	-	0.01	-		13
14	0.10	0.13	-	-	0.32	-	-	-	0.06	-	-	0.06		14
15	0.02	0.18	-	-	-	-	0.24	-	-	0.22	-	0.02		15
16	0.13	-	-	-	0.04	-	0.17	-	-	0.06	-	0.16		16
17	-	0.09	-	-	0.46	-	0.05	-	-	0.12	-	-		17
18	0.02	-	-	-	0.04	-	-	-	0.04	-	0.39	-		18
19	-	-	-	-	-	-	-	-	0.01	-	-	- 4		19
20	-	-	-	-	-	-	-	-	0.18	-	0.47	- 4		20
21	-	-	-	-	-	-	-	-	0.05	-	0.05	- 4		21
22	-	-	-	0.02	-	-	-	0.06	-	-	0.08	- 4 (1.20)		22
23	-	-	-	0.01	-	-	-	-	-	-	0.01	-		23
24	-	-	0.05	-	-	-	-	-	0.03	-	0.02	0.~~58~~4		24
25	0.05	-	0.37	0.03	0.04	-	-	-	0.07	-	0.27	-		25
26	0.24	0.11	0.03	-	-	-	-	-	0.30	0.30	-	0.~~12~~4		26
27	0.11	0.03	-	-	0.33	0.02	0.23	-	0.25	0.20	0.13	-		27
28	0.16	-	-	-	0.16	0.01	-	0.32	0.03	-	-	-		28
29	0.19		-	0.01	0.10	-	-	-	-	-	0.04	0.23		29
30	0.03	✕	-	0.22	-	-	-	-	0.01	0.04	0.30	-		30
31	0.15	✕	-	✕	-	✕	-	-	✕	0.11	✕	0.16		31 "d"
TOTAL	2.19	0.59	0.45	0.32	2.08	0.72	1.24	1.79	1.30	2.15	1.86	(2.64) ~~2.14~~	Year's Total ~~16.83~~	✓17.33
* Days with .01 in. or more.	17	6	3	6	11	5	9	9	14	14	13	~~12~~ 16	~~119~~	✓~~123~~
* Days with .04 in. or more.	15	5	2	1	11	2	7	8	8	14	19	8 12	~~90~~	✓94

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

SITTINGBOURNE & MILTON
URBAN DISTRICT COUNCIL.

(Signed) M W Lashmar SR
Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sittingbourne Sewage Works

in the County of KENT

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16			.03	.52			.18			.04			1
2	.03				.01			.13	.01	.92	.03			2
3	.18			.23				.94		.01	.04	.37		3
4	.16		.16	.12						.52	.08	.02		4
5				.07			.30			.37	.20	.15		5
6	.37										.03			6
7	.03	.04								.34	.08	.01		7
8		.02	.09					.27		.78	.13	.35		8
9	.03	.04								.02	.72	.11		9
10	.07							.03		1.13				10
11			.30			.44				.17		.02		11
12						.27				1.70		.02		12
13						.10				.22		.09		13
14	.38		.05	.01	.13	.07	.02			.47	.37	.02		14
15	.58				.69				.15		.02			15
16	.14		.06		.27	.24				.33	.28			16
17	.17	.03					.17			.74	.02			17
18	.10		.03		.02		.18				.34			18
19	.17		.01			.03	.28					.02		19
20	.11							.05	.19			.06		20
21	.04		.19			.04	.04		.05					21
22	.07	.14	.05			.08	.17	.06		.10				22
23				.10			.27				.48			23
24	.09	.01		.18		.04	.04							24
25	1.18	.50	.06				.40			.02	.38	.02		25
26	.16		.10			.21			.03	.13	.18			26
27	.16	.07	.12							.17	.26			27
28	.02	.35	.09							.09	.06	.10		28
29				.36						.02	.03			29
30		✕		.69							.04			30
31		✕		✕		✕	.15	.05	✕		✕			31
TOTAL	4.40	1.20	1.31	1.79	1.64	1.52	2.02	1.71	0.43	8.25	3.81	1.36	Year's Total 29.44	
* Days with .01 in. or more.	22	9	13	9	7	10	11	8	5	20	21	14	149	
* Days with .04 in. or more.	18	6	12	7	4	9	10	7	3	16	16	7	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station ~~No. 314/5/3818~~**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

5/18

Kept at Sewage Works, Sittingbourne,
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
,, Ground ,, Sea Level ~~15~~ 8 ft.

756~~24~~8/27.

Jan 15 est'd for snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·02	·01		1
2		·03		·05			·01			·31	·49	·01		2
3		·14		·05							1·43	·03		3
4		·04		·09							·07	·12		4
5											·66	·11		5
6	·21	·04					·07			·25	·03			6
7	·26	·07			·03		·14					·03		7
8										·21		·24		8
9										·03		·06		9
10							·46	·04		·13	·18	·10		10
11				·02			·05				·70	·04		11
12			·07				·23		·12					12
13			·71								·85			13
14			·25	·11		·55						·20		14
15	(·30)		·01			·07	1·66				·45	·01		15
16		·05	·19			·28	·23		·04	·68	·52	·04		16
17		·13	·25				·01				·12	·01		17
18		·33	·21	·41			·07		·04		·02	·12		18
19		·11					·05		·30		·08	·12		19
20						·05	·10			·29	·10			20
21					·12						·16			21
22			·02		·17	·26				·05	·01	·02		22
23		·09	·01	·20				·01		·03	·01			23
24				·11			·07			·08				24
25			·73				·36			·05				25
26	·74	·06	·47							·27				26
27	4	·14					·06			·18		·01		27
28	✓			·01	·67					·54				28
29	4	·05	·03		·02				·03			·20		29
30	4 ·39	✕		·15						·06		·03		30 Pnt
31	·05	✕		✕		✕			✕	·38	✕	·05		31 Wt
TOTAL	1·95 ~~1·65~~	1·28	2·95	1·20	1·01	1·21	3·57	·05	·53	2·79	5·90	1·56	Year's Total ~~23·70~~	24·00
* Days with .01 in. or more.	~~8~~ 9	13	12	10	5	6	15	2	5	14	18	21	~~125~~	129
* Days with .04 in. or more.	~~5~~ 8	12	8	8	3	5	13	1	4	12	13	12	~~96~~	99

* See Instruction 3 (f) on other side.

SITTINGBOURNE U.D.C.

† Spare column, no entries required.

(*Signed*) [illegible] Engineer

P.T.O.

C E.

318/5

WEST MEAD RE

1937-40

780107

Section **A** for the entry of Daily

AIR MINISTRY.—M ITISH RAINFALL ORGANIZATIO

Station No. 318/5

193/5

FORM 1090.

REGISTE IN 1937.

M.W.R.

Kept at .... Whitstable, ...

in the County of .... Kent ....

Diameter of Funnel of Gauge............5...in.

Height of top of Gauge above Ground......1...ft......–...in.

,, Ground ,, Sea Level ....9.........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·47			1
2														2
3														3
4														4
5														5
6														6
7														7
8												·78		8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22										·81				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL										2·77	1·12	✓ 4·49	Year's Total inp	
* Days with .01 in. or more.										13	8	18		
* Days with .04 in. or more.										10	6	14		

1st return October 1937.

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

N

C E.

Section **A** for the entry of Daily Observations. Station No. 318/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION 19/3/5

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Whitstable,
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 9 ft.

M.W.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·47			1
2														2
3														3
4														4
5														5
6														6
7														7
8												·78		8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22										·81				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL										2·77	1·12	4·49	Year's Total unp.	
* Days with .01 in. or more.										13	8	18		
* Days with .04 in. or more.										10	6	14		

1st return October 1937.

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~37

Kept at WHITSTABLE

in the County of KENT

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										–	·47	·37		**1**
2										·01	–	·65		**2**
3										–	–	·52		**3**
4										–	–	·33		**4**
5										·26	–	·10		**5**
6										·04	–	–		**6**
7										–	–	·01		**7**
8										·01	–	·78		**8**
9										–	·16	·16		**9**
10										–	–	·36		**10**
11										–	–	·16		**11**
12										–	–	·01		**12**
13										–	–	·64		**13**
14										–	–	·12		**14**
15										–	–	–		**15**
16										–	–	–		**16**
17										–	·27	–		**17**
18										–	·06	–		**18**
19										–	–	–		**19**
20										–	–	–		**20**
21										–	–	–		**21**
22										·81	·02	·02		**22**
23										·41	·01	–		**23**
24										·06	–	–		**24**
25										·39	–	·02		**25**
26										·45	–	–		**26**
27										·07	–	–		**27**
28										–	–	·12		**28**
29										·05	·04	–		**29**
30		X								·19	·09	·07		**30**
31		X		X		X			X	·02	X	·05		**31**
TOTAL	—	—	—	—	—	—	—	—	—	77 2·[illegible]	1·12	4·49	Year's Total ~~8·38~~	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

WHITSTABLE (WESTMEADS REC GRD)

~~193~~5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 318/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1

REGISTER OF RAINFALL IN 1938

Kept at Whitstable

in the County of Kent / 3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 9 ft.

c [illegible] 1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·05	—	07	·38	·32	—	31	—	—	01		1
2	—	—	—	·09	·21	—	—	—	—	17	—	—		2
3	—	—	—	—	·11	—	—	—	—	·42	—	—		3
4	—	—	—	—	—	05	17	25	—	—	—	02		4
5	—	—	—	—	—	—	17	—	—	29	—	—		5
6	—	—	—	—	—	—	01	07	—	—	—	—		6
7	—	—	—	—	—	—	01	1·24	02	15	—	02		7
8	·18	—	—	—	—	—	04	—	11	03	—	—		8
9	·18	·01	—	—	—	—	02	58	—	—	—	·33		9
10	·13	·09	—	—	—	·27	02	03	—	—	—	11		10
11	·20	—	—	—	—	06	—	01	—	—	03	03		11
12	·11	·06	—	—	—	01	—	—	—	09	02	01		12
13	·41	·06	—	—	—	—	—	—	—	—	02	—		13
14	·08	·02	—	—	·17	—	—	—	17	—	—	02		14
15	—	·32	—	—	—	—	18	—	—	12	—	01		15
16	·13	—	—	—	05	—	18	—	—	06	06	16		16
17	—	·08	—	—	·61	—	02	—	—	21	—	—		17
18	·01	—	—	—	06	—	—	—	—	—	37	—		18
19	—	—	—	·02	02	—	—	—	01	—	01	01		19
20	—	—	—	·04	04	—	—	—	·42	—	29	32		20
21	—	—	—	·03	—	—	—	—	16	—	03	11		21
22	—	—	—	·01	—	02	—	—	—	—	06	08		22
23	—	—	—	—	—	—	—	—	—	—	01	07		23
24	—	—	·12	—	02	—	—	—	07	—	35	27		24
25	·07	—	38	·06	09	—	06	—	11	02	·44	—		25
26	·37	·09	·07	—	—	—	02	01	34	28	—	24		26
27	·04	·07	—	—	30	05	13	—	33	39	13	—		27
28	·21	·01	—	—	11	01	—	70	04	—	—	—		28
29	·15	X	—	·04	08	—	—	—	—	—	02	27		29
30	·01	✕	—	·23	01	—	—	24	—	05	17	—		30
31	·18	✕	—	✕	—	✕	—	—	✕	06	✕	10		31
TOTAL	2·48	·81	·62	·52	1·95	·85	1·35	3·13	2·09	2·34	2·01	2·19	Year's total 20·34	
* Days with .01 in. or more.	17	10	4	8	15	8	14	9	12	14	15	19	145	
* Days with .04 in. or more.	14	7	4	5	12	5	9	6	10	12	8	11	102	

Print
CB
14/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) X The Engineer to the U.D.C.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~1935~~ 318/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Whitstable

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	–	–	08	64	–	–	–	–	–	–	–		1
2	–	–	–	–	–	–	–	39	02	48	01	–		2
3	17	–	–	12	–	–	–	07	–	–	06	·26		3
4	17	–	15	03	–	–	01	52	–	27	03	01		4
5	–	–	–	24	–	–	02	–	–	18	25	15		5
6	28	–	02	–	–	–	–	–	–	06	09	–		6
7	08	07	–	–	–	–	02	01	–	02	04	03		7
8	–	01	12	–	–	–	–	11	–	20	–	25		8
9	04	07	–	–	–	–	–	–	–	89	·90	·13		9
10	05	–	–	–	–	·38	–	03	02	01	–	–		10
11	03	–	·24	–	01	–	–	–	–	56	–	02		11
12	–	–	–	–	–	32	–	–	01	20	–	–		12
13	–	–	01	–	–	02	–	–	01	1·35	–	15		13
14	34	–	01	–	18	–	02	–	–	28	34	01		14
15	40	–	–	–	95	–	–	–	12	47	02	–		15
16	17	–	07	–	12	09	03	–	–	02	27	–		16
17	05	07	05	07	–	–	02	–	06	–	01	–		17
18	13	–	03	–	–	–	03	–	01	62	42	–		18
19	14	–	02	–	–	01	·21	–	02	115	–	02		19
20	15	✓	–	–	–	02	05	–	·25	–	–	04		20
21	04	–	15	–	–	01	–	1·20	09	04	–	–		21
22	05	13	11	–	–	13	13	–	–	–	03	–		22
23	02	01	–	26	–	–	16	05	01	08	42	–		23
24	06	–	–	37	–	05	04	01	–	01	02	–		24
25	1·04	·65	03	–	–	–	17	–	–	–	33	–		25
26	39	–	14	–	–	–	01	–	–	42	16	01		26
27	13	05	12	01	–	–	–	–	–	111	36	–		27
28	03	30	12	–	–	–	–	–	–	30	11	17		28
29	–	X	–	46	–	–	–	–	–	04	02	–		29
30	–	✕	–	·52	–	03	–	–	–	–	02	–		30
31	–	✕	–	✕	–	✕	17	–	✕	–	✕	–		31
TOTAL	3·97	1·36	1·39	2·16	1·90	1·06	1·09	2·39	·62	8·76	3·91	1·25	Year's Total 29·86	
* Days with .01 in. or more.	23	9	16	10	5	10	15	9	11	23	21	12	165	
* Days with .04 in. or more.	19	7	10	8	4	5	7	6	4	19	13	7	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

193/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 318/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo 1090

REGISTER OF RAINFALL IN 19340

Kept at Whitstable

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	02	–	–	–	–	–	–	–	–	01	–		1
2	–	–	–	14	–	–	01	–	–	25	43	–		2
3	–	09	–	03	–	–	01	–	–	05	1·21	–		3
4	–	06	–	05	–	–	–	–	–	07	05	13		4
5	–	02	–	–	–	–	01	02	–	–	58	07		5
6	·14	03	–	–	–	–	22	–	–	33	10	–		6
7	35	02	–	–	–	–	27	·24	–	–	–	–		7
8	–	03	–	01	–	–	–	–	·95	20	–	17		8
9	–	–	–	–	–	–	–	–	01	03	–	08		9
10	–	–	–	–	–	–	03	–	–	18	34	09		10
11	–	–	–	03	–	–	–	03	–	–	85	–		11
12	–	14	07	–	–	–	07	–	05	–	–	–		12
13	–	01	·60	–	–	10	–	–	15	–	90	–		13
14	–	–	34	–	–	–	–	–	–	01	–	–		14
15	–	–	–	–	04	10	·59	–	–	–	27	·21		15
16	51	11	21	–	–	·19	38	–	–	32	44	–		16
17	09	–	46	–	–	–	01	–	04	–	18	03		17
18	15	·39	23	·38	–	–	05	–	–	12	13	–		18
19	–	08	05	–	–	–	–	–	–	–	08	13		19
20	05	–	–	–	–	02	–	–	62	03	09	16		20
21	09	–	–	–	03	–	07	–	02	02	08	–		21
22	07	–	02	–	07	15	–	–	02	04	–	–		22
23	–	11	–	13	–	–	–	02	–	–	–	–		23
24	–	–	–	11	–	–	20	–	–	48	–	–		24
25	–	–	48	–	–	–	33	–	–	23	–	–		25
26	·73	06	37	–	–	–	–	–	–	·57	03	–		26
27	17	04	–	–	–	–	08	07	–	01	–	–		27
28	01	–	–	–	·39	–	–	–	–	–	–	02		28
29	03	–	01	–	08	–	–	–	02	–	–	–		29
30	04	✕	–	29	–	–	–	–	01	03	–	12		30
31	03	✕	–	✕	–	✕	–	–	✕	33	✕	02		31
TOTAL	2·46	1·21	2·84	1·17	·61	·56	2·33	·38	1·89	3·30	5·77	1·23	Year's Total 23·75	
* Days with .01 in. or more.	14	15	11	9	5	5	15	5	10	19	17	12	137	
* Days with .04 in. or more.	11	9	9	6	4	4	10	2	6	13	15	9	97	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Engineer to the U.D.C. [P.T.O.

319

HERNE BAY

1931 - 1940

062410003

780107

Section **A** for the entry

AIR MINIS

COPY FOR OFFICIAL USE. 319

NFALL ORGANIZATION.

FORM 1090.

REG 937.

Kept at Herne Ba

in the County of K

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS AY.

An observer who does not conform he following year in the space on the right of

Jan. 1, following

Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	1.92	1.86	.19	2.57	2.34	.60	2.42	2.24	1.28	.50	2.75	.52	YEAR'S TOTAL 19.19
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

319

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.92	1·86	·19	2·57	2·34	·60	2·42	2·24	1.28	·50	2·75	·52	YEAR'S TOTAL 19·19
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 4½ in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·30	0·21	1·23	1·72	2·56	0·13	2·60	1·70	1·73	5·40	1·0	0·35	YEAR'S TOTAL 19·93
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) J Roberts
Herne Bay Waterworks Co

P.T.O.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Herne Bay

In the County of Kent

Rain Gauge
Diameter of Funnel 4½ in.
Height of Top above Ground 1 *ft* — *in.*
Height of Ground above Sea Level 130 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·40				
FEB.	-·82				
MAR.	1·58				
APRIL	·67				
MAY	1·10				
JUNE	2·20				
JULY	1·26				
AUG.	·68				
SEPT.	3·53				
OCT.	1·50				
NOV.	1·75				
DEC.	·50				
Total	16·39				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Herne Bay Waterworks Co
47 Mortimer Street Herne Bay

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Herne Bay Distance 1 mile Direction from gauge SW

Nearest Parish Church at St Bartholomews Distance 100 yds Direction from gauge SE

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

M.O. 7
5 JAN 1934

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·58	0·20	2·22	1·75	1·35	0·76	1·13	2·65	1·03	1·34	3·18	3·23	Year's Total. 20·42	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

M.
2 - JAN 1935

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·57	2·50	·20	2·20	1·78	2·17	·24	2·78	2·80	3·34	3·67	2·46	Year's Total. 25·71	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 4½ in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	4·38	2·00	·57	·96	·20	3·52	4·94	1·07	2·08	2·08	2·97	1·55	26·32	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Roberts

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.**..........................

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at ...Herne Bay...

in the County of ...Kent...

Diameter of Funnel of Gauge...4½...in.

Height of top of Gauge above Ground...1...ft...6...in.

,, Ground ,, Sea Level ...130...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														**1**
2														**2**
3														**3**
4														**4**
5														**5**
6														**6**
7														**7**
8														**8**
9														**9**
10														**10**
11														**11**
12														**12**
13														**13**
14														**14**
15														**15**
16														**16**
17														**17**
18														**18**
19														**19**
20														**20**
21														**21**
22														**22**
23														**23**
24														**24**
25														**25**
26														**26**
27														**27**
28														**28**
29														**29**
30		✕												**30**
31		✕		✕		✕			✕		✕			**31**
TOTAL	3·63	3·26	4·45	1·67	2·95	1·90	·84	1·68	3·64	2·55	1·44	4·58	Year's Total 32·59	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

The total rainfall for year 1937 = 32·59 inches
is the highest I have recorded on our records
which date from 1885. J Roberts

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ...J Roberts... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 4½ in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 125 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·47	·80	·50	·40	1·97	1·18	1·54	3·25	2·47	3·05	2·08	1·72	Year's Total 21·43	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge 4½ in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ~~[illegible]~~ 20 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	3·62	1·14	1·52	2·38	2·03	1·53	·92	1·34	1·55	9·75	3·57	1·32	Year's Total 30·67	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Roberts

[P.T.O.

FORM 1090.

319

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940.

At Herne Bay 319

In the County of Kent

Rain Gauge {
Diameter of Funnel 4½ in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 125 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~1·42~~	(2·02)			
FEB.	1·02				
MAR.	2·77				
APRIL	·98				
MAY	·47				
JUNE	·31				
JULY	2·65				
AUG.	·21				
SEPT.	1·38				
OCT.	3·12				
NOV.	5·49				
DEC.	1·28				
TOTAL	~~21·10~~ 21·70 ✓				

Signature J. Roberts

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
J. Roberts, Esq.,
Herne Bay Waterworks Company, Herne Bay.

Hour of observation by the clock—in Winter 8 a.m. in Summer 8 a.m.

Nearest Railway Station Herne Bay Distance 1 mile Direction from gauge S.W.

Nearest Parish Church at St. Bartholomew Distance 100 yds. Direction from gauge S.E.

Nature of objects nearest to gauge	Water Tower.			
Height of objects	80ft.			
Distances ...	50 yds.			
Directions from gauge ...	S.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan esto. from nearby Stns.

M. O. 3.
3 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

Section **A** **for the entry**
AIR MINIST

FORM 1090.

REGI

3 1.

COPY FOR ~~OFFICIAL USE~~.

FALL ORGANIZATION.

319/5

Kent/3.

319/5
HERNE BAY
MEMORIAL PARK
1931 - 1940

0062410001

780107

Kept at Herne

in the County of K

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA **DAY.**

An observer who does not conform *the following*
year in the space on the right of

Jan. 1, following ✓

Please read the Notes and Instructions

This Station was opened on the 8th Sept 1931
There was no official record kept before that
date. E.H.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										—	—	—	1
2										—	TRR	—	2
3										—	·01	·06	3
4										—	·03	—	4
5										—	TRR	·06	5
6										·09	·14	—	6
7										·01	·01	—	7
8									—	TRR	TRR	·04	8
9									—	—	·32	·03	9
10									—	—	1·21	·02	10
11									—	·09	·41	—	11
12									·27	·01	—	—	12
13											—	·01	13
14									—	—	—	—	14
15									—	—	—	·05	15
16									—	—	—	—	16
17									·02	—	—	·01	17
18									—	—	·28	—	18
19									·07	—	·01	—	19
20									—	TRR	—	·01	20
21									·01	—	—	—	21
22									·04	—	—	—	22
23									·09	—	·03	TRR	23
24									—	—	—	—	24
25									—	TRR	—	—	25
26									TRR	·05	·15	—	26
27									—	·01	TRR	—	27
28									—	·25	TRR	·12	28
29									—	—	·02	—	29
30		×							—	—	—	—	30
31		×		×		×			×	—	×	—	31
TOTAL									~~·56~~	·51	2·62	·41	YEAR'S TOTAL ~~4·04~~
*Days with ·01 in. or more.									~~2~~	7 3.	6	5	~~16~~
*Days with ·04 in. or more.									~~4~~	4	6	5	~~19~~

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Ernest Edward Hill [P.T.O.
THE SURVEYOR. U.D.C.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kent/3.

Kept at Herne Bay (memorial Park).

in the County of Kent.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft 12 in.

,, Ground ,, Sea Level 14 · 36 ft.

Unpublished
Health Resort

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

This station was opened on the 8th Sept 1931
There was no official record kept before that
date. F.H.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										—	—	—	1
2										—	TRR	—	2
3										—	·01	·06	3
4										—	·03	—	4
5										—	TRR	·06	5
6										·09	·14	—	6
7										·01	·01	—	7
8									—	TRR	TRR	·04	8
9									—	—	·32	·03	9
10									—	—	1·21	·02	10
11									—	·09	·41	—	11
12									·27	·01	—	—	12
13											—	·01	13
14									—	—	—	—	14
15									—	—	—	·05	15
16									—	—	—	—	16
17									·02	—	—	·01	17
18									—	—	·28	—	18
19									·07	—	·01	—	19
20									—	TRR	—	·01	20
21									·01	—	—	—	21
22									·04	—	—	—	22
23									·09	—	·03	TRR	23
24									—	—	—	—	24
25									—	TRR	—	—	25
26									TRR	·05	·15	—	26
27									—	·01	TRR	—	27
28									—	·25	TRR	·12	28
29									—	—	·02	—	29
30		✕							—	—	—	—	30
31		✕		✕		✕			✕	—	✕	—	31
TOTAL									unp ~~·50~~	·51	2·62	·41	YEAR'S TOTAL ~~4·04~~
*Days with ·01 in. or more.									~~2~~ 6	7 3.	6	5	~~16~~
*Days with ·04 in. or more.									~~4~~	4	6	5	~~19~~

unpub.

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Ernest Edward Hill

THE SURVEYOR. U.D.C.

unp

[P.T.O.

X HERNE BAY (MEMORIAL PARK) X

Section A for the entry of Daily Observations.

FOR OFFICIAL USE. 319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Kent/3
189/5

FORM 90.

REGISTER OF RAINFALL IN 1932.

Kept at ~~[illegible]~~ Herne Bay

in the County of ~~[illegible]~~ Kent

C1mp 1931

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 14 ~~[illegible]~~ ft.

OK print.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·81								1
2													2
3													3
4													4
5													5
6	·30											·09	6
7													7
8													8
9													9
10													10
11	~~·27~~												11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20											·33		20
21													21
22			·42						·65				22
23		·08											23
24													24
25							·96						25
26								·69					26
27										·72			27
28													28
29		×											29
30				·33		·41							30 18·23
31		×		×		×			×		×		31
TOTAL	1·08 ~~0·81~~	0·26 ✓	1.00 ✓	1.59 ✓	2.41 ✓	0.52 ✓	2.13 ✓	0.97 ✓	1·52 ✓	5·56 ✓	0·95 ✓	0.24 ✓	YEAR'S TOTAL ~~17·96~~
*Days with ·01 in. or more.	11	9	10	20	21	5	14	3	8	22	10	8	141.
*Days with ·04 in. or more.	6	3	4	13	13	2	7	3	5	20	7	2	85.
40-9999	~~20.6~~	6.6	25·4	40.4	61.2	13·2	54·1	24·6	38·6	141.2	24·1	6·1	

*See Instruction 2 (*f*) on other side.

(Signed) X THE SURVEYOR X

P.T.O.

319/5

Section A **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft .... in.
,, Ground ,, Sea Level 14·3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6					·33								6
7	0·41		·41							·33			7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21								·22	86				21
22													22
23													23
24		·15									·25		24
25				0·22									25
26		·15				·43						·24	26
27													27
28													28
29							·33						29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·35	0·73	1·35	0·59	0·96	1·99	1·14	0·60	3·06	1·35	1·23	0·47	YEAR'S TOTAL 14·82
*Days with ·01 in. or more.	11	11	11	9	10	12	8	5	10	16	16	9	128
*Days with ·04 in. or more.	8	7	8	6	5	10	6	5	9	12.	9	3	87

40-9999 343 15·0 50·3 29·0 77·7

D

(Signed) ....

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 14·3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2										·82				2
3					·53			·30						3
4												·41		4
5														5
6						·20								6
7														7
8				·32							1·36			8
9														9
10														10
11	·42													11
12														12
13														13
14														14
15														15
16														16
17			·50						·44					17
18														18
19														19
20														20
21														21
22														22
23														23
24							·40							24
25														25
26														26
27		·06												27
28														28
29		×												29
30		×												30
31		×		×		×			×		×			31
TOTAL	1.45	0.13	2.26	1.48	1.25	0.66	1.04	1.77	1.17	1.75	3.14	3.23	Year's Total 19.32	
*Days with ·01 in. or more.	13	5	11	16	6	7	9	14	9	11	12	23	136	
*Days with .04 in. or more.	8	2	11	11	6	5.	7	10.	6	7	9	19	101	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 90.

REGISTER OF RAINFALL IN 1935.

167/5

Kept at Herne Bay

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level ~~21~~ 14 ft.

Change of site (Park to St Annes Home) 13/4/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3			·15											3
4									·49	·84				4
5														5
6														6
7											·86			7
8				·34										8
9						·65								9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18							·10							18
19														19
20														20
21														21
22														22
23														23
24		·61			·37									24
25	·37													25
26														26
27														27
28														28
29														29
30		✕						·74						30
31		✕		✕		✕			✕		✕	·32		31
TOTAL	1·49	2·35	0·20	1.88	1·45	1·86	0·22	2·55	2·50	2·90	3·55	2·30	Year's Total 23·25	
*Days with ·01 in. or more.	17	17	5	17	9	19	5	7	15	19	24	22	176	
*Days with .04 in. or more.	12	12	1	13	6	11	3	7	11	15	16	16	123	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 319/5 189/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Herne Bay (St Anne's Home)

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 21 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6										·66				6
7														7
8											·45			8
9														9
10						1·16	1.16	·73						10
11											·45			11
12														12
13														13
14												·33		14
15														15
16	·42													16
17		·46												17
18						·63								18
19														19
20				·27					·53					20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×			·10									30
31	·42	×	·13	×		×			×		×			31
													Year's Total.	
TOTAL	3·39	1·62	·46	0·91	0·22	3·23	5·18	1·06	2·14	1·75	3·18	1·59	24·73	✓ 24·73
* Days with .01 in. or more.	20	16	11	9	4	17	20	8	16	15	16	16	168	✓
* Days with .04 in. or more.	17	8	5	5	2	12	14	4	10	11	11	10	109	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

189/5

Section **A** for the entry of Daily Observations. Station No. 3/9/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Herne Bay (St Anne's Home) ✓

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 21 ft.

✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·54										·49			1
2														2
3														3
4														4
5														5
6														6
7														7
8												·70		8
9		·93		·42										9
10						·48								10
11			·78											11
12														12
13									·92					13
14								·88						14
15							·44							15
16														16
17														17
18														18
19														19
20					·80									20
21														21
22										·78				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	3·93	5·23	4·39	1·67	2·84	1·80	·90	1·55	2·98	2·59	1·35	4·36	31·59	✓
* Days with .01 in. or more.	20	20	22	13	13	10	9	6	11	14	8	19	165	✓
* Days with .04 in. or more.	19	12	17	9	10	9	6	5	11	9	5	14	126	✓

40-9999. † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Herne Bay (St. Anne's Home)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 21 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·90								1
2														2
3														3
4							21							4
5														5
6														6
7														7
8														8
9												·32		9
10														10
11														11
12														12
13														13
14														14
15		·38												15
16														16
17					·64									17
18														18
19														19
20									·51					20
21														21
22														22
23														23
24														24
25			·40								·37			25
26	·42													26
27									·51	·42				27
28								·81						28
29								·81						29
30		×		·18										30
31		×		×		×			×		×			31
TOTAL	2·57	1·10	·59	·54	1·95	1·29	1·37	3·09	2·42	2·51	1·97	1·87	Year's Total 21·27	✓
* Days with .01 in. or more.	20	11	4	9	17	8	15	7	14	16	17	18	156	✓
* Days with .04 in. or more.	14	7	3	6	13	3	10	7	9	12	8	10	102	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Herne Bay (St. Anne's Home)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 21 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3												·26		3
4								·50						4
5														5
6														6
7														7
8														8
9														9
10														10
11			·27											11
12						·68								12
13										1·33				13
14														14
15					·96									15
16														16
17														17
18														18
19														19
20														20
21									·42					21
22														22
23														23
24														24
25	1·25	·63												25
26														26
27														27
28														28
29														29
30		✕		·53										30
31		✕		✕		✕	·16		✕		✕			31
TOTAL	3·89	1·21	1·50	2·21	1·90	1·42	·83	1·27	1·32	9·26	4·09	1·21	Year's Total 30·11	
* Days with .01 in. or more.	22	10	19	11	6	13	13	10	15	21	21	15	176	
* Days with .04 in. or more.	19	6	12	9	5	4	8	7	6	18	14	8	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

~~189/15~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 319/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Herne Bay (St. Anne's Home)
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 21 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											1·30			3
4														4
5														5
6														6
7								·14						7
8									·73			·20		8
9														9
10														10
11														11
12														12
13			·56											13
14												·20		14
15														15
16						·18	·53							16
17														17
18		·31		·33										18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26	·80									·54				26
27														27
28					·20									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·08	1·20	2·89	·97	·40	·26	2·88	·20	1·74	3·19	5·55	1·27	Year's Total 22·63	
* Days with .01 in. or more.	13	16	13	9	6	3	16	4	10	17	22	17	146	
* Days with .04 in. or more.	9	11	9	7	2	1	11	1	5	14	16	10	96	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

320

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

320

EASTCHURCH
THE PARSONAGE

1931 - 1936

062316001

Kept at The Pa

in the County of Ken

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

Y.

An observer who does not conform to
year in the space on the right of th

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05	·03	·19				·16					1
2	·08	·16		·13					·30				2
3	·14			·07	·98			·24	·30			·09	3
4		·08							·01				4
5				·15		·47	·07	·19			·01	·04	5
6		·02						·01		·10	·32		6
7	·09	·03											7
8	·02					·29	·14	·13			·03		8
9		·01				·03			·25		·32		9
10		·16						·18			·94		10
11	·15	·42							·02		·13		11
12	·08								·29			·08	12
13		·02			·13			·08					13
14		·07					·38	·44					14
15		·04		·29	·04		·40	·08					15
16	·08	·06		·14	·20		·02	·08					16
17		·10		·17			·12		·08				17
18		·21		·23		·09	·03	·43					18
19	·04			·66		·03	·16	·26	·21		·38		19
20		·06		·12			·21	·16			·05		20
21					·50								21
22			·08					·09	·09	·27	·06		22
23	·35	·10			·07								23
24				·26	·02				·02				24
25	·12			·30			·24						25
26		·01		·23			·37				·14		26
27	·10	·24		·04			·32				·04		27
28	·05	·10			·20		·07					·20	28
29	·14	X		·09	·06								29
30	·04	X											30 'd'
31	·06	X		X		X			X		X		31
TOTAL	1·54	1·94	·11	3·10	2·20	·91	2·56	2·53	1·54	·34	2·42	·41	YEAR'S TOTAL 19·66
*Days with ·01 in. or more.	15	19	2	15	9	5	13	14	10	2	11	4	119
*Days with ·04 in. or more.	14	14	1	15	8	3	11	13	7	2	9	4	101

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Ch. P. Warren

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Parsonage. Eastchurch.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05	·03	·19				·16					1
2	·08	·16		·13					·30				2
3	·14			·07	·98			·24	·30			·09	3
4		·08							·01				4
5				·15		·47	·07	·19			·01	·04	5
6		·02						·01		·10	·32		6
7	·09	·03											7
8	·02					·29	·17	·13			·03		8
9		·01				·03			·25		·32		9
10		·16						·18			·94		10
11	·15	·42							·02		·13		11
12	·08								·29			·08	12
13		·02			·13			·08					13
14		·07					·38	·44					14
15		·04		·29	·04		·40	·08					15
16	·08	·06		·17	·20		·02	·08					16
17		·10		·17			·12		·08				17
18		·21		·23		·09	·03	·43					18
19	·04			·66		·03	·16	·26	·21		·38		19
20		·06		·12			·21	·16			·05		20
21					·50								21
22			·08					·09	·09	·27	·06		22
23	·35	·10			·07								23
24				·26	·02				·02				24
25	·12			·30			·24						25
26		·01		·23			·37				·14		26
27	·10	·24		·04			·32				·04		27
28	·05	·10			·20		·07					·20	28
29	·14			·09	·06								29
30	·04	×											30 'd'
31	·06	×		×		×			×		×		31
TOTAL	1·54	1·94	·11	3·10	2·20	·91	2·56	2·53	1·57	·37	2·42	·41	YEAR'S TOTAL 19·66
*Days with ·01 in. or more.	15	19	2	15	9	5	13	14	10	2	11	4	119
*Days with ·04 in. or more.	14	14	1	15	8	3	11	13	7	2	9	4	101

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Ch. St. Warren

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Parsonage. Eastchurch

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 100 ft.

STATION No. 320

estimate DM.

December estimated by surrounding stns. JGlasspoole 12/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·35			·03			1
2	·06			·25	·53.								2
3				·13.	·13				·38				3
4					·26	·14.							4
5					·16	·05	·11	·13	·04.				5
6	·33			·08									6
7	·09				·13								7
8			·20	·14	·25						·17		8
9	·11				·79					1·06			9
10	·25			·19	·07					·47			10
11	·26	·37		·11		·06				·15			11
12	·06									·17			12
13										·50			13
14	·05			·05	·11					·09			14
15	·07			·06	·11					·10			15
16				·15				·07					16
17				·01									17
18									·19		·08		18
19										·10	·04		19
20					·37		·16			·58	·20		20
21					·07					·10	·15		21
22			·54		·06		·14		·39	·19			22
23		·17		·11		·08			·12	1·07			23
24							·24		·34				24
25					·17		·44		·13	·14			25
26			·10				·22			·01			26
27					·20		·12			·58			27
28				·16	·01		·03			·05			28
29			·16.					·34	·04	·24			29
30		×		·19						·04			30
31		×		×		×			×		×		31 "d"
TOTAL	1·23	·44.	1·00	1·63	3·22	·33	2·14	·49	1·63	5·58	·67	(·25)	YEAR'S TOTAL 18·56
*Days with ·01 in. or more.	~~9~~	~~2~~	~~4~~	~~13~~	~~16~~	~~4~~	~~9~~	~~3~~	~~8~~	~~19~~	~~5~~	~~–~~	~~9~~
*Days with .04 in. or more.	~~8~~	~~2~~	~~4~~	~~10~~	~~13~~	~~4~~	~~8~~	~~2~~	~~8~~	~~14~~	~~5~~	~~–~~	~~83~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Chas. Warren

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Parsonage
in the County of Eastchurch Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09	·03							·04	·04		1
2	·16		·23										2
3		·11	·14		·48								3
4	·04												4
5	·33				·14								5
6		·05	·06		·29						·12		6
7	·38		·04		·14					·23			7
8	·14						·22						8
9					·07					·04			9
10							·03				·09		10
11	·14				·02	·13			·11		·13		11
12					·15	·17			·45				12
13							·16		·42		·16		13
14					·07		·05			·20			14
15							·38	·07					15
16	·20		·49			·19	·58				·11		16
17			·21						·26		·09		17
18						·25			·32				18
19			·22			·02							19
20				·20		·08							20
21		·49		·05					·46				21
22								·19	·06				22
23									·45				23
24		·32		·05		·42			·22				24
25				·20					·10		·32		25
26						·72					·22		26
27		·20								·29	·01	·30	27
28										·22			28
29							·39						29
30	·14	×							·24	·10		·10	30
31		×		×		×		·06	×		×		31
TOTAL	1·53	1·26	1·42	·50	1·36	1·98	1·81	·32	3·39	1·12	1·29	·40	YEAR'S TOTAL 16·38 ✓
*Days with ·01 in. or more.	8	6	8	4	8	8	7	3	11	7	10	2	82
*Days with .04 in. or more.	8	6	7	4	7	7	6	3	11	7	9	2	77

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Chas. Warren

P.T.O.

320

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Parsonage Eastchurch

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·10						1
2	·04		·22						·30	·57				2
3				·19	·32					·21		·62		3
4	·10	·09			·01					·08				4
5			·03									·59		5
6	·02		·33	·11	·15	·18				·18		·18		6
7										·06		·06		7
8					·26						·40			8
9				·27							·84			9
10			·11							·08	·18			10
11	·47			·27								·25		11
12	·06		·27				·03	·37						12
13	·25		·05				·24							13
14	·05		·09				·08				·25	·25		14
15			·22									·33		15
16	·03		·09		·27									16
17	·01		·38	·27										17
18	·09											·42		18
19			·19						{·26					19
20			·14											20
21			·01			·05			·08					21
22							·09		·04					22
23				·28								·25	~~·25~~	23
24				·01		·29		·28						24
25						·11								25
26				·37			·32							26
27						·08								27
28								·25				·28	~~·28~~	28
29				·18					·21					29
30	·25	×						·17				·20	~~·20~~	30
31		×		×		×			×		×			31
TOTAL	1·37	·09	2·13	1·95	1·01	·71	·76	1·17	·89	1·18	1·70	3·43	Year's Total. 16·39	"d"
* Days with .01 in. or more.	~~3~~	~~–~~	~~1~~	~~1~~	~~1~~	~~–~~	~~1~~	~~–~~	~~–~~	~~–~~	~~–~~	~~–~~	~~7~~	
* Days with .04 in. or more.	~~8~~	~~1~~	11	8	14	5	5	5	5	6	4	11	83	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. E. Russell p.p. [illegible]

f 390802/15

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Parsonage – Eastchurch

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100 ft.

Query sent 17/4/36

Record was too low? Sept – Dec. [illegible] for 10 yr book

? 16/4

29.4.36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Daily amts not to be publd

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. ·20	in.		
1	·31					·18			·08		·45 ·40	1·10		1
2	·11									·25				2
3			·09						·02	·25	·10			3
4				·25		·15			·36	·30				4
5		·30		·07		·27	·08		·43	·06				5
6				·26		·07					(·98)			6
7	·15	·12				·17								7
8				·29										8
9						·18		·38		·67				9
10				·04		·13								10
11						·20					·25			11
12				·22	·28			·40			·45			12
13		·09		·27										13
14	·15			·12										14
15											·33			15
16									·50					16
17			·12			·35			·22		1·00			17
18						·04					·08			18
19							·18							19
20		·31			·20		·34							20
21		·18												21
22		·06						·23						22
23					·30			·29						23
24		·65				·38		·30			[illegible]	·20		24
25	·38	·19		·46				·07						25
26										·35				26
27		·31												27
28	s	·08			·22							·87		28
29	·36								·41					29
30		×		·14				·55				·17		30
31		×		×	·05	×			×		×	·25	d	31
TOTAL	1·46	2·29	·21	2·11	1·05	2·12	·60	2·37	(3·00) ~~2·02~~	(2·00) ~~1·55~~	(3·50) ~~2·74~~	(2·50) ~~2·09~~	Year's Total (23·21) ~~20·61~~	
* Days with .01 in. or more.									1	1·80	3·88 3·84	·09	1	
* Days with .04 in. or more.	6	10	2	10	5	11	3	7	6	5	8	7		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. E. Russell (p.p.) W. Warren

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Parsonage, Eastchurch

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

317
321

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16		·09	·06		·28	·05					·11		1
2		·14					trace							2
3												·19		3
4		[illegible]	·03			·18								4
5	·15								·60	·68				5
6	·10										1·40			6
7	·15									·38				7
8	·08		·15				·29			·03		·37		8
9	·25													9
10	·15					trace	·12	1·07	·02					10
11			trace			·18	·36				·32			11
12													·20	12
13												20		13
14						·07	·50					~~46~~	·46	14
15										·24	·11	06	·06	15
16	·34										·38	·10		16
17	·16	·60									·36			17
18						·08					·46			18
19	·09	·08				·07		·12						19
20	·18			·90					·85					20
21		·07		·19		·90	·24							21
22	·05	·33			·07							·20		22
23				·07			·16							23
24	·10								·06					24
25	·50		·11			·04	·12							25
26		·07					·21			·33				26
27	·08													27
28	·45					·17			·18					28
29	·09	·07	·14			·55	·32		·29		·10			29
30	·06	✕				·12				·10				30
31	·32	✕	·20	✕	·18	✕	·13		✕		✕			31
TOTAL	3·46	1·36	·72	1·22	·25	2·64	2·50	1·19	2·00	1·76	3·13	1·81	Year's Total 22·04	
* Days with .01 in. or more.			1						1	1		1.6.9		
* Days with .04 in. or more.	19	7	5	4	2	11	11	2	5	5	7?	7?		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. E. Russell pp. M. Warner [P.T.O.

EASTCHURCH (BARN

C

Section **A** for the entry of Daily

AIR MINISTRY.—M

No. 320/5

GANIZATION

FORM 1090

REGISTE

320/5

EASTCHURCH

BARNLAND

1937 - 1940

062317001 780107

Kept at ....Barnland Eastchurch

in the County of ....Kent..........

Diameter of Funnel of Gauge...5"...........

Height of top of Gauge above Ground...1

[illegible] amendments to 1/4/38

,, Ground ,, Sea Level A

THE MORNING MEASUREMENT

An observer who does not conform to this rul

year in the space on the right of this paragr

g

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	—	—	·09	—	—	—	—	—	—	—			1
2	—	·02	·10	·33	—	—	—	—	·02	trace	—			2
3	—	—	—	—	—	—	—	—	—	—	—			3
4	·10	·36	—	—	—	—	—	—	—	trace	—			4
5	·13	—	·32	—	—	—	·10	—	—	—	—			5
6	·03	·45	·43	·04	·32	trace	—	—	—	trace	—	(4·30)		6
7	—	·05	·07	—	—	·05	—	—	—	·51	—	4·43		7
8	—	trace	·07	—	·20	—	·06	—	·16	—	·12			8
9	—	—	—	·43	·03	—	·03	—	—	—	—			9
10	—	—	·22	·06	·22	·69	—	—	·03	—	—			10
11	—	—	·36	—	·30	—	·05	—	—	—	—	—		11
12	·12	·25	·09	—	·30	·39	·02	·39	·46	—	—	trace		12
13	·22	—	·42	—	—	—	—	1·30	·47	—	—	·30		13
14	·05	—	·03	trace	·27	—	—	—	·24	—	—	—		14
15	—	·10	—	·08	—	—	·36	·18	·10	—	—	—		15
16	·02	·03	·09	·33	—	·15	—	·27	·23	—	trace	—		16
17	·40	·07	—		·16	—	—	—	·13	—	·25	—		17
18	(·40)	·05	·04	·04	·33	·74	—	—	·40	—	·16	—		18
19	·09	—	—	·15	—	·20	·09	—	·01	—	—	—		19
20	·20	—	·31	·15	·89	—	—	·03	—	—	—	—		20
21	·15	·40	trace	·03	trace	—	·03	—	—	trace	—	—		21
22	·23	—	—	—	—	·14	—	—	—	·83	·38	·03		22
23	·06	—	—	—	—	—	—	—	—	·27	·09	—		23
24	(·73) ~~·23~~	·48	·03	—	—	—	—	—	trace	trace	—	—		24
25	·24	·15	·20	—	—	—	—	—	—	·40	—	—		25
26	—	·08	·05	—	—	—	—	—	—	·53	Recorded with December (·13)	—		26
27	—	—	trace	·27	—	—	—	—	—	—		—		27
28	·17	—	—	—	—	·05	—	—	—	—		—		28
29	—		—	—	—	—	—	—	—	·13		—		29
30	·16	✖	—	—	—	—	—	—	—	·02		+ ·10		30
31	·15	✖	—	✖	—	✖	—	—	✖	·97	✖	·03	'd'	31
TOTAL	~~4·10~~ ~~2·70~~ 3·78	2·79	2·83	2·00	3·02	2·41	·74	2·17	2·25	3·66	~~1·00~~ 1·13	~~4·34~~ 4·76	Year's Total ~~30·44~~ 31·54	✓ ~~31·86~~
* Days with .01 in. or more.	14	13	16	12	10	8	8	5	11	8	7	(16)	133	
* Days with .04 in. or more.	~~15~~ ~~17~~ 18	11	14	11	9	8	5	4	8	7	7	(11)	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....A. Beal.......... [P.T.O.

N

A. BEAL, ESQ

EASTCHURCH (BARN

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 320/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ....Barnland Eastchurch, ... Sheppey
in the County of ....Kent
Diameter of Funnel of Gauge...5.............in.
Height of top of Gauge above Ground...1....ft.........in.
,, Ground ,, Sea Level About..180...ft.

Jan. 1st, 18th + 24th amended by nearby stns. 1/4/38 CKR.

Jan 13th & 14th corrected by observer. 14/3/38

Circ D sent re amendments to Jan. 1/4/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	·13 in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	~~·30~~	—	—	·09	—	—	—	—	—	—	—			1
2	—	·02	·10	·33	—	—	—	—	·02	trace	—			2
3	—	—	—	—	—	—	—	—	—	—	—			3
4	·10	·36	—	—	—	—	—	—	—	trace	—			4
5	·13	—	·32	—	—	—	·10	—	—	—	—			5
6	·03	·45	·43	·04	·32	trace	—	—	—	trace	—	(4·30)		6
7	—	·05	·07	—	—	·05	—	—	—	·51	—	4·43		7
8	—	trace	·07	—	·20	—	·06	—	·16	—	·12			8
9	—	—	—	·43	·03	—	·03	—	—	—	—			9
10	—	—	·22	·06	·22	·69	—	—	·03	—	—			10
11	—	—	·36	—	·30	—	·05	—	—	—	—	—		11
12	·12	·25	·09	—	·30	·39	·02	·39	·46	—	—	trace		12
13	·22	—	·42	—	—	—	—	1·30	·47	—	—	·30		13
14	·05	—	·03	trace	·27	—	—	—	·24	—	—	—		14
15	—	·10	—	·08	—	—	·36	·18	·10	—	—	—		15
16	·02	·03	·09	·33	—	·15	—	·27	·23	—	trace	—		16
17	·40	·07	—		·16	—	—	—	·13	—	·25	—		17
18	(·40)	·05	·04	·04	·33	·74	—	—	·40	—	·16	—		18
19	·09	—	—	·15	—	·20	·09	—	·01	—	—	—		19
20	·20	—	·31	·15	·89	—	—	·03	—	—	—	—		20
21	·15	·40	trace	·03	trace	—	·03	—	—	trace	—	—		21
22	·23	—	—	—	—	·14	—	—	—	·83	·38	·03		22
23	·06	—	—	—	—	—	—	—	—	·27	·09	—		23
24	(·73) ~~·23~~	·48	·03	—	—	—	—	—	trace	trace	—	—		24
25	·24	·15	·20	—	—	—	—	—	—	·40	—	—		25
26	—	·08	·05	—	—	—	—	—	—	·53	Recorded with December	—		26
27	—	—	trace	·27	—	—	—	—	—	—		—		27
28	·17	—	—	—	—	·05	—	—	—	—		—		28
29	—		—	—	—	—	—	—	—	·13	(·13)	—		29
30	·16	✕	—	—	—	—	—	—	—	·02		+·10		30
31	·15	✕	—	✕	—	✕	—	—	✕	·97	✕	·03	d	31
TOTAL	~~4·10~~ ~~2·70~~ 3·78	2·79	2·83	2·00	3·02	2·41	·74	2·17	2·25	3·66	1·13 ~~1·00~~	4·76 ~~4·34~~	Year's Total 31·54 ~~30·44~~	✓ ~~31·86~~
* Days with .01 in. or more.	14	13.	16.	12	10	8.	8	5	11.	8	7	(16)	133	
* Days with .04 in. or more.	~~15~~ 17 18	11	14	11	~~8~~ 9	8.	5	4	8	7	7	(11)	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... A. Beal .... [P.T.O.

N

A. BEAL, ESQ

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 320/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bamlemel Eastchurch, Sheppey.

in the County of Kent.

Diameter of Funnel of Gauge Five. in.

Height of top of Gauge above Ground 1. ft. in.

,, Ground ,, Sea Level 180 feet ft.

19-26 dec. snow

snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06.	—	·04.	—	·11	·25.	·17	—	·24.	trace	—	trace.		1
2	·01.	—	—	·06	·20	—	·01	—	—	·18.	·04	—		2
3	trace.	trace	—	—	·10	—	—	—	—	·14	trace.	—		3
4	·01.	—	—	Trace	—	trace.	·06	·12	—	·02.	trace	·03.		4
5	·02.	—	—	—	—	—	·12	trace	·01	·22.	—	·06.		5
6	·01	—	—	—	—	—	—	.06	·01	—	—	trace.		6
7	—	trace	trace.	—	—	—	trace.	.76	·04	·12.	trace.	·02.		7
8	·22	—	—	—	—	—	·02	—	—	·04.	—	Trace		8
9	·12	trace	trace	—	—	Trace	·05	.73.	·01.	trace.	—	·15		9
10	·12	·06	—	—	—	·07.	trace.	.07	—	—	—	·12		10
11	·27.	trace.	—	—	—	—	trace.	trace	—	·01.	·04.	·04.		11
12	·07.	·01	—	trace	—	—	trace.	Trace	—	·12.	·01.	trace.		12
13	·37	·06	—	—	—	—	—	trace.	—	·01	·01	·01.		13
14	·06.	·02.	—	—	·19	—	—	—	·17	—	—	·01		14
15	·01.	·21	—	—	—	—	·12	—	—	·26.	—	·03.		15
16	·08	trace	trace.	—	·02	—	·22	trace.	—	·03.	·06	·22.		16
17	—	·07	—	—	·60	—	·03	—	—	·06	·02	—		17
18	·01.	—	—	trace	·05	—	—	—	·06	—	·34	—		18
19	—	trace.	—	trace	·02.	—	—	—	·02.	—	—	(×)		19
20	—	—	—	·02.	·04	—	—	—	·30	—	·24.	(·51)		20
21	·01.	—	—	·01	—	—	—	·01	·12.	—	·01.	·38		21
22	—	—	—	·01	—	·01	—	·04	—	—	·04.	·04		22
23	—	trace	trace	trace.	—	—	—	—	—	—	·01	·01.		23
24	—	—	·10.	—	·03	—	—	—	·05	—	·26	·12		24
25	·06	trace.	·33.	·01.	·06	—	·03.	—	·04.	·01	·21	·02		25
26	·23.	·07	·08.	—	trace.	—	·02.	—	·42	·31	—	·18		26
27	·04.	·05.	—	—	·11	·03.	·13.	—	[illegible]	·29	·13.	—		27
28	·10	·01	—	trace	·18	·01.	—	·51	·09.	trace.	—	·01		28
29	·14	—	—	·03.	·07	—	—	—	trace.	—	·03	·29		29
30	·02	☒	—	·12	·02	trace	—	—	·02	·02	·23	trace.		30
31	·11	☒	—	☒	trace.	☒	—	—	☒	·04	☒	·10		31
TOTAL	2·15	·56	·55	·26	1·80	·37	·98	2·30	1·48	1·88	1·68	2·35	Year's Total 16.66	O.K.
* Days with .01 in. or more.	23	9.	4.	7.	15.	5	12	8	16.	17.	16	~~20~~ 21	~~152~~.	153
* Days with .04 in. or more.	15	6.	4.	2.	11.	2.	7.	7.	11.	11.	10	~~12~~ 13	98.	99

* See Instruction 3 (f) on other side.

† Spare column; no entries required.

(*Signed*) A. Beal

[P.T.O.

4

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 320/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bramland Eastchurch, Sheppey

in the County of Kent

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

ab

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	—	Trace	·06	·55	—	—	Trace	—	—	—	Trace		1
2	Trace	—	—	—	·01	—	Trace	·32	·02	1.38	·06	Trace		2
3	·10	Trace	—	·15	—	—	—	·20	—	Trace	·04	·20		3
4	·16	—	·09	·05	—	—	Trace	·75	—	·46	—	·02		4
5	—	—	—	·07	Trace	—	·12	—	—	·30	·10	·18		5
6	·24	Trace	·01	Trace	—	—	Trace	Trace	—	·02	·03	—		6
7	·07	·06	—	—	—	—	Trace	·03	—	·02	·03	·09		7
8	—	·03	·09	—	—	—	—	·84	—	·29	·08	·16		8
9	·01	·05	—	—	—	—	—	Trace	—	·65	·45	·12		9
10	·07	—	—	—	—	·39 x	—	·03	·03	·02	Trace	—		10
11	—	Trace	·30	—	·02	x	—	—	—	·77	Trace	·02		11
12	—	—	·03 ✓	—	·01	·36 x	—	—	Trace	Trace	—	·01		12
13	—	·01	✓	—	—	·02	—	—	Trace	1·30	Trace	·07		13
14	·25	—	—	Trace	·08	—	·07	—	Trace	·21	·36	·02		14
15	·43	—	·01	—	·76	·01	·02	—	·25	·30	·03	Trace		15
16	·12	—	·07	Trace	·20	·24	—	—	—	Trace	·26	—		16
17	·23	·06	·01	·04	Trace	—	·02	—	Trace	—	·43	—		17
18	—	Trace	·03	—	—	·01		—	Trace	·49	x	—		18
19	·23	—	·01	—	—	·02	·31	—	x	·71	Trace	Trace		19
20	·13	—	—	—	—	✓	·08	·01	·30 x	—	—	·06		20
21	·05	—	·16	—	—	·06	·08	—	·04	Trace	—	—		21
22	·04	·06	·12	Trace	—	·05	·04	—	Trace	—	·13	—		22
23	Trace	—	Trace	·17	—	Trace	·02	·03	Trace	·10	·44	—		23
24	·13	·01	·04	·14	—	·03	·01	—	—	Trace	Trace	—		24
25	·74	·38	·03	Trace	—	Trace	·42	—	—	—	·24	—		25
26	·24	Trace	·17	Trace	—	·01	·01	—	·07	·16	·16	—		26
27	·16	·03	·11	·01	—	—	—	—	—	x	·27	—		27
28	·01	·22	·07	Trace	—	Trace	—	—	Trace	·40	·07	·08		28
29	Trace	×	—	·45	—	Trace	—	—	—	·05	·04	—		29
30	—	×	—	·56	—	·01	—	·14	—	—	·02	—		30
31	—	×		×	—	×	·41	—	×	Trace	×	—		31
TOTAL	3.41	·91	1·35	1·70	1·63	1·21	1·61	2·35	·71	7·63	3·24	1·03	Year's Total 26·78	
* Days with .01 in. or more.	19	10	~~17~~ 18	10	7	~~12~~ 14	13	9	~~6~~ 7	~~18~~ 19	~~19~~ 20	12	158	
* Days with .04 in. or more.	17	6	10	9	4	~~5~~ 6	8	5	~~4~~ 5	~~17~~ 16	~~15~~ 16	8	110	

† Spare column, no entries required.

(*Signed*) A. Beal

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 320/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Bamland, Eastchurch, Sheppey.

in the County of Kent

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	Trace	–	Trace	–	–	–	–	–	–	·04	–		1
2	–	Trace	–	·07	–	–	–	–	–	·30	·32	·01		2
3	–	·12	–	·12	–	–	·25	–	–		1·29	·02		3
4	–	·06	–		–	–	Trace	–	–	·07	·07	·13		4
5	–	Trace	Trace	Trace	–	–	Trace	–	–	Trace	·39	·07		5
6	·13	·02	Trace	Trace	·01	–	·21	Trace	–	·15	·15	–		6
7	·25	·03	–	–	–	–	·17	·07	–	Trace	Trace	Trace		7
8	Trace	·01	–	·01	–	–	·02	–	·02	·10	Trace	·17		8
9	–	Trace	–	–	–	–	–	–	–	·02	·04	·07		9
10	–	–	–	Trace	–	–	·28	·02	Trace	·07	·07	·10		10
11	–	Trace	·08	–	–	–	Trace	–	–	–	·43	Trace		11
12	–	·07		·01	–	–	·25	–	·11	–	Trace	–		12
13	–	·05	·40	Trace	–	·09	Trace	–	·14	Trace	·96	–		13
14	–	Trace	·12	·11	–	–	–	–	Trace	–	Trace	·21		14
15	–	–	Trace	Trace	·46	·15	1·10	–		–	·31	Trace		15
16	·20	·22	·12	·03	–	·27	0·45	–	·05	·38	·44	·06		16
17	Trace	–	·48	–	–	–	Trace	–	–	–	·03	–		17
18	·06	·37	·23	·34	–	–	·12	Trace	·02	·13	·05	·13		18
19	Trace	·13	·05	–	–	–	–	–	·30	–	·04	·15		19
20	Trace	–	Trace	·01	–	·06	Trace	·01	–	–		–		20
21	Trace	–	Trace	–	Trace	–	·31	Trace	–	·22	·10	–		21
22	·20	–	·03	–	·13	·05	–	Trace	·02	·11	Trace	–		22
23	–	·13	·02	·06	Trace	Trace	Trace	Trace	–	·01	Trace	·01		23
24	–	–	Trace	·11	–	–	·14	·01	–	·13	–	Trace		24
25	–	–	·68	–	Trace	–	1·44	–	–		–	–		25
26	melted snow	·02	·32	–	Trace	Trace	·26	–	–	·75	–	Trace		26
27	·48	·06	Trace	–	Trace	–	·11	Trace	–	–	–	Trace		27
28	Trace	Trace	Trace	–	·34	–	–	Trace	–	·01	–	–		28
29	Trace	Trace	–	–	·02	–	Trace	–	·03	–	–	·09		29
30	·18	✕	–	·15	–	–	–	–	–	·02	–	·01		30
31	·07	✕	–	✕	–	✕	–	–	✕	·25	✕	Trace		31
TOTAL	1.57	1.29	2.83	1.05	1·00	0.62	5.11	0·11	0·72	2.72	4.73	1.23	Year's Total 22.98	
* Days with .01 in. or more.	~~8~~ 9	13	11	~~11~~ 12	5	5	14	4	8	~~16~~ 18	~~16~~ 17	14	~~125~~	130
* Days with .04 in. or more.	~~8~~ 9	9	9	~~7~~ 8	3	5	13	1	4	~~12~~ 13	~~15~~ 16	10	~~96~~	100

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Beal.

[P.T.O.

21

Section **A** for the entry of Da
AIR MINISTRY.
ION.

FORM 1091.

REGIST

Kept at Sheerness.
in the County of Kent.
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p
1, following

Ple

321 –

SHEERNESS

1931– 1939

062318002

Date	Jan.	Feb.	March	Apr									Date
	mm.	mm.	mm.	mm							mm.	mm.	
1	–	1·1	0·3	5·0	–	Trace	–	3·1	Trace	–	–	–	1
2	3·7	3·7	–	3·7	1·5	–	Trace	1·3	9·8	–	Trace	Trace	2
3	1·9	0·2	–	1·8	20·5	–	–	3·5	15·4	–	Trace	4·1	3
4	–	2·6	–	Trace	Trace	–	–	1·1	3·6	0·1	–	–	4
5	–	–	–	6·8	0·6	12·1	0·5	5·1	0·3	–	–	–	5
6	–	0·6	Trace	0·5	–	–	–	2·3	–	2·9	11·5	–	6
7	0·8	0·2	Trace	–	Trace	Trace	Trace	0·8	–	0·7	Trace	0·2	7
8	Trace	0·8	Trace	–	Trace	5·1	1·4	4·7	–	0·3	3·5	–	8
9	0·1	0·3	0·4	–	–	0·1	–	Trace	16·7	–	5·0	6·5	9
10	–	3·5	–	–	–	Trace	–	4·6	–	–	22·9	0·2	10
11	3·5	9·7	–	–	–	–	Trace	Trace	0·5	–	3·8	0·1	11
12	2·6	1·1	–	–	–	–	Trace	–	8·4	Trace	Trace	Trace	12
13	1·1	0·6	–	–	2·2	Trace	–	2·1	–	–	Trace	–	13
14	–	2·0	–	–	–	0·4	6·7	12·2	–	–	Trace	–	14
15	2·0	0·6	–	4·3	3·1	–	12·3	1·4	–	–	–	0·3	15
16	Trace	2·1	–	3·5	4·4	–	–	3·0	Trace	–	–	–	16
17	Trace	2·1	–	5·5	1·7	–	2·4	21·1	1·3	3·0	–	2·1	17
18	0·5	3·9	–	7·4	Trace	2·0	Trace	18·1	–	–	10·2	–	18
19	Trace	–	–	21·5	–	0·5	9·4	4·6	3·5	–	0·8	–	19
20	3·4	1·3	–	4·7	–	–	7·3	4·1	–	–	–	–	20
21	0·4	–	–	–	13·1	–	–	1·0	0·2	–	–	–	21
22	1·2	–	0·2	Trace	–	–	–	4·5	1·6	–	0·7	–	22
23	7·9	2·9	–	–	4·4	0·7	–	–	–	–	5·7	Trace	23
24	–	–	Trace	9·1	Trace	0·5	Trace	1·5	Trace	–	–	–	24
25	2·5	–	–	4·6	0·4	–	6·4	–	Trace	–	Trace	0·1	25
26	–	0·8	–	6·6	Trace	–	9·6	–	–	Trace	3·1	–	26
27	2·7	Trace	–	0·4	4·3	–	12·9	–	–	–	0·4	–	27
28	1·4	2·2	–	Trace	0·6	–	–	–	0·1	Trace	Trace	–	28
29	3·2	✕	–	2·0	2·1	–	2·1	–	–	4·9	–	–	29
30	0·1	✕	–	–	0·1	–	–	Trace	–	–	–	–	30
31	1·6	✕	–	✕	0·5	✕	–	–	✕	–	✕	–	31
TOTAL	1.60 40·6	1.67 42·3	·04 0·9	3·44 87·4	2·34 59·5	·84 21·4	2·80 71·0	3·94 100·1	2·42 61·4	·47 11·9	2·66 67·6	·54 13·6	YEAR'S TOTAL 22·76 577·7
Days with 0·2 mm. or more.	17	21	3	16	14	7	11	20	11	5	11	6	142
Days with 1·0 mm. or more.	14	13	0	14	10	3	10	19	8	3	8	3	105

(144W)
40-9999

(Signed) William C. D. Hills

P.T.O.

321

Section **A** for the entry of

AIR MINISTRY.—EOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931 .

Kept at Sheerness.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 8½ ft.

Conforms

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	1.1	0.3	5.0	–	Trace	–	3.1	Trace	–	–	–	1
2	3.7	3.7	–	3.7	1.5	–	Trace	1.3	9.8	–	Trace	Trace	2
3	1.9	0.2	–	1.8	20.5	–	–	3.5	15.4	–	Trace	4.1	3
4	–	2.6	–	Trace	Trace	–	–	1.1	3.6	0.1	–	–	4
5	–	–	–	6.8	0.6	12.1	0.5	5.1	0.3	–	–	–	5
6	–	0.6	Trace	0.5	–	–	–	2.3	–	2.9	11.5	–	6
7	0.8	0.2	Trace	–	Trace	Trace	Trace	0.8	–	0.7	Trace	0.2	7
8	Trace	0.8	Trace	–	Trace	5.1	1.4	4.7	–	0.3	3.5	–	8
9	0.1	0.3	0.4	–	–	0.1	–	Trace	16.7	–	5.0	6.5	9
10	–	3.5	–	–	–	Trace	–	4.6	–	–	22.9	0.2	10
11	3.5	9.7	–	–	–	–	Trace	Trace	0.5	–	3.8	0.1	11
12	2.6	1.1	–	–	–	–	Trace	–	8.4	Trace	Trace	Trace	12
13	1.1	0.6	–	–	2.2	Trace	–	2.1	–	–	Trace	–	13
14	–	2.0	–	–	–	0.4	6.7	12.2	–	–	Trace	–	14
15	2.0	0.6	–	4.3	3.1	–	12.3	1.4	–	–	–	0.3	15
16	Trace	2.1	–	3.5	4.4	–	–	3.0	Trace	–	–	–	16
17	Trace	2.1	–	5.5	1.7	–	2.4	21.1	1.3	3.0	–	2.1	17
18	0.5	3.9	–	7.4	Trace	2.0	Trace	18.1	–	–	10.2	–	18
19	Trace	–	–	21.5	–	0.5	9.4	4.6	3.5	–	0.8	–	19
20	3.4	1.3	–	4.7	–	–	7.3	4.1	–	–	–	–	20
21	0.4	–	–	–	13.1	–	–	1.0	0.2	–	–	–	21
22	1.2	–	0.2	Trace	–	–	–	4.5	1.6	–	0.7	–	22
23	7.9	2.9	–	–	4.4	0.7	–	–	–	–	5.7	Trace	23
24	–	–	Trace	9.1	Trace	0.5	Trace	1.5	Trace	–	–	–	24
25	2.5	–	–	4.6	0.4	–	6.4	–	Trace	–	Trace	0.1	25
26	–	0.8	–	6.6	Trace	–	9.6	–	–	Trace	3.1	–	26
27	2.7	Trace	–	0.4	4.3	–	12.9	–	–	–	0.4	–	27
28	1.4	2.2	–	Trace	0.6	–	–	–	0.1	Trace	Trace	–	28
29	3.2	×	–	2.0	2.1	–	2.1	–	–	4.9	–	–	29
30	0.1	×	–	–	0.1	–	–	Trace	–	–	–	–	30
31	1.6	×	–	×	0.5	×	–	–	×	–	×	–	31
TOTAL	1.60 40.6	1.67 42.3	.04 0.9	3.44 87.4	2.34 59.5	.84 21.4	2.80 71.0	3.94 100.1	2.42 61.4	.47 11.9	2.66 67.6	.54 13.6	YEAR'S TOTAL 22.76 577.7
Days with 0·2 mm. or more.	17	21	3	16	14	7	11	20	11	5	11	6	142
Days with 1·0 mm. or more.	14	13	0	14	10	3	10	19	8	3	8	3	105

(144W)

40-9999

(Signed) William CD Hills

P.T.O.

321

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Sheerness

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 8½ ft.

examine april 21 in day

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5.5	Trace	–	Trace	13.2	–	–	5.1	Trace	Trace	0.5	Trace	1
2	3.5	–	–	4.1	3.7	–	–	Trace	2.6	0.4	0.5	0.5	2
3	0.3	–	–	0.2	10.5	–	–	Trace	10.0	1.1	–	–	3
4	Trace	Trace	–	–	0.2	0.3	–	–	–	–	–	–	4
5	1.7	Trace	0.4	Trace	1.5	7.7	1.5	3.0	0.8	–	–	–	5
6	9.5	–	0.1	8.5	0.1	–	–	–	–	–	–	Trace	6
7	2.1	–	1.3	5.5	0.2	–	–	–	–	–	3.3	1.5	7
8	0.1	0.1	1.7	2.4	7.6	–	–	–	Trace	12.2	0.2	–	8
9	–	2.9	0.4	1.1	13.4	–	–	–	–	4.8	–	–	9
10	–	2.6	–	6.5	0.6	–	–	–	Trace	0.6	Trace	Trace	10
11	16.1	7.7	0.2	2.5	–	0.6	0.2	–	Trace	1.7	–	–	11
12	0.8	0.1	–	–	Trace	–	3.3	Trace	Trace	4.3	Trace	Trace	12
13	0.5	–	–	0.5	0.9	–	–	–	2.0	9.5	Trace	Trace	13
14	0.1	–	1.0	1.0	1.8	–	–	0.7	–	2.1	–	Trace	14
15	Trace	Trace	–	4.0	2.1	–	Trace	–	–	2.5	Trace	–	15
16	–	–	Trace	5.1	0.5	–	–	–	–	–	–	–	16
17	–	–	–	1.4	–	–	Trace	–	–	0.6	–	–	17
18	Trace	Trace	–	Trace	–	–	1.6	–	1.2	–	2.4	–	18
19	–	Trace	–	1.2	–	–	–	–	–	2.3	3.0	–	19
20	–	Trace	–	7.5	1.3	–	1.8	0.3	0.5	13.4	6.1	–	20
21	Trace	0.6	–	–	2.3	–	1.0	0.9	–	3.3	–	0.2	21
22	Trace	0.1	10.0	–	4.1	2.1	0.7	–	9.4	3.8	4.2	–	22
23	–	2.3	–	2.5	1.3	–	Trace	–	2.6	26.8	0.3	0.5	23
24	–	0.1	–	–	–	–	6.1	–	5.8	0.4	0.4	–	24
25	–	Trace	–	–	–	–	14.6	–	1.0	3.4	Trace	–	25
26	–	–	Trace	2.0	Trace	–	5.7	1.9	–	0.4	Trace	–	26
27	–	–	0.5	5.4	5.8	–	4.2	–	–	10.8	0.6	–	27
28	–	–	–	0.2	Trace	–	1.0	–	–	2.0	–	–	28
29	–	–	5.5	3.4	Trace	–	–	8.9	1.3	11.0	–	0.1	29
30	–	×	–	8.2	–	9.0	–	Trace	1.4	2.9	Trace	0.5	30
31	–	×	2.4	×	–	×	Trace	–	×	0.2	×	–	31 19.32
TOTAL	1.58 40.2	.65 16.5	.93 23.5	2.88 73.2	2.80 71.1	.78 19.7	1.64 41.7	.82 20.8	1.52 38.6	4.74 120.5	.85 21.5	.13 3.3	YEAR'S TOTAL 1932 498.6
Days with 0·2 mm. or more.	9	5	10	21	18	5	12	7	12	24	11	5	139
Days with 1·0 mm. or more.	6	4	6	18	13	3	10	4	10	18	5	1	98

(144W)

40-9999

(Signed) William C D Hill

P.T.O.

321

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at SHEERNESS.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 8½ ft.

Station number: 321.

File number: 175155/32.

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	Trace	1·6	0·6	—	—	—	—	—	Trace	0·8	0·6	—	1
2	1·3	—	6·2	—	9·9	—	—	—	—	Trace	Trace	—	2
3	Trace	2·8	2·9	—	0·3	—	—	—	—	—	—	—	3
4	0·4	Trace	0·7	—	0·1	—	—	—	—	—	—	—	4
5	7·3	Trace	1·2	—	2·8	—	—	—	—	Trace	Trace	—	5
6	—	0·9	0·5	—	11·9	—	—	—	—	1·0	2·2	0·2	6
7	2·1	0·4	0·2	—	1·0	—	—	—	—	6·9	Trace	0·5	7
8	7·5	—	—	—	Trace	—	17·5	—	—	—	—	—	8
9	—	—	—	—	1·4	—	1·0	Trace	—	1·2	2·6	—	9
10	—	Trace	—	—	Trace	0·6	0·7	—	—	1·8	Trace	—	10
11	3·2	—	—	—	0·2	3·3	2·0	0·4	1·4	—	0·4	—	11
12	—	—	—	0·9	Trace	5·3	Trace	—	11·1	—	Trace	—	12
13	Trace	—	—	—	5·1	Trace	4·9	Trace	8·7	Trace	7·2	—	13
14	—	—	—	—	Trace	—	0·3	0·1	—	6·2	2·2	—	14
15	1·2	—	0·3	—	—	—	11·8	1·5	—	—	0·2	0·2	15
16	4·1	—	11·3	—	Trace	4·9	4·1	—	—	Trace	1·0	—	16
17	Trace	—	7·1	—	—	1·3	—	0·3	4·5	—	0·9	—	17
18	0·4	Trace	1·7	—	—	2·5	—	—	—	—	—	—	18
19	—	Trace	5·0	2·6	—	5·4	—	0·1	4·7	—	0·1	—	19
20	—	0·1	—	1·0	—	1·7	4·7	—	Trace	—	Trace	—	20
21	—	4·0	—	—	—	0·3	1·1	3·3	14·0	3·0	Trace	—	21
22	—	Trace	—	—	—	—	—	3·7	3·0	5·6	0·2	—	22
23	—	—	—	2·0	2·3	0·3	—	—	15·4	—	—	—	23
24	—	3·2	—	1·9	0·3	4·5	—	—	4·8	—	Trace	—	24
25	—	Trace	—	6·6	Trace	—	—	—	0·7	Trace	7·1	0·8	25
26	—	5·9	—	0·4	Trace	14·6	—	—	12·5	1·6	4·0	5·2	26
27	—	0·5	—	—	Trace	Trace	Trace	—	—	5·2	Trace	0·3	27
28	—	—	—	—	—	Trace	3·9	—	0·1	8·9	—	2·0	28
29	0·4	X	—	Trace	—	—	4·2	—	—	0·4	—	Trace	29
30	2·7	X	0·9	Trace	—	—	—	—	2·0	1·5	—	1·4	30
31	0·9	X	—	X	—	X	—	1·4	X	0·3	X	Trace	31
TOTAL	37·5	19·4	38·6	15·4	35·3	44·7	56·2	10·8	82·9	44·4	28·7	10·6	YEAR'S TOTAL 418·5
*Days with 0·2 mm. or more.	12	8	13	7	10	12	12	6	12	14	12	8	126
*Days with 1·0 mm. or more.	8	5	7	5	7	9	10	4	11	11	7	3	87
(144W) 40-9999	1·24	0·74	1·52	0·61	1·39	1·76	2·21	0·43	3·26	1·75	1·13	0·42	16·47

(Signed) William C D Hill

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Convert

Kept at SHEERNESS.
in the County of KENT.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 8½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY. ✓

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~	mm. ~~in.~~		
1	0.4	Trace	–	–	–	–	–	0.6	2.0	0.6	–	6.9		1
2	Trace	–	2.3	0.5	–	–	–	Trace	10.1	15.0	–	3.5		2
3	–	1.2	–	2.2	3.3	–	–	–	–	6.4	0.2	0.3		3
4	2.4	0.4	0.3	–	–	–	–	–	–	2.3	1.2	10.4		4
5	–	–	Trace	–	1.0	Trace	–	Trace	–	–	0.7	3.7		5
6	–	–	7.8	0.9	4.2	5.5	–	1.4	–	4.4	0.5	3.8		6
7	–	–	–	–	–	–	–	Trace	Trace	1.5	–	4.8		7
8	–	–	–	4.5	5.6	–	–	1.7	Trace	–	12.1	Trace		8
9	–	–	0.1	0.1	–	–	–	Trace	–	–	4.7	0.9		9
10	–	–	6.5	1.8	–	–	–	0.1	–	1.6	5.1	Trace		10
11	9.7	–	5.7	1.7	–	–	1.6	4.8	–	–	0.2	4.2		11
12	1.9	Trace	0.9	–	–	–	0.4	13.9	–	–	Trace	2.2		12
13	5.8	–	1.4	Trace	–	–	8.9	3.8	–	Trace	0.5	0.6		13
14	1.0	–	4.4	0.1	–	Trace	0.5	–	–	2.2	3.8	7.2		14
15	0.2	–	–	–	Trace	–	–	–	–	0.3	2.7	4.8		15
16	0.8	Trace	1.7	0.3	15.9	–	–	–	–	0.5	Trace	0.9		16
17	Trace	–	3.8	0.8	Trace	–	–	–	1.5	0.7	0.5	4.2		17
18	1.4	–	Trace	3.0	–	–	1.0	–	–	–	0.1	3.3		18
19	–	–	3.7	3.3	–	Trace	–	–	2.4	Trace	–	0.8		19
20	–	–	5.4	–	–	–	1.4	–	Trace	–	–	–		20
21	–	–	Trace	2.6	–	3.0	–	–	–	Trace	–	–		21
22	–	–	–	–	–	–	0.4	1.5	2.6	–	–	–		22
23	–	Trace	–	3.6	Trace	9.3	–	Trace	–	Trace	–	5.2		23
24	–	Trace	–	0.9	–	1.0	20.7	Trace	1.1	–	–	–		24
25	Trace	–	–	1.0	–	0.9	–	Trace	–	–	–	3.7		25
26	0.9	–	–	0.6	–	2.2	–	–	Trace	–	–	1.0		26
27	0.2	0.8	–	13.7	–	3.0	–	–	–	–	–	3.4		27
28	0.9	0.7	–	2.3	–	–	1.0	7.5	–	Trace	Trace	2.5		28
29	–	X	–	–	–	–	Trace	1.1	6.8	–	0.2	Trace		29
30	4.0	X	–	–	–	–	–	11.1	–	–	Trace	3.2		30
31	0.5	X	–	X	–	X	–	0.1	X	Trace	X		17.16	31
TOTAL	1.19 ~~30.1~~	·12 ~~3.1~~	1.73 ~~44.0~~	1.73 ~~43.9~~	1.18 ~~30.0~~	·98 ~~24.9~~	1.41 ~~35.9~~	1.87 ~~47.6~~	1.04 ~~26.5~~	1.40 ~~35.5~~	1.28 ~~32.5~~	3.23 ~~82.0~~	Year's Total ~~436.0 mms~~ ~~17.2 inches~~	
*Days with ·01 in. or more.	14	4	13	19	5	7	9	12	7	11	14	24	139	
*Days with .04 in. or more.	7	1	10	11	5	6	6	9	7	7	6	18	93	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) William C W Hills

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 321.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at SHEERNESS.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 8½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	6.9	2.1	Tr	0.1	-	0.3	0.1	-	7.1	2.2	1.9	7.3		1
2	3.8	-	0.3	0.5	-	-	0.1	-	-	5.3	1.8	-		2
3	Tr	1.0	2.6	Tr	-	0.6	-	-	1.0	8.3	1.6	-		3
4	-	0.4	-	3.5	-	5.2	-	-	8.7	6.5	0.1	3.0		4
5	-	6.1	Tr	3.5	-	8.9	1.4	-	11.0	1.2	1.0	-		5
6	1.7	0.5	0.6	Tr	-	1.6	-	-	-	-	2.6	Tr		6
7	0.8	1.0	-	7.5	-	2.9	-	-	-	-	15.8	0.3		7
8	-	-	Tr	8.8	-	Tr	-	11.9	-	1.3	3.8	1.9		8
9	-	-	-	1.1	-	3.4	-	-	-	15.4	3.5	Tr		9
10	0.2	Tr	-	-	-	2.0	-	-	-	-	5.0	2.3		10
11	3.0	Tr	-	2.4	-	-	-	-	-	-	3.5	Tr		11
12	-	Tr	-	-	-	0.6	-	9.2	-	-	10.1	-		12
13	0.9	3.5	-	1.1	1.9	-	-	-	-	-	1.0	0.1		13
14	1.0	-	-	4.6	8.9	0.3	-	-	-	-	-	0.2		14
15	-	0.7	-	4.9	0.6	0.1	-	-	5.2	Tr	3.5	2.3		15
16	-	1.4	-	3.7	-	2.3	-	-	16.5	-	2.5	-		16
17	0.1	-	3.5	0.8	Tr	3.2	-	0.5	0.4	-	23.7	2.2		17
18	Tr	-	-	1.4	Tr	3.6	8.4	-	6.3	1.1	0.6	1.5		18
19	-	-	-	0.1	8.0	0.6	2.3	-	Tr	Tr	1.9	-		19
20	Tr	7.5	-	0.3	0.1	0.1	6.7	-	0.6	0.1	0.8	-		20
21	0.1	3.8	-	0.4	-	-	Tr	-	1.0	1.9	1.4	-		21
22	-	1.5	Tr	-	-	-	-	2.5	3.8	-	-	-		22
23	Tr	Tr	-	-	-	-	-	5.1	0.3	-	-	2.0		23
24	0.6	13.8	0.6	-	4.6	-	-	7.4	6.0	2.4	-	6.9		24
25	6.1	5.0	-	5.6	0.3	15.6	-	-	-	-	Tr	4.2		25
26	1.3	0.7	-	-	-	Tr	-	2.2	-	0.2	-	4.8		26
27	4.6	7.4	-	-	2.5	-	Tr	0.2	2.3	0.1	1.5	1.7		27
28	-	2.1	-	-	0.5	-	-	0.3	3.3	1.1	Tr	5.0		28
29	-	×	-	-	-	-	-	4.9	5.8	Tr	-	7.9		29
30	-	×	-	1.0	1.3	-	-	16.4	3.8	1.2	3.4	6.0		30
31	1.5	×	-	×	Tr	×	-	0.2	×	3.0	×	5.5		31
TOTAL	32.6	58.5	7.6	51.3	28.7	51.3	19.0	60.8	83.1	51.3	91.0	65.1	Year's Total 600.3	=23.62
* Days with 0.2 mm. or more.	13	17	5	17	9	15	4	12	17	14	21	18	162	
* Days with 1.0 mm. or more.	9	13	2	13	6	10	4	8	14	13	19	16	127	

(144 w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 1.28 2.30 .30 2.02 1.13 2.02 .75 (Signed) J.J.L. pp. W. C. D. Hills. 23.62

2.39 3.27 2.02 ~~3.58~~ 2.56

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at Sheerness

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 8½ ft.

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	4.7	3.2	1.2	2.6	-	12.1	-	0.4	-	-	0.1	3.6		1
2	Tr	4.1	-	2.3	-	4.0	Tr	2.0	-	-	Tr	5.0		2
3	-	-	-	9.0	-	Tr	Tr	Tr	-	-	6.5	-		3
4	Tr	-	0.8	2.2	-	2.1	-	-	-	0.2	Tr	3.0		4
5	3.4	-	0.2	Tr	-	-	-	Tr	5.5	9.4	1.7	1.9		5
6	2.3	-	-	-	-	6.0	-	0.3	0.2	1.7	10.1	-		6
7	5.5	-	-	-	Tr	2.1	-	-	1.1	1.0	13.2	-		7
8	4.3	-	2.8	-	Tr	-	0.5	-	Tr	0.7	Tr	4.8		8
9	19.5	-	Tr	-	-	-	8.6	Tr	0.2	1.0	7.0	1.3		9
10	6.1	-	Tr	-	-	-	1.5	16.0	2.0	0.2	Tr	-		10
11	-	-	-	3.5	Tr	-	4.3	Tr	-	-	9.2	-		11
12	-	-	-	2.9	3.5	5.5	3.6	-	1.2	Tr	2.5	1.9		12
13	-	-	-	Tr	-	4.2	0.5	-	-	-	Tr	5.7		13
14	-	-	-	-	-	2.2	11.0	-	0.1	2.6	1.0	20.0		14
15	-	4.3	-	Tr	-	-	Tr	-	1.2	0.1	-	1.5		15
16	8.9	3.9	-	-	-	-	-	-	-	-	10.0	0.1		16
17	4.2	8.9	-	-	-	1.0	-	0.2	-	-	6.6	2.8		17
18	3.2	1.0	-	-	-	Tr	-	-	-	1.0	9.4	0.4		18
19	3.5	0.1	-	Tr	-	-	-	2.0	-	1.8	Tr	-		19
20	5.5	1.9	Tr	7.3	-	-	1.0	-	16.5	-	Tr	-		20
21	-	Tr.	-	4.4	-	32.1	0.2	-	1.0	⊖	-	-		21
22	2.2	-	-	-	2.3	0.3	2.6	-	-	-	-	2.5		22
23	Tr	8.3	-	1.5	-	-	1.5	-	-	-	-	-		23
24	3.0	0.4	-	-	-	-	Tr	-	Tr	4.8	-	-		24
25	8.2	-	3.0	-	-	1.3	1.8	-	2.0	5.2	Tr	-		25
26	10.2	2.4	2.2	3.3	-	-	-	-	1.3	1.0	-	-		26
27	3.4	Tr.	-	-	-	-	5.1	-	6.1	1.1	-	-		27
28	13.1	-	1.1	-	-	5.7	0.2	-	0.2	-	-	0.1		28
29	2.4	1.3	0.2	-	-	21.9	3.2	-	0.4	Tr	2.0	Tr		29
30	1.4	✕	-	-	1.5	3.4	0.2	-	Tr	-	-	-		30
31	8.3	✕	4.5	✕	2.3	✕	2.1	-	✕	12.0	✕	3.1		31
TOTAL	123.3	39.8	16.0	39.0	9.6	103.9	47.9	20.9	39.0	43.8	79.3	55.7	Year's Total 618.2	
* Days with 0.2 mm. or more.	21	11	9	10	4	15	17	6	14	15	12	14	148	days too low
* Days with 1.0 mm. or more.	21	10	6	10	4	14	12	3	10	12	12	13	127	
	4.85	1.57	.63	1.54	.38	4.09	1.89	.82	1.54	1.72	3.12	2.19	24.34	

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at SHEERNESS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 8½ ft.

Comfort

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	12.3	—	—	1.1	—	—	—	—	—	—	15.1	1.8		1
2	0.1	0.6	0.3	11.1	—	—	—	—	3.7	—	—	11.9		2
3	Tr	Tr	1.2	—	—	Tr	—	—	—	—	—	20.3		3
4	0.2	8.9	—	—	Tr	—	—	—	—	—	—	11.9		4
5	4.5	0.3	6.0	—	—	—	3.0	—	—	0.4	—	—		5
6	2.7	—	—	Tr	3.5	—	0.1	—	—	—	Tr	—		6
7	—	6.0	18.9	Tr	2.1	—	—	—	0.8	2.9	—	1.0		7
8	—	Tr	1.2	—	1.5	1.6	—	—	—	Tr	2.5	38.0		8
9	—	—	—	10.8	3.9	0.4	1.2	—	3.4	—	—	2.1		9
10	—	—	5.7	1.5	1.5	15.6	0.8	Tr	—	—	—	7.1		10
11	—	—	6.8	—	4.4	—	0.5	—	Tr	—	—	3.3		11
12	2.6	6.2	2.6	—	17.7	3.6	0.1	5.4	6.7	—	—	1.0		12
13	3.1	0.8	11.6	—	Tr	6.7	—	1.5	6.5	—	—	14.4		13
14	0.2	0.1	0.2	Tr	4.7	—	—	17.2	Tr	—	—	—		14
15	0.7	0.2	—	1.3	Tr	—	35.2	Tr	7.5	—	—	—		15
16	0.2	4.1	2.3	4.9	—	0.5	—	5.8	5.0	—	—	Tr		16
17	4.3 ~~[illegible]~~	Tr	0.4	2.8	—	2.9	—	—	6.8	—	4.3	—		17
18	8.4	2.1	1.5	0.1	9.7	20.8	—	—	3.9	—	4.2	—		18
19	3.0	Tr	0.6	1.1	1.3	13.5	1.4	—	3.4	—	—	—		19
20	7.5	—	1.6	5.1	20.2	Tr	—	Tr	Tr	—	—	—		20
21	6.2	8.7	1.8	0.4	—	—	0.2	Tr	—	—	—	Tr		21
22	1.9	0.1	—	—	Tr	7.8	0.2	—	—	21.1	8.1	0.6		22
23	5.8	—	—	—	—	—	—	—	—	6.3	1.5	Tr		23
24	24.0	9.0	0.2	—	Tr	—	—	—	2.0	1.2	—	—		24
25	4.9	6.6	2.8	—	—	—	—	—	1.8	5.1	—	0.3		25
26	Tr	2.0	0.9	—	—	—	—	Tr	—	8.9	—	—		26
27	—	5.5	5.0	8.6	—	—	—	—	0.3	1.5	—	—		27
28	Tr	0.3	—	Tr	—	0.3	—	—	—	—	—	1.2		28
29	4.7	×	—	—	—	Tr	Tr	—	—	4.3	1.0	0.1		29
30	0.1	×	—	—	—	—	Tr	Tr	—	1.0	3.7	Tr		30
31	10.0	×	—	×	—	×	Tr	—	×	Tr	×	0.4	d	31
TOTAL	107.4	61.0	71.6	48.8	70.5	73.7	42.7	29.9	51.8	52.7	40.4	113.9	Year's Total 764.4	
* Days with 0.2 mm. or more.	20	15	20	11	11	11	8	4	13	10	8	15	146	✓ ✓
* Days with 1.0 mm. or more.	16	10	14	10	11	8	4	4	11	9	8	12	117	✓ ✓
	4.23	2.40	2.82	1.92	2.78	2.90	1.68	1.18	2.04	2.07	~~1.59~~	4.48	30.09 ✓	

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(Signed) William W. Hills

[P.T.O.

192/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Sheerness

in the County of ....

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1						·39								1
2														2
3														3
4														4
5							·28							5
6														6
7								·69						7
8														8
9														9
10														10
11														11
12														12
13	·28													13
14														14
15		·16												15
16														16
17					·46									17
18											·28			18
19														19
20														20
21												·33		21
22														22
23														23
24														24
25			·26											25
26									·26	·27				26
27														27
28														28
29														29
30		×		·43										30
31		×		×		×			×		×			31 "d"
TOTAL	43·0	13·4	11·1	13·7	49·6	12·5	23·8	57·3	31·8	42·6	36·4	53·6	Year's Total 388·8	
* Days with 0.2 mm. or more.	17	8	4	5	13	6	9	11	13	16	15	21	138	
* Days with 1.0 mm. or more.	14	5	3	1	11	2	7	7	10	11	9	11	91	

Punch THESE totals

(14iw) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 1·69 ·53 ·44 ·54 1·95 ·49 ·94 2·26 (Signed) 1·25 1·68 1·43 2·11 15·31 [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Sheerness

in the County of Kent

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level 9 ft.

Copy by B.R.O.

Dec. Estd. as no answer has been recd. to our letter.
7/5/40

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.2	–	–	1.8	11.2	–	Tr	Tr	0.2	-	.2			1
2	0.1	–	Tr	0.4	0.2	–	Tr	6.2	0.1	12.0	-			2
3	2.2	0.1	–	4.5	–	–	–	4.2	–	-	1.3			3
4	2.2	Tr	2.0	3.6	–	–	0.3	20.7	–	14.6	1.3			4
5	–	0.1	Tr	0.3	Tr	–	1.6	–	–	6.1	3.5			5
6	7.8	0.1	0.1	Tr	–	–	Tr	Tr	–	tr	2.0			6
7	2.0	1.9	Tr	–	–	–	Tr	Tr	–	1.6	.7			7
8	Tr	0.7	3.0	–	–	–	Tr	4.1	–	7.7	1.2			8
9	0.8	0.9	–	–	–	–	–	Tr	–	20.1	9.3			9
10	1.8	–	0.1	–	–	10.8	–	0.8	0.6	0.1	.2			10
11	–	–	7.9	–	0.2	3.3	–	–	–	25.8	.2			11
12	–	Tr	–	–	Tr	3.9	–	–	Tr	tr	-			12
13	–	Tr	Tr	Tr	–	0.9	Tr	–	Tr	32.4	-			13
14	6.3	–	1.1	0.4	3.0	–	0.3	–	Tr	3.2	9.0			14
15	10.3	–	Tr	Tr	17.7	Tr	Tr	–	1.9	6.8	.9			15
16	4.0	–	2.2	Tr	1.7	8.2	0.1	–	–	-	.2			16
17	2.9	0.9	0.2	1.3	–	–	1.6	–	–	-	-			17
18	3.1	–	0.7	–	0.1	0.3	3.5	–	0.2	8.2	9.5			18
19	6.0	Tr	0.4	–	–	0.1	3.2	.01	–	13.7	-			19
20	2.2	Tr	Tr	–	–	1.3	5.2	–	8.9	-	-			20
21	1.5	–	4.8	–	–	0.6	3.6	Tr	4.9	tr	-			21
22	0.6	1.6	2.5	Tr	–	0.7	0.2	–	–	-	2.2			22
23	Tr	–	–	2.6	–	Tr	0.3	0.6	–	2.5	11.6			23
24	2.4	0.7	Tr	2.6	–	Tr	0.2	–	Tr.	-	.1			24
25	19.1	6.2	0.7	Tr	–	2.0	4.7	Tr	–	-	7.8			25
26	1.8	Tr	1.7	0.7	–	Tr	0.1	–	0.9	3.5	3.7			26
27	2.0	0.8	2.5	1.5	–	Tr	–	–	0.4	3.4	7.4			27
28	0.8	8.1	3.8	0.1	–	0.1	–	–	Tr	2.9	1.4			28
29	Tr		–	9.6	–	–	–	–	–	-	-			29
30	–	✕	–	11.7	–	Tr	Tr.	–	–	-	1.9		"d"	30
31	–	✕	–	✕	–	✕	4.7	0.9	✕	-	✕			31
TOTAL	80.1 3.15	22.1 .87	33.7 1.33	41.1 1.62	34.1 1.34	32.2 1.27	29.6. 1.17	37.6 1.48	18.1 .71	164.6	75.6 2.98	(1.30) (33.0)	Year's Total ~~43.62~~	(23.70)
* Days with 0.2 mm. or more.	21	9	14	13	6	10	13	7	8	16	21	(12)	(150)	
* Days with 1.0 mm. or more.	17	4	10	9	4	6	8	4	3	16	15	(8)	(104)	

6.48

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total. 23.70

(*Signed*) ....

P.T.O.

~~1925~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Sheerness

in the County of Kent.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ......9.........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4								·81						4
5														5
6														6
7														7
8														8
9														9
10						·41								10
11			·31											11
12														12
13														13
14														14
15					·70									15
16														16
17														17
18														18
19														19
20							·20		·35					20
21														21
22														22
23														23
24														24
25	·75													25
26														26
27														27
28		·32												28
29														29
30		✕		·46										30
31		✕		✕		✕			✕		✕			31
TOTAL	80·1	22·1	33·7	41·1	34·1	32·2	29·6	37·6	18·1				Year's Total	
* Days with 0.2 mm. or more.	21	9	14	13	6	10	13	7	8					
* Days with 1.0 mm. or more.	17	4	10	9	4	6	8	4	3					

(141w) * See Instruction 2 (f) on other side.

40-9999. 3·15 ·87 1·33 1·62 1·34 1·27 † Spare column, no entries required, except year's total.

1·17 (Signed) ...·71.. P.T.O.

1·48

063235001
321|8
GOUDHURST - BEDGEBURY
1934 - 1940
MWR
1780107

321/8

Section **A**

COPY F

for the entry of Daily Observa

Station No. [illegible]

AIR ~~MINISTRY~~.—METEOROL... RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF ... 1934.

New 10yr. stand. [illegible]

Kept at Goudhurst, Bedgebury

in the County of Kent

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01					·01		·28		·20		·22		1
2	·04		·13	·05		·04			·64	·42		·32		2
3	·04			·03					·01	·53		·25		3
4	·32	·04	·02		·02					·23	·07	·98		4
5			·05		·14			·02			·03	·42		5
6			·35	·02	·16	·21		·08		·25	·05	·47		6
7	·07					·02				·05		·27		7
8				·14	·18			·04			1·99			8
9		·01	·07								·63	·35		9
10	·02		·39	·27				·09		·02	·39	·03		10
11	1·25		·55	·16				·25				·33		11
12	·10		·08				·07	·10			·04	·33		12
13	1·03		·29	·05			·02	·13			·01	·12		13
14	·06		·53	·13				·02		·03	·29	·60		14
15	·02		·03		·05						·18	·52		15
16	·23		·33	·05	·12					·03		·04		16
17	·17	·01	·57	·03	·05				·07	·04	·06	·35		17
18	·08		·01	·60			·17				·03	·34		18
19			·38			·03			·21			·22		19
20			·17			·02	·07							20
21			·02	·15		·15		·05		·07				21
22							·07	·12	·33	·03		·16		22
23		·01		·45		·25			·01	·02		·17		23
24		·02	·01	·02		·15	·39	·11	·15					24
25	·06			·14						·09		·55		25
26	·12			·22		·11			·04					26
27				·09								·39		27
28	·01	·26		·01		·06		·54			·03	·23		28
29		×						·25	·43					29
30	·13	×						·01	·02			·52		30
31		×		×		×			×	·14	×	·24		31
TOTAL	3·76	0·35	3·98	2·61	0·72	1·05	0·79	2·09 ✓	1·91 ✓	2·15	3·79	8·42	Year's Total 31·62	
*Days with ·01 in. or more.	18	6	18	18	7	11	6	12	10	15	13	25	159	
*Days with ·04 in. or more.	14	2	13	13	6	7	5	3	7	10	9	24	113	

40-9999

*See Instruction 2 (*f*) on other side.

M N

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY

Section **A** for the entry of Daily Observa

Station No. 32-1/8

AIR ~~MINISTRY~~.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 090.

REGISTER OF RAINFALL IN 1934.

Kept at Goudhurst, Bedgebury

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 290 ft.

New 10yr. sheet. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01					.01		.28		.20		.22		1
2	.04		.13	.05		.04			.64	.42		.32		2
3	.04			.03					.01	.53		.25		3
4	.32	.04	.02		.02					.23	.07	.98		4
5			.05		.14			.02			.03	.42		5
6			.35	.02	.16	.21		.08		.25	.05	.47		6
7	.07					02				.05		.27		7
8				.14	.18			.04			1.99			8
9		.01	.07								.63	.35		9
10	.02		.39	.27				.09		.02	.39	.03		10
11	1.25		.55	.16				.25				.33		11
12	.10		.08				.07	.10			.04	.33		12
13	1.03		.29	.05			.02	13			.01	.12		13
14	.06		.53	.13				.02		.03	.29	60		14
15	.02		.03		.05						.18	.52		15
16	.23		.33	.05	12					.03		.04		16
17	.17	.01	.57	.03	.05				.07	.04	.06	.35		17
18	.08		.01	.60			.17				.03	.34		18
19			.38			.03			.21			.22		19
20			.17			02	.07							20
21			.02	.15		.15		.05		.07				21
22							.07	.12	.33	.03		16		22
23		.01		.45		.25			.01	.02		17		23
24		.02	.01	.02		.15	.39	.11	.15					24
25	.06			.14						.09		.55		25
26	.12			.22		.11			.04					26
27				.09								.39		27
28	.01	26		.01		.06		.54			.02	.23		28
29		×						.25	.43					29
30	.13	×						.01	.02			.52		30
31		×		×		×			×	.14	×	.24		31
TOTAL	3.76	0.35	3.98	2.61	0.72	1.05	0.79	2.09	1.91	2.15	3.79	8.42	Year's Total 31.62	
*Days with .01 in. or more.	18	6	18	18	7	11	6	12	10	15	13	25	159	
*Days with .04 in. or more.	14	2	13	13	6	7	5	3	7	10	9	24	113	

40-9999

*See Instruction 2 (*f*) on other side.

M N

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

321/8

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 90.

REGISTER OF RAINFALL IN 1935.

Kept at Goudhurst (Bedgebury Forest) X

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 290 ft. 290

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·03	·01	·03		·18	·01		·11	·04	·17			1
2	·23			·06					·02	·52	·07			2
3			·16	·03		·02			·20	·42	·11			3
4		·07		·36		·19			·75	·35	·01	·11		4
5		·59	·03	·07		·03			·62	·35		·02		5
6	·02	·07	·02	·29		·48				·08	·21	·02		6
7	·02	·05		·35		·08					·99	·10		7
8				·52				·14		·33	·42	·11		8
9				·23		·17				1·04	·32	·01		9
10	·06	·02	·05			·06					·13·	·22		10
11	·10	·02		·11		·08	·41			·04	·41			11
12		·02				·27		·37	·07		·70			12
13	·06	·22		·14	·03						·17	·16		13
14				·02	·24	·06				·03		·06		14
15		·17		·6	·03	·06			·53		·32	·06		15
16		·06	·01	·24		·06			·44	·02	1·08	·02		16
17	·03		·05	·04		·25			·01		·58			17
18				·37	·02	·20	·15		·64	·10		·01		18
19				·07	·82	·01	·06		·15		·16	·01		19
20		·95		·14	·03	·06	·18		·04		·13			20
21	·02	·46		·01					·01	·09	·04			21
22		·14	·02					·26	·04					22
23			·02		·02			·75				·12		23
24	·05	1·19			·22			1·18	·81	·02		·01		24
25	·16	·17		·19	·18	·13					·05	·49		25
26	·01	·10				·04		·12	·09	·06	·01	·47		26
27	·10	·52						·18	·08		·16	·28		27
28		·05			·07			·07	·05	·04	·02	·32		28
29		X						·10	·43	·01		·68		29
30	·07	X		·10	·10			1·29	·03	·22	·76	·46		30
31		X		X	·03	X			X	·31	X	·76		31 OK.
TOTAL	1·12	4·88	0·37	4·04	1·79	2·43	0·81	4·46	5·12	4·07	7·02	4·50	Year's Total 40·61	
*Days with ·01 in. or more.	14	19	9	21	12	19	5	10	20	19	23	22	193	
*Days with .04 in. or more.	9	15	3	17	6	16	4	10	16	15	20	15	146	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) X FORESTRY COMMISSION X [M.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 321/8

189/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Goudhurst

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·11		·38		·32	·19	·09			·07	·13		1
2		·02	·01	·01		·20	·15	·10				·01		2
3				·59	·01	·02	·01		·08		·22			3
4	·02		·04			·10			·30		·03	·06		4
5	·19		·02	·02				·08	·08	·01	·07	·08		5
6	·33					·05		·02	·31	·22	·79	·06		6
7	·49		·11			·01	·02			·01	·79	·01		7
8	·37		·06				·05				·78	·22		8
9	·68		·01		·01		·36	·53	·08		·17			9
10	·09					·19	·46	·26	·01	·13				10
11				·10			·15	·05			1·13			11
12				·06		·21	·28	·02	·10	·01	·23	·10		12
13						·10	·01			·01		·52		13
14		·04				·09	·83			·02	·14	·44		14
15		·07				·01	·01		·02		·06	·42		15
16	·12	·07			·07					·01	·12	·21		16
17	·21	·76				·17			·01	·01	·25	·81		17
18	·10	·19				·01	·38	·01	·01	·02	·25	·12		18
19	·23	·09				·09		·07		·03	·02			19
20	·21	·11		·47					·49					20
21		·02		·42		·42	·11		·03					21
22	·13	·36	·09		·03	·06	·09					·11		22
23	·05	·04	·03	·08			·39			·04				23
24	·06	·16				·20	·01		·01	·18				24
25	·27	·02	·27	·18	·02	·21	·08		·49	·04	·01			25
26		·14	·35			·09			·07	·22		·01		26
27	·26		·02	·01			·20		·14	·20				27
28	·73		·19			·70	·43		·06			·07		28
29	·03	·06	·11			·05	·37		·01	·03	·07	·02		29
30	·17	×			·23	·17				·12		·01		30
31	·19	×	·14	×		×	·11		×	·89	×	·20		31
TOTAL	5·19	2·26	1·45	2·32	0·37	3·47	4·69	1·23	2·30	2·20	5·20	3·61	Year's Total. 34·29	
* Days with .01 in. or more.	22	16	14	11	6	22	22	10	18	19	18	20	198	
* Days with .04 in. or more.	20	13	9	8	2	18	17	7	11	9	15	15	144	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 321/8 189/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Goudhurst (Bedgebury Forest)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1·04	·05	·01	·06			·02				·36	·15		1
2		·60	·05	·41				·01			·01	1·29		2
3	·02	·13	·06									·39		3
4	·10	1·07		·01								·26		4
5	·29	·04	·37				·23			·32				5
6	·05	·01	·33		·17		·03			·02				6
7		·79	·34	·09	·05				·02			·03		7
8		·02	·25		·07	·07					·15	·21		8
9				·43	·14	·04	·09		·32			·09		9
10			·41	·09	·44	·49	·02	·04				·53		10
11	·01		·40		·03		·02	·02				·16		11
12	·51	·38	·39		·32	·28	·01	·64	·19			·09		12
13	·25	·05	·60	·03		·27		2·06	·08			·91		13
14	·05	·02	·02		·14	·04		·47	·13					14
15	·12	·16		·24		·02	·31		·03			·01		15
16	·03	·06	·19	·29		·04		·48	·09			·01		16
17	·35	·01	·02	·11		·30			·28		·18			17
18	·52	·05	·01		·32	·58			·34		·06			18
19	·08	·09	·05	·23	·01	·09			·03			·09		19
20	·47	·01	·20	·32	·68	·02			·02					20
21	·60	·41	·09	·05			·01	·08	·01		·01	·03		21
22	·49	·04	·01		·08		·05			·85	·45	·10		22
23	·10						·05			·70	·01	·01		23
24	·83	·16	·08		·02				·05	·26				24
25	·16	·34	·30						·12	·53				25
26	·01	·54	·04							·23				26
27		·22		·32					·03	·18				27
28	·10	·08		·01		·02				·01		·03		28
29	·09	X								·54	·04	·04		29
30	·29	✕				·01		·08		·61	·13	·02		30
31	·22	✕		✕		✕	·03		✕	·12	✕	·04		31
TOTAL	6·78	5·33	4·32	2·69	~~2·33~~ 2·47	2·27	·87	3·88	1·74	4·37	1·40	4·49	Year's Total ~~40·47~~	40·61
* Days with .01 in. or more.	25	24	22	15	13	14	12	9	15	12	10	21	192	
* Days with .04 in. or more.	21	19	17	12	10	10	5	7	9	10	7	14	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

189/3

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 321/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM N

REGISTER OF RAINFALL IN 1938

Kept at Goudhurst (Bedgebury Forest)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·05	·01		·20	·54	·18		·31	·03	·10	·07		1
2	·06			·05	·10		·08			·38				2
3					·16		·06			1·04	·10			3
4	·04					·06	·55	·09		·05		·16		4
5	·01						·13		·01	·51		·03		5
6	·12						·03	·05	·10	·01	·01	·01		6
7	·01						·37	·66		·28		·08		7
8	·25						·10	·04	·07	·37	·02	·03		8
9	·16	·01						·06		·21		·76		9
10	·10	·05				·35	·01	·10		·01		·37		10
11	·22	·01						·03			·12	·23		11
12	·46	·03				·10	·05	·50		·03	·03	·01		12
13	·27	·04								·18	·12	·06		13
14	·27	·10			·44				·04		·01	·07		14
15	·05	·15			·03		·13			·31	·03	·06		15
16	·51	·02	·02		·04		·03	·04		·10	·03	·32		16
17		·12	·01		·36					·46	·02			17
18	·09				·09	·01			·09	·02	·44			18
19					·01			·06	·08		·15	·06		19
20		·01			·09				·21		·84	·41		20
21				·01					·13		·10	·16		21
22			·01	·01		·02		·02			·29	·14		22
23				·04					·01		·03			23
24		·01	·07		·05				·05		·34	·12		24
25	·10		·40	·05	·08		·03		·15	·02	·56			25
26	·60	·16	·08		·01	·16		·09	·20	·26		·43		26
27	·09	·04	·02		·14	·10	·40		1·89	·22	·35			27
28	·06	·03			·29			·43	·06		·01			28
29	·26	X		·03	·29				·01		·05	·18		29
30	·07	✕		·37	·15				·07	·02	·41			30
31	·32	✕		✕	·10	✕			✕	·17	✕	·27		31
TOTAL	4·16	·83	·62	·56	2·63	1·34	2·15	2·17	3·53	4·68	4·16	4·03	Year's Total ~~30·96~~	30·86
* Days with .01 in. or more.	23	15	8	7	18	8	14	13	17	21	23	22	189	
* Days with .04 in. or more.	21	8	3	4	15	6	10	11	14	14	14	18	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

~~1897~~3

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 321/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Goudhurst (Bedgebury Forest)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10		·07	·08	·38		·07	·01	·06		·01	·04		1
2	·02		·01	·01	·03		·01	·49	·03	·14	·01			2
3	·30	·01		·41				·19	·01		·25	·35		3
4	·36		·40	·11			·10	·36		·78	·18	·02		4
5		·01	·03	·38	·04		·04	·02		·43	·72	·08		5
6	·32	·02	·03	·01			·13	·03		·11	·61			6
7	·08	·03					·05	·05		·08	·36	·08		7
8	·01	·10	·10				·01	·03		·53	·03	·64		8
9	·05	·05						·09		·59	·69	·22		9
10	·13					·41		·25	·07	·14	·12	·01		10
11	·03		·26		·01	·08				1·17		·01		11
12					·03					·01	·01	·02		12
13	·01	·01	·02			·01	·01			1·49	·01	·14		13
14	·68		·03	·04	·05	·04	·15			·23	·52	·02		14
15	·88				1·79	·04			·20	·39	·16			15
16	·20		·14	·08	·24	·28	·20				·47			16
17	·17	·09	·03	·03	·03		·06				·06			17
18	·34		·06			·09	·08		·01	·07	·39			18
19	·28		·01				·20		·06	·46		·04		19
20	·37					·06	·29	·08	·11			·03		20
21	·13		·12			·02	·09		·04	·01				21
22	·24	·27	·07			·57	·06		·01		·02			22
23	·09	·03	·01	·09		·02	·05	·02		·07	·44			23
24	·15	·09	·04	·10		·03	·03			·10	·03			24
25	1·78	·32	·10	·40			·64				·74			25
26	·16		·08	·02			·03		·01	·14	·33	·04		26
27	·08	·11	·07							·47	·40			27
28		·39	·03	·01		·05				·10	·12	1·0		28
29		✕		·35		·01				·03	·02			29
30		✕		·74		·04	·02	·06		·03	·10			30
31		✕		✕		✕	·07	·16	✕	·02	✕			31
TOTAL	6·96 3·89	1·53	1·71	2·86	2·60	1·75	2·39	1·84	·61	7·59	6·80	1·84	Year's Total 38·48	
* Days with .01 in. or more.	~~22~~ 25	14	21	16	9	15	22	14	11	24	26	16	213	
* Days with .04 in. or more.	~~19~~ 21	8	12	11	5	10	16	9	6	19	18	10	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

189/3

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 321/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Goudhurst (Bedgebury Forest)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·01							·06			1
2		·04		·10						·23	·68	·02		2
3		.36		·11			·10			·18	1·18	·09		3
4		·12		·04			·02			·27	·03	·15		4
5		·01								·04	·89	·23		5
6	·11	·10					·19			·63	·01			6
7	·20	·23			·01		·18							7
8	·01	·02							·06	·49		·30		8
9				·03				·01	·01	·20	·46	·17		9
10							·56	·04	·03	·97	·09			10
11				·02							1·35			11
12		·06	·30				·70		·19		·03			12
13		·04	·57			·01	·06		·15		1·48			13
14			·46	·05						·02		·39		14
15			·02	·02	·27	·24	·57		·03	·02	·59	·04		15
16	·48	·33	·24	·03	·01	·18	·16		·20	·67	·86	·07		16
17			·26				·04			·01	·08			17
18		·20	·27	·35			·08		·02	·27	·17	·14		18
19		·21	·04				·01		·97		·27	·16		19
20		·03	·04	·03		·02			·08	·05	·12			20
21	·09	·01	·01		·50		·19		·01	·02	·38			21
22	·01		·02		·10	·21			·06	·01				22
23		·25	·02	·32			·02	·01			·05	·02		23
24				·32			·13			·09	·01			24
25		·02	·71		·01		·09			·09	·01			25
26	·89	·19	·32	·01	·14		·03	·02		·24	·01	·02		26
27	·13	·33		·04	·01		·47			·01				27
28	·49	·06		·01										28
29	·72	·08	·08		·12				·02			·35		29
30	·15	✕		·27						·25		·02		30
31	·04	✕		✕		✕			✕	·78	✕	·16		31
TOTAL	3·32	2·69	3·36	1·76 ~~1·72~~	1·17	·66	3·60	·08	1·83	5·54	8·51	2·38	Year's Total ~~34·86~~	34·70
* Days with .01 in. or more.	12	20	15	17	9	5	18	4	13	22	22	16	173	
* Days with .04 in. or more.	10	15	11	9	5	3	14	1	7	16	16	12	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

322

Section **A** for the entry of Daily Observat

AIR MINISTRY.—METEOROL

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF

193*1*.

322

GOUDHURST-BEDGEBURY
PARK GDNS.
1931 - 1940
063235002 | 780107

063235002

Kept at Bedgebury Park Garde

in the County of Kent

40

322

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06	·02	·15		·10			·19				1
2	·19	·08		·15	·27				·60				2
3	·05			·10	·83			·45	·34		·03	·20	3
4			·14					·05	·05		·12		4
5				·24		·65	·06	·35	·07			·25	5
6		·11		·04				·33		·31	·49		6
7						·09		·13			·48		7
8						·16					·25		8
9		·34			·03		·02	·02			1·26		9
10			·13			·10					1·45	·10	10
11	·14	·32									·73		11
12	·19	·50						·13	·49	·05			12
13					·10		·03	·36					13
14						·06	·45	·21					14
15		·16		·15	·08		·26	·30			·02	·05	15
16		·20		·15	·26			·04					16
17	·12	·05		·18			·35		·05				17
18		·24		·33		·05	·09	·23			·50		18
19	·03			·50			·16	·48	·10				19
20		·15		·35			·04	·45				·03	20
21					·53								21
22	·40		·12					·23	·06		·02		22
23	·50				·15	·16					·05		23
24				·77		·04	·04	·45					24
25	·02			·21			·31						25
26		·15		·23			·30			·04	·35		26
27	·16	·36		·05	·36						·11		27
28		·27		·06						·02			28
29	·08	×		·05	·25		·10			·28			29
30		×					·09						30
31	·38	×		×		×			×		×		31
TOTAL	2·26	2·92	·41	3·61	2·86	1·41	2·30	4·81	1·95	·70	5·86	·63	YEAR'S TOTAL 29·42
*Days with ·01 in. or more.	~~12~~	~~14~~	~~4~~	~~17~~	~~10~~	~~9~~	~~13~~	~~16~~	~~9~~	~~5~~	~~14~~	~~5~~	~~128~~
*Days with ·04 in. or more.	10	14	3	17	9	9	11	15	9	4	11	4	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry Arnold

[P.T.O.

322

Section **A** for the entry of Daily Observat

AIR MINISTRY.—METEOROL   AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

06323500?

Kept at Bedgebury Park Gardens
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ...... in.
,, Ground ,, Sea Level 280 ft.

Station No
322

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06	·02	·15		·10			·19				1
2	·19	·08		·15	·27				·60				2
3	·05			·10	·83			·75	·34		·03	·20	3
4			·14					·05	·05		·12		4
5				·24		·65	·06	·35	·07			·25	5
6		·11		·04				·33		·31	·49		6
7						·09		·13			·48		7
8						·16					·25		8
9		·37			·03		·02	·02			1·26		9
10			·13			·10					1·45	·10	10
11	·14	·32									·73		11
12	·19	·50						·13	·49	·05			12
13					·10		·03	·36					13
14						·06	·45	·21					14
15		·16		·15	·08		·26	·30			·02	·05	15
16		·20		·15	·26			·04					16
17	·12	·05		·18			·35		·05				17
18		·24		·33		·05	·09	·23			·50		18
19	·03			·50			·16	·48	·10				19
20		·15		·35			·04	·75				·03	20
21					·53								21
22	·40		·12					·23	·06		·02		22
23	·50				·15	·16					·05		23
24				·77		·04	·04	·45					24
25	·02			·21			·31						25
26		·15		·23			·30			·04	·35		26
27	·16	·36		·05	·36						·11		27
28		·17		·06						·02			28
29	·08	×		·05	·25		·10			·28			29
30		×					·09						30
31	·38	×		×		×			×		×		31
TOTAL	2·26	2·92	·41	3·61	2·86	1·41	2·30	4·81	1·95	·70	5·86	·63	YEAR'S TOTAL 29·72
*Days with ·01 in. or more.	~~12~~	~~14~~	~~4~~	~~17~~	~~10~~	~~9~~	~~13~~	~~16~~	~~9~~	~~5~~	~~14~~	~~5~~	~~128~~
*Days with ·04 in. or more.	10	14	3	17	9	9	11	15	9	4	11	4	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry Arnold

[P.T.O.

322

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bedgebury Park

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·05		·19	·45						·05		1
2	·02			·26	·13				·02			·43	2
3				·08	·21	·73			·45				3
4						·11					·03		4
5	·34				·07	·03	·12		·04				5
6	·58			·09					·15				6
7			·16										7
8			·20		·24				·09	1·32			8
9	·31	·10		·26	·53								9
10	·70			·30	·15					·06	·03		10
11	·31	·17		·11		·06			·09				11
12	·40									·31			12
13	·10			·12	·04					1·22			13
14	·19			·13	·06					·03			14
15	·07			·12	·18					·10			15
16	·15			·21			·05						16
17				·11						·04			17
18	·04								·10		·16		18
19										·19	·06		19
20				·10	·35		·03	·11		1·33	·37		20
21					·20					·34			21
22		·03	·35	·04	·02	·11	·11		1·15	·22	·43		22
23		·12	·29	·15					·30	1·18	·02	·18	23
24		·05					·76		·20	·03			24
25		·01					1·05		·05	·36	·15		25
26				·01			·34	·30					26
27			·31	·20	·13		·28			·35	·07	·04	27
28					·13		·17			·24		·01	28
29			·45					·67	·18	·45		·02	29
30		×	·15	·01	·04	·78		·07	·07	·02	·18	·06	30
31		×	·01	×		×	·09		×		×	·04	31
TOTAL	3·36	·53	1·92	2·49	2·93	1·82	3·00	1·15	2·89	7·69	1·55	·78	YEAR'S TOTAL 30·11
*Days with ·01 in. or more.	13	7	8	18	16	6	10	4	13	18	11	7	131
*Days with .04 in. or more.	12	5	7	16	15	5	9	4	12	15	8	5	113

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) H Arnold

P.T.O.

322

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~322~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bedgebury Park

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Dec	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·53	·16											1
2	·33		·58		·18					·06	·09			2
3	·10	·11	·21											3
4	·13	·03			·06									4
5	·30		·31		·16									5
6		·12	·11		·65						·10			6
7	·41	·08	·20		·19					·38				7
8	·12				·03		·48							8
9		·09			·05		·12				·14			9
10		·08					·14			·30				10
11	·14			·08	·11	·03	·01	·10	·14	·14	·03			11
12					·03	·17	·43		1·00					12
13					·03		·46	·07	·31		·20			13
14							·03			·30	·37			14
15	·42		·13				·36	·43						15
16	·04		·91			·20	·43							16
17			·39					·12	·15		·06			17
18	·05		·10			·19								18
19	·04	·13	·02			·38			·14		·03			19
20			·04	·51		·22		·01	·12		×			20
21		·17						·28	·25					21
22						·10		·24						22
23				·17		·62	·01		·60					23
24		·43		·16	·04	·12					·09			24
25		·06		·35	·02	·03			·35		·20	·08	·08	25
26		·56				·01			·06		·05	·14	·14	26
27					·11	·03			·06	·32		·18	·18	27
28					·38					·16		·26	·56	28
29		×			·28		·28			·05				29
30	·11	×	·04				·04		·22			·10	·10	30
31	·11	×		×		×		·06	×		×			31
TOTAL	2·31	2·39	3·20	1·27	2·32	2·10	2·79	1·31	3·40	1·71	1·36	·76	·96	Year's Total 24·92
*Days with ·01 in. or more.	14	12	13	5	15	12	12	8	12	8	11		5	127
*Days with .04 in. or more.	13	11	12	5	11	8	9	7	12	8	9		5	110

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Henry Arnold

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bedgebury Park Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 280 ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03				·01		·25		·25		·25		1
2			·16	·09					·65	·36		·31		2
3	·06			·02						·57		·26		3
4	·06		·03		·09					·22	·08	·98		4
5	·32		·04		·02			·05				·45		5
6			·36	·02	·21	·22		·08		·25	·08	·41		6
7	·08					·02				·05		·27		7
8		·02		·15	·20			·03			1·94			8
9			·07		·01						·73	·33		9
10			·44	·27				·09			·20	·03		10
11	1·28		·47	·17				·25				·30		11
12	·11		·08				·06	·14				·31		12
13	·64		·36	·13			·01	·15			·05	·13		13
14	·41		·50	·65							·02	·55		14
15					·07						·31	·56		15
16	·26		·37	·07	·09					·08	·18	·05		16
17	·18		·58		·04				·05	·04	·05	·33		17
18	·10			·60			·16				·03	·34		18
19			·37			·02			·20			·22		19
20			·15				·06							20
21			·02	·15		·13		·04		·10				21
22				·45			·08	·11	·31					22
23						·25				·02		·18		23
24		·02		~~[illegible]~~		·16	·37	·12	·16			·17		24
25	·08			·13						·10		·53		25
26	·12			·24		·10			·04			·01		26
27				·10								·35		27
28		·12				·06		·55				·24		28
29		X						·18	·44			~~[illegible]~~		29
30	·15	X										·70		30
31	·02	X		X		X			X	·15	X	13		31
TOTAL	3·87	·19	4·00	2·64	·73	·97	·74	2·04	1·85	2·19	3·67	8·39	Year's Total. 31·28	
* Days with .01 in. or more.	15	4	15	15	8	9	6	13	7	12	11	26	141	
* Days with .04 in. or more.	14	1	13	13	6	6	5	12	7	11	9	24	121	

40-9999

† Spare column, no entries required.

(*Signed*) H Arnold

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bedgebury Park Gardens
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 280 ft.

Rec.

[illegible] sent re
[illegible] Mar.
3/6/36.
– obsr. concurs.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·03		·03		·16			·11	·06	·12			1
2	·22			·08					·02	·54	·02			2
3			·16	·02		·01			·18	·40	·12			3
4		·08	·05	·41		·21			·68	·32		·12		4
5		·60		·08		·02			·64	·32		·04		5
6	·04	·08		·29		·40				·09	·22			6
7		·04		·31		·15					1·00	·10		7
8				·46				·15		·34	·45	·03		8
9				·26		·17				1·07	·21			9
10	·08	·04	·09								·16	·24		10
11	·10			·12		·08	·35			·04	·41			11
12						·30		·42	·08		·70			12
13		·25		·15	·07						·14	·16		13
14					·21	·09				·07	·04	·04		14
15		·17		·68	·04	·07			·53		·37	·08		15
16		·08		·21		·05			·45	·03	·94			16
17	·12		·06	·06		·24	·08				·61			17
18				·36	·03	·15	·17		·61	·12	·01			18
19				·09	·77	·02	·04		·17		·15			19
20		·92		·13	·03	·05	·20		·04		·13			20
21	·02	·47		·05						·09	·04			21
22		·14	·02					·26	·05					22
23								·76				·15		23
24	·07	1·14			·20	[illegible]		·93	·83	·03		·40		24
25	·15	·18		·20	·20	·12						·48		25
26	·02	·12				·05		·14	·09	·06		·48		26
27	·12	·52						·19	·08			·37		27
28		·08			·07			·04	·05		·23	·20		28
29		×						·10	·42			·66		29
30	·07	×		·10	·19			1·29	·06	×	·80	·48		30
31		×		×	·03	×			×	68	×	·77		31
TOTAL	1·22	4·94	~~·48~~ ·38	4·07	1·84	2·34	·84	4·28	5·09	4·26	6·97	4·83	Year's Total. 41·06	41·06
* Days with .01 in. or more.	12	17	5	20	11	18	5	10	18	17	21	17	178	
* Days with .04 in. or more.	10	16	4	18	8	15	5	10	17	15	19	16	157	3

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Henry Arnold [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bedgebury Park Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·12		·33		·30	·16	·09			·08	·13		1
2						·21	·18	·11						2
3	·02			·65		·02			·03		·25			3
4			·04			·10			·37		·03	·08		4
5	·21		·02	·03				·09	·06		·07	·11		5
6	·39					·06		·02	·31	·25	·85			6
7	·42		·11			·01	·03				·75			7
8	·37		·04				·06	~~·57~~			·86	·23		8
9	·65						·36	·57	·11		·15			9
10	·10					·30	·41	·28		·16				10
11				·11			·09	·05			1·15			11
12				·08		·26	·28	·02	·11	·03	·25			12
13						·05	·03					·65		13
14						·09	·79			·02	·16	·49		14
15		·13					·02				·07	·49		15
16	·08	·08			·08				·03		·15	·29		16
17	·27	·76				·11					·27	·75		17
18	·07	·20				·09	·39	·02			·27	x		18
19	·24	·08				·08		·09		·05	·62			19
20	·20	·12		·45					·50					20
21				·42		·40	·02							21
22	·15	·36	·13		·04	·08	·15					x		22
23		·05	·03	·06			·40			·05				23
24	·14	·17				·10	·14			·20				24
25	·24		·31	·18		·18			·54					25
26		·15	·33			·10			·10	·29		✓		26
27	·30						·19		·15	·22				27
28	·70		·12			·75	·36		·03			x ·32		28
29	·03	·07	·19			·07	·35 ~~35~~			·03	·10			29
30	·17	✕			·17	·17				·15				30
31	·20	✕	·22	✕		✕	·12		✕	·83	✕	·22	Year's Total	31
TOTAL	5·22	2·29	1·54	2·31	·29	3·53	4·53	1·34	2·34	2·28	5·48	3·76		34·91
* Days with .01 in. or more.	21	12	11	9	3	21	20	10	12	12	17	~~1~~ 14		~~159~~ 162
* Days with .04 in. or more.	19	12	9	8	3	19	16	7	9	9	15	~~1~~ 13		~~137~~ 139

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H. Arnold [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bedgebury Park Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1·03	·06		·09							·38	·19		1
2		·65	·08	·38								1·29		2
3	·02	·15	·05									·41		3
4	·12	1·08										·25		4
5	·31	·06	·45				·25			·34				5
6	·05		·30		·18		·03							6
7		·80	·41	·09	·07				·04					7
8		·02	·28		·06	·10	~~0~~				·12	·28		8
9				·45	·15		·06		·32			·08		9
10			·44	·11	·42	·50		·06				·54		10
11			·47		·08							·16		11
12	·52	·40	·35		·24	·30	·05	·71	·20			·16		12
13	·26	·05	·62	·05	-	·26		1·69	·08			·81		13
14	·05	·02	·02		·15			·45	·13					14
15	·15	·16	·22	·25		·11								15
16		·06	·02	·40			·31	·48	·12					16
17	·37		~~·44~~	·13		·25			·25		·20			17
18	·50	·06	~~·23~~		·35	·62			·31		·06			18
19	·09	·09	·07	·23		·12			·06			·10		19
20	·49	·01	·23	·33	·67									20
21	·63	·43	·07					·10						21
22	·50	·02		·06	·08					·80	·48			22
23	·07						·11		~~·11~~	·67		·15		23
24	·85	·12	·10						·11	·28				24
25	·17	·36	·35						·12	·48				25
26		·49	·05							·23				26
27		·25		·30					·03	·20				27
28	·09	·03		·02							·04	·04		28
29	·12									·65		·03		29
30	·31	×						·07		·48	·13	·01		30
31	·22	×		×		×	·03		×	·13	×	·04	'd'	31
TOTAL	6·92	5·37	4·58	2·89	2·45	2·26	·84	3·56	1·77	4·16	1·43	4·54	Year's Total 40·45	✓
* Days with .01 in. or more.	22	22	19	14	11	8	7	7	12	10	7	16	155	✓
* Days with .04 in. or more.	21	17	17	13	11	8	5	7	11	10	7	14	141	✓

† Spare column, no entries required.

(*Signed*) H. Arnold

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bedgebury Park Gardens
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·06		·07	·20	·58	·16		·32	·07		·10		1
2	·07				·12		·08			·33				2
3					·20		·11			1·12	·08			3
4	·06					·06	·46	·09		·15	·02	·18		4
5							·21			·42				5
6	·12						·02	·03	·10					6
7							·30	·75		·30				7
8	·26						·11		·09	·41		·14		8
9	·15									·18		·75		9
10	·10	·07				·30		·18				·38		10
11	·25										·13	·23		11
12	·46	·03				·12	·08	·61		·08				12
13	40	·12								·16	·14	·13		13
14	·24	·05			·44				·02					14
15	·25	·08			·04		·11			·33	·05	·04		15
16	·60	·14	·03		·05		·04	·04		·06	·02	·37		16
17		·13	·02		·30					·52	·45			17
18	·10				·08				·10	·04	·15			18
19					·04			·09	·08			·06		19
20					·05				·24		·81	·41		20
21				·02					·12		·13	·16		21
22				·04							·30	·14		22
23	·01													23
24			·13		·06				·06		·38	·12		24
25	·12		·36	·05	·10		·05		·13		·72			25
26	·62	·18	·09		·02			·12	·25	·30		·48		26
27	·10	·03			·15		·40		1·94	·21	·37			27
28	·06	·04			·31	·12	~~40~~	·42	·06					28
29	·25			·03	·30							·18		29
30	·08	✕		·38	·17				·07	·03	·45			30 "d"
31	·31	✕		✕	·12	✕			✕	·95	✕	·27		31
TOTAL	4·65	·93	·63	·59	2·75	1.18	2.13	2·33	3·58	4·96	4·20	414	Year's Total 32·07	✓
* Days with .01 in. or more.	~~22~~	~~11~~	~~5~~	~~6~~	~~18~~	~~5~~	~~13~~	~~9~~	~~14~~	~~18~~	~~15~~	~~17~~	~~153~~	✓
* Days with .04 in. or more.	21	9	3	4	17	5	12	8	13	17	13	17	139	✓

† Spare column, no entries required.

(Signed) D. Arnold

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bedgebury Park Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11		·09	·09	·43		·20		·06					1
2			·04	·04	·02			·54		·16				2
3	·40			·37				·16			·08	·35		3
4	·27			·11				·43		·77	·34			4
5			·50	·39	·08		·15	·02		·41	·67	·08		5
6	·37						·16	·02		·16	·67			6
7	·06	·06						·04			·28			7
8		·11									·06	·67		8
9		·04						·03		1·23	·67	·23		9
10	·19					·42	·	·37	·12	·12				10
11	·03		·40			·09				1·19				11
12					·02									12
13										1·59		·15		13
14	·73		·04	·05	·04		·18			·24	·54			14
15	·83			·08	1·81		·02		·26	·42	·14			15
16	·20		·14		·28	·37	·20				·57			16
17	·19	·10			·05		·10				·06			17
18						·10	·12			·12	·30			18
19	·29		·08				·08		·06	·36				19
20	·40					·13	·40	·11	·12					20
21			·16				·04		·04					21
22	·36	·28	·09			·53	·04							22
23	·07			·08			·10			·12	·46			23
24	·05	·15	·35			·03	·04			·06				24
25	2·05	·31	·11	·57			·68				·77			25
26	·23		·10	·02			·04			·17	·26			26
27	·02	·18	·06							·46	·48			27
28		·32	·03							·11	·14	·06		28
29				·41						·05	·06			29
30		✕		·70						·04	·12			30
31		✕		✕		✕	·11	·21	✕		✕			31
TOTAL	6·85	1·55	2·15	2·91	2·43	1·67	2·66	1·93	·66	7·78	6·71	1·54	Year's Total 14 39·09	'd'
* Days with .01 in. or more.	~~19~~	~~9~~	~~13~~	~~12~~	~~8~~	~~7~~	~~17~~	~~10~~	~~6~~	21 ~~19~~	~~19~~	~~6~~	~~[illegible]~~	147
* Days with .04 in. or more.	17	9	12	11	6	6	16	7	6	21 ~~19~~	19	6	~~134~~	136

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Arnold

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 322

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~40

533028/36

Est. Jan. see note at back

Kept at Bedgebury Park

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2										·24	·70			2
3		·30		·11			·08			·14	1·22	·11		3
4		·19		·10							·03			4
5				·05						·32	·89	·40		5
6							·14			·62				6
7	✗	·19					·21							7
8		·14							·06	·47		·35		8
9		-								·20	·46	·14		9
10		-					·60		·04	·93	·07			10
11		-		·10							1·24			11
12		✗	·30				·74		·19		·04			12
13		✗	·60								1·23			13
14		-	·46							·02		·38		14
15		-		·01	·27	·25	·60		·36		·53	·03		15
16	✗	✗	·36	·02		·14	·14			·68	·90			16
17		-	·22				·10		~~·02~~		·09			17
18	✓	✗ ·96	·26	·34					~~·92~~	·28	·19	·19		18
19		✗	·02				·08		·90		·30	·14		19
20		✓	·06	·03		·02		·04	·10	·06	·09			20
21	✗	-			·52		·24		·06		·40			21
22	✓	-	·04		·15	·20			·03					22
23		·27	·02	·37							·05			23
24				·24			·15			·18				24
25			·72				·10							25
26	✗	·19	·31		20		·04			·26				26
27	✗	·23		·08			·45	·02						27
28	✗	·07												28
29	✗	·07	·16		·16				·02			·28		29
30	✗	✕		·33						·24		·06		30
31	✗	✕		✕		✕			✕	·45	✕	·15		31
TOTAL	2·75	2·64	3·53	1·81	1·30	·64	3·70	·06	1·78	5·45	8·46	2·29	Year's Total 34·41	" d"
* Days with .01 in. or more.	~~11~~	~~10~~	~~13~~	~~12~~	~~5~~	~~4~~	~~14~~	~~2~~	~~10~~	~~15~~	~~14~~	~~11~~	129 " ~~115~~	
* Days with .04 in. or more.	9	14	11	9	5	3	14	1	7	14	16	10	113 ~~10~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

324

324

KILNDOWN SCHOOL

1931 - 1938

063230003

780107

Section | **A** | for the entry o
AIR MINISTI

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS

3/ .

Kept at Kilndown

in the County of K

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA **DAY.**

An observer who does not conforn *the following*
year in the space on the right o

Jan. 1, following

Please read the Notes and Instructio

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·06	0·06	0·11		0·20		0·06					1
2	0·27	0·05		0·15	0·04				0·70				2
3	0·05	0·04	0·10	0·13	1·09			0·34	0 63			0·17	3
4							0·02	0·01	0·09		0·11		4
5				0·24		0·56		0·30	0·05		0·02	0·21	5
6		0·02		0·03				0·57		0·22	0·38		6
7	0·04	0·09				0·08		0·06		0·03	0·41		7
8		0·10			0·03	0·13		0·07			0·11	0·05	8
9		0·16				0·02					0·80		9
10		0·19	0·10			0·09	0·02	0·01			1·85		10
11	0·07	0·56							0·44		0·47		11
12	0·18							0·02		0·04			12
13	0·03				0·12			0·23					13
14						0·04	0·45	0·43					14
15		0·21		0·11	0·04		0·28	0·14	0·02		0·02		15
16		0·18		0·15	0·27			0·15					16
17	0·05			0·18			0·35		0·02				17
18		0·17		0·30		0·08	0·06	0·24			0·48		18
19				0·42			0·19	0·43	0·08				19
20		0·10		0·14			0·04	0·44					20
21		0·04			0·45						0·02		21
22	0·13		0·12					0·05	0·06				22
23	0·48		0·04		0·18	0·18					0·24	0·03	23
24				0·63		0·04	0·02	0·38					24
25				0·35			0·28						25
26		0·09		0·23			0·30				0·22		26
27	0·13	0·28		0·05	0·31		0·02				0·07		27
28	0·08	0·15		0·05						0·03			28
29	0·05			0·09	0·16		0·06			0·26			29
30		×					0·03						30
31	0·34	×		×		×			×		×		31
TOTAL	1·90	2·49	0·42	3·36	2·69	1·42	2·12	3·93	2·09	0·58	5·20	0·46	YEAR'S TOTAL 26·66
*Days with ·01 in. or more.	~~13~~	~~17~~	~~5~~	~~17~~	~~10~~	~~10~~	~~14~~	~~18~~	~~9~~	~~5~~	~~14~~	~~4~~	~~136~~
*Days with ·04 in. or more.	12	16	5	16	9	9	9	15	7	3	11	3	115

d.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. a. ager

[P.T.O.

324

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Kilndown School

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·06	0·06	0·11		0·20		0·06					1
2	0·27	0·05		0·15	0.04				0·70				2
3	0·05	0·04	0·10	0·13	1·09			0·34	0 63			0·17	3
4							0·02	0·01	0·09		0·11		4
5				0·24		0·56		0·30	0·05		0·02	0·21	5
6		0·02		0·03				0·57		0·22	0·38		6
7	0·04	0·09				0·08		0·06		0·03	0·41		7
8		0·10			0·03	0·13		0·07			0·11	0·05	8
9		0·16				0·02					0·80		9
10		0·19	0·10			0·09	0.02	0·01			1·85		10
11	0·07	0·56							0·44		0·47		11
12	0·18							0·02		0·04			12
13	0·03				0·12			0·23					13
14						0·04	0·45	0·43					14
15		0·21		0·11	0·04		0·28	0·14	0·02		0·02		15
16		0·18		0·15	0·27			0·15					16
17	0·05			0·18			0·35		0·02				17
18		0·17		0·30		0·08	0·06	0·24			0·48		18
19				0·42			0·19	0·43	0·08				19
20		0·10		0·14			0·04	0·44					20
21		0·04			0·45						0·02		21
22	0·13		0·12					0·05	0·06				22
23	0·48		0·04		0·18	0·18					0·24	0·03	23
24				0·63		0·04	0·02	0·38					24
25				0·35			0·28						25
26		0·09		0·23			0·30				0·22		26
27	0·13	0·28		0·05	0·31		0·02				0·07		27
28	0·08	0·15		0·05						0·03			28
29	0·05			0·09	0·16		0·06			0·26			29
30		×					0·03						30
31	0·34	×		×		×			×		×		31
TOTAL	1·90	2·49	0·42	3·36	2·69	1·42	2·12	3·93	2·09	0·58	5·20	0·46	YEAR'S TOTAL 26·66
*Days with ·01 in. or more.	~~13~~	~~17~~	~~5~~	~~17~~	~~10~~	~~10~~	~~14~~	~~18~~	~~9~~	~~5~~	~~14~~	~~4~~	~~136~~
*Days with ·04 in. or more.	12	16	5	16	9	9	9	15	7	3	11	3	115

d.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. A. Ager

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kilndown School

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·12	0·03		0·12	0·39					0·02	0·06	0·02	1
2	0·03			0·23	0·11				0·03			0·29	2
3					0·22	0·47			0·33	0·08			3
4	0·02					0·12					0·02		4
5	0·30				0·16	0·02	0·11		0·06				5
6	0·58			0·13					0·12				6
7			0·13	0·05						0·03		0·02	7
8			0·18	0·04	0·17				0·08	1·05			8
9	0·31			0·19	0·50								9
10	0·70			0·30	0·18					0·05	0·05		10
11	0·25	0·11		0·13		0·05			0·05	0·03			11
12	0·32	0·02								0·24			12
13	0·08			0·07	0·03					1·07			13
14	0·18			0·12	0·06					0·12			14
15	0·03			0·10	0·15					0·10			15
16	0·14			0·18	0·07								16
17				0·10						0·02			17
18	0·01						0·02		0·06		0·11		18
19									0·01	0·27	0·06		19
20				0·06	0·21			0·06	0·02	1·13	0·32		20
21				0·03	0·20		0·05			0·35		0·02	21
22	0·03		0·29			0·15		0·03	1·11	0·28	0·37		22
23		0·12	0·20	0·09					0·24	0·94	0·03	0·10	23
24							0·66		0·17	0·02	0·01		24
25							0·90		0·26	0·38	0·10	0·02	25
26				0·06			0·31	0·25		0·04	0·05		26
27			0·23	0·14	0·12		0·14			0·30	0·04	0·03	27
28				0·02	0·12		0·21			0·23			28
29			0·44					0·37	0·18	0·38		0·02	29
30		×	0·15		0·04	0·65			0·06	0·02	0·22	0·06	30
31		×	0·03	×		×	0·10	0·04	×		×	0·07	31
TOTAL	3·10	0·28	1·65	2·16	2·73	1·46	2·50	0·75	2·78	7·15	1·44	0·65	YEAR'S TOTAL 26·65
*Days with ·01 in. or more.	~~15~~	~~4~~	~~8~~	~~19~~	~~16~~	~~6~~	~~9~~	~~5~~	~~15~~	~~23~~	~~13~~	~~10~~	~~143~~
*Days with .04 in. or more.	10	2	7	17	15	5	8	4	12	17	10	4	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. a. ager.

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 324 ~~324~~

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kilndown School
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 365.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·02	0·45	0·13							TR	0·07			1
2	0·25		0·49		0·22					0·03				2
3	0·08	0·11	0·20							0·03	0·02			3
4	0·13	0·03	0·02		0·02									4
5	0·29		0·31		0·18									5
6		0·10	0·12		0·54					0·03	0·07			6
7	0·37	0·06	0·35		0·18					0·32				7
8	0·14	0·02			0·01		0·53							8
9					0·09		0·04			0·04	0·13			9
10		0·20					0·11			0·31				10
11	0·12				0·17		0·07	0·05	0·10	0·10	0·02			11
12				0·07		0·16	0·29		0·93					12
13	0·03				0·07		0·38	0·06	0·37	0·20	0·16			13
14							0·07			0·22	0·30			14
15	0·30		0·11				0·21	0·37		0·04	0·05			15
16	0·05		0·78			0·19	0·53							16
17			0·38			0·07		0·13	0·11		0·05			17
18	0·05		0·10			0·16					TR			18
19	0·02	0·09	0·04	0·06		0·19			0·11		0·02	TR		19
20		0·04	0·04	0·34		0·19		0·01	0·01		TR			20
21		0·14				0·02		0·13	0·20					21
22		0·04				0·14		0·22	0·02	0·02	TR			22
23				0·12	0·23	0·79			0·65					23
24		0·30		0·17	0·03	0·06			0·24		0·02			24
25		0·15		0·34	0·02	TR			0·06		0·17	0·04		25
26		0·49		0·03		0·01			0·02	TR	0·08	0·10		26
27		0·01			0·15	0·04			TR	0·19		0·16		27
28		0·01			0·13		0·11			0·21		0·20		28
29	0·04				0·60		0·19					TR		29
30	0·05	×	0·05				0·06		0·18	0·05		0·07		30
31	0·09	×		×		×		0·06	×		×			31
TOTAL	2·03	2·24	3·12	1·13	2·64	2·02	2·59	1·03	3·00	1·78	1·16	0·57	Year's Total 23·31	
*Days with ·01 in. or more.	16	16	14	7	15	12	12	8	13	14	13	5	145	
*Days with .04 in. or more.	13	12	13	6	11	10	12	7	10	10	9	5	118	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required 39

(*Signed*) 140/171

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kilndown School

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3" in.

,, Ground ,, Sea Level 365·3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	0·02						0·19	0·03	0·19	0·01	0·19		1
2	0·04		0·11	0·02				0·01	0·64	0·43		0·25		2
3	0·06	0·02	Tr	0·04					0·02	0·60		0·23		3
4	0·32		0·03		0·02					0·31	0·06	0·83		4
5			0·03	0·01	0·13			0·02			0·03	0·40		5
6	0·02		0·34		0·16	0·20		0·08		0·23	0·05	0·45		6
7	0·07					0·02		Tr		0·06	Tr	0·25		7
8				0·16	0·16			0·03			1·89			8
9	0·02		0·05		Tr						0·83	0·29		9
10			0·29	0·25				0·15		0·02	0·22	0·02		10
11	1·14		0·61	0·09			0·06	0·24				0·26		11
12	0·17		0·10				0·08	0·21			0·04	0·24		12
13	0·58		0·33	0·06			0·01	0·11			0·02	0·06		13
14	0·46		0·54	0·12						0·04	0·26	0·53		14
15	0·03				Tr					Tr	0·16	0·26		15
16	0·23		0·33	0·03	0·17				Tr	0·04		0·04		16
17	0·18		0·48		Tr				0·03	0·05	0·04	0·35		17
18	0·09			0·56			0·15				0·03	0·44		18
19		Tr	0·33			0·04			0·21			0·24		19
20			0·12				0·05			0·02	0·01	0·02		20
21			0·02	0·15		0·12		0·04		0·06				21
22		Tr					0·19	0·14	0·30	0·04		0·13		22
23				0·40			0·03			0·01		0·16		23
24		0·02	0·02			0·30	0·35	0·14	0·15	0·02				24
25	0·07			0·21		0·18				0·07		0·47		25
26	0·14			0·18					0·05			0·03		26
27				0·27		0·10		0·50				0·42		27
28		0·29		0·03				0·11			Tr	0·20		28
29						0·60			0·37					29
30	0·12	×						Tr				0·73		30
31		×		×		×		0·03	×	0·18	×	0·07		31
TOTAL	3·77	0·35	3·73	2·58	·64	1·56	0·92	2·00	1·80	2·37	3·65	7·56	Year's Total. 30·93	
* Days with .01 in. or more.	18	4	16	16	5	8	8	15	9	17	14	27	157	
* Days with .04 in. or more.	14	1	12	12	4	7	6	11	6	13	9	24	119	

40-9999

† Spare column, no entries required.

(*Signed*) J. A. Ager

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kilndown School

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft 3" in.

,, Ground ,, Sea Level 365·3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·20	0·03	0·02	0·03		0·10	Tr		0·10	0·19	0·25	Tr		1
2	0·20		Tr	0·06					0·05	0·35	0·09			2
3			0·15	0·04		0·01			0·21	0·55	0·11			3
4				0·30		0·16			0·41	0·27	0·01	0·10		4
5		0·64	0·02			0·09			0·63	0·40		0·03		5
6	0·05	0·06	0·01	0·30		0·30				0·07	0·21	0·02		6
7	0·04	0·05		0·28		0·15					0·95	0·09		7
8				0·43				0·14		0·33	0·65	0·15		8
9	Tr			0·24		0·16				1·03	0·28	Tr		9
10	0·06	0·02	0·05	Tr		0·06				Tr	0·61	0·17		10
11	0·10	0·02		0·14		0·05	0·21			Tr	0·41	Tr		11
12		0·02				0·25		0·42	0·05		0·74			12
13	0·07	0·21		0·14		0·02			0·02	Tr	0·14	0·08		13
14	Tr			Tr	0·32	0·07				0·06	0·01	0·06		14
15				0·56	0·06	Tr			0·49	Tr	0·26	0·05		15
16				0·28	Tr	0·10			0·62	0·03	0·73	0·01		16
17	0·03		0·05	0·06	Tr	0·21	0·04		0·02		0·56	Tr		17
18			0·01	0·38	0·02	0·12	0·14		0·57	0·13	Tr	Tr		18
19				0·07	0·81	0·03	0·05		0·17		0·11	Tr		19
20		0·60		0·15	0·03	0·06	0·22		0·06	0·01	0·10			20
21	0·02	0·46		0·06					0·02	0·09	0·04			21
22		0·12		0·10				0·28	0·05	Tr				22
23			0·03					0·53				0·09		23
24	0·05	1·21			0·21			1·20	0·82	0·02		0·34		24
25	0·12	0·13		0·23	0·21	0·06			Tr		0·04	0·52		25
26	Tr	0·07				0·09		0·12	0·07	0·05	0·01	0·35		26
27	0·07	0·49						0·10	0·11		0·13	0·26		27
28		0·04			0·08			0·02	0·04	0·04	0·01	0·30		28
29					0·03			0·11	0·38	0·02	0·74	0·66		29
30	0·08	×		0·07	0·14			1·20	0·10	0·13		0·49		30
31		×		×	0·05	×			×	0·28	×	0·65		31
TOTAL	1·09	4·17	0·34	3·92	1·96	2·09	0·66	4·12	4·99	4·05	7·19	4·42	Year's Total. 39·00	
* Days with .01 in. or more.	13	16	8	20	11	19	5	10	21	19	24	19	185	
* Days with .04 in. or more.	11	12	3	19	8	16	5	9	18	14	20	16	151	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. a. ager

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations, Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kilndown, Goudhurst

in the County of Kent

Diameter of Funnel of Gauge 1/ft in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·12	·06	·35	—	·19	·16	·06	—	—	·06	·13		1
2	—	·01	·02	·01	—	·23	·10	·10	·04	—	—	—		2
3	—	—	—	·54	—	·03	·01	—	·28	—	·01	—		3
4	·02	—	·06	—	—	·08	—	—	—	—	·10	·08		4
5	·19	—	·01	·01	—	—	—	·04	·04	·02	·75	·06		5
6	·39	—	—	—	—	·08	Tr.	·04	·29	·18	·80	·06		6
7	·47	—	·07	—	—	·01	·01	—	Tr.	—	·60	Tr.		7
8	·34	—	·04	—	—	—	·11	—	—	—	·13	·20		8
9	·67	—	·02	—	Tr	—	·29	·33	·02	—	—	·01		9
10	·06	—	—	—	—	—	·40	·23	·01	·07	—	—		10
11	—	—	—	·05	—	Tr.	·05	·03	—	—	·96	·01		11
12	—	—	—	·06	—	·20	·27	·02	·15	·01	·01	·12		12
13	—	—	—	—	—	·10	Tr.	—	—	Tr.	·16	·49		13
14	—	·05	—	—	—	·08	·79	—	—	·02	·06	·79		14
15	—	·08	—	—	—	—	·03	—	·02	—	·03	·36		15
16	·20	·07	—	—	·08	—	—	—	—	—	·14	·13		16
17	·10	·62	—	—	—	·09	—	Tr.	·01	·03	·29	·80		17
18	·08	·22	—	—	—	—	—	·02	—	·01	·21	·10		18
19	·21	·07	—	—	—	·10	·28	·13	Tr.	·03	·01	—		19
20	·17	·11	—	·38	—	—	—	—	·43	—	—	—		20
21	—	·03	—	·31	—	·36	·11	—	·06	—	—	—		21
22	·11	·29	·09	—	·04	·10	·08	—	—	—	·01	·09		22
23	·06	·06	·03	·07	—	—	·37	—	—	·05	—	·01		23
24	·06	·11	—	—	—	—	·07	—	·01	·19	Tr.	·01		24
25	·20	Tr.	·25	—	·01	·19	·06	—	·36	·04	·02	—		25
26	·01	·11	·30	·14	—	·11	—	—	·07	·18	—	—		26
27	·31	Tr.	—	·01	—	—	·22	—	·16	·22	—	—		27
28	·68	·03	·08	—	—	·40	·04	—	·02	—	·01	·08		28
29	·02	—	·50	—	—	·10	·40	—	—	·02	·07	·03		29
30	·18	✕	Tr.	—	·14	·25	—	—	—	·45	—	—		30
31	·20	✕	·16	✕	·01	✕	·10	—	✕	·72	✕	·20		31
													Year's Total	
TOTAL	5·04	1·98	1·69	1·93	0·31	2·70	3·95	1·00	1·97	2·24	4·43	3·76	31·00	
* Days with .01 in. or more.	23	15	14	11	5	18	21	10	16	16	20	20	189	
* Days with .04 in. or more.	20	12	10	8	3	16	18	7	10	9	13	15	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. M. Thornton [P.T.O.

X The Late G. A. Ager Esq X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kilndown School (Goudhurst)
in the County of Kent
Diameter of Funnel of Gauge 1 5/8 in.
Height of top of Gauge above Ground 1 ft. 6 3/4 in.
,, Ground ,, Sea Level 365 ft.

6039 05/37

This record is entered one day early for :-
Jan 1st – 5th
Feb 1st – 27th
Mar 4th – 20th
Oct 4th – 8th
Return corrected by section B and surrounding stations
KJ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·82 ~~Trace~~	·62	·04	·05							·41	·11		1
2	·01	·14	·02	·36			Trace	Trace			·01	1·1		2
3	·1	1·07									Trace	·45		3
4	·28	·06	·40	Trace				·01		·40		·25		4
5	·04	·02	·56				·32			·01		Trace		5
6	~~Trace~~	·67	·06	Trace	·17		Trace			·01	Trace			6
7	Trace	·01	·14	·08	·02					·01		·04		7
8	Trace				·05	·05			Trace	·01	·10	·25		8
9	Trace		·45	·45	·12	Trace	·04		·30	Trace	Trace	·07		9
10	Trace		·43	·13	·38	·47	·01	·06		Trace		·42		10
11		·36	·39	·02	·02		·01				Trace	·17		11
12	·47	·04	·56	·01		·29	·02	·46	·25			·10		12
13	·25	·01	·02	·05		·25	·34		·08		Trace	·85		13
14	·04	·16		·01	·15	·05		1·07	·10	Trace				14
15	·16	·09	·02	·26		·02	·28		·02		Trace	·02		15
16	·02	·05	·02	·44		·02		·46	·01		Trace	·02		16
17	·35	·06	·02	·07		·21			·10	Trace	·12			17
18	·4	·09	·08		·35	·65			·30	1·0	·05			18
19	·05	·02	·28	·18	Trace	·08			·11	Trace		·06		19
20	·58	·14	·08	·29	·66	·02			·03	·01		·03		20
21	·56	·05		·05			Trace	·07	Trace	·01	·02	·05		21
22	·45				·08		Trace		·01	·82	·5	·08		22
23	·07	·11					Trace		Trace	·50	·01	·01		23
24	·82	·35	·11		Trace		·12		·03	·24	Trace	Trace		24
25	·15	·47	·32						·13	·24		Trace		25
26		·18	·02						·02	·21	·01			26
27		·03	·02	·34					·27	·2	Trace			27
28	·10	✕				Trace			Trace	·02		·01		28
29	·09	✕							✕	·5	·03	·01		29
30	·32	✕		✕		✕		(·02)	✕	·5	(·12)	✕		30
31	·20	✕	✕	✕	✕	✕	(·01) ✕	✕	✕	(·01) ✕	✕	(·09) ✕	(·10)	31
TOTAL	6·33	5·06	~~3·77~~ 4·04	2·79	2	2·11	·81	2·49	~~·87~~ 1·76	4·69	1·38	4·19	Year's Total ~~37·49~~	37·75 ✓37.65
* Days with .01 in. or more.	23	24	~~22~~ 21	16	10	11	8	8	15	17	11	21	~~52~~	186 ✓
* Days with .04 in. or more.	21	20	14	19	8	8	4	6	9	10	6	15	134	✓

93
540
633

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. L. Harriott
Headmaster

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kilndown School

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 365 ft.

W.D. 106

incomplete

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·07	·03	–	·42			–	–	·01				1
2	·03	·34	·02	–	·17			–	·29	·05				2
3	·03	·03	Tr.	·07	·09			–	Tr.	·52				3
4	·05	·01	–	–	·48			–	Tr.	·7				4
5	Tr.	·01	–	–	–			·1	–	·05				5
6	·02	·01	–	–	–			–	·01	·5				6
7	Tr.	·01	–	–	–			·1	·08	·01				7
8	·01	·01	·01	–	–			·77	Tr.	·01				8
9	·01	·01	–	–	–			·07	·06	·33				9
10	·01	·01	–	–	–			·07	–	·18				10
11	·25	·06	–	Tr.	–			·1	Tr.	Tr.				11
12	·30	·01	–	–	–			·02	–	Tr.				12
13	·45	·01	–	–	–			·75	–	·04				13
14	·45	·14	Tr.	–	–			Tr.	·01	·16				14
15	·28	·09	–	–	·04			Tr.	·03	·04				15
16	·02	·01	–	–	·46			Tr.	–	·42				16
17	·02	·08	·01	–	·02			·03	–	·22				17
18	Tr.	·09	·01	–				·08	Tr.	·60				18
19	–	·02	Tr.	–				–	·15	·07				19
20	–	·01	–	–				·1	·25	Tr.				20
21	·01	Tr	–	–			Tr.	Tr.	·13	Tr.				21
22	·01	Tr.	–	·04			–	·01	–	Tr.				22
23	·01	–	·01	·02			–	–	–	Tr				23
24	·01	–	←	·04			–	–	–	–				24
25	·01	·01	·41	–			–	–	·02	Tr.				25
26	·11	Tr.	·07	·1			·03	Tr.	·16					26
27	·5	·16	·02	Tr.			·01	·04	·34					27
28	·09	·05	–	–			·35	–	1·9					28
29	·03	·	–	–			Tr.	·38	·02					29
30	·25	✕	–	·02			–	Tr	·01					30
31	·07 ·07	✕ ·03	=	✕ ·42		✕	=	·01	✕		✕			31
TOTAL	3·10 ~~2·66~~	1·23 ~~1·27~~	·56 ~~·59~~	·62 ~~·20~~			imp ~~·39~~	2·45 ~~2·44~~	3·45	imp			Year's Total	[illegible] imp
* Days with .01 in. or more.	26	23	18	17				~~13~~ 14	15					
* Days with .04 in. or more.	11	8 9	2	14				7	9					CB 31/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. M. Harpers [P.T.O.

325

325

SCOTNEY CASTLE

1931 - 1940

063230001

780107

Section **A** for the entry of D

AIR MINISTRY.

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at Scotney Castle

in the County of Ke

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—		·01	·02		·17		·05	·02		—		1
2	·15	·12		·18				·01	·64		·01	—	2
3	·03	·02	·12	·10	1·02			·31	·70		—	·15	3
4		·04		·07			·02	·01	·14		·10	—	4
5		—		·18		·69	·04	·15	·05	—	·01	·18	5
6		·06		·02				·33		·23	·39		6
7		·03				·09		·07		·01	·43	—	7
8		·05			·02	·13		·07			·10	·05	8
9	—	·14				·01		tr			·83	·01	9
10	·03	·16	snow ·13			·09		·13	—		1·87		10
11	·08	·52					·01		·01	—	·27		11
12	·17				—			·02	·42	·03			12
13	·01				·11			·20				·01	13
14	·01	·12		—		·03	·45	·38					14
15	·01	·10		·10	·04		·20	·11					15
16	—	·12		·17	·26	·01		·08	tr	—			16
17	·07	·01		·20			·33	—	·03	tr	—		17
18	·01	·08		·27		·10		·36	—		·50		18
19			—	·38		·01	·05	·35	·07		—	·03	19
20	·02	·10		·12			·15	·40		·01	·01		20
21	—	·05			·47			—	·01				21
22	·20	·01						·10	·05		·02		22
23	·55		·12	—	·17	·14		—			·23	·01	23
24			·02	·88		·02	·08	·30			—		24
25				·23			·22				·01		25
26		·06		·23	—		·29				·21		26
27	·09	·28		·05	·30		·02			—	·09		27
28	·08	·16		·04	—		—			·03		·01	28
29	·05	×		·08	·18		·08			·28			29
30	·03	×		—	—	—	·04		—		—		30
31	·31	×	—	×	·07	×	—	—	×	—	×	—	31
TOTAL	1·90	2·23	·40	3·32	2·58	1·49	1·98	3·43	2·14	·59	5·08	·45	YEAR'S TOTAL 25·59
*Days with ·01 in. or more.	18	20	5	18	10	12	14	19	11	6	16	8	157
*Days with ·04 in. or more.	10	16	3	16	8	7	11	16	7	2	11	3	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E W Hussey [P.T.O.

813149/22 325

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Scotney Castle Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—		·01	·02		·17		·05	·02		—		1
2	·15	·12		·18				·01	·64		·01	—	2
3	·03	·02	·12	·10	1·02			·31	·70		—	·15	3
4		·04		·07			·02	·01	·14		·10	—	4
5		—		·18		·69	·04	·15	·05	—	·01	·18	5
6		·06		·02				·33		·23	·39		6
7		·03				·09		·07		·01	·43	—	7
8		·05			·02	·13		·07			·10	·05	8
9	—	·14				·01		tr			·83	·01	9
10	·03	·16	snow ·13			·09		·13	—		1·87		10
11	·08	·52					·01		·01	—	·27		11
12	·17				—			·02	·42	·03			12
13	·01				·11			·20				·01	13
14	·01	·12		—		·03	·45	·38					14
15	·01	·10		·10	·04		·20	·11					15
16	—	·12		·17	·26	·01		·08	tr	—			16
17	·07	·01		·20			·33	—	·03	tr	—		17
18	·01	·08		·27		·10		·36	—		·50		18
19			—	·38		·01	·05	·35	·07		—	·03	19
20	·02	·10		·12			·15	·40		·01	·01		20
21	—	·05			·47			—	·01				21
22	·20	·01						·10	·05		·02		22
23	·55		·12	—	·17	·14		—			·23	·01	23
24			·02	·88		·02	·08	·30			—		24
25				·23			·22				·01		25
26		·06		·23	—		·29				·21		26
27	·09	·28		·05	·30		·02			—	·09		27
28	·08	·16		·04	—		—			·03		·01	28
29	·05	×		·08	·18		·08			·28			29
30	·03	×		—	—	—	·04		—		—		30
31	·31	×	—	×	·07	×	—	—	×	—	×	—	31
TOTAL	1·90	2·23	·40	3·32	2·58	1·49	1·98	3·43	2·14	·59	5·08	·45	YEAR'S TOTAL 25·59
*Days with ·01 in. or more.	18	20	5	18	10	12	14	19	11	6	16	8	157
*Days with ·04 in. or more.	10	16	3	16	8	7	11	16	7	2	11	3	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E W Hussey [P.T.O.

325

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·03			·44		·01	—		·01	·05	—	1
2	·02			·24	·12			·01			·01	·29	2
3	—			·03	·17	·49			·30	·11	—		3
4	·02				·01	·06			—		·02		4
5	·26			—	·09	·01	·12		·07				5
6	·47			·13	·01				·10			—	6
7		—		·04	—		·02		tr	·05		·03	7
8	—	·01		·05	·19				·08	·89			8
9	·35			·12	·64				—		—		9
10	·50	Snow ·02		·36	·20				·01	·06	·02		10
11	·24	Snow ·11		·17	·01	·06			·02	·01			11
12	·24			·01	—				·01	·23	·01	·01	12
13	·07			·13	·03					1·09			13
14	·19			·07	·07		tr	—		·11			14
15	·03			·07	·10					·10			15
16	·13			·17	·04		·01						16
17	—			·09			tr		—	·02	—		17
18	·02			·01	—		·01		·03		·09		18
19	·01			·02	·01				·02	·25	·04		19
20				·02	·13		·03	·07	·02	1·12	·31		20
21	—	—		·02	·20	—	—		—	·35	·01		21
22	·02	·01	·63	·01	·02	·03	·05	·02	1·14	·27	·38	·03	22
23		·10	·14	·08	·01		—		·20	·98	·02	·10	23
24					—		·76		·22	·02	—		24
25		·03		—	tr		·89		·22	·33	·06	·01	25
26				·04	—	—	·31	·22		·03	·05		26
27			·20	·12	·12	·01	·09			·28	·03	·03	27
28				·01	·12		·17		·20	·21	—		28
29		—	·40		·01	—		·37		·45	·01		29
30		×	·14	—	·02	·76	—		·06	·02	·20	·04	30
31	—	×	·02	×	—	×	·13	·03	×	—	×	·08	31
TOTAL	2·58	·31	1·53	2·01	2·76	1·42	2·60	·72	2·70	6·99	1·31	·62	YEAR'S TOTAL 25·55
*Days with ·01 in. or more.	16	7	6	23	23	7	13	6	16	23	16	9	165
*Days with .04 in. or more.	10	2	5	15	14	4	7	3	10	17	8	4	99

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. W. Hussey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·38	—							·02	·04			1
2	·10		·66		·14						·01			2
3	·06	·10	·18								·01			3
4	·05	·01	—		·03					·02	·01			4
5	·32		·25		·17						·01			5
6	—	·08	·10		·53					·02	·08			6
7	·35	·06	·23		·16		—			·29	—	·02		7
8	·14	·01			·01		·47			·02	·01			8
9					·12			—		·05	·12			9
10	—	·20				·01	·14	·04	—	·23	·02			10
11	·11					—	·03		·09	·10	·01			11
12	—			·06	·09	·11	·36	·07	·76	—	—			12
13	·03				·04		·33		·32	·36	·13			13
14	—		—				·08	·37		·22	·31			14
15	·31		·11			—	·18			·03	·02	Snow ·02		15
16	·05		·67			·16	·52				—			16
17			·34			·05		·09	—	tr	·03			17
18	·03	—	·09	—		·14			·10					18
19		Snow ·07	·03	Snow ·05		·18		—	·02					19
20			·05	·32				·01	·10		·01			20
21		Snow ·11				·34		·14	·18	·01				21
22				—	—			·22	·01	·01				22
23		—		·09	·23	·62			·53		·01			23
24		Snow ·31		·17	·03	·08			·26					24
25				·33					·13	—	·14	·04		25
26		·65		·01		·01			·01	·04	·06	·09		26
27		·01			·08	·02	—			·02		·19		27
28		—			·02		·20			·22		·19		28
29	·07	×	·04		·55		·03		—	·03	·01	—		29
30		×		·01		—	·04	—	·18	—	—	·07		30
31	·14	×		×		×	·01	·03	×	·02	×	—		31
TOTAL	1·77	1·99	2·75	1·04	2·20	1·72	2·39	·97	2·69	1·71	1·04	·62	Year's Total 20·89 ✓	
*Days with ·01 in. or more.	14	12	12	8	14	11	12	8	13	18	19	7	148 ✓	
*Days with .04 in. or more.	11	9	11	6	10	7	9	6	10	8	7	5	99	

40-9999

† Spare column, no entries required.

(*Signed*) E W Hussey

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Scotney Castle, Lamberhurst
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft 9 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·17	—	·19	·02	·19		1
2	·04		·11						·60	·36		·29		2
3	·03	·03		·02	—					·60		·21		3
4	·23				·03			tr		·30	·05	·83		4
5	·01				·09	—		·02		—	·02	·35		5
6	—		·34			·17		·07	·01	·20	·03	·42		6
7	·04				·16	·02		—		·05	—	·18		7
8	—			·16	·15			·02	·01		1·85	—		8
9			·07		·02			—		—	·77	·26		9
10	—		·47	·24		—	—	·11		·02	·17	·03		10
11	·98		·38	·10		[illegible]	·03	·23			—	·25		11
12	·12		·10			[illegible]	·09	·20			·04	·09		12
13	·40		·36	·09				·09			·02	·16		13
14	·40		·45	·03							·33	·60		14
15	·02				·03						·14	·32		15
16	·19	—	·29	·02	·17				—	·06		·02		16
17	·10		·50	·01	·01		—		·05	·04	·02	·26		17
18	·07			·58			·15		—	—	·02	·43		18
19			·33			·01			·20	·02		·24		19
20			·12	—		tr	·05	—				—		20
21				·13		·09		·02	—	·08		·01		21
22						—	·16	·10	·25		—	·10		22
23		—		·43		·34	·01	—	tr	·01	·01	·17		23
24	—	·02		·04		·23	·29	·16	·10	·01		—		24
25	·20			·13		—			·03	·05		·46		25
26	·03			·25		·09						·01		26
27		—		·02		—		—	·01			·29		27
28	·01	snow ·23				·05	tr	·49	—			·20		28
29		×						·07	·37			—		29
30	·11	×		—		—		—	·01	—	—	·60		30
31		×	—	×	—	×	—	·08	×	·10	×	·15		31
TOTAL	3·00	·28	3·52	2·25	·66	1·00	·78	1·83	1·64	2·09	3·49	7·12	Year's Total 27·66	
*Days with ·01 in. or more.	18	3	12	15	8	8	7	14	11	15	14	27	152	
*Days with .04 in. or more.	12	1	12	10	4	6	5	11	6	11	7	23	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E W Hussey

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·03	·01			·08	·01		·07	·31	·21	·01		1
2	·19		—	—					—	·43	·07			2
3		·03	·16	·09		—			·21	·57	·18	—		3
4		·02		·25		·14			~~45~~	·22		·09		4
5	—	·58	·03	·17		·13			·53	·41	tr			5
6	sleet ·03	·02		·22		·35	—			·05	·17			6
7		snow ·03		·12		·05		—		—	·90	·15		7
8				·54		—		·09		·32	·62	·09		8
9	·02			·11		·17				·69	·19	·01		9
10	·06	·02		—		·06	—				·27	·09		10
11	·09	·01		·19		·03	·22	—	—		·37			11
12		—		—	—	·26		·32	·07	—	·74			12
13	·06	·20		·16	·05	—			—		·20	·07		13
14		—		·01	·23	·07			tr	·04	·01	·06		14
15		·12	—	·54	·01	·01			·46	—	·24	·08		15
16	—	·05	·02	·27		·08	—		·50	·02	·98			16
17	·02		·05	·03	·01	·20	·06			—	·64	·02		17
18				·27	—	·11	·13		·52	·11	—			18
19				·04	·77	·02	·04		·13		·10			19
20	—	·62		·12		·05	·14		·02		·11			20
21	·02	·39		·03				—	·01	·10	·06			21
22		·12	·02	·01				·25	·04					22
23			·02		—			·63	—			—		23
24		1·—		—	·25	—		1·09	·71			·43		24
25	·18	·11		·17	·13	·05			—	·04	·04	·45		25
26		·40			—	·07		·04	·06	·03	·01	·38		26
27	Snow ·02	·20			·04			·16	·09		·12	·30		27
28		·10			·06			·07	·03	·04		·27		28
29		×		—	·02			·38	·43	·01	—	·67		29
30	·07	×		·07	·11	—		·94	·02	·09	·80	·37		30
31	—	×	—	×	·04	×	—	—	×	·22	×	·58		31
TOTAL	·95	4·05	·31 ~~·28~~	3·40	1·72	1·93	·60	3·97	4·35	3·70	6·95	4·06	Year's Total 36·00	
*Days with ·01 in. or more.	12	19	7 ~~8~~	20 ~~20~~	12	18	6	10	18	18	22	18	180	
*Days with .04 in. or more.	7	12	2	16	9	15	5	10	14	15	20	15	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) E W Hussey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	12	01	31		25	15	08			06	12		1
2	·01	02		—		23	13	08	—		02			2
3	—			38		02	01		06		24	—		3
4	·02					08		—	28	—	02	10		4
5	·20		·05	·02		—		05	04	04	10	Snow 08		5
6	48		—			04		·02	20	17	72	08		6
7	30		10			01	—		01	tr	68			7
8	30		02				11	—	—		64	19		8
9	41		03				36	39 ~~·03~~	03	01	02			9
10	05		—			05	26	21		03				10
11			03				05	·02	—	03	89	—		11
12			03			29	25		15	01	24	17		12
13		—				08	01	—		—		32		13
14		04				07	80	tr	tr	02	18	47		14
15		07			—		03		02	~~01~~	05	37		15
16	Snow 15	06			08				01	~~01~~	14	12		16
17	10	66				20	—		01	02	27	52		17
18	Snow 06	21				03	23		tr	01	15	07		18
19	18	05		—		05		·14	—	03	01			19
20	17	12		37		—	—		57					20
21	—	—	—	38	—	32	15		03					21
22	14	33	10	06	03	05	04			01	01	·08		22
23	05	06					30		tr	04				23
24	05	04	—	—		—	06			18	—			24
25	19	—	40	15		20	10		38	07	02			25
26	—	12	12			10	—		06	15				26
27	31		—	01		—	29		15	24		—		27
28	61		25			31	15		02	—	—	05		28
29	05	07	05		—	10	44			02	07	02		29
30	12	✕	—		·15	19	01		—	20	—	01		30
31	17	✕	18	✕	01	✕	08		✕	1·14	✕	15		31
TOTAL	4·43	1·97	1·37	1·68	·27	2·67	4·01	·97	1·96	2·42	4·53	2·92	Year's Total 29·20 ✓	
* Days with .01 in. or more.	23	14	11	8	4	20	22	8	16	19	20	17	182 ✓	
* Days with .04 in. or more.	21	13	8	6	2	17	18	6	9	9	14	15	138 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. W. Hussey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

" Ground " Sea Level 200 ft.

Part Aug day early

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·84	·07	—	·05			·01		tr		·45	·19		1
2	·01	·47	·05	·36						—		1·60		2
3	·01	·12	·04	—						tr		·40		3
4	·11	·90	—	tr						—		·24		4
5	·22	·03	·56	—	—		·20			·32				5
6	·65	·01	Snow ·06	tr	·18		·02			·01	·01	—		6
7		·67	·14	·09	tr	—			·02	tr	—	·03		7
8	—	·07	Snow ·09	—	·04	·06	—		—		·10	·23		8
9	·01		·02	·46	·14	·03	·09		·28			·05		9
10			·47	·17	·34	40	·02	—				·59		10
11	—	—	·43	·04	·01	—	·01	·10	—			·07		11
12	·39	·33	·38	—	30	·32	·01	1·29	·20			·27		12
13	·22	·03	·64	·05	—	·22		·05	·05			·65		13
14	·03	·01	tr	—	·13	·04	—	—	·12			—		14
15	·16	·13	—	·21		—	·27	·45	·03			·01		15
16	·03	·06	·24	·58		·05			·07					16
17	·29	·01	tr	·07		·26			·33		·20			17
18	·41	·07	·05	·01	·34	·62			·25		·05	·11		18
19	·07	·05	·19	·16	·01	·10			·05					19
20	·57	·01	·06	·25	·62	·04		·01	·04					20
21	·44	·40	tr	·04			tr		·01	—	—			21
22	·43	·04	—				·06			·80	44	·08		22
23	·07	—	·05	—	—		·05		—	·46				23
24	·74	·12	·11		·01		·02		·02	·26				24
25	·14	·36	·33						·12	·21		·01		25
26	·01	·43	·02	—					—	·18				26
27	—	·15	·02	·34					·01	·13				27
28	Snow ·06	·06		·01		tr				·01	—			28
29	Snow ·08	X						—		·73	·03			29
30	·31	✕				·02		·01	—	·22	·09			30
31	·22	✕	—	✕	—	✕	—	—	✕	·08	✕	·03		31
TOTAL	5·85	4·54	3·95	2·89	2·12	2·14	·76	1·82	1·60	3·41	1·37	3·90	Year's Total 34·35	✓
* Days with .01 in. or more.	26	24	20	16	11	12	11	6	15	12	8	16	177	✓
* Days with .04 in. or more.	20	17	17	14	8	10	5	4	10	10	6	12	133	✓

† Spare column, no entries required.

(Signed) E. W. Hussey [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·02	trace	—	·19	·18	·78		·30	·04	·05	·08		1
2	·03			·03	·10		·08			·40	—	·01		2
3	·01				·18	—	·08	—		·62	·04	—		3
4	·02					·04	·45	·05		·17		·07		4
5	·01				—		·48		—	44	tr			5
6	·08				~~·04~~		·03		·06	·01	·01	—		6
7	·01					tr	·20	·70		·18		·07		7
8	·25	—				tr	·09	·07		·26		·05		8
9	·14	·01					tr	08		·13		·54		9
10	·08	·05				·16	·01	07			—	·35		10
11	·18	·01				—	tr	tr		—	·09	·22		11
12	·40					·17	·01	1·00		·03 ~~·09~~	·03	—		12
13	·37	Snow ·07			—					~~·03~~	·07	·03		13
14	·22	Snow ·02			·43		—	tr	·02	~~·07~~		·09		14
15	·06	Snow ·05			·01		·31	tr		·35	—	·06		15
16	·33				·06		·06	tr		·11	·03	·22		16
17	—	Snow ·03		trace	·22				tr	·50	·01			17
18	·05					tr			·21	·09	·37	—		18
19					tr			·05	·02		·15	Snow ·08		19
20					·08			—	·15		·58	Snow ·22		20
21	—			·02				·01	·10		·10	Snow ·16		21
22	·01			·01		·01		·01			·25	Snow ·09		22
23				·02	—						·04	—		23
24	—		·07	—	·06		—		·04	—	·35	Snow ·05		24
25	·59		·38	·13	·05		·03		·14	·01	·70	Snow ·08		25
26	·07	·15	·08		·01	—	tr	·01	·28	·32	—	·22		26
27	·05	·04	trace		·15	·12	·33	—	1·89	·05	·23	—		27
28	·23	·04		—	·32	·06		·33	·04		—	·01		28
29	·10	✕		·01	·20	—			tr		05	·17		29
30	·04	✕		·35	·24	tr			·05	—	·30	—		30
31	·27	✕		✕	·06	✕	—	—	✕	·21	✕	·20		31
TOTAL	3·61	·59	·53	·57	2·36	·74	2·34	2·38	3·36	3·92	3·45	3·07	Year's Total 26·92	✓
* Days with .01 in. or more.	25	11	3	7	16	7	14	11	14	18	19	22	167	✓
* Days with .04 in. or more.	18	7	3	2	14	6	10	8	12	15	15	19	129	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) E. W. Hussey

[P.T.O.

File No 815749/28

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Scotney Castle, Lamberhurst
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
,, Ground ,, Sea Level ~~200~~ 203 ft.

Feb 27-28th estimated

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		tr		·31			—	~~·10~~	—	—	·08		1
2	—			—	·01		·03	·43	·04	·12	·01	—		2
3	·31			·07			tr	·12	—	—	·24	·31		3
4	·26			·03			·07	·30	·01	·86	·16	tr		4
5	—		—	·45	·02		·02	·06		·52	·54	·07		5
6	·31	·02	·37	·15			·06	·03		·02	·42	—		6
7	·02	·04	tr	·20			·04	·04		·04	·18	·06		7
8	tr	·08		·01			tr	·01		·47	·02	·42		8
9	·02	·04	—			—		·07	—	·39	·69	·10		9
10	·13		·10		—	·38		·16	·06	·20	·05			10
11	·01				·01	·09				1·27	·01			11
12			—		·01	tr	—			·01		·02		12
13	—	tr	·23	—	—	—	tr			1·34	—			13
14	·60			·08	·04	·02	·07		tr	·24	·41	·12		14
15	75		tr	—	1·12	·02	·01		·08	·61	·25			15
16	19	—	tr	·09	·20	·22	·13				·40			16
17	15	·07			·03	—	·11			—	·07			17
18	21		·09			·05	·04			·04	·33	—		18
19	26		tr			—	·26	—	·01	·40		~~·01~~		19
20	32		tr			·05	·16	·02	·07	—		[illegible]		20
21	07	—		tr		·02	·03			·01				21
22	18	·24	—	·05		·37	·08			·07	—			22
23	09		·12	·11		·01	·17	·02	tr		·38	·03		23
24	21	·01	·08			·02	·03			·11	·01			24
25	1·49	·20	tr	·30			·53			—	·59			25
26	·12	·01	·05	tr		·01	·01		·01	·16	·30			26
27	·04	"	·06	·05		—				·31	·27			27
28		(·50) "	·02	·07		·03				·06	·13	Snow ·12		28
29		X	·05	·30		—	—			·04	—			29
30		✕	·02	·65		·01	·01	·11	—	·02	·03			30
31	—	✕	—	✕	—	✕	·24	·09	✕	·02	✕	—		31
TOTAL	5·81	~~·71~~ 1·21	1·19	2·55	1·75	1·30	2·10	1·46	·38	7·33	5·49	1·34	Year's Total ~~31·41~~ 31·91	
* Days with .01 in. or more.	22	~~9~~ 11	11	15	9	14	20	13	8	24	22	11	~~178~~ 180	
* Days with .04 in. or more.	19	~~8~~ 8	9	12	4	6	13	9	5	19	17	8	~~127~~ 129	

No low W.H.

* See Instruction 3 (f) on other side.

PTU

† Spare column, no entries required.

(Signed) E. W. Hussey

[P.T.O.

File No 815749/28 **COPY FOR OFFICIAL USE**

Section **A** for the entry of Daily Observations

Station No. 325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Scotney Castle, Lamberhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

,, Ground ,, Sea Level 2·10 ft. 200

up low 1939

March 13 estd from surr stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		tr		·01						—	·06	—		1
2		·03		·04	·01					·22	·52	·02		2
3				·10			tr			·13	1·12	·05		3
4		·35		·06						·22	·05	·13		4
5		·01								·01	1·—	·24		5
6	—	·10					·15			·62		—		6
7	·29	·15			tr		·16		—	—		·07		7
8							tr		·04	·30	—	·17		8
9							—	tr	tr	·28	·42	·31		9
10							·36	·06	·02	·55	·05			10
11			tr	·02			·15			—	1·30			11
12		Snow ·04	·30			tr	{		·20	·01	·03			12
13			(·60)	—		·10	·57}		·07	—	1·17	—		13
14			Snow ·21	·04			—		—	·03	—	·34		14
15	—		·03	·01	·21	·29	·78		·04	·02	·57	·01		15
16	Snow ·07	Snow ·26	·24	·03		·15	·23		·10	·70	·95	·05		16
17			·21	—			·18		tr	—	·11	—		17
18	tr	·20	·35	·35			·15		·01	·27	·14	·13		18
19		·20	·06	tr			·02		·75	—	·26	·13		19
20			·07	·01			—	tr	·09	·01				20
21	Snow ·03		—		·50		·23		—	·01	·38			21
22	tr		·02	—	·09	·20	—		·04		—	—		22
23		·27		·10	·01		·01			·01	·04	Snow ·03		23
24			·01	·26			·10			·10				24
25	·01	·01	·54	tr	—		·09			·04	—	tr		25
26	·90	·14	·17	tr	·11		·02			·19	·01			26
27	Snow ·31	·25		·12		tr	·36	tr		·01				27
28	Snow ·26	·01	—	tr	·05							·01		28
29	Snow ·26	·06	·09	tr	·11				·01			·20		29
30	·10	✕		·57	tr	—			—	·17	—	·02		30
31	·05	✕	—	✕	—	✕	—	—	✕	·64	✕	·14		31
TOTAL	2·28	2·08	2·90 ~~2·30~~	1·66	1·09	·74	3·50	·06	1·37	4·54	8·12	1·99	Year's Total ~~29·73~~	30·83
* Days with .01 in. or more.	10	15	13	14	8	4	16	1	11	22	18	17	149	up low
* Days with .04 in. or more.	8	11	10	9	6	4	13	1	7	14	16	11	110	~ EH

* See Instruction 3 (f) on other side. Snow 1·47 0

† Spare column, no entries required.

(*Signed*) E. W. Hussey

P.T.O.

326

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FORM 1090.

REGISTER

Kept at LITTLE GLASSENBURY, NR

in the County of KENT

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 0

,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule
year in the space on the right of this paragr

326

LITTLE GLASSENBURY

1931 - 1940

063235004 780107

OR OFFICIAL USE.

RGANIZATION.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	·01	·09	—	·82	—	·09	·10	—	—	—	1
2	·18	·07	—	·16	—	—	—	—	·63	—	·01	·02	2
3	·04	·03	·11	·12	·84	—	—	·36	·43	—	·03	·15	3
4	—	·03	—	—	—	—	—	·02	·03	·01	·12	—	4
5	—	—	—	·34	—	·46	·03	·26	·05	·01	·01	·22	5
6	—	·07	—	·03	—	—	—	·09	—	·27	·42	—	6
7	·03	·01	—	·01	·03	·08	—	·18	—	·01	·43	—	7
8	·01	·11	·03	—	·02	·15	—	·08	—	—	·20	·05	8
9	·02	·18	—	·01	—	·01	—	—	—	—	1·04	·02	9
10	—	·19	·05	—	—	·08	·01	·10	—	—	1·46	—	10
11	·09	·57	—	—	—	—	—	—	·01	·01	·50	—	11
12	·14	—	—	—	—	—	·02	·04	·50	·04	—	—	12
13	·04	—	—	—	·13	—	·01	·13	—	—	—	—	13
14	—	·09	—	—	—	·05	·48	·29	—	—	·01	—	14
15	·01	·11	—	·21	·06	—	·21	·30	—	—	—	·05	15
16	·01	·12	—	·17	·26	·02	—	·23	—	—	—	—	16
17	—	·07	—	·18	—	—	·30	—	·04	·01	—	—	17
18	·01	·17	—	·36	—	·01	·05	·30	—	—	·49	·01	18
19	·02	—	—	·47	—	·02	·13	·43	·11	—	—	—	19
20	—	·15	—	·12	—	—	·01	·52	—	—	—	·01	20
21	—	·02	—	—	·56	—	—	—	·01	—	·01	—	21
22	·40	—	·12	—	·01	—	—	·23	·07	—	·01	—	22
23	·48	—	·03	—	·16	·12	—	—	—	—	·25	—	23
24	—	—	—	·80	—	·02	·09	·38	·01	—	—	—	24
25	—	—	—	·22	—	—	·26	—	—	—	—	—	25
26	—	·10	—	·18	—	—	·29	—	—	·01	·26	—	26
27	·10	·33	—	·02	·21	—	·01	—	—	—	·09	—	27
28	·08	·20	—	·08	—	—	—	—	—	·03	—	·01	28
29	·04	×	—	·03	·18	—	·09	—	—	·27	—	·01	29
30	·05	×	—	—	·03	—	·02	—	—	·01	·01	—	30
31	·33	×	—	×	·01	×	—	—	×	—	×	—	31
TOTAL	2·09	2·71	·35	3·60	2·50	1·84	2·01	4·03	1·89	·68	5·35	·55	YEAR'S TOTAL 27·60
*Days with ·01 in. or more.	19	20	6	19	13	12	16	18	12	11	18	10	174
*Days with ·04 in. or more.	12	16	3	24	8	7	9	17	8	3	11	4	112

40-9999

(Signed) J. J. Stirling

P.T.O.

*See Instruction 2 (*f*) on other side.

326

Section **A** for the entry of Daily Observations. OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ~~ORGANIZATION.~~

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at LITTLE GLASSENBURY, NR. CRANBROOK
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft 10 in.
,, Ground ,, Sea Level 355 (approx) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	·01	·09	—	·82	—	·09	·10	—	—	—	1
2	·18	·07	—	·16	—	—	—	—	·63	—	·01	·02	2
3	·04	·03	·11	·12	·84	—	—	·36	·43	—	·03	·15	3
4	—	·03	—	—	—	—	—	·02	·03	·01	·12	—	4
5	—	—	—	·34	—	·46	·03	·26	·05	·01	·01	·22	5
6	—	·07	—	·03	—	—	—	·09	—	·27	·42	—	6
7	·03	·01	—	·01	·03	·08	—	·18	—	·01	·43	—	7
8	·01	·11	·03	—	·02	·15	—	·08	—	—	·20	·05	8
9	·02	·18	—	·01	—	·01	—	—	—	—	1·04	·02	9
10	—	·19	·05	—	—	·08	·01	·10	—	—	1·46	—	10
11	·09	·57	—	—	—	—	—	—	·01	·01	·50	—	11
12	·14	—	—	—	—	—	·02	·04	·50	·04	—	—	12
13	·04	—	—	—	·13	—	·01	·13	—	—	—	—	13
14	—	·09	—	—	—	·05	·48	·29	—	—	·01	—	14
15	·01	·11	—	·21	·06	—	·21	·30	—	—	—	·05	15
16	·01	·12	—	·17	·26	·02	—	·23	—	—	—	—	16
17	—	·07	—	·18	—	—	·30	—	·04	·01	—	—	17
18	·01	·17	—	·36	—	·01	·05	·30	—	—	·49	·01	18
19	·02	—	—	·47	—	·02	·13	·43	·11	—	—	—	19
20	—	·15	—	·12	—	—	·01	·52	—	—	—	·01	20
21	—	·02	—	—	·56	—	—	—	·01	—	·01	—	21
22	·40	—	·12	—	·01	—	—	·23	·07	—	·01	—	22
23	·48	—	·03	—	·16	·12	—	—	—	—	·25	—	23
24	—	—	—	·80	—	·02	·09	·38	·01	—	—	—	24
25	—	—	—	·22	—	—	·26	—	—	—	—	—	25
26	—	·10	—	·18	—	—	·29	—	—	·01	·26	—	26
27	·10	·33	—	·02	·21	—	·01	—	—	—	·09	—	27
28	·08	·20	—	·08	—	—	—	—	—	·03	—	·01	28
29	·04	X	—	·03	·18	—	·09	—	—	·27	—	·01	29
30	·05	X	—	—	·03	—	·02	—	—	·01	·01	—	30
31	·33	X	—	X	·01	X	—	—	X	—	X	—	31
TOTAL	2·09	2·71	·35	3·60	2·50	1·84	2·01	4·03	1·89	·68	5·35	·55	YEAR'S TOTAL 27·60
*Days with ·01 in. or more.	19	20	6	19	13	12	16	18	12	11	18	10	174
*Days with ·04 in. or more.	12	16	3	14	8	7	9	17	8	3	11	4	112

40-9999

(Signed) J. T. Stirling [P.T.O.

*See Instruction 2 (*f*) on other side

326

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 326.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at LITTLE GLASSENBURY, CRANBROOK

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 10 in.

,, Ground ,, Sea Level (approx) 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.02	—	.12	.35	—	.01	—	Trace	.01	.05	Trace	1
2	.02	Trace	—	.25	.08	—	—	—	.05	.01	Trace	.32	2
3	Trace	—	—	.12	.24	.59	—	Trace	.30	—	—	Trace	3
4	.04	—	—	—	—	.12	—	—	Trace	—	.02	—	4
5	.27	Trace	.02	—	.12	.06	.11	—	.08	—	—	—	5
6	.58	—	.02	.17	Trace	—	—	—	.10	—	—	—	6
7	Trace	—	.15	.10	—	—	.07	—	—	.02	—	.02	7
8	—	.04	.19	.07	.21	—	—	—	.07	1.09	—	—	8
9	.30	.05	Trace	.15	.48	—	—	—	—	Trace	—	—	9
10	.72	.01	Trace	.28	.01	—	—	—	Trace	.05	Trace	—	10
11	.24	.13	.02	.10	Trace	.05	—	—	.02	.02	.01	Trace	11
12	.41	.02	—	—	Trace	—	—	Trace	Trace	.31	Trace	—	12
13	.08	—	—	.12	.02	—	Trace	—	Trace	1.17	—	.01	13
14	.19	—	—	.14	.07	—	—	—	—	.10	—	Trace	14
15	.05	—	—	.11	.12	—	—	—	—	.10	—	Trace	15
16	.18	—	—	.22	.09	—	.02	—	—	—	—	Trace	16
17	Trace	—	—	.13	—	—	—	—	—	.01	—	Trace	17
18	.01	—	—	—	—	—	—	—	.05	—	.10	—	18
19	—	Trace	Trace	.05	.01	—	—	—	.01	.23	.09	—	19
20	.01	—	—	.02	.23	—	.04	.13	.03	1.10	.35	—	20
21	—	Trace	Trace	—	.19	—	—	Trace	—	.31	Trace	.01	21
22	.02	.03	.31	—	.01	.04	.03	.04	1.15	.19	.37	Trace	22
23	Trace	.11	.20	.13	.06	—	—	—	.28	.98	.02	.11	23
24	.01	.04	—	—	—	—	.70	—	.13	.03	Trace	Trace	24
25	—	.01	—	—	—	—	.98	—	.18	.34	.08	Trace	25
26	—	—	.01	.05	—	—	.31	.42	—	.01	.08	Trace	26
27	—	—	.28	.18	.13	—	.09	—	—	.27	.03	.03	27
28	—	—	Trace	.01	.15	—	.22	—	—	.23	Trace	.01	28
29	—	—	.42	—	Trace	—	—	.44	.15	.47	—	.02	29
30	—	×	.17	.18	.10	.71	—	.05	.06	.03	.16	.07	30
31	—	×	.02	×	—	×	.06	Trace	×	Trace	×	.06	31
TOTAL	3.24	.46	1.81	2.70	2.67	1.57	2.64	1.08	2.66	7.08	1.36	.66	YEAR'S TOTAL 27.93
*Days with .01 in. or more.	17	10	12	21	19	6	12	5	15	23	12	10	162
*Days with .04 in. or more.	12	5	7	19	15	6	9	5	12	15	8	4	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. T. Stirling

P.T.O.

326

COPY FOR OFFICIAL USE.

Section | **A** | for the entry of Daily Observations. Station No. ~~326.~~

AIR. MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Little Glassenbury, Cranbrook

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 10 in.

,, Ground ,, Sea Level (app.) 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·42	·15	—	—	—	—	—	—	·04	·22	—		1
2	·33	Trace	·54	—	·35	—	—	—	—	·01	·01	—		2
3	·11	·12	·25	—	Trace	—	—	—	—	·03	Trace	—		3
4	·05	·02	·01	—	·01	—	—	—	—	—	—	—		4
5	·34	Trace	·27	—	·16	—	—	—	—	—	Trace	—		5
6	Trace	·11	·16	—	·68	—	—	—	—	·02	·10	Trace		6
7	·35	·07	·09	—	·19	—	—	—	—	·22	Trace	·03		7
8	·16	Trace	Trace	—	·01	—	·57	—	—	Trace	—	—		8
9	Trace	—	—	—	·12	—	·08	—	—	·04	·13	—		9
10	Trace	·17	—	—	Trace	·01	·21	—	—	·26	Trace	—		10
11	·11	Trace	—	—	·08	·01	Trace	Trace	·18	·07	Trace	—		11
12	—	—	—	·11	Trace	·18	·35	·03	1·10	—	·01	—		12
13	·02	—	—	—	·10	Trace	·36	·06	·26	·11	·14	—		13
14	·01	—	—	—	Trace	—	·03	—	—	·18	·35	—		14
15	·30	—	·15	—	—	—	·28	·33	—	·03	·09	·01		15
16	·07	—	·91	—	Trace	·16	·39	—	—	—	Trace	Trace		16
17	—	Trace	·42	—	—	·03	—	·08	·13	—	·03	—		17
18	·08	Trace	·08	Trace	—	·10	—	—	—	—	Trace	—		18
19	·01	·06	·03	·08	—	·13	—	—	·19	—	·01	Trace		19
20	—	·05	·04	·50	—	·19	Trace	—	·04	—	·01	Trace		20
21	—	·15	Trace	Trace	—	Trace	—	·17	·23	Trace	Trace	Trace		21
22	—	·02	—	—	—	Trace	—	·21	·03	·02	·03	—		22
23	Trace	—	—	·11	1·45	1·33	—	—	·56	Trace	—	—		23
24	Trace	·36	—	·18	·02	·17	—	—	·36	Trace	·03	—		24
25	—	·09	—	·33	·02	Trace	—	—	·03	·03	·21	·08		25
26	—	·55	—	·03	—	Trace	—	—	·01	·01	·07	·18		26
27	—	·01	—	·01	·09	·02	—	—	·01	·18	Trace	·15		27
28	—	Trace	—	—	·24	·02	·20	—	—	·14	Trace	·26		28
29	·03	✕	—	—	·15	—	·08	—	—	·01	—	Trace		29
30	·07	✕	·04	·01	Trace	—	·04	—	·20	·04	—	·09		30
31	·10	✕	Trace	✕	—	✕	—	·06	✕	Trace	✕	Trace		31
TOTAL	2·15	2·20	3·14	1·36	3·67	2·39	2·59	·94	3·33	1·44	1·44	·78	Year's Total 25·39	
*Days with ·01 in. or more.	17	14	14	9	15	12	11	7	14	18	15	7	153	
*Days with ·04 in. or more.	12	11	12	6	11	7	10	6	10	10	8	5	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. T. Stirling

[P.T.O.

326

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Little Glassenbury, Cranbrook
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
,, Ground ,, Sea Level (app) 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	·01	·03	—	—	·01	—	·24	—	·22	Trace	·15		1
2	·04	—	·15	·01	—	—	—	TRACE	·60	·50	—	·33		2
3	·03	·03	Trace	Trace	—	—	—	—	·01	·39	Trace	·24		3
4	·26	TRACE	·04	—	·05	—	—	—	—	·16	·08	·97		4
5	·01	—	·03	—	·13	—	—	·02	—	—	·01	·42		5
6	Trace	—	·33	·01	·15	·30	—	·09	—	·23	·04	·44		6
7	·05	TRACE	Trace	—	—	·02	—	Trace	·02	·03	Trace	·25		7
8	Trace	—	—	·15	·20	—	—	·02	—	—	1·93	Trace		8
9	·01	—	·05	TRACE	·01	—	—	—	—	—	·56	·31		9
10	·01	—	·40	·24	—	—	—	·10	—	·01	·21	·02		10
11	1·11	Trace	·54	·24	—	—	·05	·25	—	—	Trace	·27		11
12	·22	TRACE	·07	—	—	—	·04	·19	—	—	—	·28		12
13	·60	—	·30	·04	—	—	·01	·15	—	—	·01	·07		13
14	·46	—	·54	·09	—	·02	—	Trace	—	·10	·20	·55		14
15	·02	—	Trace	Trace	·05	—	—	—	—	—	·15	·47		15
16	·21	TRACE	·43	·02	·12	—	—	—	—	·02	Trace	·02		16
17	·14	TRACE	·47	·02	·01	—	—	—	·06	·04	·04	·32		17
18	·10	Trace	·02	·54	—	—	·12	—	TRACE	Trace	·02	·30		18
19	TRACE	—	·36	Trace	—	·01	—	—	·19	Trace	Trace	·22		19
20	—	—	·10	—	—	—	·07	Trace	Trace	·01	Trace	Trace		20
21	—	—	·02	·14	—	·12	—	·02	—	·06	—	—		21
22	—	—	Trace	—	—	—	·08	·11	·24	TRACE	—	·13		22
23	—	Trace	—	·41	—	·24	—	Trace	·01	·02	Trace	·21		23
24	—	·01	·01	·03	—	·09	·48	·08	·15	TRACE	Trace	Trace		24
25	·07	Trace	—	·15	Trace	—	—	—	TRACE	·08	Trace	·52		25
26	·12	—	—	·21	—	·09	—	—	·02	Trace	—	Trace		26
27	·01	·01	—	·11	—	TRACE	—	—	TRACE	Trace	—	·39		27
28	TRACE	·20	—	·04	—	·12	—	·51	—	—	Trace	·20		28
29	—	×	—	—	—	—	—	·09	·35	—	Trace	Trace		29
30	·13	×	—	—	—	—	—	Trace	Trace	—	Trace	·53		30
31	·02	×	—	×	—	×	—	—	×	·12	×	·19		31
TOTAL	3·62	·26	3·89	2·45	·72	1·02	·85	1·87	1·65	1·89	3·25	7·80	Year's Total 29·27	
*Days with ·01 in. or more.	20	5	18	17	8	10	7	13	10	15	11	25	159	
*Days with .04 in. or more.	13	1	13	12	6	6	6	10	6	10	8	23	114	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) J. T. Stirling

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Little Glassenbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 10 in.

,, Ground ,, Sea Level (app.) 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.02	.04	TRACE	Trace	.16	TRACE	—	.12	.13	.18	Trace		1
2	.21	—	.02	.09	—	—	—	—	.02	.45	.05	—		2
3	Trace	.02	.11	.02	—	.01	—	—	.18	.36	.12	—		3
4	—	.07	—	.36	—	.20	—	—	.58	.32	.01	.13		4
5	—	.72	.03	.07	—	.03	—	→	.72	.22	—	.02		5
6	.02	.07	.01	.26	—	.50	—	—	—	.18	.18	.02		6
7	.03	.04	—	.25	—	.06	—	—	—	TRACE	.87	.09		7
8	Trace	.01	TRACE	.39	—	—	—	.19	—	.30	.45	.13		8
9	Trace	—	—	.17	—	.21	—	—	—	.93	.25	TRACE		9
10	.06	.02	.04	Trace	—	.08	—	—	—	Trace	.08	.20		10
11	.10	.02	—	.17	—	.06	.21	—	—	—	.42	.01		11
12	TRACE	.02	—	Trace	—	.26	Trace	.39	.06	—	.81	—		12
13	.06	.18	—	.13	.03	Trace	—	—	—	—	.15	.16		13
14	Trace	Trace	—	.01	.30	.05	—	—	—	.03	.01	.05		14
15	—	.14	—	.66	.03	.02	—	—	.47	Trace	.34	.06		15
16	Trace	.07	Trace	.25	—	.11	—	—	.58	.02	.92	Trace		16
17	.04	Trace	.10	.02	.01	.24	.17	—	.02	—	.54	—		17
18	—	—	—	.32	Trace	.07	.13	—	.47	.10	Trace	—		18
19	—	—	—	.05	.68	.03	.04	—	.13	—	.15	.02		19
20	—	.88	—	.23	.02	.05	.09	—	.03	—	.10	—		20
21	.02	.46	—	.01	—	—	—	—	Trace	.09	.03	Trace		21
22	Trace	.20	.01	—	—	—	—	.38	.03	—	Trace	.01		22
23	—	Trace	.01	—	—	—	—	.25	—	—	—	.09		23
24	.05	1.20	—	—	.29	—	—	.94	.72	.03	Trace	.42		24
25	.14	.16	—	.16	.18	.06	—	Trace	—	Trace	.03	.46		25
26	Trace	.12	—	—	—	Trace	—	.10	.07	.07	Trace	.46		26
27	.08	.52	—	—	.01	—	TRACE	.15	.07	Trace	.13	.25		27
28	.01	.05	—	—	.07	—	—	.01	.04	.04	.01	.30		28
29	Trace	×	—	—	Trace	—	—	.10	.43	—	—	.58		29
30	.09	×	—	.22	.15	—	—	1.16	.03	.17	.76	.43		30
31	—	×	—	×	.03	×	—	TRACE	×	.29	×	.72		31
TOTAL	1.09	4.99	.37	3.84	1.80	2.20	.64	3.67	4.77	3.73	6.59	4.61	Year's Total. 38.30	
* Days with .01 in. or more.	14	21	9	20	12	18	5	10	19	17	23	21	189	
* Days with .04 in. or more.	10	15	4	16	6	14	5	9	14	14	18	16	141	

40-9999

† Spare column, no entries required.

(Signed)

P.T.O.

* See Instruction 2 (f) on other side.

Section **A** for the entry of Daily Observations

Station No. 3298/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1952

Kept at Moor Top, Guiseley.

in the County of Yorks.

Diameter of funnel of gauge ~~12~~ 8 in.

Height of top of gauge above ground 1 ft. 6 in.

" ground " sea level 750 ft.

731077/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	TR	-	-	-	-	-	.14	TR	.08	.17	TR		1
2	-	-	.08	-	-	.25	-	.38	-	.03	.06	TR		2
3	-	-	.04	-	-	.34	-	.71	.09	.01	.10	TR		3
4	.22	TR	.14	.02	.02	-	-	.14	-	-	.48	-		4
5	TR	-	.03	.28	TR	TR	-	.06	.10	TR	.11	-		5
6	-	-	.45	.06	.05	.26	-	.01	TR	TR	.07	TR		6
7	.20	.22	.19	.12	.04	TR	-	.69	-	.03	-	TR		7
8	.21	.02	-	TR		.09	-	-	-	.07	-	TR		8
9	.21	.34	-	.50	1.06		-	.82	.20	TR	TR	.07		9
10	TR	.05	-	-	.15	-	-	.85	.16	TR	.06	.28		10
11	TR	-	-	TR	.04	-	-	.84	.02	TR	TR	TR		11
12	.16	-	-	-	-	-	-	TR	.07	.18	-	TR		12
13	.06	-	-	-	-	-	.02	.41	.08	.87	.16	TR		13
14	.20	.05	-	.54	-	-	-	-	TR	.02	-	.18		14
15	.17	.06	.01	.02	-	-	TR	-	TR	TR	.06	.18		15
16	-	TR	.06	.02	-	-	-	TR	.01	TR	-	.14		16
17	-	-	.04	-	-	-	.38	.08	TR	TR	TR	.19		17
18	-	-	.04	-	.32	.08	TR	.03	-	TR	.08	.06		18
19	-	-	.12	-	[illegible]	.29	-	-	-	.26	TR	.02		19
20	-	-	-	-	-	TR	-	-	.38	TR	.18	.06		20
21	.06	-	-	.04	TR	TR	-	-	.01	TR	-	.50		21
22	-	-	TR	.18	-	.36	-	-	-	.38	-	TR		22
23	TR	-	.26	.02	-	-	-	-	-	.14	-	.04		23
24	TR	-	.21	TR	-	-	-	-	.43	.03	-	.03		24
25	.46	-	.15	-	-	.40	-	-	.37	.23	-	.04		25
26	TR	-	TR	-	-	-	.26	.01	TR	.34	TR	.17		26
27	.04	-	TR	.02	-	-	TR	.02	TR	.35	-	.03		27
28	TR	-	TR	.04	.03	-	TR	-	.98	.25	-	.05		28
29	TR	.02	TR	-	-	-	-	TR	.54	.14	-	TR		29
30	.04	✗	TR	-	-	-	-	-	.16	-	-	TR		30
31	TR	✗	-	✗		✗	-	-	✗	.14	✗	TR		31
TOTAL	2.13	0.72	1.82	1.86	1.71	2.07	0.66	5.19	3.60	3.55	1.53	1.48	Year's Total ~~26.42~~ 26·32	
* Days with .01 in. or more.	13	7	14	13	8	8	3	15	15	18	11	16	141	
* Days with .04 in or more.	13	5	12	8	6	8	2	11	12	13	11	13	114	

d print

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) J. Tunnell [P.T.O

O Aireborough UDC 8

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Little Glassenbury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

,, Ground ,, Sea Level (app.) 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	†	
1	·29	·13	·01	·34	—	·16	·17	·08	Trace	—	·09	·12		1
2	Trace	·04	·01	·01	—	·31	·13	·08	—	—	—	trace.		2
3	—	·01	—	·63	·01	·01	Trace	—	·05	—	·28.	—		3
4	Trace	—	·06	—	—	·08	—	Trace	·26	—	·01	·07		4
5	·24	—	·01	·01	—	—	—	·09	·02	·04	·06	·03		5
6	·37	—	—	—	—	·05	—	·02	·25	·23	·83	·03		6
7	·50	—	·09	—	—	·03	Trace	Trace	·01	·02	·64	Trace		7
8	·40	—	·10	—	Trace	—	·04	—	—	—	·67	·20		8
9	·65	—	·01	—	·01	—	·33	·45	·12	—	·12	Trace		9
10	·06	—	—	—	—	·04	1·09	·33	·01	·16	—	—		10
11	—	—	—	·07	—	Trace	·04	·03	—	—	1·10	Trace		11
12	—	—	—	·03	—	·20	·24	·02	·10	·04	·21	·11		12
13	—	—	—	Trace	—	·09	—	—	—	TRACE	—	·46		13
14	—	·03	—	—	—	·06	·74	—	—	·03	·18	·54		14
15	—	·07	—	—	—	—	·02	—	Trace	—	·06	·43		15
16	·22	·06	—	Trace	·07	—	—	—	—	—	·14	·24		16
17	·13	·74	—	—	—	·11	—	02	·01	·02	·29	·71		17
18	·07	·18	—	—	—	·02	·31	·01	—	·01	·29	·09		18
19	·24	·07	—	—	—	·29	—	·12	—	·03	·01	Trace		19
20	·17	·10	—	·35	—	—	—	—	·35	—	—	—		20
21	Trace	Trace	—	·40	—	·33	·15	—	·04	—	—	—		21
22	·10	·22	·10	Trace	·03	·05	·10	—	—	—	—	·09		22
23	·04	·06	·02	·06	—	—	·37	—	—	·05	—	—		23
24	·06	·16	—	Trace	—	Trace	·01	—	·01	·22	trace	Trace		24
25	·29	Trace	·26	·16	—	·19	·08	—	·37	·04	·01	Trace		25
26	Trace	·14	·25	Trace	—	·09.	—	—	·04	·17	—	·01		26
27	·28	·01	·01	—	—	Trace	·19	—	·13	·25	Trace	—		27
28	·73	Trace	·05	—	—	·94	·06	—	·06	Trace	Trace	·08		28
29	·02	·07	·22	—	—	·05	·36	—	Trace	·02	·09	·02		29
30	·15	×	Trace	—	·13	·16	Trace	—	Trace	·14	—	Trace		30
31	·20	×	·18	×	·01	×	·07	—	×	1·01	×	·19		31
TOTAL	5·19	2·09	1·38	2·06	·26	3·26	4·50	1·25	1·83	2·48	5·08	3·42	Year's Total. 32·80	✓
* Days with .01 in. or more.	21	16	15	10	6	20	19	11	16	17	18	17	186	✓
* Days with .04 in. or more.	20	13	9	7	2	17	17	6	11	11	15	13	141	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. T. Stirling

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Little Glassenbury, Cranbrook

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

,, Ground ,, Sea Level (app.) 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·82	·05	·02	·06	—	—	·01	—	—	—	·41	·15		1
2	Trace	·60	·07	·34	—	—	—	·01	—	—	·01	1·18		2
3	·01	·13	·03	Trace	—	—	—	—	—	—	Trace	·33		3
4	·11	1·01	Trace	—	—	—	—	·24	—	—	—	·21		4
5	·25	·06	·42	—	—	—	·21	—	—	·36	—	—		5
6	·06	Trace	·53	Trace	·20	—	·03	—	—	·02	Trace	—		6
7	—	·69	·12	·08	·16	—	—	—	·03	Trace	—	—		7
8	—	·01	·23	—	·05	·06	—	—	—	Trace	·06	·37		8
9	·01	—	·02	·42	·14	·03	·07	—	·30	—	Trace	·10		9
10	—	—	·45	·17	·51	·57	·06	·03	—	—	—	·55		10
11	—	—	·48	·04	·08	—	·02	—	—	—	—	·14		11
12	·42	·30	·37	·02	·27	·27	·02	·80	·17	—	—	·13		12
13	·26	·04	·56	·03	Trace	·26	—	1·38	·08	—	—	1·17		13
14	·05	·01	Trace	Trace	·13	·07	—	·32	·12	—	—	—		14
15	·18	·14	—	·22	·01	·24	·23	—	·02	—	—	·02		15
16	·01	·05	·22	·40	Trace	·06	—	·43	·10	—	—	·01		16
17	·38	Trace	Trace	·11	—	·14	—	—	·35	—	·25	Trace		17
18	·46	·06	Trace	Trace	·36	·64	—	—	·40	—	·10	·01		18
19	·06	·09	·06	·18	·02	·10	—	—	·01	—	Trace	·03		19
20	·55	Trace	·22	·27	·69	·04	—	—	·02	—	—	·01		20
21	·57	·35	·11	·03	Trace	—	trace	·09	·01	Trace	—	·03		21
22	·49	·05	Trace	—	·07	—	·04	—	—	·83	·43	·10		22
23	·07	Trace	—	—	—	—	·05	—	—	·67	Trace	·01		23
24	·73	·13	·10	—	·02	—	—	—	·03	·23	—	Trace		24
25	·16	·33	·32	—	—	—	—	—	·10	·53	—	Trace		25
26	Trace	·54	·06	—	—	—	—	—	—	·23	Trace	—		26
27	Trace	·17	Trace	·35	—	—	—	—	·02	·17	—	—		27
28	·13	·10	—	—	—	Trace	—	—	—	·01	Trace	·03		28
29	·10	×	—	—	—	—	—	—	—	·44	·02	·02		29
30	·30	×	—	—	—	·02	—	·03	—	·50	·11	·01		30
31	·22	×	—	×	—	×	·02	—	×	·08	×	·05		31
TOTAL	6·40	4·91	4·39	2·72	2·71	2·53	·76	3·33	1·76	4·07	1·39	4·66	Year's Total 39·63	✓ ✓
* Days with .01 in. or more.	24	21	19	15	14	13	10	9	15	12	8	22	182	✓ ✓
* Days with .04 in. or more.	21	19	16	12	11	11	6	6	8	10	6	12	138	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. T. Stirling

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Totals. ✓ VR

Kept at Little Glassenbury, Cranbrook

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

" Ground " Sea Level (app.) 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·02	·02	—	·23	·44	·14	—	·32	·02	·10	·12		1
2	·05	·01	—	·05	·14	—	·12	—	—	·37	Trace	Trace		2
3	—	Trace	—	—	·27	—	·16	—	—	1·43	·09	—		3
4	·03	—	—	—	—	·05	·49	·08	—	·15	—	·14		4
5	·01	—	—	—	—	—	·29	—	Trace	·40	Trace	·02		5
6	·07	—	—	—	—	—	·04	·03	·03	·01	·01	·01		6
7	·01	Trace	—	—	—	—	·50	·48	Trace	·27	Trace	·07		7
8	·26	Trace	—	—	—	—	·12	·02	·10	·36	·01	·02		8
9	·12	Trace	—	—	—	—	—	·08	Trace	·15	—	·68		9
10	·07	·07	—	—	—	·13	·01	·10	—	Trace	—	·41		10
11	·19	·01	—	—	—	—	—	·27	—	—	·10	·25		11
12	·38	·02	—	—	—	·02	·04	·29	—	·03	·04	·01		12
13	·39	·09	—	—	—	—	—	Trace	—	·13	·11	·07		13
14	·24	·06	—	—	·45	—	—	—	·03	—	Trace	·06		14
15	·03	·09	—	—	·01	—	~~·18~~	Trace	—	·22	·02	·10		15
16	·47	·17	·01	—	·10	—	·05	—	—	·13	·01	·29		16
17	—	·11	·01	—	·32	—	—	—	—	1·09	·01	—		17
18	·09	Trace	—	—	·07	Trace	—	—	·08	·07	·47	—		18
19	·016	—	—	—	Trace	—	—	·06	·09	—	·12	—		19
20	Trace	Trace	—	—	·05	—	—	—	·22	—	·74	·36		20
21	Trace	Trace	—	·02	—	—	—	·01	·14	—	·10	·15		21
22	Trace	—	—	·01	—	·01	—	·01	Trace	—	·25	·11		22
23	Trace	—	—	·06	—	—	—	—	Trace	—	·04	Trace		23
24	—	·01	·07	—	—	—	—	—	·04	—	·38	·12		24
25	·61	—	·37	·04	·13	—	·02	—	·15	·02	·67	·01		25
26	·59	·15	·08	—	—	—	Trace	·09	·26	·27	—	·45		26
27	·08	·03	·03	—	·16	·13	·37	—	1·28	·21	·37	Trace		27
28	·02	·03	—	—	·33	·10	—	·36	·06	—	Trace	Trace.		28
29	·23	×	—	·05	·27	—	—	Trace	—	—	·07	·19		29
30	·06	✕	—	·30	·35	—	—	—	·06	·03	·35	Trace		30
31	·31	✕	—	✕	·10	✕	—	—	✕	·20	✕	·22		31
TOTAL	3·86	·87	·59	·53	2·99	·88	2·51	1·88	2·86	5·56	4·06	3.86	Year's Total 30.45	30·45 ✓
* Days with .01 in. or more.	24	14	7	7.	15	7	14	13	14	20	21	22	178	✓
* Days with .04 in. or more.	18	7	3	5	14	5	12·	9	12	15	16	17	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Glassenbury, Cranbrook

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level (app) 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	—	.07	.08	.35	—	.19	—	.13	Trace	Trace	.02		1
2	.02	—	Trace	.01	.02	—	Trace	.53	Trace	.17	.01	—		2
3	.36	.01	—	.38	—	—	—	.18	—	—	.19	.33		3
4	.26	—	.40	.12	—	—	.07	.43	—	.60	.17	Trace		4
5	Trace	—	.04	.38	.03	—	.02	.02	—	.50	.58	.09		5
6	.37	.01	.05	.01	—	—	.10	.01	—	.13	.47	Trace		6
7	.10	.07	—	—	—	—	.05	.06	—	.08	.35	.07		7
8	.01	.10	.12	—	—	—	—	.09	—	.45	.02	.59		8
9	.03	.05	—	—	—	—	—	.08	—	.52	.76	.21		9
10	.12	Trace	—	—	—	.41	—	.19	.06	.13	.08	Trace		10
11	.02	Trace	.28	—	.01	.12	—	—	—	1.23	Trace	.01		11
12	Trace	—	Trace	—	.02	—	—	—	—	Trace	Trace	.02		12
13	Trace	—	.01	—	—	.04	Trace	—	—	1.54	Trace	.13		13
14	.60	—	.03	.04	.02	.03	.14	—	—	.22	.52	.01		14
15	.88	—	—	—	1.45	.04	—	—	.23	.60	.24	Trace		15
16	.21	—	.17	.06	.27	.26	.16	—	—	—	.42	—		16
17	.17	.08	.01	.03	.01	—	.03	—	—	—	.08	—		17
18	.36	Trace	.04	—	—	.08	.08	—	Trace	.09	.35	—		18
19	.28	Trace	Trace	—	—	—	.19	—	.05	.38	—	Trace		19
20	.34	—	—	—	—	.04	.35	.11	.12	—	—	.07		20
21	.10	—	.14	—	—	.03	.03	—	.03	Trace	—	—		21
22	.21	.25	.08	—	—	.37	.08	—	—	—	.01	—		22
23	.06	.03	Trace	.11	—	Trace	.05	.02	—	.10	.35	—		23
24	.15	.08	.13	.10	—	.01	.02	—	—	.09	.02	.01		24
25	1.60	.26	.11	.35	—	—	.53	—	—	—	.65	Trace		25
26	.19	Trace	.09	Trace	—	—	.01	—	.01	.16	.29	.02		26
27	.08	.13	.08	Trace	—	—	—	—	—	.51	.38	—		27
28	Trace	.37	.05	—	—	.03	—	—	—	.08	.11	.08		28
29	—	✗	—	.35	—	—	—	—	—	.03	.02	—		29
30	—		—	.76	—	.03	Trace	.04	—	.05	.10	.03		30
31	—		—		—		.20	.12		.01		—		31
TOTAL	6.69	1.44	1.90	2.78	2.18	1.49	2.30	1.88	.63	7.67	6.17	1.69	Year's Total 36.82	
* Days with .01 in. or more.	24	12	18	14	9	13	18	13	7	22	23	15	188	
* Days with .04 in. or more.	20	9	15	11	3	8	13	10	5	20	18	8	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. T. Stirling

.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Little Glassenbury, Cranbrook

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 10 in.

„ Ground „ Sea Level (app.) 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Trace	—	Trace	Trace	—	—	—	—	—	·04	·02		1
2	—	·03	—	·09	—	—	—	—	—	·26	·58	·07		2
3	Trace	·19	—	·09	—	—	—	—	—	·12	1·22	·11		3
4	—	·11	—	·08	—	—	Trace	—	—	·24	·04	·26		4
5	—	·01	—	—	—	—	—	Trace	—	·04	·85	Trace		5
6	·10	·10	—	—	—	—	·16	—	—	·57	Trace	·01		6
7	·22	·18	—	—	·01	—	·19	—	—	Trace	—	·30		7
8	Trace	Trace	—	—	—	—	Trace	—	·05	·47	—	·16		8
9	—	—	—	·02	—	—	—	Trace	Trace	·20	·46	Trace		9
10	—	—	—	—	—	—	·33	·11	·01	·72	·05	—		10
11	—	—	Trace	·01	—	—	—	—	—	—	1·17	—		11
12	—	·05	·28	—	—	—	·61	—	·16	—	·02	Trace		12
13	—	·04	·60	Trace	—	—	·07	—	·09	—	1·13	·34		13
14	—	Trace	·35	·03	—	—	—	—	—	·01	Trace	·03		14
15	—	Trace	·01	Trace	·27	·23	·58	—	·02	—	·80	·06		15
16	·32	·27	·25	·01	—	·19	·14	—	·19	·69	·12	Trace		16
17	Trace	—	·23	—	—	—	·10	—	Trace	Trace	·13	·13		17
18	·01	·21	·23	·35	—	—	·08	—	Trace	·30	·23	·17		18
19	—	·22	·04	Trace	—	—	Trace	—	·86	Trace	·13	Trace		19
20	—	·02	·07	·01	—	·02	Trace	·01	·08	·08	·35	—		20
21	·05	Trace	Trace	—	1·00	—	·31	Trace	·01	·02	Trace	—		21
22	·02	Trace	·02	—	·09	·13	Trace	—	·04	—	·04	—		22
23	—	·21	·01	·26	Trace	—	·01	—	—	·01	Trace	·01		23
24	—	Trace	Trace	·33	—	—	·14	—	—	·09	Trace	Trace		24
25	—	Trace	·79	·01	·01	—	·08	—	—	·11	Trace	·01		25
26	·93	·18	·26	Trace	·14	—	·08	—	—	·29	—	·01		26
27	·37	·30	Trace	·03	—	—	·40	·02	—	—	—	Trace		27
28	·22	·08	—	·01	·06	—	—	—	—	—	—	Trace		28
29	·29	·06	·13	—	·05	—	—	—	·01	—	Trace	·23		29
30	·11	✕	—	·33	—	—	—	—	—	·22	—	·01		30
31	·04	✕	—	✕	—	✕	—	—	✕	·25	✕	·16		31
TOTAL	2·68	2·24	3·27	1·66	1·63	·57	3·28	·14	1·52	5·19	7·36	2·09	Year's Total ~~31·65~~	31·63
* Days with .01 in. or more.	12	17	14	15	8	4	15	3	11	19	17	18	153	
* Days with .04 in. or more.	10	14	11	7	6	3	14	1	7	16	16	11	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. J. Stirling

[P.T.O.

396038/35. XL

Section **A** for the ~~entry of~~ Dail… … tion No. 326/3

AIR MINISTRY.—M… …ORGANIZATION.

FORM 1090.

REGIST…

Kent/4

326/3

LAMBERHURST
BAYHAM ABBEY
1935 -1940

063231001

780107

Kept at ~~Bayham Abbey~~

in the County of Kent

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve…

THE MORNING MEASUREM…

An observer who does not conform to thi… …llowing year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·07	·04	·04	·06	·06	·03	—	·38	·11	·24	·02		1
2	·24	·01	·01	·09	—	—	—	—	·18	·43	·17	—		2
3	·03	·02	·18	·05	—	·05	—	—	·18	1·11	·10	—		3
4	—	·09	—	·35	—	·14	—	—	·61	·83	·03	·12		4
5	—	·50	—	·12	—	·13	—	—	·76	·33	—	·04		5
6	—	·17	·05	·28	—	·46	—	—	—	·12	·15	·03		6
7	·10	·10	—	·30	—	·16	—	—	—	·01	1·03	·12		7
8	·01	·03	·04	·48	—	—	—	·07	—	·34	·38	·09		8
9	·01	—	—	·17	—	·13	—	—	—	·91	·28	·01		9
10	·08	·04	·07	·07	—	·04	—	—	—	·30	·37	·24		10
11	·15	·03	—	·21	—	·15	·06	—	—	·02	·40	·03		11
12	—	·05	—	—	—	·37	—	·60	—	—	·65	·01		12
13	·10	·26	·01	·26	—	·03	—	—	·08	·01	·41	·06		13
14	·02	—	—	·03	·30	·10	—	—	·01	·01	·05	·08		14
15	—	·16	—	·67	·07	·01	—	—	·48	—	·13	·09		15
16	—	·11	·02	·16	—	·11	—	—	·64	·05	1·26	·04		16
17	·06	—	·08	·08	·03	·23	·11	—	·24	—	·69	·02		17
18	—	—	—	·38	·04	·10	·25	—	·38	·12	·02	·02		18
19	—	·02	—	·09	·77	·03	·07	—	·24	—	·14	·01		19
20	—	·96	—	·03	·09	·08	·28	—	·14	·02	·15	—		20
21	·05	·46	—	·05	—	·02	—	—	·04	·14	·05	—		21
22	·02	·17	·03	·03	—	—	—	·12	·07	—	—	—		22
23	—	—	·04	—	·04	—	—	·61	—	—	—	·04		23
24	·06	1·19	—	—	·24	—	—	1·41	·91	·04	—	·39		24
25	·18	·44	—	·19	·33	·07	—	—	—	·02	·02	·32		25
26	·02	—	—	—	—	—	—	·14	·06	·09	·04	·64		26
27	·02	·90	—	—	·10	—	—	·05	·12	·02	·15	·34		27
28	—	·07	—	—	·12	—	—	·08	·04	·07	·04	·27		28
29	—		—	—	—	—	—	·06	·42	·02	—	·60		29
30	·12	×	—	·03	·04	—	—	1·56	·11	·16	·86	·36		30
31	·02	×	—	×	·13	×	—	·12	×	·33	×	·82		31
TOTAL	1·56	5·85	·57	4·16	2·36	2·47	·80	4·82	6·09	5·61	7·81	4·81	Year's Total. 46·91	✓
* Days with .01 in. or more.	19	22	11	23	14	20	6	11	21	25	25	26	223	
* Days with .04 in. or more.	11	17	7	19	13	16	5	11	20	17	22	18	176	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) Mr. G J Collier

[P.T.O.

396038/35. XL ABBEY)

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 326/3

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kent/4

Kept at ~~Bayham Abbey Gardens~~
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level ~~Not Known~~ X 250 c. (from 1" map)

wrote re long readings 1/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·07	·04	·04	·06	·06	·03	—	·38	·11	·24	·02		1
2	·24	·01	·01	·09	—	—	—	—	·18	·43	·17	—		2
3	·03	·02	·18	·05	—	·05	—	—	·18	1·11	·10	—		3
4	—	·09	—	·35	—	·14	—	—	·61	·83	·03	·12		4
5	—	·50	—	·12	—	·13	—	—	·76	·33	—	·04		5
6	—	·17	·05	·28	—	·46	—	—	—	·12	·15	·03		6
7	·10	·10	—	·30	—	·16	—	—	—	·01	1·03	·12		7
8	·01	·03	·04	·48	—	—	—	·07	—	·34	·38	·09		8
9	·01	—	—	·17	—	·13	—	—	—	·91	·28	·01		9
10	·08	·04	·07	·07	—	·04	—	—	—	·30	·37	·24		10
11	·15	·03	—	·21	—	·15	·06	—	—	·02	·40	·03		11
12	—	·05	—	—	—	·37	—	·60	—	—	·65	·01		12
13	·10	·26	·01	·26	—	·03	—	—	·08	·01	·41	·06		13
14	·02	—	—	·03	·30	·10	—	—	·01	·01	·05	·08		14
15	—	·16	—	·67	·07	·01	—	—	·48	—	·13	·09		15
16	—	·11	·02	·16	—	·11	—	—	·64	·05	1·26	·04		16
17	·06	—	·08	·08	·03	·23	·11	—	·24	—	·69	·02		17
18	—	—	—	·38	·04	·10	·25	—	·38	·12	·02	·02		18
19	—	·02	—	·09	·77	·03	·07	—	·24	—	·14	·01		19
20	—	·96	—	·03	·09	·08	·28	—	·14	·02	·15	—		20
21	·05	·46	—	·05	—	·02	—	—	·04	·14	·05	—		21
22	·02	·17	·03	·03	—	—	—	·12	·07	—	—	—		22
23	—	—	·04	—	·04	—	—	·61	—	—	—	·04		23
24	·06	1·19	—	—	·24	—	—	1·41	·91	·04	—	·39		24
25	·18	·44	—	·19	·33	·07	—	—	—	·02	·02	·32		25
26	·02	—	—	—	—	—	—	·14	·06	·09	·04	·64		26
27	·02	·90	—	—	·10	—	—	·05	·12	·02	·15	·34		27
28	—	·07	—	—	·12	—	—	·08	·04	·07	·04	·27		28
29	—		—	—	—	—	—	·06	·42	·02	—	·60		29
30	·12	×	—	·03	·04	—	—	1·56	·11	·16	·86	·36		30
31	·02	×	—	×	·13	×	—	·12	×	·33	×	·82		31
TOTAL	1·56	5·85	·57	4·16	2·36	2·47	·80	4·82	6·09	5·61	7·81	4·81	Year's Total. 46·91	✓ np big
* Days with .01 in. or more.	19	22	11	23	14	20	6	11	21	25	25	26	223	
* Days with .04 in. or more.	11	17	7	19	13	16	5	11	20	17	22	18	176	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N

(Signed) Mr. G J Miller X

[P.T.O.

LAMBERHURST (BAYHAM ABBEY) Kent 4

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 326/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

1935 [illegible]

396035/35

Kept at Bayham Abbey Gardens.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level ~~Not known~~ ft. 250

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·31	·05	·48		·3	·15	·14			·08	·06		1
2	·03	·04	·04	·02		·22	·19	·11				·06		2
3	·01			·68		·1	·02		·02		·31			3
4	·05		·08	·03		·08			·4		·02			4
5	·21	·02	·05	·03		·03		·04	1	·03	·18	·09		5
6	·41		·04	·01		·06		·1	·26	·24	·81	·18		6
7	·53		·09			·04	·03	·03	·05	·01	1·1			7
8	·39		·1				·09		·02	·01	·76	·26		8
9	·6		·05		·02		·38	·91	·03	·06	·32	·01		9
10	·08					·01	·21	·23	·05	·04				10
11				·02			·17	·09			·93	·02		11
12				03		·03	·33	·03	·54		·37	·14		12
13						·36	·05			·02	·03	·55		13
14		·07				·1	·75			·04	·21	·5		14
15		·1					·2				·08	·48		15
16	·07	·06		·02	·35		·01				·18	·35		16
17	·31	·78			·1	·1			·02	·05	·35	·84		17
18	·12	·19				·2	·26	·01	·01		·25	·17		18
19	·25	·19				·05		·12		·06	·05	·01		19
20	·32	·09		·35					·58			·01		20
21	·02			·38		36	·04		·02					21
22	·11	·37	·13	·04	·02	·08	·03					·1		22
23	·06	·09	·08	·07	·03		·55			·04		·02		23
24	·09	·1				·04	·03			·23		·03		24
25	·15	·04	·08	·15	·02	·12	·23		·34	·1	·04	·02		25
26	·03	·16	·38	·03		·14			·12	·27		·01		26
27	·21	·03	·03				·13		·28	·29				27
28	·9	·02	·04				·47		·04		·01	·09		28
29	·1	07	·26			·4	·24		·	·04	·09	·05		29
30	·2	×	·04		·07	·16				·05		·02		30
31	·12	×	·19	×	·01	×	·11		×	1·27	×	·18		31
TOTAL	5·7	2·73	1·73	2·34	·62	2·78	4·67	1·81	2·86	2·85	6·17	4·25	Year's Total. 38·51	
* Days with .01 in. or more.	26	18	17	15	8	21	23	11	17	18	20	25	219	
* Days with .04 in. or more.	22	15	16	7	5	19	18	8	10	14	17	16	167	

40-9999

† Spare column, no entries required.

(Signed) MR G J Miller [P.T.O.

G. J. MILLER

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 326/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bayham Abbey Gardens
in the County of K
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level ~~450~~ ft.

250 by O.S. map.

~~Totals~~.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1·04	·03		·01			·05				·59	·23		1
2	·02	·76		·36								1·02		2
3	·03	·27	·06							·03		·52		3
4	·15	·98		·11								·24		4
5	·22	·12	·47				·10			·63				5
6	·14		·81		·19		·12			·04				6
7		·79	·11	·10								·02		7
8	·02	·06	·29		·03	·04					·09	·48		8
9	·01			·34	·18	·01	·08		·33			·04		9
10			·36	·27	·02	·42	·03					·61		10
11	·01		·57	·08	·39		·02					·19		11
12	·47	·31	·28	·04	·26	·04	·02	·15	·12			·02		12
13	·31	·05	·51	·06	·02	·49		1·02	·15			·90		13
14	·06	TRACE	·14		·12	·05		1·01	·09					14
15	·09	·16		·24	·04	·06	·36		·31					15
16	·20	·10	·31	·37		·05		·44	·06					16
17	·41	·01	·10	·13		·37			·24		·24			17
18	·81	·07	·05		·48	·71			·19		·07			18
19	·11	·11	·11	·21	·10	·06	·04		·28			·14		19
20	·59		·18	·30	·55	·11			·05					20
21	·52	·31	·22	·08	·06			TRACE				·06		21
22	·45	·22	·05		·11					·89	·22	·09		22
23	·21						·18			·56	TRACE	·04		23
24	·74	·10	·09							·29				24
25	·14	·43	·31		·02				·14	·21				25
26		·47	·04							·27				26
27		·18		·28						·23				27
28	·16	·07		·04						·03		·08		28
29	·12									·30	·07	·05		29
30	·39	✕								·32	·13	·02		30
31	·23	✕		✕		✕	·01		✕	·17	✕	·03		31
TOTAL	7·65	5·60	5·06	3·02	2·57	2·41	1·01	2·62	1·96	3·97	1·41	4·78	Year's Total 42·06	✓
* Days with .01 in. or more.	27	21	20	17	15	12	11	4	11	13	7	19	177	✓
* Days with .04 in. or more.	22	19	20	16	11	11	7	4	11	11	7	15	154	✓

† Spare column, no entries required.

(*Signed*) G. J. Miller

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Totals

8

Ann. Total Corr. for Arith. 20.2.39 EMF

Kept at BAYHAM ABBEY GDNS.

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level ~~450~~ (g.p.) ft.

250 ft

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·02			·32	·20	·27		·31	~~1~~·05	17	·12		1
2	·09			·05	·05		·09			·42		·03		2
3					·38		·04			·87	·09			3
4	·04						·08	·11		·04		·12		4
5	·02						·41			·66		·08		5
6	·07						·06		·06	·01	·01	·02		6
7	·02						·12	·63		·33	trace	·08		7
8	·28						·21	trace	·02	·29	·05	·05		8
9	·10	·01						·06		·19		·67		9
10	·12	·10				·21		·08				·39		10
11	·21	·01					trace				·12	25		11
12	·51					·08	·02	1·57		·04	·10	·07		12
13	·38	·08								·14	·11	·02		13
14	·30	·12			·46				·04			·12		14
15	·03	·31			·6		·17			·16		·05		15
16	·61		·02		trace		·04	·04		·42		·30		16
17		·14	·01		·32				trace	·60	·02			17
18	·11				·06				·62	·07	·48			18
19								·09	·18		·23	·12		19
20					·12				·17		·42	·33		20
21	trace	trace		·06			trace	·02	·11		·12	·11		21
22	·01			·03		·02		·02			·28	·19		22
23				·05							·07	·16		23
24			·08						·03		·15	·24		24
25	·12		·42	·08	·07		·03		·20	·02	·86			25
26	·56	·22	·09					·05	·28	·36		56		26
27	·06	·06			·05	·18	·42		1·58	·05	·34			27
28	·09	·05		·02	·54	·10		·30	·06					28
29	·26			·44	·31				·02		·05	·25		29
30	·07	✕			·61				·03	·06	·40			30
31	·38	✕		✕	·12	✕			✕	·14	✕	·18		31
TOTAL	4·49	1·12	·62	·73	3·47	·79	1·96	2·97	3·71	4·92	4·07	4·51	Year's Total 33·36	✓
* Days with .01 in. or more.	24	11	5	7	14	6	13	11	15	20	19	24	169	✓
* Days with .04 in. or more.	20	8	3	5	14	5	11	9	11	18	17	21	142	✓

57
290/347

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. J. Miller

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 326/35

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bayham Abbey Gardens

in the County of Kent

Diameter of Funnel of Gauge 5in in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level Not Known. 250

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14		·06	·07	·46		·03		·17			·05		1
2	·03			·04	·04			·40	·03	·16				2
3	·23			·37				·32			·21	·38		3
4	·41		·41	·22			·01	·43	·10	·61	·20			4
5			·03	·10	·03		·24	·16		·58	·58	·06		5
6	·24		·04	·12			·37	·05		·16	·30			6
7	·15	·07					·20	·06		·06	·28	·06		7
8	·04	·10	·15				·03			·16	·07	·68		8
9	·06	·06						·09		·75	·92	·27		9
10	·14					·17		·20	·08	·20	·11			10
11			·26			·32		·02		1·44		·02		11
12					·06					·02		·03		12
13			·02						·02	1·28		·18		13
14	·61		·03	·10	·02	·01	·07			·58	·52			14
15	·74				·66	·10			·24	·65	·20			15
16	·36		·10	·08	·76	·18	·04				·54			16
17	·24	·10	·03	·02	·03		·09				·07			17
18	·31		·02			·07	·44			·06	·35			18
19	·28						·31		·01	·56		·05		19
20	·22						·30	·03	·03			·05		20
21	·13		·11			·06	·32		·06					21
22	·24	·28	·05			·43	·07		·05					22
23	·11		·04	·07		·02	·05			·07	·41			23
24	·07	·09	·05	·16		·04	·19			·15	·06			24
25	1·43	·19	·11	·38			·42	·16			·71			25
26	·08		·02				·13		·02	·12	·22	·06		26
27	·10	·01	·09	·10						·28	·48			27
28		·78	·05			·07				·16	·11	·12		28
29			·01	·23						·10	·01			29
30		✕		·84		·01					·18			30
31		✕		✕		✕	·08	·13	✕	·03	✕	·01		31
TOTAL	6·36	1·68	1·68	2·90	2·06	1·48	3·39	2·05	·81	8·18	6·53	2·02	Year's Total 39·14	✓
* Days with .01 in. or more.	23	9	20	15	8	12	19	12	11	22	21	14	186	✓
* Days with .04 in. or more.	22	8	13	14	5	9	16	10	6	20	20	11	154	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G J Miller

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at Bayham Abbey Gardens,

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level ~~app. 400~~ ft.

300' by map.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01									.07			1
2		.03		.06						.06	.45	.02		2
3		.23		.08			.01			.36	1.32	.09		3
4		.15		.10						.30	.25	.14		4
5		.01								.02	.90	.26		5
6	.13	.10					.24			.82	.05			6
7	.25	.25					.12							7
8				trace					.10	.51		.28		8
9				.02						.18	.48	.20		9
10							.54		.01	.47	.07			10
11		trace					.02	.04			1.41			11
12		.05	.33	.02			.68		trace		.04			12
13		.03	.62			.02	.02		.27		1.12			13
14			.60							.04		.38		14
15			.04	.05	.23	.10	.62		trace	.02	.37	.02		15
16	.12	.18	.14	.01		.14	.15		.14	.61	1.05	.07		16
17			.32				.07		.12		.08			17
18	.03	.20	.34	.40			.10		.05	.31	.18	.15		18
19		.20	.08						.67			.07		19
20		.04	.17	.03			.02	.01	.02		.47	.05		20
21	.06				.25		.27	trace	.03	.05	.30			21
22	.02		.03		.44	.25			.07		.05			22
23		.25	.02	.09			trace				.04			23
24				.50			.11			.04	trace	.04		24
25			.47				.10			.02				25
26	.77	.20	.42		.18		.02			.07				26
27	.48	.38		.18			.28	traee						27
28	.19	.09		.01	.02									28
29	.20	.08	.16		.05				trace			.23		29
30	.08	✕		.35						.29				30
31	.08	✕		✕		✕			✕	.73	✕	.21		31
TOTAL	2.41	2.45	3.74	1.90	1.17	.51	3.37	.05	1.48	4.90	8.70	2.21	Year's Total ~~32.59~~	32.89
* Days with .01 in. or more.	12	18	14	14	6	4	17	2	10	18	19	15	150	
* Days with .04 in. or more.	10	14	12	9	5	3	12	1	7	15	19	13	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. J. Moller

[P.T.O.

HIGH HALDEN (MI

326/5

Section **A** for the en
AIR MIN

FOR OFFICIAL USE.
AINFALL ORGANIZATION.

FORM 1090. REC 1931.

Kept at Beulah
in the County of Ke

heat only requires
for Aird
BA.

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING ME DAY.

An observer who does not confo of the following year in the space on the right

Jan. 1, following

326|5
HIGH HALDEN
MIDDLE QUARTER
1931 - 1940

063214002 780107

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—		—	22		24	—	15	21				1
2	·18	·5	2	17			—	—	25 21				2
3	—	—	46	6	3		—	—	85			10	3
4	—	—	—				—	—					4
5	·06	—	—	24		·30	—	30				14	5
6	·	·33	—				—	94		11	34		6
7	—	—	—	5			40	27			20	44	7
8	—	—	—								19	20	8
9	—	50	—								40		9
10	—	—	—								149		10
11	·15	·09	—			24	·03	11					11
12	—	—	—						64				12
13	·14	—	—					·8					13
14	—	—	—										14
15		·20	—										15
16		—	—	20	32		11	16					16
17	—	—	·09					5			25		17
18	—	~~55~~	—					24			24		18
19	·08	·53					71	40					19
20	—	—		84				21					20
21	—	—			·35		21	~~15~~	15		16		21
22	—	—			8		150	5	5				22
23	·65	·27							2				23
24													24
25	—			42			32				·3		25
26	—					24	32				26	13	26
27	—				94						—	—	27
28	·25									7	—		28
29	—						6			29		—	29
30	—	×										—	30
31	43	×		×	14	×			×		×		24·04 31
TOTAL	~~110~~	~~287~~	·55	262	~~119~~	115	276	333	~~28~~05	~~207~~	433	101	YEAR'S TOTAL ~~2429~~
*Days with ·01 in. or more.	1·96	2·37		-	1·44				2·05	·47			
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) 1st Part BH Budding to Sept
MRS. J. E BUDDING

P.T.O.

HIGH HALDEN (MIDDLE QUA

326/5

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Beulah Cot High Halden

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1' ft. 2 in.

,, Ground ,, Sea Level 214 ft. ft.

10 year sheet only required

Jan 1st low cor for Aird
bar 1½ high } BA.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	22		24	—	13	21				1
2	·18	·25	2	17			—	—	13				2
3	—	—	46	6	3		—	—	85			10	3
4	—	—	—				—	—					4
5	·06	—	—	24		·40	—	30				14	5
6	—	·33	—				—	94		11	34		6
7	—	—	—	5			40	27			20	24	7
8	—	—	—								19	20	8
9	—	50	—								78		9
10	—	—	—								149		10
11	·15	·049	—			24	·03	11			—		11
12		—	—						64				12
13	·14	—	—					·8					13
14	—	—	—										14
15		20	—										15
16		—	—	20	32		66	6					16
17		—	109					5			25		17
18	—	~~·58~~						24			21		18
19	·08	·53					·74	40					19
20	—	—		84				2					20
21	—	—		·35			21	~~14~~	15		16		21
22	—	—			8		150	~~15~~ 5	5				22
23	·65	·27							2				23
24	—												24
25	—			42			32				3		25
26	—					21	32				26	12	26
27	—				24						—	—	27
28	·25									7	—	—	28
29	—						6			29	—	—	29
30	—	×										—	30
31	43	×		×	14	×			×		×		31
TOTAL	~~110~~	~~287~~	·55	262	~~119~~	115	276	333	2~~2~~05	~~207~~	433	101	YEAR'S TOTAL 24·04 ~~25·29~~
*Days with ·01 in. or more.	1·96	2·37			1·44				2·05	·47			
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) 1st Part BH Budding to left P.T.O.

X MRS. J. E. BUDDING X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Beulah High Halden

in the County of Ashford Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground above Sea Level 114 ft.

Year & [illegible]

days

Corr for Arith

Obs^r notified 8/5/33 & agrees

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1	3		22	21		—	—	—	—	4	4	1
2	1	—	—	40	7	—	21	2	2	—	—	16	2
3	—	—	—	10	1	10	—	—	30	2	—	—	3
4	—	—	—	—	—	—	—	—		—	—	—	4
5	18	—	—	—	6	12	9	—	7	—	—	—	5
6	60	—	2	10	—	—	—	—	10	—	—	—	6
7	~~10~~	10	10	—	—	—	—	—	—	=	—	2	7
8	—	—	—	4	30	—	—	—	8	141	—	7	8
9	17	—	—	—	50	—	—	—	—	2	—	—	9
10	53	—	—	12	13	—	—	—	—	4	—	—	10
11	60	—	—	17	3	13	—	—	—	—	—	—	11
12	18	23	—	10	—	—	—	—	—	—	—	—	12
13	9	—	—	—	2	—	—	—	—	30	—	—	13
14	17	—	—	10	9	—		—	—	122	—	—	14
15	2	—	—	3	22	—	—	—	—	4	—	—	15
16	—	—	—	11	—	—	—	—	—	—	—	—	16
17	—	—	—	3	—	—	—	—	—	—	—	—	17
18	8	—	—	—	—	—	—	—	10	2	10	—	18
19	—	—	—	—	—	—	—	—		—	11	—	19
20	—	—	—	7	10	—	3	2		139	—	—	20
21	—	—	—	—	10	—	—	—	—	—	—	12	21
22	—	4	36	—	—	29	—	4	88	39	50	—	22
23	—	20	—	11	7	—	—	—	21	47	—	8	23
24	—	—	—	—	—	—	53	—	9	4	2	—	24
25	—	4	—	—	—	—	110	—	20	30	6	—	25
26	—	—	—	6	—	—	42	7	—	5	—	—	26
27	—	—	21	15	11	—	13	—	—	22	—	—	27
28	—	—	—	5	5	—	—	—	—	6	—	6	28
29	—	—	—	2	—	—	—	17	7	42	—	—	29
30	—	×	40	3	—	61	—	—	4	3	14	4	30
31	—	×	—	×	—	×	19	3	×	—	×	2	31 23.19
TOTAL	264	64	109	201	207	125	270	35	216	677	97	54	YEAR'S TOTAL ~~23.19~~
*Days with ·01 in. or more.	~~12~~	~~6~~	~~5~~	~~19~~	~~16~~	~~5~~	~~8~~	~~6~~	~~12~~	~~18~~	~~7~~	~~9~~	~~123~~
*Days with .04 in. or more.	~~9~~	~~5~~	~~4~~	~~15~~	~~13~~	~~5~~	~~7~~	~~3~~	~~11~~	~~14~~	~~6~~	~~6~~	~~98~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J E Budden

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 326/–

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

January 1" high

Kept at Beulah High Halden

in the County of Kent

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground ... ft 11 in.

" Ground " Sea Level 114 ft.

Totals

906 sent 30/5/34 suggesting amendments for January. Observer confirms original entries, but our estimations are adopted as original entries are obviously high. Not Notified

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		34											1
2	24		10							12			2
3		11	48										3
4	·3				10								4
5	·29				54						10		5
6	·3	9			8								6
7										21			7
8	55						24			3			8
9	·11				32						14		9
10		73				5	4			45			10
11	~~72~~ (·12)				4			8	24		3		11
12						22			106		25		12
13							20		11		35		13
14					14		30			5	·5		14
15	25		14					27		15	~~15~~	5	15 Snow
16	~~72~~ (·12)		71			11	13						16
17			37			12	4		12				17
18	·18		4			30			4				18
Snow 19		×6	3	30		33		3					19
20			3	25		11							20
21								5	53		—		21
Snow 22		×18				4		24	15	4			22
23				15	4	5			93				23
Snow 24		×19		10		14			88		20		24
25											10	6	25
26		38		41	~~1~~						31		26
27				2	11					18		25	27
28		14			9		27			9			28
29	·4	X			15		10						29
30	·8	×	·2	11									30
31		×		×		×			×		×	22	(20·29) 31
TOTAL	(2·04) ~~3·24~~	2·22	1·95	1·34	1·64	1·53	1·38	·67	4·06	1·35	1·53	·58	YEAR'S TOTAL ~~21·49~~
*Days with ·01 in. or more.	~~12~~	~~9~~	~~9~~	~~7~~	~~10~~	~~10~~	~~8~~	~~5~~	~~9~~	~~9~~	~~9~~	~~4~~	~~101~~
*Days with .04 in. or more.	10	9	6	6	10	10	8	4	9	8	8	4	92

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Jessie Elizth Budding

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Beulah High Halden

in the County of Ashford Kent

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground ...... ft 11 in.

,, Ground ,, Sea Level 114 ft.

Beulah High Halden
Ashford Kent

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										77		25		1
2	·05		15	·04					39	66		30		2
3										35		42		3
4	19				·08					6	13	38		4
5		05	x		·11			9				50		5
6	48		✓34	·08								49		6
7					13					30		21		7
8		x		18	·18			5		4	60			8
9			·04					4			180	15		9
10			25	28										10
11	90		36	·09			·09	29			13	43		11
12	x		10	10			4	30						12
13	30		24	x			✓	19				47		13
14	31		48	x			✓			5	6	54		14
15											48	47		15
16	16		52	·05										16
17			20	·03					85		10	37		17
18	·05		10	18			✓8							18
19			19						19			24		19
20			·09									40		20
21				·09		39	27							21
22				·09			37	16	20			20		22
23				x		26		15	13		(slight snow each day)	27		23
24		x		x		36								24
25		19		x			32					15		25
26				x34		13						50		26
27		✓		·60		5						31		27
28		x		·09				20						28
29		X						31	25			15		29
30	x	X										60		30
31	✓11	X		X		X			X		X	5		31
TOTAL	2.55	·24	3.09	2.19	·50	1.19	1.13	1.78	2.01	2.21	3.30	7.85	Year's Total 28.04	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

76
120 219
196
23

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

d

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at High Halden

in the County of Kent

Diameter of Funnel of Gauge ... in. 5½

Height of top of Gauge above Ground ... ft. 11 ... in.

„ Ground Clay Sea Level ... 114 ... ft.

Mrs Budding Beulah
High Halden Kent

amts. often accumulation correct
½" added from Aug. [illegible] but do not refer 11

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	37		3			13			7	24	30			1
2	15									35	9			2
3				14					20	40	12			3
4		16	15	23		18			27	60	11			4
5		32		7					71	30	11			5
6			3	29		29					20	13		6
7				26		14				31	109	-		7
8				41				28			38	27		8
9				9		23				1.16	14	10		9
10	22					10					28	17		10
11						9	8				36			11
12		27				2		32			47			12
13	3	4		19		9					28			13
14					38							25		14
15		9		61					49		40			15
16		3		19					68		96			16
17						33	20				55			17
18				26		4	10		50	10				18
19					66	5	5		10		15			19
20		75		19			16				5			20
21		18												21
22		16						5	22	10				22
23								22						23
24	14	74			14			65	60		10	60		24
25	16	17			11	14		9		11		47		25
26		25						26	5	10		27		26
27		25			20			24			9	11		27
28	(·50)	34			14			15			59	40		28
29								13	45			49		29
30		×		18	13			~~21~~ (·71)		15		30		30
31		×	×		×			×		×		50		31
TOTAL	1.57	4.05	·21	3.11	1.82	1.88	·59	3.10 ~~2.60~~	4.34	3.92	6.92	4.06	Year's Total ~~34.57~~ 35.57	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Beulah High Halden

in the County of Kent

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground ft 11 in.

,, Ground 114 Sea Level 114 ft.

Mrs Budding [illegible]
Beulah, High Halden
Ashford. Kent

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	20	12		22		21	(·25)	6				14		1
2						18								2
3				43							30	10		3
4						13			18					4
5	21		(·25)					17	14		15	(13)		5
6	43								15		53			6
7	25	35									37			7
8	28										90	25		8
9	49						45	10	9		12			9
10							25	59						10
11							9			(1.00)	103			11
12						20	23				(·10)	(15)		12
13				12								26		13
14						9	94		10		15	29		14
15		19										34		15
16	27	5									15	10		16
17	13	61				9					25	41		17
18		14				7	24	8				(·10)		18
19	28	5				17		11						19
20				34					98					20
21				38	10		14							21
22	9	52					8			10				22
23	[illegible]	8		14		66	24							23
24	9								5		(·25)			24
25	40		33			38			30	18				25
26	19		22						15			26		26
27	30		13	(·02)			38	~~38~~						27
28	(·50)		12			24			15			5		28
29			14			57	27			3				29
30	11	×	18		(·15)	23			10	25				30
31	21	×		×		×	(·10)		×	69	×	15	d	31
TOTAL	(4·43) ~~3·93~~	2·14	(1·37) ~~1·12~~	(1·68) ~~1·66~~	(·25) ~~·10~~	3·12	(3·66) ~~3·31~~	(1·11) ~~1·49~~	2·39	(2·25) ~~1·25~~	(4·30) ~~3·95~~	(2·74) ~~2·38~~	Year's Total ~~26·84~~	
*Days with ·01 in. or more.													—	~~(29·44)~~
*Days with .04 in. or more.													—	(29·44)

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326/5

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals

Days

Kept at High Halden

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

„ Ground „ Sea Level 114 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	84	4	15	9							35			1
2		37	49									85		2
3												28		3
4	11	90			4									4
5	17						22			13				5
6								40						6
7		77												7
8					4						12	51		8
9				40	12	10	7		33			10		9
10			55	13	28	10						50		10
11			60		5	68	8							11
12	37	32	58		13	18		80	27			27		12
13	26				44	30			14			63		13
14					24			27	6					14
15	14	11		29			35		5					15
16			17	34		8		52	91					16
17	33					11			4		35			17
18	36				25	20			67		13			18
19	13	9		22		12			8					19
20	38		46	25	84									20
21		33	4		5			5						21
22	32									148	13	13		22
23							10			33				23
24	108	21	4							21				24
25	22	48	28						13	67				25
26		46								40				26
27		21		40						19				27
28										29				28
29	22	X				7				28		11		29
30	31	×								30	13			30
31	37	×		×		×			×	7	×	8	d	31
													Year's Total	
TOTAL	5·63	4·29	3·42	2·06	2·54	1·94	·82	2·04	2·74	4·35	1·21	3·26	34·30	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

345

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193[illegible]

Kept at High Holden

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 114 ft.

~~Totals~~

Entry on Dec 1st adjusted by surrounding stns

AWS

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11	40			15	28	40		34			~~39~~ (10)		1
2					11		70							2
3					27		60			62				3
4	6									10		12		4
5	9							18		38				5
6							10	13		30				6
7								34						7
8	24						12	16		22		8		8
9	28									8				9
10	9								5			83		10
11	15										16			11
12	32							150				20		12
13	36									7	13	8		13
14	23				45				4			16		14
15	7						14			12				15
16	35	51			55					8		27		16
17		16					11			39				17
18									29	22	53			18
19									6					19
20									36		57			20
21	10								29		10	snow		21
22						5					22	snow		22
23												snow		23
24			15		44				8		31	snow		24
25			26									snow		25
26		15	8	25					35	27	41	112		26
27					24	10	33		45		37			27
28	40				43			60	26					28
29	50	X			23						9			29
30				43	31				8		(.29)			30
31					9					12		45		31
TOTAL	3.38	1.22	.49	.68	3.30	.43	2.50	2.91	2.65	2.97	3.18	3.41	Year's Total 27.12	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Beulah High Halden

in the County of Kent

Diameter of Funnel of Gauge 5½" in.

Height of top of Gauge above Ground ......ft. 11 in.

1,12 Ground above Sea Level ......ft.

Jan 21st–31st, Feb 17th–28th, Mar 21st–31st, Apr 17th–30th and Dec 11th–31st est'd from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				22	25		25				·03 ~~73~~			1
2	05			13				45		35		27		2
3	45		20				06	13			20			3
4	14		35		06		04	55	33	54				4
5			~~2~~	08						60	42	19		5
6	46			27						35	63			6
7											12	14		7
8		14	18							40				8
9	10							09		57	37	34		9
10						32		30	05	10		13		10
11			36			20				90				11
12						14								12
13						13				142	28			13
14	72						21			20	46			14
15	43		04		08		11		22	38				15
16	14	08		04	148	35					11			16
17	22				14					14	63			17
18							16			52				18
19	43						42					(·30)		19
20	28		18			36	08		12					20
21							07							21
22		(1·00)					11		11		35			22
23				(1·40)										23
24											37			24
25	(2·40)		(·90)							25				25
26							43			15	50			26
27										96	42			27
28										05	14	Snow		28
29		x					10							29
30		✕					13			·10	09			30
31		✕		✕		✕			✕		✕			31
TOTAL	(5·85)	(1·25)	(2·21)	(2·14)	2·01	1·53	2·17	1·52	·83	7·98	5·12	1·37	Year's Total (33·98)	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

up
too many
estimates

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 326/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HIGH HALDEN (MIDDLE QUARTER)
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 114 ft.

up 1939 ƒ 9806/30

no need to notify

18/2/48

Jan & Feb adjusted for snow. Dec pt estd obs not notified

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		(50)												1
2										31	40			2
3		(63)									160			3
4		·13									98			4
5												33		5
6		27					22			48				6
7	52						16							7
8		10		14				55		38				8
9											20			9
10			22				23			65	90			10
11			22				26				95			11
12			44			25			22					12
13														13
14	05		25								100	80	80	14
15	03				23						40			15
16	02		30			13			20	47	65			16
17			18				12							17
18	60	70	27	46			5			27	20			18
19		18									27	32		19
20			12						121		26			20
21					42	10	55							21
22	03								14					22
23	08			25						12				23
24				29			11							24
25		19	35				15			57				25
26	68		23		08	54						Freezing		26
27												〃		27
28												〃		28
29		20	08	29			30					〃		29
30	(1·00)	✕										·30		30
31		✕		✕		✕			✕		✕			31
TOTAL	3·01 ~~2·01~~	1·77 ~~2·77~~	2·67	1·43	·73	1·02	2·15	·55	1·77	3·25	7·81	1·75 ~~1·45~~	Year's Total ~~27·61~~	27·91
* Days with .01 in. or more.														
* Days with .04 in. or more.														

31
550
200
7·81

Print WH.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

J.E.

(*Signed*) MRS L BUDAINC

P.T.O.

327

Section **A** for the entry of Daily Observati

AIR MINISTRY.—METEOROLO

FORM 1090.

327

GOUDHURST-GORE COURT

1931 – 1940

063230002 780107

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

REGISTER OF 1931.

Kept at Gore Court, Goudhurst.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

„ Ground „ Sea Level 197. ft.

day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	—	·05	—	·29	—	·08	·02	—	—	—	1
2	·18	·06	—	·10	·01	—	—	·22	·62	—	—	—	2
3	·06	·03	·10	·13	1·07	—	—	—	·57	·02	—	·14	3
4	—	·09	—	—	—	—	—	—	·08	—	·10	—	4
5	—	—	—	·28	—	·56	·04	·25	·06	—	—	·19	5
6	—	1·06	—	·03	—	—	—	·10	—	·19	·42	—	6
7	—	·03	—	—	·03	·04	—	·06	—	—	·37	—	7
8	—	·08	—	—	—	·12	·01	·07	—	—	·15	·06	8
9	—	·13	—	—	—	·01	—	—	—	—	·63	—	9
10	·03	·19	·04	—	—	·08	—	·12	—	—	1·98	·02	10
11	·11	·57	—	—	—	—	—	—	·01	—	·23	—	11
12	·10	·06 —	—	—	—	—	—	·04	·50	·04	—	—	12
13	—	—	—	—	·12	—	—	·14	—	—	—	—	13
14	·04	·08	—	—	—	·02	·40	·37	—	—	—	—	14
15	—	·06	—	·18	·04	—	·30	·12	—	—	·02	·05	15
16	·02	·15	—	·16	·28	—	·04	·06	—	—	—	—	16
17	·01	·03	—	·18	—	—	·04	·36	·04	—	—	—	17
18	—	·17	—	·28	—	·11	·30	·32	—	—	·40	—	18
19	·02	—	—	·48	—	—	·25	·29	·10	—	—	—	19
20	—	·11	—	·14	—	—	·02	·38	—	—	—	·01	20
21	—	·06	—	—	·54	—	—	—	—	—	—	—	21
22	·16	—	·09	—	—	—	—	·16	·10	—	·05	—	22
23	·62	—	—	—	·14	·11	—	—	—	—	·21	—	23
24	—	—	—	·43	—	·07	·03	·33	—	—	—	—	24
25	—	—	—	·56	—	—	·30	—	—	—	·01	—	25
26	—	·13	—	·36	—	—	·28	—	—	—	·21	—	26
27	·08	·27	—	·02	·21	—	—	—	—	—	—	—	27
28	·07	·17	—	·05	—	—	—	—	—	·03	·07	—	28
29	·05		—	·07	·28	—	·08	—	—	·27	—	·01	29
30	·05	×	—	—	·02	—	·03	—	—	—	—	—	30
31	·31	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·91	2·55	·23	3·50	2·74	1·41	2·12	3·47	2·10	·55	4·85	·48	YEAR'S TOTAL 25·91
*Days with ·01 in. or more.	~~4~~ 16	~~3~~ 20	— 3	~~2~~ 17	3 11	10 ~~2~~	14 ~~4~~	— 18	~~2~~ 10	~~2~~ 5	~~2~~ 14	~~3~~ 7	14 5
*Days with ·04 in. or more.	12	17	3	15	8	8	10	18	8	3	12	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. E. Goodman [P.T.O.

Section **A** for the entry of Daily Observati

COPY FOR OFFICIAL USE.

327

AIR MINISTRY.—METEOROLO —BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Gore Court, Goudhurst.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 197 ft.

da

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	—	·05	—	·29	—	·08	·02	—	—	—	1
2	·18	·06	—	·10	·01	—	—	·22	·62	—	—	—	2
3	·06	·03	·10	·13	1·07	—	—	—	·57	·02	—	·14	3
4	—	·09	—	—	—	—	—	—	·08	—	·10	—	4
5	—	—	—	·28	—	·56	·04	·25	·06	—	—	·19	5
6	—	·06	—	·03	—	—	—	·10	—	·19	·42	—	6
7	—	·03	—	—	·03	·04	—	·06	—	—	·37	—	7
8	—	·08	—	—	—	·12	·01	·07	—	—	·15	·06	8
9	—	·13	—	—	—	·01	—	—	—	—	·63	—	9
10	·03	·19	·04	—	—	·08	—	·12	—	—	1·98	·02	10
11	·11	·57	—	—	—	—	—	—	·01	—	·23	—	11
12	·10	1·06	—	—	—	—	—	·04	·50	·04	—	—	12
13	—	—	—	—	·12	—	—	·14	—	—	—	—	13
14	·04	·08	—	—	—	·02	·40	·37	—	—	—	—	14
15	—	·06	—	·18	·04	—	·30	·12	—	—	·02	·05	15
16	·02	·15	—	·16	·28	—	·04	·06	—	—	—	—	16
17	·01	·03	—	·18	—	—	·04	·36	·04	—	—	—	17
18	—	·17	—	·28	—	·11	·30	·32	—	—	·40	—	18
19	·02	—	—	·48	—	—	·25	·29	·10	—	—	—	19
20	—	·11	—	·14	—	—	·02	·38	—	—	—	·01	20
21	—	·06	—	—	·54	—	—	—	—	—	—	—	21
22	·16	—	·09	—	—	—	—	·16	·10	—	·05	—	22
23	·62	—	—	—	·14	·11	—	—	—	—	·21	—	23
24	—	—	—	·43	—	·07	·03	·33	—	—	—	—	24
25	—	—	—	·56	—	—	·30	—	—	—	·01	—	25
26	—	·13	—	·36	—	—	·28	—	—	—	·21	—	26
27	·08	·27	—	·02	·21	—	—	—	—	—	—	—	27
28	·07	·17	—	·05	—	—	—	—	—	·03	·07	—	28
29	·05		—	·07	·28	—	·08	—	—	·27	—	·01	29
30	·05	×	—	—	·02	—	·03	—	—	—	—	—	30
31	·31	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·91	2·55	·23	3·50	2·74	1·41	2·12	3·47	2·10	·55	4·85	·48	YEAR'S TOTAL 25·91
*Days with ·01 in. or more.	~~4~~ 16	~~3~~ 20	~~—~~ 3	~~2~~ 17	3 11	10 ~~2~~	14 ~~4~~	~~—~~ 18	~~2~~ 10	~~2~~ 5	~~2~~ 14	~~3~~ 7	14 5
*Days with ·04 in. or more.	12	17	3	15	8	8	10	18	8	3	12	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. E. Goodman

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Gore Court, Goudhurst.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 197. ft.

dg/10.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·04	—	·07	·43	—	·01	—	—	·04	·05	—	1
2	·03	—	—	·26	·09	—	—	—	—	·61	—	·23	2
3	—	—	—	·06	·25	·27	—	—	·36	—	—	—	3
4	·02	—	—	—	—	·10	—	—	—	—	·02	—	4
5	·23	—	—	—	·09	·02	·12	—	·05	—	—	—	5
6	·57	—	—	·20	—	—	—	—	·09	—	—	—	6
7	—	—	·22	·09	—	—	—	—	—	·03	—	·03	7
8	—	·01	·23	·10	·20	—	·07	—	·06	·98	—	—	8
9	·24	—	—	·13	·56	—	—	—	—	—	—	—	9
10	·69	·05	·01	·29	·10	—	—	—	—	·04	·03	—	10
11	·26	·10	·05	·08	—	·03	—	—	·01	·05	—	—	11
12	·26	·02	—	—	·01	—	—	—	—	·27	—	—	12
13	·09	—	—	·10	·04	—	—	—	—	1·06	—	·01	13
14	·15	—	—	·09	·06	—	—	—	—	·13	—	—	14
15	·05	—	—	·08	·11	—	—	—	—	·12	—	—	15
16	·08	—	—	·19	·10	—	—	—	—	—	—	—	16
17	—	—	—	·11	—	—	—	—	—	·03	—	—	17
18	·01	—	—	—	—	—	·03	—	·04	—	·10	—	18
19	—	—	—	—	—	—	—	—	·02	·20	·06	—	19
20	—	—	—	·03	·29	—	·03	·04	·01	1·03	·26	—	20
21	—	—	—	—	·16	—	—	—	—	·30	—	·04	21
22	—	·02	·33	·06	·03	·07	·05	·02	1·11	·24	·31	—	22
23	—	·12	·18	·10	·15	—	—	—	·25	·94	·02	·09	23
24	—	·05	—	—	—	—	·49	—	·16	·04	—	—	24
25	—	·01	—	·01	—	—	·87	—	·21	·33	·05	—	25
26	—	—	—	·10	—	—	·45	·29	—	—	·07	·02	26
27	—	—	·25	·14	·15	—	·12	—	—	·27	·03	—	27
28	—	—	·01	—	·04	—	·22	—	—	·22	—	—	28
29	—	—	·38	·02	·08	—	—	·43	·15	·40	—	·05	29
30	—	×	·08	·14	·10	·64	—	—	·05	·03	·10	·04	30
31	—	×	·02	×	—	×	·11	·01	×	—	×	·03	31
TOTAL	2·79	·42	1·76	2·45	3·04	1·13	2·57	·79	2·57	6·76	1·10	·54	YEAR'S TOTAL 25·92
*Days with ·01 in. or more.	14 ~~3~~	9 ~~4~~	11 ~~3~~	22 ~~3~~	20	6 ~~2~~	12 ~~3~~	5 ~~2~~	14 ~~3~~	22 4	12 ~~4~~	9 ~~4~~	156
*Days with .04 in. or more.	11	5	8	19	18	4	9	3	11	18	8	5	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W Goodman.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gore Court Goudhurst

in the County of Kent

Gauge No 2648

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·38	·12	–	–	–	–	–	–	–	·22	–		1
2	·18	–	·46	–	·30	–	–	–	–	–	–	–		2
3	·04	·12	·24	–	–	–	–	–	–	·02	–	–		3
4	·09	–	·01	–	–	–	–	–	–	–	–	–		4
5	·32	–	·26	–	–	–	–	–	–	–	–	–		5
6	–	·09	·11	–	·16	–	–	–	–	·03	·08	–		6
7	·36	·05	–	–	·56	–	–	–	–	·35	–	–		7
8	·14	–	–	–	·16	–	·47	–	–	·02	–	–		8
9	–	–	–	–	·13	–	·05	–	–	·06	·17	–		9
10	–	·14		–	–	–	·06	–	–	·24	–	–		10
11	·09	–	–	–	·11	·03	·06	·03	·06	·04	–	–		11
12	–	–	–	·06	–	·18	·28	–	1·15	–	–	–		12
13	·02	–	–	–	·11	–	·27	·03	·34	·22	·17	–		13
14	–	–	–	–	·01	–	·07	–	–	·25	·29	–		14
15	·28	–	·13	–	–	–	·22	·30	–	·03	·06	–		15
16	–	–	·71	–	–	·14	·30	–	–	–	–	–		16
17	–	–	·40	–	–	–	–	·06	·07	–	·02	–		17
18	·08	–	·08	–	–	·38	–	–	–	–	–	–		18
19	–	·08	·04	·07	–	·21	–	–	·04		·02	–		19
20	–	·03	·05	·20	–	·12	–	·13	·06		·01	–		20
21	–	–	–	–	–	–	–	–	·24		–	–		21
22	–	–	–	–	–	–	–	·18	·01		·01	–		22
23	–	–	–	·10	·62	·72	–	,	·49		–	–		23
24	–	·54	–	·15	–	·05	–	–	·27		·02	–		24
25	–	–	–	·31	–	–	–	–	·03		·17	·02		25
26	–	·65	–	·03	–	–	–	–	–		·11	·17		26
27	–	–	–	–	·07	–	–	–	·02	·23	–	·17		27
28	–	–	–	–	·35	–	·13	–	–	·15	–	·23		28
29	·03		–	–	·25	–	·20	–	–	·05	–	–		29
30	·05	×	·05	–	–	–	·02	–	·10	·03	–	·08		30
31	·11	×	–	×	–	×	–	·05	×	–	×	–		31
TOTAL	1·78	2·08	2·66	·92	2·83	1·83	2·13	·78	2·88	1·72	1·35	·67	Year's Total 21·64 ✓	
*Days with ·01 in. or more.	13	9	13	7	12	8	12	7	13	14	13	5	126	
*Days with ·04 in. or more.	4	8	12	7	11	7	11	5	10	9	8	4	96	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gore Court Goudhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 197 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	·14	—	·15	—	·18		1
2	·04	—	·16	—	—	—	—	—	·57	·41	—	·27		2
3	·01	·04	—	·02	—	—	—	—	—	·53	—	·13		3
4	·19	—	·02	—	—	—	—	—	—	·23	·08	·75		4
5	—	—	·01	—	·13	—	—	—	—	—	—	·29		5
6	—	—	·31	·01	·14	·24	—	·09	—	·20	·02	·39		6
7	·06	—	—	—	—	—	—	—	—	·06	—	·18		7
8	—	—	—	·14	·18	—	—	·03	—	—	1·59	—		8
9	—	—	·03	—	—	—	—	—	—	—	·60	·23		9
10	·03	—	·23	·25	—	—	—	·11	—	—	·21	·01		10
11	1·02	—	·58	·17	—	—	—	·14	—	—	—	·26		11
12	·08	—	·08	—	—	—	·04	·12	—	—	—	·19		12
13	·59	—	·31	—	—	—	·01	·15	—	—	—	·12		13
14	·36	—	·50	·14	—	—	—	—	—	·13	·55	·48		14
15	—	—	—	—	—	—	—	—	—	—	·11	·41		15
16	·16	—	·32	·02	·22	—	—	—	—	·03	—	·02		16
17	·09	—	·45	—	·04	—	—	—	·02	·03	·01	·31		17
18	·16	—	·01	·45	—	—	·10	—	—	—	—	·44		18
19	—	—	·33	—	—	·03	—	—	·14	—	—	·25		19
20	—	—	·12	—	—	—	·03	—	—	·01	—	—		20
21	—	—	·01	·11	—	·05	—	·04	—	·07	—	—		21
22	—	—	—	—	—	—	—	·10	·14	—	—	·9		22
23	—	—	—	·29	—	·30	·03	—	—	—	—	·12		23
24	—	·02	—	·08	—	·13	·41	·32	·08	·01	—	—		24
25	—	—	—	·14	—	—	—	—	—	·05	—	·45		25
26	·18	—	—	·18	—	·09	—	—	·03	—	—	·01		26
27	—	—	—	·26	—	—	—	—	—	—	—	·28		27
28	—	·26	—	·18	—	·13	—	·46	—	—	—	·20		28
29	—		—	—	—	—	·06	·08	·34	—	—	—		29
30	·13	×	—	—	—	—	—	·07	—	—	—	·54		30
31	—	×	—	×	—	×	—	—	×	·11	×	·15		31
TOTAL	3·10	·32	3·47	2·44	·41	·97	·68	1·85	1·32	2·02	3·17	6·45	Year's Total 26·60	
*Days with ·01 in. or more.	14	3	16	15	5	7	7	13	7	14	8	26	135	
*Days with ·04 in. or more.	12	2	11	12	5	6	4	12	5	10	6	23	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R Burton Gardener to J.S. [illegible]

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gore Court Goudhurst

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 194 ft.

acc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	·02	·02	—	—	·10	·01	—	·08	·17	·23	—		1
2	·21	—	—	·11	—	—	—	—	—	·30	·06	—		2
3	—	·03	·11	—	—	—	—	—	·19	·49	·09	—		3
4	—	·05	—	·33	—	·13	—	—	·37	·25	—	·16		4
5	—	·65	—	·10	—	·10	—	—	·76	·20	—	—		5
6	·04	} ·11	·04	·24	—	·37	—	—	—	·10	·16	·03		6
7	·02		—	·22	—	·04	—	—	—	—	·88	·10		7
8	—	—	—	·36	—	—	—	·13	—	·26	·59	·16		8
9	—	—	—	·09	—	·15	—	—	—	·89	·18	—		9
10	·04	·02	—	—	—	·06	—	—	—	—	·18	·19		10
11	·08	·02	—	·14	—	·05	·14	—	—	—	·41	—		11
12	—	·02	—	—	—	·25	—	·46	—	—	·73	—		12
13	·06	·16	—	·18	—	·07	—	—	—	—	·15	·08		13
14	—	—	—	·27	·32	—	—	—	—	—	—	·07		14
15	—	—	—	·59	—	—	—	—	·44	—	·24	·05		15
16	—	·19	—	·20	—	·11	—	—	·58	·03	·88	—		16
17	—	—	·12	·06	—	·22	·05	—	—	—	·56	—		17
18	—	—	—	·25	·04	·03	·20	—	·34	·08	—	—		18
19	—	—	—	·04	·76	·01	·03	—	·07	—	·12	—		19
20	—	·64	—	·12	·01	·04	·23	—	·04	—	·09	—		20
21	·04	·43	—	·05	—	—	—	—	·02	·09	·03	—		21
22	—	·12	—	—	—	—	—	·33	—	—	—	—		22
23	—	—	·02	—	—	—	—	·26	—	—	—	—		23
24	·06	1·20	—	—	·26	—	—	·72	·76	·02	—	·43		24
25	·18	·16	—	·12	·17	·03	—	—	—	—	·01	·44		25
26	·01	—	—	—	—	·06	—	·09	·06	·07	—	·41		26
27	·06	·66	—	—	·06	—	—	·08	·09	—	·10	·22		27
28	—	—	—	—	—	—	—	·05	—	·05	·01	·23		28
29	—	—	—	—	—	—	—	·04	·39	—	—	·49		29
30	·08	×	—	·16	·16	—	—	1·10	·05	·09	·80	·38		30
31	—	×	—	×	·04	×	—	—	×	·20	×	·57		31
TOTAL	1·07	8 4·49	·29	3·63	1·82	1·82	·66	26 3·28	4·24	3·29	6·40	4·01	Year's Total. 35·00	
* Days with .01 in. or more.	13	17	5	19	9	17	6	10	15	16	21	16	164	
* Days with .04 in. or more.	11	11	3	19	8	14	4	10	14	14	18	15	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Burton Gardener

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Gore Court, Goudhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 197 ft.

To date

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·17		·26		·44	·11	·09			·08	·12		1
2		·03	·02	·01		·17	·08	·08						2
3				·53	·02	·04			·05		·26			3
4			·06			·08		·01	·29		·01	·06		4
5	·21		·01	·03				·04	·09	·06	·09	·02		5
6	·41					·02		·02	·20	·22	·57	·03		6
7	·23		·05			·04			·02		·60	·01		7
8	·39		·07				·05				·71	·19		8
9	·41		·02				·33	·34	·07	·03	·11			9
10	·06						·30	·35	·03	·05				10
11				·06			·15	·03			·80			11
12				·06		·17	·20		·20		·30	·12		12
13						·11	·07					·40		13
14						·04	·71			·03	·18	·46		14
15		·12					·04		·02		·02	·38		15
16	·23				·08						·14	·13		16
17	·14	·80				·16			·01	·02	·24	·56		17
18	·10	·19				·09	·21	·03		·01	·23	·08		18
19	·20	·04				·50		·06		·02	·01			19
20	·18	·09		·33		[illegible]			·38					20
21				·40		·30	·09		·01					21
22	·15	·31	·10		·04	·05	·08					·07		22
23		·05	·02	·04			·31			·03				23
24	·07	·11					·02			·15				24
25	·23		·23	·14		·26	·18		·20	·04	·03			25
26		·09	·25	·01		·09			·06	·14		·01		26
27	·22		·01				·15		·14	·30				27
28	·76		·06			1·05	·06		·05			·06		28
29	·03	·07	·22			·50	·14			·01	·07	·01		29
30	·11	✕			·16	·17				·11		·01		30
31	·20	✕	·18	✕		✕	·06		✕	·82	✕	·16		31
													Year's Total	
TOTAL	4.55	2.07	1.30	1.88	·30	4.27	3.64	1.05	1.80	2.04	4.25	2.88	30.03	✓
* Days with .01 in. or more.	20	12	14	11	4	19	20	10	16	16	18	19	179	✓
* Days with .04 in. or more.	19	11	9	8	3	18	19	7	10	9	14	13	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Gore Court Goudhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 197 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·78	·04	·03	·06	–	–	·04	–	–	–	·45	·15		1
2	–	·47	·02	·36	–	–	–	–	–	–	–	1.19		2
3	·01	·10	·04	–	–	–	–	–	–	–	–	·38		3
4	·10	·82	–	·01	–	–	–	–	–	–	–	·22		4
5	·28	·10	·36	–	–	–	·19	–	–	·47	–	–		5
6	·04	–	·44	–	·19	–	·01	–	–	·03	·01	–		6
7	–	·66	·14	·04	·25	–	–	–	·03	·01	–	·04		7
8	–	·01	·03	–	·03	·07	–	–	–	·01	·06	·41		8
9	–	–	–	·43	·17	·03	·06	–	·30	–	–	·09		9
10	–	–	·61	·12	·45	·46	·05	·01	–	–	–	·49		10
11	–	–	·44	·09	·03	–	·02	–	–	–	–	·13		11
12	·29	·27	·30	·04	·25	·15	·01	·46	·23	–	–	·11		12
13	·24	·04	·52	·03	–	·37	–	·23	·07	–	–	·83		13
14	·03	–	·03	–	·15	·02	–	·34	·11	–	–	–		14
15	·17	·10	–	·16	·01	·17	·25	·39	·19	–	–	–		15
16	·03	·07	·25	·40	–	·06	–	–	·06	–	–	·02		16
17	·37	–	·02	·10	–	·27	–	–	·29	–	·27	–		17
18	·48	·05	·02	–	·37	·50	–	–	·26	–	·07	–		18
19	·07	·08	·06	·11	·02	·09	–	–	·09	–	–	·09		19
20	·53	·01	·26	·21	·70	·05	–	–	·02	–	–	–		20
21	·42	·33	·03	·06	–	–	–	·09	·01	–	–	·02		21
22	·44	·04	–	–	·06	–	·03	–	–	·78	·55	·06		22
23	·08	–	–	–	–	–	·11	–	–	·56	–	–		23
24	·82	·13	·04	–	·02	–	–	–	·03	·30	–	–		24
25	·13	·31	·29	–	–	–	–	–	·10	·22	–	–		25
26	–	·38	·13	–	–	–	–	–	–	·19	–	–		26
27	–	·16	–	·35	–	–	–	–	·02	·18	–	–		27
28	–	·09	–	·02	–	–	–	–	–	·01	–	·03		28
29	–		–	–	–	–	–	–	–	·11	·03	·01		29
30	·59	✕	–	–	–	–	–	·04	–	·18	·09	–		30
31	·21	✕	–	✕	–	✕	·01	–	✕	·04	✕	·03		31
TOTAL	6.11	4.26	4.06	2.59	2.70	2.24	·78	1.56	1.81	3.69	1.53	4.30	Year's Total 35.63	
* Days with .01 in. or more.	21	21	21	17	14	12	11	7	15	14	8	18	179	
* Days with .04 in. or more.	18	19	14	14	9	10	6	6	10	10	6	13	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Gore Court Goudhurst
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 197 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03		02		·23	·24			32	01	04	09		1
2	06	01		·07	·13		22			38		01		2
3					32		06			60	05			3
4	04					05	28	07		13		09		4
5							22			48		03		5
6	04						03		05					6
7	02						27	64		23		06		7
8	25						13	01	09	25				8
9	11							08		09		63		9
10	09	09				06		06				37		10
11	20							20			10	23		11
12	32	04					03	40		03	03	01		12
13	34									05	07	04		13
14	22	16			40				04			04		14
15	03	07			01		18			28	02	06		15
16	39	11	01				03			11		22		16
17	07	11			32					58	02			17
18					06		01		12	07	44			18
19								05	02		12			19
20					14				20		52		4	20
21	01			02				03	11		09		4	21
22				01							25		4	22
23				02										23
24			07		01				02		32		4	24
25	12		39	07	17		02		17	02	59		✓	25
26	54	14	08		01			12	40	21		1.31	4	26
27	06	03	06		13	09	31		1.55	08	30			27
28	03	03			40	07		31	13					28
29	25			04	21	02					06	18		29
30	05	✕		43	41	15			09	02	28			30
31	38	✕		✕	09	✕			✕	15	✕	19		31
TOTAL	3.65	79	63	66	3.04	68	1.79	1.97	3.31	3.77	3.30	3.79	Year's Total 24.38	✓
* Days with .01 in. or more.	23	10	6	7	16	7	13	11	14	19	17	~~16~~ 21	~~159~~	✓164
* Days with .04 in. or more.	18	7	4	4	13	6	8	9	12	15	14	~~13~~ 17	~~123~~	✓127

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jn. C. A. Druce

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Goudhurst (Gore Court)

in the County of

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level 197 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	-	·05	·09	·42	-	·17	-	·09	-	-	·02		1
2	·01	-	-	-	·02	-	-	·40	·03	·11	·03	-		2
3	·26	-	-	·43	-	-	-	·18	-	-	·19	·31		3
4	·19	-	·36	·13	-	-	·04	·32	·14	·59	·18	-		4
5	-	-	·04	·24	·03	-	·11	·03	-	·29	·58	·10		5
6	·30	·07	·06	·01	-	-	·08	·03	-	·11	·24	-		6
7	·09	-	-	-	-	-	·04	·04	-	·20	·21	·06		7
8	-	·08	·13	-	-	-	-	·25	-	·29	·02	·44		8
9	·02	·06	-	-	-	-	-	·06	-	·53	·66	·16		9
10	·12	-	-	-	-	·41	-	·12	·04	·13	·02	-		10
11	-	·01	·26	-	-	·20	-	-	-	1·31	-	-		11
12	-	-	-	-	·02	-	-	-	-	·01	-	·03		12
13	-	-	·01	-	-	·05	-	-	-	1·44	-	·14		13
14	·57	-	·01	·05	·03	-	·08	-	-	·26	·45	-		14
15	·71	-		-	·95	·04	-	-	·13	1·01	·20	-		15
16	·30	-	·17	·06	·39	·24	·15	-	-	-	·43	-		16
17	·14	·08	·02	-	·04	-	·02	-	-	-	·08	-		17
18	·28	-	·05	-	-	·06	·06	-	·03	·05	·35	-		18
19	·22	-	-	-	-	-	·28	-	-	·48	-	·04		19
20	·34	-	-	-	-	·02	·13	·10	·06	-	-	-		20
21	·07	-	·15	-	-	·04	·03	-	·05	·01	-	-		21
22	·16	·25	·08	·01	-	·39	·04	-	-	-	·03	-		22
23	·06	-	-	·05	-	-	·10	·02	-	·07	·40	-		23
24	·16	·10	·16	·13	-	-	·02	-	-	·11	-	-		24
25	1·45	·20	·08	·38	-	-	·42	-	-	-	·71	·05		25
26	·10	-	·07	·01	-	-	·08	-	·02	·19	·26	·03		26
27	·07	·15	·05	·04	-	-	-	-	-	·42	·35	-		27
28	-	·35	·03		-	·02	-	-	-	·09	·12	-		28
29	-		-	·32	-	-	-	-	-	·05	·04	-		29
30	-	✕	-	·82	-	·01	-	-	-	·05	·12	-		30
31	-	✕	-	✕	-	✕	·05	·21	✕	·02	✕	·10		31
													Year's Total	
TOTAL	5·67	1·35	1·78	2·77	1·90	1·48	1·90	1·76	·59	4·82	5·70	1·48	34·20	
* Days with .01 in. or more.	22	10	18	15	8	11	18	12	9	24	22	12	181	4
* Days with .04 in. or more.	20	9	14	12	4	8	15	9	6	21	18	9	145	

† Spare column, no entries required.

(*Signed*) J. A. Druce

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 327

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Gore Court Goudhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 197 ft.

Snow

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	·04	–		1
2	–	·04	–	·05	–	–	–	–	–	·20	·44	·02		2
3	–	·19	–	·10	–	–	·02	–	–	·20	1·30	·05		3
4	–	·11	–	·05	–	–	–	–	–	·18	·08	·09		4
5	–	·02	–	–	–	–	–	–	–	·02	·91	·16		5
6	·09	·09	–	–	–	–	·13	–	–	·56	–	–		6
7	·26	·16	–	–	·02	–	·16	–	–	–	–	–		7
8	–	–	–	–	–	–	–	–	·05	·38	–	·25		8
9	–	–	–	·02	–	–	–	–	–	·15	·45	·13		9
10	–	–	–	–	–	–	·48	·02	–	·80	·09	–		10
11	–	–		–	–	–	–	–	–	–	1·02	–		11
12	–	–	·28	–	–	–	·66	–	·08	–	·03	–		12
13	–	–	·58	–	–	–	–	–	·16	–	1·15	–		13
14	–	–	·47	·06	–	–	–	–	–	·02	–	·31		14
15	–	·06	·01	–	·34	·22	·51	–	·02	·01	·57	–		15
16	–	–	·18	–	–	·17	·21	–	·17	·65	·89	·06		16
17	–	–	·27	–	–	–	·01	–	·02	–	·11	–		17
18	–	·45	·29	·37	–	–	·08	–	·01	·30	·15	·14		18
19	–	·21	·07	–	–	–	·02	–	·73	–	·06	·11		19
20	–	·03	·10	·01	–	–	·02	–	·01	·07	·22	–		20
21	–	–	–	–	·90	–	·53	·04	·02	·03	·27	–		21
22	–	–	·02	–	·13	·19	–	–	·03	–	–	–		22
23	–	·19	·01	·19	·01	–	–	·01	–	–	·03	–		23
24	–	–	–	·39	–	–	·09	–	–	·09	–	–		24
25	–	·01	·75	–	·23	–	–	–	–	·04	·01	–		25
26	·90	·14	·24	·03	–	–	·07	–	–	·26	–	·04		26
27	–	·26	–	·04	–	–	·75	·02	–	–	–	–		27
28	–	·04	–	–	·02	–	–	–	–	–	–	–		28
29	–	·06	·11	–	·09	–	–	–	·01	–	–	·27		29
30	–	×	–	·25	–	–	–	–	–	·14	–	·02		30
31	1·14	×	–	×	–	×	–	–	×	·63	×	·14		31
TOTAL	2.39	2.06	3.38	1·56	1·74	·58	3·71	·09	1·31	4·73	7·82	1.79	Year's Total 31.16	
* Days with .01 in. or more.	4	16	14	12	8	3	15	4	12	19	19	14	140	
* Days with .04 in. or more.	4	13	11	9	5	3	11	1	5	15	16	12	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. A. Druce

[P.T.O.

328

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OI 1931.

328

TUNBRIDGE WELLS -
HAWKENBURY
1931 - 1939
063232001 | 78 0107

dapp

Kept at Tunbridge Wells, (Hawken

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

" Ground " Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	10	-	06	~~1·30~~	23	-	08	13	-	-	-	1
2	14	07	-	16	05	-	-	-	67	-	-	-	2
3	12	05	10	15	1·30	-	-	40	60	-	-	26	3
4	-	03	-	-	-	-	02	02	07	01	14	-	4
5	-	-	-	27	-	54	05	20	08	-	-	32	5
6	-	05	-	04	-	03	-	25	-	23	60	-	6
7	-	04	-	-	03	05	-	19	-	02	47		7
8	-	09	-	-	02	13	05	04	-	-	05	08	8
9	-	18	-	1·02	-	02	-	-	-	-	67	02	9
10	-	18	16	-	-	12	02	15	-	-	1·40	-	10
11	12	65	-	-	-	01		-	02	-	62	-	11
12	14	02	-	-	-	-	-	02	40	-	-	-	12
13	05	-	-	-	10	-	02	14	-	-	-	-	13
14	01	10	-	-	-	08	46	48	-	-	-	-	14
15	02	02	-	20	06	-	35	10	-	-	05	04	15
16	-	14	-	19	25	02	01	16	-	-	-	-	16
17	16	05	-	40	01	-	35	25	05	03	-	-	17
18	02	15	02	36	-	06	09	43	-	02	48	-	18
19	04	-	-	54	-	-	13	39	13	-	-	-	19
20	-	12	-	12	-	-	03	33	-	-	01	02	20
21	01	02	-	01	43	-	-	-	02	-	02	-	21
22	33	-	16	-	-	-	-	01	06	-	01	-	22
23	71	-	-	-	18	11	-	-	04	-	28	02	23
24	-	-	02	85	01	03	04	31	02	-	-	-	24
25	02	-	-	40	-	-	29	-	-	-	02	01	25
26	-	08	-	32	-	-	30	-	-	-	35	-	26
27	10	29	-	07	15	-	02	-	-	-	02	-	27
28	10	22	-	06	-	-	-	-		02	-	02	28
29	06	-	-	-	18	-	13	-	-	27	-	02	29
30	06	×	-	-	02	-	04	-	-	-	-	-	30
31	28	×	-	×	-	×	-	02	×	-	×	-	31
TOTAL	2·49	2·65	0·46	5·22	2·79	1·43	2·40	3·97	2·29	0·60	5·19	0·81	YEAR'S TOTAL 30·30
*Days with ·01 in. or more.	19	21	5	18	14	13	18	20	13	7	16	10	174
*Days with ·04 in. or more.	14	17	3	17	9	8	12	16	10	2	11	4	123

40-9999

(Signed) Donald W. Homer [P.T.O.

*See Instruction 2 (*f*) on other side.

File No. 685170/26.

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 328

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tunbridge Wells (Hawkenbury).

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	03	-	07	47	-	03	-	-	07	05	03	1
2	02	-	-	14	12	-	-	-	04	02	01	25	2
3	-	-	-	04	25	23	-	-	37	05	-	-	3
4	02	-	-	-	-	14	-	-	-	-	01	-	4
5	34	02	01	-	05	02	15	-	10	-	-	-	5
6	75	-	03	22	-	-	-	-	06	-	-	-	6
7	04	-	05	03	-	-	17	-	04	07	-	04	7
8	-	-	26	03	20	-	-	-	17	56	-	-	8
9	31	17	04	22	53	-	-	-	-	-	-	-	9
10	90	08	-	30	09	-	-	-	01	05	01	-	10
11	40	20	10	17	02	07	-	-	02	04	02	-	11
12	46	02	-	02	-	01	-	-	01	30	01	01	12
13	13	-	-	11	04	-	-	-	-	1·00	-	03	13
14	14	03	-	22	18	-	-	-	-	30	-	-	14
15	07	-	-	10	04	-	-	-	-	10	-	-	15
16	13	-	-	25	06	-	-	-	-	-	-	01	16
17	-	-	-	11	-	-	01	-	-	03	-	-	17
18	02	-	-	02	-	-	01	-	05	-	07	-	18
19	02	-	-	01	02	-	-	-	03	26	03	-	19
20	-	-	-	05	07	-	03	03	01	1·22	21	-	20
21	-	-	-	-	24	-	-	-	-	33	02	03	21
22	02	-	32	02	04	-	07	-	61	13	39	-	22
23	-	07	10	17	02	-	-	-	35	1·75	02	13	23
24	-	04	-	-	-	-	57	-	28	03	02	-	24
25	-	-	-	02	01	-	64	-	11	36	08	-	25
26	-	-	-	11	-	-	1·02	24	-	03	05	-	26
27	-	-	32	15	14	01	31	-	02	34	07	07	27
28	-	-	-	02	07	-	17	-	-	18	01	-	28
29	-	-	55	01	02	-	-	31	11	57	-	01	29
30	-	×	07	04	35	1·00	-	02	08	02	27	06	30
31		×	06	×	-	×	08	-	×	-	×	05	31
TOTAL	3·90	0·66	1·91	2·65	3·03	1·48	3·26	0·60	2·47	7·21	1·35	0·72	YEAR'S TOTAL 29·24
*Days with ·01 in. or more.	17	9	12	26	22	7	13	4	19	24	18	12	183
*Days with .04 in. or more.	12	5	10	17	17	4	9	2	13	19	8	6	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Donald W. Horner

P.T.O.

File No. 685170/26.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 328.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Tunbridge Wells (Hawkenbury).

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·47	·15	–	–	–	–	–	–	·01	·03	–		1
2	·36	–	·69	–	·07	–	–	–	–	·04	–	–		2
3	·15	·14	·50	–	–	–	–	–	–	·03	–	–		3
4	·13	·02	·03	–	·15	–	–	–	–	–	–	–		4
5	·27	·18	·36	–	·15	–	–	–	–	–	–	–		5
6	·01	·05	·09	–	·34	–	–	–	–	·03	·11	–		6
7	·33	–	·03	–	·15	–	–	–	–	·52	–	·02		7
8	·10	–	–	–	·04	–	·35	–	–	·05	–	–		8
9	–	·22	–	–	·05	–	·09	–	–	·09	·15	–		9
10	–	–	–	–	·01	·04	·07	–	–	·25	–	–		10
11	·10	–	–	–	·04	·02	·02	·04	·07	·03	·03	–		11
12	–	–	–	·04	–	·23	·13	–	1·40	–	–	–		12
13	·04	–	–	–	·09	–	·31	·04	·28	·16	·12	–		13
14	–	–	–	–	·01	–	·10	–	–	·31	·36	–		14
15	·35	–	·15	–	–	–	·23	·30	–	·04	·03	–		15
16	·04	–	1·00	–	–	·16	·08	–	–	–	–	–		16
17	–	–	·31	–	–	·02	–	·07	·11	–	·05	–		17
18	·03	–	·04	–	–	·27	–	–	–	–	·01	–		18
19	·02	–	·11	·02	–	·20	–	–	·09	–	·01	–		19
20	–	·06	·05	·10	–	·18	–	–	·12	–	·02	–		20
21	–	·09	–	–	–	–	–	·18	·23	·01	·01	–		21
22	–	–	–	–	–	–	·01	·21	·09	–	·01	–		22
23	–	–	–	·12	·90	·01	–	–	·58	–	–	–		23
24	–	·60	–	·17	·03	·05	–	–	·33	–	·03	–		24
25	–	·18	–	·24	·02	·01	–	–	·04	–	·18	·06		25
26	–	·63	–	·05	·02	·02	–	–	·04	·07	·18	·08		26
27	–	–	–	–	·05	·01	–	–	–	·22	–	·18		27
28	–	·01	–	–	–	–	·40	–	–	·43	–	·20		28
29	·04	×	·05	–	·43	–	·14	–	–	·09	–	·01		29
30	·08	×	–	·01	–	–	·06	·05	·18	·04	–	–		30
31	·13	×	–	×	–	×	–	–	×	–	×	–		31
TOTAL	2·22	2·65	3·56	0·75	2·55	1·22	1·99	0·89	3·56	2·42	1·33	0·55	Year's Total 23·69	
*Days with ·01 in. or more.	17	12	14	8	17	13	13	7	13	18	16	6	154	
*Days with ·04 in. or more.	14	10	12	6	12	7	11	7	13	13	7	4	116	

† Spare column, no entries required.

(*Signed*) Donald W. Horner

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

File No. 685170/26.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 328

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tunbridge Wells (Hawkenbury)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	–	–	·01	–	·13	–	·17	–	·16		1
2	·03	–	·16	–	–	–	–	–	·77	·52	–	·36		2
3	·03	·03	–	·18	–	–	–	·01	–	·45	–	·15		3
4	·22	·01	·06	–	·04	–	–	–	–	·48	·08	·90		4
5	·02	–	·04	–	·05	–	–	·02	–	–	·05	·38		5
6	·02	–	·32	–	·21	·23	–	·10	–	·21	·05	·55		6
7	·05	–	–	–	–	·01	–	–	–	·09	–	·24		7
8	–	–	–	·12	·12	–	–	·02	–	–	1·30	–		8
9	–	–	·03	–	·01	–	–	–	·02	–	1·50	·30		9
10	·01	–	·33	·28	–	–	–	·14	–	·02	·40	–		10
11	1·00	–	·53	·03	–	–	·23	·07	–	–	–	·25		11
12	·09	–	·16	–	–	–	·04	·12	–	–	–	·15		12
13	·63	–	·52	–	–	–	·06	·11	–	–	·03	·06		13
14	·31	–	·58	·15	–	–	–	–	–	·05	·49	·67		14
15	·02	–	–	–	·04	–	–	–	–	–	·18	·70		15
16	·21	–	·36	·02	·25	–	–	–	–	·04	·01	·05		16
17	·13	–	·38	·04	·18	–	–	–	–	·06	·01	·40		17
18	·32	–	~~·38~~	·72	–	–	·30	–	–	–	·07	·35		18
19	–	–	·38	·05	–	·02	–	–	·24	·02	–	·23		19
20	–	–	·10	–	–	–	·05	–	–	–	·01	–		20
21	–	–	·02	·20	–	·13	–	–	–	·12	–	–		21
22	–	–	–	–	–	–	·17	·10	·20	–	–	·12		22
23	–	–	–	·42	–	·78	–	·21	–	·07	–	·16		23
24	–	·02	–	·25	–	·06	·38	·12	·14	–	–	–		24
25	·09	·02	–	·20	–	·02	–	–	–	·04	–	·53		25
26	·06	–	–	·15	–	·11	–	–	·06	–	–	·03		26
27	–	–	–	·38	–	·02	–	–	–	–	–	·39		27
28	–	·20	–	·25	–	·07	–	·60	–	–	–	·31		28
29	–	×	–	–	–	–	–	·04	·18	–	–	–		29
30	·12	×	–	–	–	–	–	·04	–	–	·02	·48		30
31	·03	×	–	×	–	×	–	–	×	·12	×	·16		31
TOTAL	3·41	0·28	3·97	3·44	0·90	1·46	1·23	1·83	1·61	2·46	4·20	8·08 ~~8·09~~	Year's Total 32·88	
*Days with ·01 in. or more.	20	5	15	16	8	11	7	15	7	15	14	25	158	
*Days with .04 in. or more.	12	1	13	14	7	6	7	12	6	13	9	24	124	

108 / 700 / 808

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Donald W. Horner

[P.T.O.

FILE No. 685170/26.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. ✓

Station No. 328

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tunbridge Wells. (Hawkenbury.)

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·25	·03	·02	·03	—	·12	·03	—	·33	·17	·25	—		1
2	·16	—	—	·05	—	·02	—	—	·01	·45	·11	—		2
3	—	·01	·19	·04	—	—	—	—	·14	1·04	·17	—		3
4	—	·06	—	·36	—	·21	—	—	·38	·33	—	·12		4
5	—	·60	·03	·10	—	·05	—	—	·75	·20	—	·02		5
6	·06	·04	·02	·25	—	·59	—	—	—	·05	·20	—		6
7	·05	·03	—	·25	—	·02	—	—	—	—	1·15	·10		7
8	—	—	·03	·34	—	—	—	·09	—	·30	·55	·10		8
9	—	—	—	·18	—	·13	—	—	—	1·13	·29	·02		9
10	·05	—	·09	·02	—	·05	—	—	—	—	·13	·21		10
11	·12	·01	—	·10	—	·11	—	—	—	—	·42	·01		11
12	—	·03	—	—	—	·33	—	·56	·05	—	·96	—		12
13	·08	·22	—	·14	—	·03	—	—	—	—	·25	·03		13
14	·01	—	—	·05	·27	·08	—	—	—	—	·01	·06		14
15	—	·16	—	·63	—	—	—	—	·36	—	·22	·07		15
16	—	·06	—	·18	·01	·18	—	—	·56	—	1·30	·02		16
17	·05	—	·08	·04	·03	·22	·07	—	·01	—	·58	—		17
18	—	—	—	·36	·02	·10	·25	—	·50	·12	·02	—		18
19	—	—	—	·04	·75	·02	·08	—	·07	—	·12	—		19
20	—	1·22	—	·04	·02	·07	·40	—	·05	—	·15	—		20
21	·03	·60	—	—	—	—	—	—	·03	·10	·03	—		21
22	—	·08	·01	·02	—	—	—	·43	·11	—	—	—		22
23	—	—	·01	—	·04	—	—	1·00	—	—	—	·05		23
24	·04	1·50	—	—	·40	—	—	1·16	·80	·03	—	·35		24
25	·12	·22	—	·16	·18	·10	—	—	—	—	·02	·46		25
26	—	·18	—	—	—	—	—	·15	·04	·08	·01	·47		26
27	·03	·87	—	—	·02	—	—	·02	·16	—	·13	·29		27
28	—	·06	—	—	·06	—	—	·02	·03	·06	·01	·27		28
29	—	×	—	—	—	—	—	·02	·56	·01	—	·64		29
30	·10	×	—	·06	·09	—	—	1·33	·01	·13	·76	·43		30
31	—	×	—	×	·02	×	—	—	×	·34	×	·75		31
TOTAL	1·75	5·98	·48	3·44	1·91	2·43	·83	4·78	4·95	4·54	7·84	4·47	Year's Total. 42·80	
* Days with .01 in. or more.	14	19	9	22	13	18	5	10	20	16	24	20	190	
* Days with .04 in. or more.	11	14	3	19	7	13	4	7	15	14	18	15	140	

40-9999

† Spare column, no entries required.

(Signed) Donald W. Horner

[P.T.O.

* See Instruction 2 (f) on other side.

FILE No. 685170/26.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 328

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at TUNBRIDGE WELLS (HAWKENBURY)
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 435 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.49	.19	—	.47	—	.19	.17	.12	—	—	.07	.12		1
2	—	.02	.06	—	—	.17	.10	.08	—	—	—	—		2
3	—	—	—	.71	—	.08	.02	—	.07	—	.30	—		3
4	.03	—	.12	—	—	.08	—	—	.43	—	—	.04		4
5	.21	—	.03	—	—	—	—	.04	.06	.04	.18	.04		5
6	.40	—	—	—	—	.04	—	.05	.28	.13	1.03	.11		6
7	.53	—	.06	—	—	.03	.02	.01	.02	.01	.88	.02		7
8	.43	—	.15	—	.01	—	.12	—	.01	.01	1.00	.25		8
9	.47	—	.02	—	.01	—	.30	.73	.07	.09	.04	—		9
10	.06	—	—	—	—	—	.32	.32	.02	—	—	—		10
11	—	—	—	.02	—	—	.24	—	—	—	.95	—		11
12	—	—	—	.02	—	.23	.27	.02	.53	—	.46	.15		12
13	—	—	—	—	—	.10	.03	—	—	.01	—	.77		13
14	—	.05	—	—	—	.06	.80	—	—	.04	.16	.74		14
15	—	.05	—	—	—	—	.05	—	—	—	.03	.60		15
16	.30	.05	—	—	.08	—	—	—	.01	—	.18	.13		16
17	.10	.80	—	—	.12	.14	—	.02	—	.02	.26	.74		17
18	.13	.20	—	—	—	.12	.25	—	—	.02	.28	.21		18
19	.28	.10	—	—	—	.10	—	.09	—	.04	.04	—		19
20	.33	.04	—	.35	—	—	—	—	.68	—	—	—		20
21	—	—	—	.40	—	.35	.10	—	.02	—	—	—		21
22	.09	.44	.11	—	.03	.05	.08	—	—	—	—	.09		22
23	.05	.22	.03	.06	—	—	.40	—	—	.03	—	—		23
24	.05	.16	—	—	—	.08	.36	—	.03	.27	—	—		24
25	.15	—	.20	.14	—	.13	.09	—	.36	.06	.03	—		25
26	—	.15	.23	.03	—	.07	—	—	.06	.15	—	.01		26
27	.30	—	.04	—	—	—	.08	—	.25	.24	—	—		27
28	.73	—	.05	—	—	.20	.22	—	.06	—	—	.10		28
29	.05	.05	.20	—	—	.83	.07	—	—	.03	.06	.01		29
30	.16	✕	.01	—	.02	.30	—	—	—	.20	—	.01		30
31	.28	✕	.16	✕	—	✕	.10	—	✕	1.15	✕	.25		31
TOTAL	5.62	2.52	1.47	2.20	.27	3.35	4.19	1.48	296	2.54	5.95	4.39	Year's Total 36.94	
* Days with .01 in. or more.	22	14	15	9	6	20	22	10	17	18	17	19	1.89	
* Days with .04 in. or more.	21	13	11	6	2	19	19	7	11	11	15	15	1.50	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Donald W. Horner

[P.T.O.

FILE No. 685170/26.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 328.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at TUNBRIDGE WELLS (HAWKENBURY).

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 435 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·89	·02	·02	·05	—	—	·07	—	—	—	·67	·31		1
2	—	·75	—	·28	—	—	—	—	·03	—	·01	·88		2
3	·03	·13	—	—	—	—	—	—	—	·01	—	·48		3
4	·11	1·07	—	·08	—	—	—	—	—	—	—	·24		4
5	·27	·10	·40	—	—	—	·22	—	—	·22	—	—		5
6	·05	—	·90	—	·24	—	—	—	—	·04	—	—		6
7	—	·73	·07	·11	—	—	—	—	·03	·04	—	·04		7
8	—	—	·25	—	·05	·08	—	—	—	—	·10	·54		8
9	—	—	—	·36	·13	·02	·05	—	·33	—	—	·08		9
10	—	—	·53	·21	·25	·65	·07	—	—	—	—	·70		10
11	—	—	·38	—	·05	—	·03	—	—	—	—	·22		11
12	·36	·26	·20	·03	·26	·33	·02	·36	·22	—	—	·21		12
13	·23	·04	·68	·05	—	·44	—	·31	·06	—	—	·72		13
14	·03	—	·06	—	·13	·05	—	·85	·13	—	—	·02		14
15	·22	·11	—	·20	—	·01	·30	—	·40	—	—	—		15
16	·02	·08	·33	·25	—	·07	—	·40	·10	—	—	·03		16
17	·41	—	·06	·07	—	·06	—	—	·42	—	·20	—		17
18	·65	·06	—	·01	·53	·75	—	—	·12	—	·08	—		18
19	·10	·10	·07	·16	·02	·10	·03	—	·21	—	—	·12		19
20	·60	—	·20	·26	·53	·06	—	—	·02	—	—	—		20
21	·70	·41	·10	·10	·02	—	—	·02	—	—	·02	·03		21
22	·58	·03	—	—	·12	·04	·09	—	—	·82	·15	·09		22
23	·10	—	—	—	—	—	·07	—	—	·48	—	—		23
24	·75	·14	·06	—	·01	—	—	—	—	·35	—	—		24
25	·11	·40	·31	—	—	—	—	—	·15	·31	—	—		25
26	—	·50	—	—	—	—	—	—	—	·20	—	—		26
27	—	·12	—	·28	—	—	—	—	·03	·18	—	—		27
28	·14	·05	—	—	—	—	—	—	—	·03	—	·04		28
29	·10	X	·02	—	—	—	—	—	—	·44	·05	·04		29
30	·28	X	—	—	—	—	—	·10	—	·06	·11	·01		30
31	·20	X	—	X	—	X	—	—	X	·23	X	·04		31
													Year's Total	
TOTAL	6·93	5·10	4·64	2·50	2·34	2·66	0·95	2·04	2·25	3·41	1·39	4·84	39·05	✓
* Days with .01 in. or more.	23	19	18	16	13	13	10	6	14	14	9	20	175	✓
* Days with .04 in. or more.	20	17	16	14	10	11	7	5	10	12	7	16	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Donald W. Homes [P.T.O.

File No. 685170/26.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 328.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938,

Kept at TUNBRIDGE WELLS (HAWKENBURY).

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 435 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·01	·05	·18	·13	·22	—	·21	·02	·04	·04		1
2	·06	—	—	—	·23	—	·14	—	—	·39	—	·01		2
3	—	—	—	—	·24	—	·02	—	—	·90	·08	—		3
4	·03	—	—	—	—	·02	·17	·09	—	·05	—	·18		4
5	·01	—	—	—	—	—	·18	—	—	·55	—	·02		5
6	·03	—	—	—	—	—	·09	—	·03	·02	·01	—		6
7	·03	—	—	—	—	—	·08	·60	—	·30	—	·08		7
8	·25	—	—	—	—	·02	·24	—	—	·31	·02	·04		8
9	·13	—	—	—	—	—	—	·06	—	·10	—	·66		9
10	·08	·10	—	—	—	·12	—	·06	—	—	—	·35		10
11	·20	·01	—	—	—	—	—	—	—	—	·13	·36		11
12	·44	·01	—	—	—	—	·05	·73	—	·04	·10	—		12
13	·40	·05	—	—	—	—	—	—	—	·08	·15	·07		13
14	·27	·15	—	—	·50	—	—	—	·03	—	·01	·05		14
15	·04	·24	—	—	·02	—	·17	—	—	·32	·02	·07		15
16	·64	—	·01	—	·01	—	—	·02	—	·08	·02	·26		16
17	—	·10	·01	—	·35	—	—	—	·02	·37	·04	—		17
18	·08	—	—	—	·02	—	—	—	·23	·09	·58	—		18
19	—	—	—	—	—	—	—	·07	·05	—	·23	·76		19
20	—	—	—	—	·08	—	—	—	·11	—	·50	·14		20
21	·02	—	—	·01	—	—	—	·01	·11	—	·07	·17		21
22	·01	—	—	·02	—	·03	—	·02	—	—	·28	·13		22
23	—	—	—	·03	—	—	—	—	—	—	—	—		23
24	—	—	·13	—	—	—	—	—	·06	—	·31	·04		24
25	·12	—	·35	·26	·17	—	·03	—	·13	·03	·56	—		25
26	·48	·24	·08	—	—	—	—	·03	·24	·35	—	·31		26
27	·07	·04	—	—	·23	·20	·39	—	1·57	·02	·35	—		27
28	·04	·04	—	—	·38	·13	—	·22	·21	—	—	—		28
29	·20	×	—	·03	·30	—	—	—	—	—	·09	·21		29
30	·04	×	—	·40	·60	—	—	—	·11	·03	·36	—		30
31	·32	×	—	×	·12	×	—	—	×	·23	×	·28		31
TOTAL	4·01	·98	·59	·80	3·43	·65	1·78	1·91	3·11	~~4·26~~ 4·28	3·95	3·63	Year's Total 29·10	✓
* Days with .01 in. or more.	25	10	6	7	15	7	12	11	14	20	21	21	169	✓
* Days with .04 in. or more.	18	8	3	3	12	4	10	7	11	15	15	19	125	✓

·78
3·50
4·28

4·28

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Donald W. Horner

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 328.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Tunbridge Wells (Hawkenbury)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 435 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·06	·07	·44	—	·02	—	·15	—	—	·04		1
2	·02	—	—	·03	·04	—	—	·54	·13	·24	—	—		2
3	·32	—	—	·33	—	—	—	·23	—	—	·19	·48		3
4	·13	—	·37	·27	—	—	·08	·75	—	·56	·16	—		4
5	—	—	·02	·27	·03	—	·28	·20	—	·24	·57	·03		5
6	·28	—	·03	—	—	—	·20	·05	—	—	·28	—		6
7	·05	·05	—	—	—	—	·04	·05	—	·10	·16	·13		7
8	·01	·10	·11	—	—	—	—	—	—	·47	·22	·67		8
9	·07	·04	—	—	—	—	—	·10	—	·50	1·05	·30		9
10	·15	—	—	—	—	·30	—	·17	·06	·12	·02	—		10
11	—	—	·28	—	·07	·11	—	—	—	1·80	—	·02		11
12	—	—	—	—	—	—	—	—	—	·14	—	·05		12
13	—	—	—	—	—	—	—	—	·03	1·68	—	·15		13
14	·66	—	·03	·03	·01	·04	·06	—	·25	·30	·51	—		14
15	·80	—	—	—	1·40	·04	—	—	·01	·66	·17	—		15
16	·36	—	·12	·06	·18	·14	·20	—	—	—	·46	—		16
17	·35	·09	·03	·06	·03	—	—	—	·01	—	·06	—		17
18	·31	—	·03	—	—	·05	·18	—	·02	·10	·35	—		18
19	·22	—	·01	—	—	—	·30	—	—	·46	—	·04		19
20	·24	—	—	—	—	—	·22	·05	·05	—	—	·03		20
21	·06	—	·09	—	—	·06	·64	—	·13	—	—	—		21
22	·28	·23	·05	·01	—	·42	·04	—	·05	—	—	—		22
23	·05	—	—	·07	—	—	·09	·02	—	·10	·52	—		23
24	·06	·08	·04	·10	—	·01	·03	·01	—	·13	—	—		24
25	1·30	·20	·10	·57	—	—	·50	—	—	—	·70	—		25
26	·08	—	·02	·02	—	·03	—	—	·03	·10	·28	·07		26
27	·05	·23	·07	·11	—	·02	—	—	—	·28	·33	—		27
28	—	·47	·05	·01	—	·04	—	—	—	·10	·07	·12		28
29	—	×	—	·39	—	·01	—	—	—	·03	·03	—		29
30	—		—	·66	—	—	—	·02	—	—	·20	—		30
31	—		—		—		·05	·17		·02		—		31
TOTAL	5·88	1·49	1·51	3·06	2·20	1·27	2·93	2·36	0·92	8·13	6·33	2·13	Year's Total 38·21	✓
* Days with .01 in. or more.	23	9	18	17	8	13	16	13	12	21	20	13	183	✓
* Days with .04 in. or more.	20	9	10	12	5	9	14	10	7	19	18	10	143	✓

† Spare column, no entries required.

(*Signed*) Donald W. Horner

* See Instruction 3 (f) on other side.

P.T.O.

329

—

329

TUNBRIDGE WELLS

1931 - 38

063511004

780104

Section **A** for the ent

AIR ~~MIN~~

FORM 1090.

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

REC

193 *1*.

Kept at Rusthall

in the County of K

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M

S DAY.

An observer who does not conform

of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.11	.01	.08	—	—	—	.08	.21	—	—	.01	1
2	.12	.07	—	.23	.10	—	—	—	.64	.01	—	.07	2
3	.07	.02	.10	.22	1.32	—	—	.33	.61	—	.03	.21	3
4	—	.02	—	—	—	—	.02	.01	.06	.02	.06	—	4
5	—	—	—	.26	—	.52	.03	.16	.08	—	—	.29	5
6	—	.10	—	.06	—	.05	—	.17	—	.21	.60	.04	6
7	—	—	—	—	.05	.05	—	.23	—	.05	.39	—	7
8	—	.10	—	—	.02	.15	.02	—	—	—	.06	.06	8
9	.01	.19	—	.02	—	.01	—	—	—	—	.69	.03	9
10	—	.12	.09	—	—	.14	.01	.16	—	—	1.38	—	10
11	.10	.62	—	—	—	—	—	—	.02	.04	.59	—	11
12	.18	.01	—	—	—	—	.08	.02	.42	—	—	—	12
13	.07	—	—	—	.17	—	—	.18	—	—	—	.01	13
14	.01	—	—	—	—	.06	.54	.40	—	—	—	—	14
15	.02	.20	—	.22	.09	—	.22	.16	—	—	.03	.04	15
16	—	.12	—	.12	.26	.02	.02	.15	.03	—	—	—	16
17	.16	.07	—	.30	—	—	.36	.15	.04	—	—	—	17
18	.02	.15	.02	.40	—	.13	.06	.53	—	.03	—	—	18
19	.05	.01	—	.49	—	.02	.15	.34	.12	—	—	—	19
20	—	.15	—	.08	—	—	.07	.37	—	—	.44	.01	20
21	.01	—	—	—	.41	—	—	—	—	—	.01	—	21
22	.39	—	.15	—	—	—	—	.01	.11	—	.02	—	22
23	.60	—	—	—	—	.11	—	—	.05	—	.01	.02	23
24	—	—	.01	.94	—	.04	.08	.39	.02	—	.02	—	24
25	.03	—	—	.33	—	—	.28	—	—	—	.26	—	25
26	—	.09	—	.33	—	—	.30	—	—	—	—	—	26
27	.13	.30	—	.09	.16	—	—	—	—	—	.03	—	27
28	.13	.26	—	.07	—	—	—	—	—	.04	.32	.02	28
29	.09	—	—	—	.09	—	.12	—	—	.23	.02	.02	29
30	.06	×	—	—	.03	—	.02	—	—	—	—	—	30
31	.31	×	—	×	.05	×	—	.04	×	—	×	—	31
TOTAL	2.57	2.71	.38	4.24	2.75	1.30	2.38	3.88	2.41	.63	4.96	.83	YEAR'S TOTAL 29.04
*Days with ·01 in. or more.	21	19	6	17	12	12	17	19	13	8	18	13	175
*Days with ·04 in. or more.	14	15	3	16	10	9	11	16	10	5	10	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alvan G. Robins

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR ~~MINISTRY~~.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rusthall Grange Tunbridge Wells
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.11	.01	.08	—	—	—	.08	.21	—	—	.01	1
2	.12	.07	—	.23	.10	—	—	—	.64	.01	—	.07	2
3	.07	.02	.10	.22	1.32	—	—	.33	.61	—	.03	.21	3
4	—	.02	—	—	—	—	.02	.01	.06	.02	.06	—	4
5	—	—	—	.26	—	.52	.03	.16	.08	—	—	.29	5
6	—	.10	—	.06	—	.05	—	.17	—	.21	.60	.04	6
7	—	—	—	—	.05	.05	—	.23	—	.05	.39	—	7
8	—	.10	—	—	.02	.15	.02	—	—	—	.06	.06	8
9	.01	.19	—	.02	—	.01	—	—	—	—	.69	.03	9
10	—	.12	.09	—	—	.14	.01	.16	—	—	1.38	—	10
11	.10	.62	—	—	—	—	—	—	.02	.04	.59	—	11
12	.18	.01	—	—	—	—	.08	.02	.42	—	—	—	12
13	.07	—	—	—	.17	—	—	.18	—	—	—	.01	13
14	.01	—	—	—	—	.06	.54	.40	—	—	—	—	14
15	.02	.20	—	.22	.09	—	.22	.16	—	—	.03	.04	15
16	—	.12	—	.12	.26	.02	.02	.15	.03	—	—	—	16
17	.16	.07	—	.30	—	—	.36	.15	.04	—	—	—	17
18	.02	.15	.02	.40	—	.13	.06	.53	—	.03	—	—	18
19	.05	.01	—	.49	—	.02	.15	.34	.12	—	—	—	19
20	—	.15	—	.08	—	—	.07	.37	—	—	.44	.01	20
21	.01	—	—	—	.41	—	—	—	—	—	.01	—	21
22	.39	—	.15	—	—	—	—	.01	.11	—	.02	—	22
23	.60	—	—	—	—	.11	—	—	.05	—	.01	.02	23
24	—	—	.01	.94	—	.04	.08	.39	.02	—	.02	—	24
25	.03	—	—	.33	—	—	.28	—	—	—	.26	—	25
26	—	.09	—	.33	—	—	.30	—	—	—	—	—	26
27	.13	.30	—	.09	.16	—	—	—	—	—	.03	—	27
28	.13	.26	—	.07	—	—	—	—	—	.04	.32	.02	28
29	.09	—	—	—	.09	—	.12	—	—	.23	.02	.02	29
30	.06	×	—	—	.03	—	.02	—	—	—	—	—	30
31	.31	×	—	×	.05	×	—	.04	×	—	×	—	31
TOTAL	2.57	2.71	.38	4.24	2.75	1.30	2.38	3.88	2.41	.63	4.96	.83	YEAR'S TOTAL 29.04
*Days with ·01 in. or more.	21	19	6	17	12	12	17	19	13	8	18	13	175
*Days with ·04 in. or more.	14	15	3	16	10	9	11	16	10	5	10	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alvan G. Robins

[P.T.O.

329

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rusthall Grange Rusthall

in the County of Kent Tunbridge Wells

File No. 742712/27

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.02	—	.06	.48	—	.03	—	—	.08	.05	.01	1
2	.02	—	—	.13	.11	—	—	—	.08	.03	.01	.22	2
3	—	—	—	.04	.23	.15	—	—	.34	.02	—	—	3
4	.03	—	.01	—	—	—	—	—	—	—	—	—	4
5	—	.01	.01	—	.04	.16	.21	—	.10	—	—	—	5
6	.95	—	.03	.22	—	—	—	—	.05	—	—	—	6
7	.06	—	.12	.04	—	—	.18	—	—	.08	—	.03	7
8	—	.02	.25	.04	.21	—	—	—	.16	.45	—	—	8
9	.43	—	—	.21	.48	—	—	—	—	—	.01	—	9
10	.93	.19	—	.29	.09	—	—	—	—	.07	.04		10
11	.23	.11	.06	.15	.02	.02	—	—	—	.05	.02	.01	11
12	.44	.05	—	.01	—	—	—	—	.02	.20	.04	—	12
13	.03	—	—	.13	.06	—	—	—	—	1.23	—	—	13
14	.12	—	—	.10	.16	—	—	—	—	.02	—	.01	14
15	.07	.01	—	.13	.08	—	—	—	—	.09	—	—	15
16	.11	—	—	.22	.04	—	—	—	—	—	—	.01	16
17	—	—	—	.09	—	—	—	—	—	.03	—	—	17
18	.04	—	—	.01	—	—	—	—	.04	—	.11	—	18
19	.03	—	—	.01	.02	—	—	—	.04	.27	.02	—	19
20	—	—	—	.07	.07	—	.06	.01	—	1.17	.19	—	20
21	—	—	—	—	.22	—	—	—	—	.30	—	.06	21
22	.03	.01	.36	—	.07	—	.08	.01	.45	.31	.38	—	22
23	—	.07	.19	.15	—	—	—	—	.27	1.05	.04	.14	23
24	.01	.07	—	—	.01	—	.60	—	—	.03	.02	—	24
25	—	—	—	.03	—	—	.59	—	.55	.35	.12	—	25
26	—	—	—	.12	—	—	.59	.22	—	.05	.02	.03	26
27	—	—	.31	.16	.18	—	.38	—	—	.30	.09	.05	27
28	—	—	.01	.02	—	—	.21	—	—	.21	.01	.01	28
29	—	—	.60	—	.09	—	.02	.25	.12	.53	—	.01	29
30	—	×	.05	.07	.24	.92	—	—	—	.02	.29	.08	30
31	—	×	.05	×	—	×	.08	—	×	—	×	.04	31
TOTAL	3.66	.56	2.05	2.50	2.90	1.25	3.03	.49	2.22	6.94	1.46	.71	YEAR'S TOTAL 27.77
*Days with ·01 in. or more.	17	10	13	24	20	4	12	4	12	24	17	14	171
*Days with .04 in. or more.	11	5	9	19	17	3	10	2	11	18	10	6	121

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Alban G. Robins

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rusthall Grange - Rusthall Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 440 ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.14	—	.01	.04	—	—	—	.06	.17	—	—		1
2	.06	.38	.15	—	—	—	—	—	—	.05	.04	—		2
3	.39	.14	.69	—	.10	—	—	—	—	.01	—	—		3
4	.12	—	.39	—	—	—	—	—	—	.01	—	—		4
5	.22	.02	.03	—	.13	—	—	—	—	—	—	—		5
6	.18	—	.45	—	.18	—	—	—	—	—	—	—		6
7	—	.19	.07	—	.42	—	—	—	—	.05	.11	—		7
8	.39	.05	.01	—	.13	—	—	—	—	.45	—	—		8
9	—	—	—	—	.05	—	.42	—	—	—	—	—		9
10	—	.03	—	—	.09	—	.12	—	—	.09	.18	—		10
11	—	.22	—	—	.01	.11	.06	—	—	.25	—	—		11
12	.11	—	—	—	.06	—	.04	.10	.17	—	.03	—		12
13	—	—	—	.03	.01	.21	.15	—	.156	.03	—	.02		13
14	.04	—	—	—	.07	—	.33	.02	.26	.11	.14	—		14
15	—	—	—	—	.01	—	.10	.23	—	.34	.40	—		15
16	.35	—	.20	—	—	—	.35	—	—	—	—	—		16
17	—	—	.95	—	—	.18	.06	—	—	—	—	—		17
18	—	—	.30	—	—	.02	—	.08	.14	—	.05	—		18
19	.03	—	.09	—	—	.25	—	—	—	—	—	—		19
20	—	.04	.12	.03	—	.20	—	.01	.48	—	.02	—		20
21	—	.02	.07	.11	—	.22	.02	—	.14	—	.01	—		21
22	—	.08	—	—	—	—	—	.32	.27	—	—	.01		22
23	—	—	—	—	—	—	—	.19	.01	.05	.02			23
24	—	.02	—	.19	.22	—	—	—	.21	.01	—			24
25	—	.38	—	.13	.03	—	—	—	.33	—	.02			25
26	—	.17	—	.24	.01	.15	—	—	—	—	.22	.06		26
27	—	.64	—	.05	.02	.02	—	—	.07	—	.14	.11		27
28	—	—	—	—	.06	—	—	—	—	.40	—	.17		28
29	—	—	—	—	—	—	.58	—	—	.29	—	.18		29
30	.05	×	—	—	.56		.07	—	—	.07	—	—		30
31	.07	×	.06	×	—	×	.06		×	—	×	.06		31
TOTAL	+.12 2.15 ~~[illegible]~~	2.38 ~~[illegible]~~	+.01 3.59 ~~3.58~~	+.04 .82 ~~.79~~	2.16 ~~2.20~~	1.36	2.36	+.06 1.01 ~~.95~~	+.17 4.01 ~~[illegible]~~	2.21 ~~[illegible]~~	1.38	.61	Year's Total 24.04 ~~[illegible]~~	
*Days with ·01 in. or more.	13	14 ~~13~~	15 ~~14~~	8	18 ~~19~~	9	13	~~7~~ 8	12	15 ~~16~~	13	7	145 ~~146~~	
*Days with ·04 in. or more.	10	10 ~~11~~	11	~~5~~ 6	11 ~~12~~	7	12	~~8~~ 6	11	11 ~~12~~	8	5	108 ~~109~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Blanche M. Robins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rusthall Grange. Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 440 ft.

W.T

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	.01	—	.21	—	.19	—	.26		1
2	.01	—	.20	—	—	—	—	—	.70	.55	—	.25		2
3	.08	.02	—	.15	—	—	—	—	—	.39	—	.23		3
4	.04	—	.06	—	.06	—	—	—	—	.28	.08	.84		4
5	.20	—	.03	—	.03 (0)	—	—	.03	—	—	.04	.43		5
6	.02	—	.32	—	.19	.19	—	.10	—		—	.53		6
7	.01	—	—	—	—	—	—	—	—	.10	—	.23		7
8	.05	—	—	.06	.16	—	—	.02	—	—	1.08	—		8
9	—	—	.06	—	—	—	—	—	—	—	1.56	.33		9
10	.01	—	.26	.27	—	—	—	.13	—	.01	.26	.01		10
11	—	—	.48	.04	—	—	.10	.07	—	—	—	.17		11
12	1.11	—	.22	—	—	—	.10	.11	—	—	—	.12		12
13	—	—	.37	.16	—	—	.15	.05	—	.04	.03	—		13
14	.75	—	.55	—	—	—	—	—	—	—	.39	.63		14
15	.29	—	—	—	.04	—	—	—	—	—	.18	.23		15
16	—	—	.37	.06	.28	—	—	—	.01	.06	—	—		16
17	.20	—	.24	.09	.17	—	—	—	—	.05	—	.41		17
18	.11	—	.06	—	—	—	.24	—	—	—	.04	~~.20~~ 40		18
19	.20	—	.31	—	—	.01	—	—	.23	.03	—	.15		19
20	—	—	.07	.01	—	—	.10	—	—	—	—	.01		20
21	—	—	.02	.15	—	.11	—	—	—	.10	—	—		21
22	—	.01	—	—	—	—	.62	.08	.20	—	—	.11		22
23	—	.01	—	.35	—	1.26	—	.07	.01	.05	—	.08		23
24	—	—	—	.42	—	.06	.42	.03	.14	—	—	.45		24
25	—	.01	—	.20	—	—	—	—	—	.02	—	—		25
26	.16	.01	—	.18	—	.08	—	—	.08	—	—	.06		26
27	.04	—	—	.15	—	—	—	—	—	—	—	.39		27
28	.02	.22	—	.20	—	.14	—	.58	—	—	—	.23		28
29	—		—	—	—	—	.01	.01	.21	—	—	.08		29
30	—	×	—	—	—	—	—	—	.01	—	—	.52		30
31	.11	×	—	×	—	×	—	—	×	.10	×	.08		31
TOTAL	3.41	.28	3.62	2.49	.93	1.86	1.74	1.49	1.59	1.97	3.66	7.43	Year's Total. 30.47	
* Days with .01 in. or more.	18	6	16	15	7	8	8	13	9	14	9	26	149	
* Days with .04 in. or more.	13	1	14	14	6	6	7	9	6	11	8	24	119	

40-9999

* See Instruction 2 (f) on other side X Mrs A. C. Robins X

† Spare column, no entries required.

(Signed) ~~Blanche M. A. Robins~~

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. ✓

Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rusthall Grange, Rusthall, Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.03	.01	.03	Nil	.10	.05	Nil	.35	.14	.21	Nil		1
2	.10	Nil	Nil	.09	Nil	Nil	Nil	Nil	.05	.41	.04	Nil		2
3	Nil	.07	.17	.05	Nil	Nil	Nil	Nil	.25	.99	.15	Nil		3
4	Nil	Nil	Nil	.37	Nil	.22	Nil	Nil	.53	.34	Nil	.12		4
5	Nil	.52	.05	.10	Nil	.06	Nil	Nil	.68	.21	Nil	.01		5
6	.03	.04	Nil	.21	Nil	.65	Nil	Nil	Nil	Nil	.19	.01		6
7	.03	.02	Nil	.30	Nil	.04	Nil	Nil	Nil	.01	1.29	.10		7
8	Nil		.03	.10	Nil	Nil	Nil	.06	Nil	.29	.53	.11		8
9	.02		Nil	.43	Nil	.13	Nil	Nil	Nil	.90	.19	Nil		9
10	.05	.01	.06	Nil	Nil	.05	Nil	Nil	Nil	Nil	.30	.15		10
11	.09	Nil	Nil	.28	Nil	.11	Nil	Nil	Nil	Nil	.34	Nil		11
12	Nil	.10	Nil	Nil	Nil	.29	Nil	.79	.06	Nil	.91	Nil		12
13	.09	.16	Nil	.11	.04	.02	Nil	Nil	Nil	Nil	.12	.01		13
14	Nil	Nil	Nil	.08	.20	.10	Nil	Nil	Nil	.01	.01	.07		14
15	Nil	.16	Nil	.53	Nil	Nil	Nil	Nil	.45	Nil	.37	.07		15
16	Nil	.12	Nil	.15	Nil	.30	Nil	Nil	.58	.03	1.13	.01		16
17	.04	Nil	.08	.09	.01	.20	.01	Nil	Nil	Nil	.48	Nil		17
18	Nil	Nil	Nil	.30	Nil	.08	.25	Nil	.45	.09	.01	Nil		18
19	Nil	.01	Nil	.09	.79	.01	.15	Nil	.06	Nil	.07	Nil		19
20	Nil	1.01	Nil	Nil	Nil	.09	.35	Nil	.05	Nil	.12	Nil		20
21	.03	.68	Nil	.01	Nil	Nil	Nil	.50	Nil	.10	.02	Nil		21
22	Nil	.11	Nil	.01	Nil	Nil	Nil	Nil	.14	Nil	Nil	Nil		22
23	Nil	Nil	.02	Nil	.02	Nil	Nil	1.02	Nil	Nil	Nil	.06		23
24	.05	1.15	Nil	Nil	.48	Nil	Nil	1.15	.64	.02	Nil	.25		24
25	.11	.15	Nil	.14	.17	.13	Nil	Nil	Nil	Nil	.01	.45		25
26	.04	.27	Nil	Nil	Nil	Nil	Nil	.15	.03	.08	Nil	.33		26
27	.01	.70	Nil	Nil	.04	Nil	Nil	.02	.08	Nil	.11	.34		27
28	Nil	.05	Nil	Nil	Nil	Nil	Nil	Nil	.04	.06	.01	.26		28
29	Nil		Nil	Nil	Nil	Nil	Nil	.05	.54	Nil	.02	.52		29
30	.10	×	Nil	.08	.08	Nil	Nil	1.31	.01	.13	.62	.53		30
31	Nil	×	Nil	×	Nil	×	Nil	Nil	×	.27	×	.64		31
TOTAL	1.05	5.36	.42	~~3.56~~ 3.55	1.83	~~2.63~~ 2.58	.81	5.05	4.99	4.08	7.25	4.04	Year's Total. 41.07	
* Days with .01 in. or more.	15	19	7	21	9	17	5	9	18	17	24	19	180	
* Days with .04 in. or more.	10	14	4	19	7	15	4	8	16	13	18	15	143	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Blanche M. Robins (Mrs)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rusthall Grange Rusthall

in the County of Kent Tunbridge Wells

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.34	.18	.01	.39	NIL	.20	.25	.09	NIL	NIL	.06	.12		1
2	NIL	.04	NIL	NIL	NIL	NIL	.09	.11	NIL	NIL	.03	NIL		2
3	NIL	NIL	NIL	.72	NIL	NIL	.02	NIL	.06	NIL	.27	NIL		3
4	.04	NIL	.12	NIL	NIL	.09	NIL	NIL	.50	NIL	.01	.04		4
5	.29	NIL	.02	NIL	NIL	NIL	NIL	.05	.11	.07	NIL	.10		5
6	.45	NIL	NIL	NIL	NIL	.04	NIL	.05	.28	.08	1.23	.04		6
7	.35	NIL	.03	NIL	NIL	NIL	NIL	NIL	.01	.01	.77	.01		7
8	.46	NIL	.24 ~~.24~~	NIL	NIL	NIL	.02	–	NIL	NIL	.80	.25		8
9	.57	NIL	.02	NIL	NIL	NIL	.30	.25	.13	.11	NIL	NIL		9
10	.05	NIL	NIL	NIL	NIL	NIL	.18	.24	.01	NIL	.01	NIL		10
11	NIL	NIL	NIL	.04	NIL	NIL	.25	NIL	NIL	NIL	.98	NIL		11
12	NIL	NIL	NIL	.03	NIL	.22	.27	.04	.54	.01	.40	.18		12
13	NIL	NIL	NIL	NIL	NIL	.08	.03	NIL	NIL	NIL	.02	.87		13
14	NIL	.06	NIL	NIL	NIL	.08	.70	NIL	NIL	.05	.15	.66		14
15	NIL	.08	NIL	NIL	NIL	NIL	.01	NIL	NIL	NIL	.05	.54		15
16	.24	.02	NIL	NIL	.13	NIL	NIL	NIL	NIL	NIL	.19	.14		16
17	.15	.66	NIL	NIL	.08	.17	NIL	.01	NIL	.02	.26	.60		17
18	.08	·14 ~~.14~~	NIL	NIL	NIL	NIL	.17	NIL	.01	NIL	.25	.16		18
19	.30	.06	NIL	NIL	NIL	.07	NIL	.07	NIL	.06	.03	NIL		19
20	.22	.05	NIL	.34	NIL	NIL	.01	NIL	.52	NIL	NIL	NIL		20
21	NIL	.07	NIL	.35	NIL	.33	.17	NIL	NIL	NIL	NIL	NIL		21
22	.09	.27	.11	NIL	.04	.13	.10	NIL	NIL	NIL	.01	.07		22
23	.04	.36	.02	.07	NIL	NIL	.43	NIL	NIL	.04	NIL	NIL		23
24	.03	.14	NIL	NIL	NIL	.59	.21	NIL	.02	.25	NIL	NIL		24
25	.16	NIL	.23	.14	NIL	.14	.05	NIL	.32	.15	.03	NIL		25
26	.01	14 ~~.14~~	.17	.03	NIL	.08	NIL	NIL	NIL	.37	NIL	NIL		26
27	.36	NIL	.09	NIL	NIL	NIL	.32	NIL	.34	.25	NIL	NIL		27
28	.63	NIL	.15	NIL	NIL	.20	.42	NIL	.05	NIL	NIL	.09		28
29	.02	.11	.08	NIL	NIL	.65	.01	NIL	NIL	.02	.07	.01		29
30	.15	✕	NIL	NIL	NIL	.38	NIL	NIL	NIL	.68	NIL	NIL		30
31	.24	✕	.19	✕	NIL	✕	.10	NIL	✕	.65	✕	.39		31
TOTAL	5.21	2·38 ~~2.28~~	1·48 ~~1.46~~	2.16	.25	3.45	3.81	.91	2.92	2.54	5.62	4.27	Year's Total 34.88	
* Days with .01 in. or more.	23	15	14	9	3	16	22	9	14	16	20	17	178	
* Days with .04 in. or more.	20	14	9	8	3	16	15	8	10	13	13	15	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B M S Robins [P.T.O.

Mrs

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rusthall Grange - Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.77	—	.01	.06	—	—	—	—	—	—	.72	.12		1
2	—	.66	—	.29	—	—	—	—	.09	.02	—	.81		2
3	.02	.15	—	—	—	—	—	—	—	—	—	—		3
4	.12	1.20	—	.11	—	—	—	—	.01	—	—	.65		4
5	.28	.07	.41	—	—	—	.20	—	—	.06	—	—		5
6	.07	.03	.64	—	.25	—	—	—	—	.05	—	—		6
7	—	.69	.06	.11	—	—	—	—	.01	.02	—	.04		7
8	—	.01	.11	—	.10	.09	—	—	—	—	.12	.65		8
9	.01	—	—	.35	.02	—	.05	—	.35	—	—	.05		9
10	—	—	.53	.20	.25	.44	.05	—	—	—	—	.74		10
11	—	—	.44	—	.07	—	.05	—	—	—	—	.10		11
12	.34	.24	.26	.20	.26	.30	.01	.53	.22	—	—	.35		12
13	.22	.03	.63	.06	—	.40	—	.03	—	—	—	.59		13
14	.02	.01	.24	—	.13	.05	—	—	.17	—	—	—		14
15	.22	.10	—	.19	—	—	.38	.85	.26	—	—	—		15
16	—	.05	.31	.27	—	.07	—	—	.34	—	—	—		16
17	.28	—	.05	.18	—	—	—	.36	.32	—	.12	—		17
18	.64	.13	—	.01	.68	.79	—	—	.09	—	.11	.06		18
19	.08	.06	.05	.16	—	.10	.08	—	.22	—	—	.15		19
20	.62	.40	.18	.25	.51	.06	—	—	.02	—	—	—		20
21	.64	—	.05	.11	.02	—	—	—	—	—	—	.03		21
22	.60	.02	—	—	.10	.09	.09	—	—	1.04	.23	.09		22
23	.14	—	—	—	—	—	.05	—	—	.34	—	—		23
24	.75	.17	.05	—	—	—	—	—	—	.35	—	—		24
25	.12	.60	.32	—	—	—	—	—	.11	.47	—	—		25
26	.01	.44	.02	—	—	—	—	—	—	.15	—	—		26
27	—	.10	—	.24	—	—	—	—	.02	.17	—	—		27
28	.11	.08	—	—	—	—	—	—	—	—	—	.03		28
29	.09		—	—	—	—	—	—	—	.25	.07	—		29
30	.35	✗	—	—	—	.09	—	.38	—	.10	.10	.03		30
31	.19	✗	—	✗	—	✗	—	—	✗	.30	✗	.08		31
TOTAL	6.89	5.24	4.36	2.79	2.39	2.48	.96	2.15	2.23	3.32	1.47	4.81	Year's Total 39.09	✓
* Days with .01 in. or more.	24	21	18	16	11	11	9	5	14	13	7	17	166	✓
* Days with .04 in. or more.	19	16	16	15	9	11	8	4	10	11	7	13	139	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Blanche M. Robins [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 329

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rusthall Grange, Rusthall

in the County of Kent (Tunbridge Wells)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 440 ft.

Rainday Ann. Total Corr. for Arith. 20.2.39 EMT.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	NIL	.02	NIL	.22	.24	.10	NIL	.25	.06	NIL	.09		1
2	.06	NIL	NIL	.05	.19	NIL	.15	NIL	NIL	.45	NIL	NIL		2
3	NIL	NIL	NIL	NIL	.22	.01	NIL	NIL	NIL	.99	.07	.01		3
4	.03	NIL	NIL	NIL	NIL	NIL	NIL	.10	NIL	.12	NIL	.19		4
5	NIL	NIL	.22	NIL	NIL	NIL	.56	NIL	NIL	.41	NIL	NIL		5
6	.06	NIL	NIL	NIL	NIL	NIL	.05	NIL	NIL	NIL	NIL	NIL		6
7	.03	NIL	NIL	NIL	NIL	NIL	.08	1.48	.03	.32	NIL	.10		7
8	.21	NIL	NIL	NIL	NIL	NIL	.23	NIL	NIL	.34	NIL	.06		8
9	.13	NIL	NIL	NIL	NIL	NIL	NIL	.07	NIL	.05	NIL	.70		9
10	.10	.09	NIL	NIL	NIL	.11	NIL	.15	NIL	NIL	NIL	.25		10
11	.21	.01	NIL	NIL	NIL	NIL	.02	NIL	NIL	NIL	.16	.34		11
12	.40	.09	NIL	NIL	NIL	NIL	NIL	.33	NIL	.07	.05	.01		12
13	.40	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.08	.21	.11		13
14	.34	.09	NIL	NIL	NIL	NIL	NIL	NIL	.02	NIL	NIL	NIL		14
15	.08	.15	NIL	NIL	.47	NIL	.17	NIL	NIL	.33	.02	.12		15
16	.56	NIL	.01	NIL	.05	NIL	NIL	.02	NIL	.05	NIL	.20		16
17	NIL	.13	NIL	NIL	.25	NIL	NIL	NIL	.04	.35	NIL	NIL		17
18	.07	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.16	.09	.62	NIL		18
19	NIL	NIL	NIL	NIL	.01	NIL	NIL	.05	.10	NIL	.20	NIL		19
20	NIL	NIL	NIL	NIL	.21	NIL	NIL	NIL	NIL	NIL	.43	NIL		20
21	.03	NIL	NIL	NIL	NIL	NIL	NIL	.02	NIL	NIL	.25	.23		21
22	NIL	NIL	NIL	.02	NIL	NIL	NIL	.02	NIL	NIL	NIL	.15		22
23	NIL	NIL	NIL	.03	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL		23
24	NIL	NIL	.24	NIL	NIL	.04	NIL	NIL	.20	NIL	.29	NIL		24
25	.12	NIL	.25	.38	.24	NIL	NIL	NIL	.10	.02	.57	NIL		25
26	.45	NIL	.08	NIL	NIL	NIL	NIL	.05	.24	.35	NIL	NIL		26
27	.06	.05	NIL	NIL	.30	NIL	.37	NIL	1.38	NIL	.32	.43		27
28	.05	.05	NIL	NIL	.33	NIL	NIL	.23	.20	NIL	NIL	NIL		28
29	.20		NIL	.03	.30	.11	NIL	NIL	NIL	NIL	.15	.22		29
30	.05		NIL	.38	.28	NIL	NIL	NIL	.05	NIL	.31	NIL		30
31	.29		NIL		.11		NIL	NIL		.38		.28		31
TOTAL	3.95	.66	.82	.83	3.18	.51	1.73	2.52	2.77	4.46	3.65	3.49	Year's Total 28.57	
* Days with .01 in. or more.	23	8	6	6	14	5	(11) 9	11	12	17	(20) ~~14~~	(23) ~~17~~	~~143~~	(154)
* Days with .04 in. or more.	19	7	4	3	13	4	(9) 8	8	10	16	(15) ~~13~~	(20) ~~15~~	~~120~~	(128)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

329/5

TUNBRIDGE WELLS

LANGTON GREEN

1931 - 1940

063402005

780107

329/5

Kent 14

FORM 1090.

B

*** The following register of r
&c., is NOT required if d
values are given on the ot

TUNBRIDGE WELLS (LA

RAINFALL IN 1

At Paveys Lan

In the County of Ke

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground* 1 *ft.*
- *Height of Ground above Sea Level* 420 *ft.*

ion.

section and also the space for

to this register should be sent:—

ey Bent

-45 am in Summer Time 9-45 am

Distance 2 miles Direction from gauge S.W.

Distance 1/2 mile Direction from gauge S.W.

nearest to gauge	ees	Fir & Oaks	—
Heights of objects	60 ft	about on	W.
Distances ..	14 yards	about "	"
Directions from gauge ..	South & West		

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.56	.58	23rd	21	13
FEB.	2.45	.53	11th	24	16
MAR.	.34	.14	22nd	8	2
APRIL	3.84	.85	24th	18	16
MAY	2.84	1.26	3rd	14	10
JUNE	1.57	.58	5th	14	10
JULY	2.52	.53	14th	19	13
AUG.	3.85	.54	18th	22	16
SEPT.	2.34	.67	2nd	15	11
OCT.	.73	.25	29th	15	4
NOV.	4.70	1.46	10th	21	11
DEC.	.75	.26	5th	11	6
Total	28.49			202	128

Signature L. M. Pott.

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Address card made out
station plotted

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

329/5

Kent/4

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

TUNBRIDGE WELLS (LANGTON GREEN)

RAINFALL IN 1931

At Paveys Langton Green

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* *in.*
- *Height of Ground above Sea Level* 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.56	.58	23rd	21	13
FEB.	2.45	.53	11th	24	16
MAR.	.34	.14	22nd	8	2
APRIL	3.84	.85	24th	18	16
MAY	2.84	1.26	3rd	14	10
JUNE	1.57	.58	5th	14	10
JULY	2.52	.53	14th	19	13
AUG.	3.85	.54	18th	22	16
SEPT.	2.34	.67	2nd	15	11
OCT.	.73	.25	29th	15	4
NOV.	4.70	1.46	10th	21	11
DEC.	.75	.26	5th	11	6
Total	28.49			202	128

Signature E. M. Pott.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Miss E. M. Pott
Paveys Langton Green Kent

Hour of observation by the clock—in Winter 9-45 am in Summer Time 9-45 am

Nearest Railway Station Groombridge Distance 2 miles Direction from gauge S.W.

Nearest Parish Church at Langton Green Distance 1/2 mile Direction from gauge S.W.

Nature of objects nearest to gauge	Trees	Fir & Oaks	—	
Heights of objects	60 ft	about	on	W.
Distances ..	14 yards	about	"	"
Directions from gauge ..	South & West	—		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Address card made out
Station plotted

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

329/5

FORM 1090.

B Monthly Summary.

₊ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Paveys Langton Green

In the County of Kent

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3.50	1.11	10th	19	17
FEB.	—·64	·16 Snow	9th	9	6
MAR.	1.95	·58	29th	11	10
APRIL	2.45	·23	16th	26	20
MAY	2.54	·44	1st	21	17
JUNE	(1.28) ~~[illegible]~~	·20	3rd	4	2
JULY	(2.92) ~~[illegible]~~	·99	1st	14	11
AUG.	·63	·26	29th	6	3
SEPT.	1.59	·48	22nd	16	13
OCT.	6.23	1.11	13th & 23rd	24	19
NOV.	1.49	·39	22nd	17	8
DEC.	·72	·18	2nd	17	6
Total	25.94 ✓			184	132

Signature Evelyn M. Pott

*See Instruction 2 (*f*) below.

C Particulars of Station.

329/5

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Miss E. M. Pott
Paveys Langton Green Tunbridge Wells

Hour of observation by the clock—in Winter 9-45 am in Summer Time 9-45

Nearest Railway Station Groombridge Distance 2 miles Direction from gauge S. W.

Nearest Parish Church at Langton Green Distance ½ mile Direction from gauge S. W.

Nature of objects nearest to gauge	Trees	Fir	& Oak	
Heights of objects	60 ft about	on W.		
Distances ..	14 yds	"	"	"
Directions from gauge ..	South	& West		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

June • July allocated

June 1932

M.O
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

329/5

FORM 1090. **B** Monthly Summary.

‚ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Paveys Lanfton Green

In the County of Kent

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* — *in.*
Height of Ground above Sea Level 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.28	—·41	15th	19	15
FEB.	2.29	—·64	26th	13	10
MAR.	3.63	—·92	16th	15	13
APRIL	—·82	—·26	25th	7	5
MAY	2.30	—·56	29th	16	13
JUNE	1.55	—·26	10th	11	9
JULY	2.15	—·43	8th	13	12
AUG.	1.11	—·34	21st	8	6
SEPT.	3.95	1.48	12th	12	11
OCT.	2.30	—·41	28th	23	14
NOV.	1.37	—·39	14th	17	7
DEC.	—·64	—·18	27th	5	5
Total	24.39			159	120

START HERE

Signature E. M. Pott

*See Instruction 2 (*f*) below.

C Particulars of Station. 329/5

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Miss E. M. Pott
Paveys Lanfton Green Nr Tunbridge Wells Kent

Hour of observation by the clock—in Winter 9-45am in Summer time 9-45am

Nearest Railway Station Groombridge Distance 2 miles Direction from gauge S.W

Nearest Parish Church at Lanfton Green Distance ½ mile Direction from gauge S.W

Nature of objects nearest to gauge	Trees	Fir	Oak	
Heights of objects	About	60 feet	on West	
Distances ..	"	14 yards	"	"
Directions from gauge ..	South	& West		

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193......

At Paveys Langton Green

In the County of Kent

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* – *in.*

Height of Ground above Sea Level.......*ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.10	1.05	11th	19	13
FEB.	–·22	–·15	28th	7	1
MAR.	3.47	–·55	14th	18	13
APRIL	2.81	–·45	18th	18	15
MAY	–·96	–·24	16th	7	7
JUNE	2.53	1.28	23rd	10	4
JULY	2.35	–·93	22nd	8	7
AUG.	1.64	–·61	28th	16	12
SEPT.	1.68	–·69	2nd	14	6
OCT.	2.19	–·49	2nd	18	11
NOV.	4.15	1.66	9th	19	10
DEC.	7.93	–·84	4th	30	23
Total	33.03			184	122

Signature E. M. Pott

*See Instruction 2 (*f*) below.

Station No. 329/5

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Miss E. M. Pott

Paveys Langton Green Tunbridge Wells

Hour of observation by the clock—in Winter 9.45 am in Summer time 9-45 am

Nearest Railway Station Groombridge Distance 2 miles Direction from gauge SW

Nearest Parish Church at Langton Green Distance ½ mile Direction from gauge SW

Nature of objects nearest to gauge	Trees	Fir	Oak	
Height of objects	about	60ft on	West	
Distances ..	14 yds	" "	"	
Directions from gauge ..	South West			

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

JAN 1935

(*c*) *On some measures there is graduation marked ·005: this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big|\Big\}\ \cdot14\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 329/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Parveys Langton Green

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.24	.03	.03	.13	—	.14	.03	—	.66	.13	.17	Trace		1
2	.10	—	.01	.05	—	.03	Trace	—	.05	.55	.10	—		2
3	.01	.06	.17	.02	—	.02	—	—	.35	1.00	.18	Trace		3
4	—	.04	—	.35	—	.25	—	—	.31	.30	.05	.12		4
5	Trace	.49	.06	.09	—	.10	—	—	.61	.17	.01	.02		5
6	.03	.04	.01	.23	—	.68	—	—	—	.01	.20	.02		6
7	.05	.03	.01	.25	—	.08	—	—	—	.01	1.32	.12		7
8	—	Trace	.04	.33	—	—	—	.03	—	.31	.57	.14		8
9	.02	—	Trace	.16	Trace	.14	—	—	Trace	.80	.19	Trace		9
10	.06	.01	.08	Trace	—	.06	—	—	—	.01	.45	.19		10
11	.08	Trace	—	.35	—	.09	Trace	—	—	.01	.42	.01		11
12	—	.04	.01	—	—	.33	.02	.88	.07	Trace	.86	—		12
13	.05	.20	—	.12	.04	.03	—	—	.01	.02	.12	.03		13
14	Trace	Trace	—	.08	.15	.09	—	—	.02	—	.03	.08		14
15	.01	.17	—	.59	.02	.81	—	—	.43	.03	.41	.07		15
16	Trace	.05	Trace	.22	—	.41	—	—	.34	—	1.06	.02		16
17	.03	—	.12	.06	.01	.21	Trace	Trace	.02	.05	.38	—		17
18	—	Trace	.01	.28	—	.09	.34	Trace	.44	—	.02	.02		18
19	—	.01	Trace	.03	.75	.02	.14	—	.05	Trace	.09	.01		19
20	Trace	.86	—	.06	.03	.10	.34	—	.04	—	.14	—		20
21	.03	.67	—	—	—	—	—	—	.02	.11	.04	—		21
22	.02	.87	Trace	Trace	—	—	—	.28	.32	.01	.01	—		22
23	.01	.01	.02	—	.02	—	—	.69	.01	—	.01	.07		23
24	.04	1.07	—	—	.43	—	—	1.39	.67	.03	—	.30		24
25	.04	.18	Trace	.14	.24	.15	—	—	Trace	Trace	.02	.48		25
26	.01	.27	Trace	—	—	—	—	.14	.05	.09	.02	.41		26
27	.01	.72	Trace	—	.12	—	Trace	—	.12	Trace	.10	.36		27
28	—	.06	—	—	.04	—	—	—	.04	.04	.01	.20		28
29	.01	×	—	—	—	—	—	.19	.56	—	Trace	.57		29
30	.09	×	—	.10	.11	—	—	1.24	.04	.10	.47	.56		30
31	Trace	×	—	×	—	×	—	Trace	×	.29	×	.68		31
TOTAL	.94	5.08	.57	3.54	1.96	3.63	.87	4.84	5.23	4.07	7.46	4.48	Year's Total. 42.06	
* Days with .01 in. or more.	20	21	12	20	12	20	5	8	23	21	28	22	212	
* Days with .04 in. or more.	9	16	5	17	8	15	3	7	18	13	20	15	146	

83
220
303

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. M. Pott

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 329/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Parveys Langton Green

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 420 ft. above

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.41	.17	.01	.26	—	.18	.28	.18	—	—	.06	.12		1
2	Trace	.04	—	Trace	—	.34	.09	—	—	—	.04	—		2
3	.01	Trace	Trace	.69	Trace	Trace	.03	Trace	.02	Trace	.27	—		3
4	.06	Trace	.10	—	—	.10	Trace	.07	.49	—	.01	.03		4
5	.28	Trace	.02	—	—	—	—	.05	.11	.06	.22	.04	Snow	5
6	.46	—	Trace	—	—	.03	Trace	Trace	.30	.09	1.40 1.49	.04		6
7	.37	—	.05	—	—	.06	.04	—	.02	.02	.77	.02		7
8	.46	—	.28	—	—	—	.04	—	Trace	.01	.67	.22		8
9	.55	—	.02	Trace	—	—	.34	.21	.14	.17	.01	.01		9
10	.04	—	—	—	—	Trace	.21	.24	—	—	Trace	—		10
11	—	—	—	.07	—	—	.28	Trace	.02	Trace	.98	.01		11
12	—	—	—	Snow .10	—	.19	.24	.06	.34	.31	.46	.18		12
13	—	—	—	Trace	—	.08	.07	Trace	—	.01	.01	.81		13
14	—	.06	Snow .02	—	—	.08	.71	—	Trace	.07	.13	.65		14
15	.61	.09	Trace	—	[illegible]	Trace	.02	—	—	.01	.04	.50		15
16	Snow .29	.06	Trace	—	.23	—	.02	—	.02	—	.16	.13		16
17	.14	.72	—	—	.14	.10	—	.02	.01	.02	.26	.41		17
18	.10	.16	—	—	—	.10	.14	—	Trace	.02	.24	.12		18
19	.30	.06	Trace	Trace	—	.05	Trace	.08	.01	.04	.05	Trace		19
20	.21	.08	Trace	.33	—	—	.01	—	.54	—	—	—		20
21	—	.09	—	.40	.01	.35	.19	—	Trace	—	.01	—		21
22	.13	.36	.12	—	.06	.15	.14	—	.01	—	.01	.06		22
23	.04	.26	.04	.08	—	—	.56	—	—	.06	—	—		23
24	.04	.12	—	Trace	—	1.38	.17	—	.04	.23	—	.02		24
25	.18	.01	.21	.14	—	.13	.13	—	.40	.13	.04	Trace		25
26	.01	.05	.19	.07	—	.09	Trace	—	.07	.09	.01	—		26
27	.38	.01	.05	.01	—	—	.02	—	.34	.26	—	—		27
28	.70	.01	.11	—	—	.25	.27	—	.09	Trace	.01	.09		28
29	.13	.04	.12	—	—	.27	.08	—	Trace	.05	.06	.02		29
30	.13		[illegible]	—	.02	.44	Trace	—	—	.63	—	.02		30
31	.24		.20		Trace		.06	—		.70		.27	Year's Total	31
TOTAL	5.57	2.39 ~~2.49~~	1.54	2.25	.46	4.37	4.14 ~~4.05~~	.91	2.97	2.68	5.92 ~~5.86~~	3.77	36.92	✓
* Days with .01 in. or more.	25	18	15	10	5	19	24	8	18	20	24	21	207	✓
* Days with .04 in. or more.	21	15	11	9	3	18	18	7	11	13	17	14	157	✓

92
400
100
597

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

114
302
4.14

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 329/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Parveys Langton Green
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.81	.01	.02	.08	—	—	Tr	—	—	Dew .01	.66	.38		1
2	Tr	.59	—	.27	—	—	—	—	.11	.02	.02	.75		2
3	.02	.16	—	Tr	—	—	—	—	.02	.02	Tr	.38		3
4	.12	1.12	—	.04	—	—	—	—	Dew .01	—	—	.22		4
5	.25	.10	Snow .34	—	.25	—	.20	—	—	.03	—	—		5
6	.05	.04	.79	Tr	Tr	—	—	—	.03	.06	.01	—		6
7	—	.71	.11	.11	—	—	—	—	—	.05	Tr	.05		7
8	.02	.01	.22	—	.05	.07	—	—	.34	.01	.14	.60		8
9	—	—	.01	.33	.13	.02	.07	—	—	Dew .01	—	.08		9
10	Tr	—	.55	.21	.37	.35	.12	—	Tr	—	—	.70		10
11	Tr	—	.42	—	.10	—	.04	—	.24	—	—	.13		11
12	.37	.23	.22	.03	.25	.29	Tr	.32	.23	—	—	.31		12
13	.22	.05	.61	.07	—	.29	—	.02	.12	—	—	.58		13
14	.03	.02	.06	.01	.14	.05	—	.50	.27	—	—	.02		14
15	.21	.10	.01	.20	Tr	.02	.36	—	.24	—	.02	—		15
16	.02	.03	.37	.23	—	.16	—	.35	.26	—	—	.03		16
17	.53	.02	.07	.09	—	Tr	—	—	.08	Dew .01	.13	—		17
18	.68	.10	.01	.01	.85	.62	—	—	.04	" .01	.13	.06		18
19	.09	.10	.04	.17	.01	.10	.11	—	.24	" .01	.01	.07		19
20	.67	.02	.15	.27	.46	.07	—	—	.04	" .01	—	.02		20
21	.64	.38	.03	.11	.03	—	.01	—	.02	.02	.02	.03		21
22	.62	.02	Tr	Tr	.15	05 ~~.08~~	.09	—	Dew .01	1.09	.26	.08		22
23	.18	—	—	—	—	—	.08	—	Tr	.35	.02	.02		23
24	.83	.21	.06	—	.02	—	—	—	.02	.37	—	Tr		24
25	.13	.69	Snow .32	—	.03	—	—	—	.12	.45	—	Tr		25
26	Tr	.46	.03	—	Tr	—	—	—	.01	.10	.02	—		26
27	—	.13	.01	.25	—	—	—	Tr	.03	.22	—	—		27
28	Snow .19	Snow .08	.01	.01	—	—	—	Tr	—	.03	—	.05		28
29	Snow .08	—	—	—	—	—	—	.02	Dew .01	.21	.07	.04		29
30	.35	☒	—	—	—	.05	—	.47	Tr	.04	.11	Tr		30
31	.19	☒	—	☒	—	☒	—	—	☒	.78	☒	.03		31
TOTAL	7.30	5.38	4.46	2.49	2.84	2.14	.98	1.68	2.49	3.91	1.62	4.63	Year's Total 39.92	✓ ✓
* Days with .01 in. or more.	24	24	23	18	14	13	9	6	22	23	14	22	212	✓ ✓
* Days with .04 in. or more.	20	17	15	14	10	11	7	4	13	11	7	16	125	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 329/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at PAVEYS LANGTON GREEN TUNBRIDGE WELLS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground LAWN Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·4	—	·3	·6	·31	·10	·24	—	·26	·10	·4	·9		1
2	·7	·1	Trace	—	·17	·36	·2	—	—	·44	—	—		2
3	Trace	Trace	—	—	·24	—	·14	—	—	·90	·6	—		3
4	·3	—	Trace	—	—	—	·79	·7	—	·14	—	·18		4
5	·1	—	—	—	—	—	·3	·1	—	·40	—	—		5
6	·5	—	—	—	—	·2	·6	—	·2	—	·2	·1		6
7	·3	—	—	—	—	—	·27	·80	—	·29	—	·7		7
8	·23	—	—	—	—	—	—	—	—	·28	·2	·7		8
9	·15	Trace	—	—	—	·1	—	·8	—	·6	—	·80		9
10	·13	·9	—	—	—	—	—	·10	—	—	—	25		10
11	·20	·1	—	—	—	·14	·2	—	—	—	·14	·33		11
12	·37	·3	—	—	—	—	—	·64	—	·4	·8	—		12
13	·37	·12	Trace	—	—	—	—	—	—	·9	22	·10		13
14	·37	·17	Trace	—	·43	—	—	—	·6	—	·2	·5		14
15	·7	·21	—	—	·2	—	·11	—	—	35	·3	·10		15
16	·47	·1	·2	—	·2	—	—	·2	—	·4	·4	·24		16
17	Trace	·15	·2	—	—	—	—	—	·6	·34	·7	—		17
18	·7	—	·1	—	·30	—	—	—	·8	·7	·49	—		18
19	—	·2	—	—	·2	—	—	·5	·6	—	·25	·12		19
20	—	Trace	—	—	—	—	—	—	·12	—	·41	·9		20
21	·3	—	—	—	·12	—	—	·1	·16	·2	·7	·6		21
22	·2	—	—	·1	—	·2	—	·4	—	—	·24	·8		22
23	—	·1	—	·3	—	—	—	—	—	—	—	—		23
24	—	·1	23	—	—	—	—	—	·17	—	·30	·7		24
25	·12	—	·26	·24	—	—	·2	·3	·10	·4	·50	·9		25
26	·39	·23	·7	·2	·18	·18	—	13	·27	·34	—	—		26
27	·7	·7	Trace	—	—	·7	·38	—	·95	·1	·30	·4		27
28	·5	·5	—	—	·33	—	—	·23	·13	—	—	·03		28
29	·20		—	·2	·25	·2	—	—	·2	—	·15	·21		29
30	·6	✕	—	·34	·32	·8	—	—	·14	·6	·32	—		30
31	·20	✕	—	✕	·19	✕	—	—	✕	·22	✕	·30		31
TOTAL	3·82	1·19	·64	·72	2·90	1·00	2·08	2·21	2·60	4·23	3·77	3·38	Year's Total	28·54 inches
* Days with .01 in. or more.	25	15	7	7	14	10	11	13	15	20	21	22	180	
* Days with .04 in. or more.	20	8	3	3	11	6	7	9	13	18	17	21	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Ada M. Pott

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 329/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at PAVEYS LANGTON GREEN TUN WELLS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground Lawn ,, Sea Level .... ft.

Dup

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·05	—	·41	—	·07	—	·23	—	—	·03		1
2	—	—	—	·15	·05	—	·02	·38	·07	·14	·01	—		2
3	·33	—	—	·41	—	—	—	·10	—	—	·18	·43		3
4	·06	·02 Dew	·35	·17	—	—	·07	1·05	—	·65	—	—		4
5	—	—	·03	·29	—	—	·12	·08	—	·11	·69	·04		5
6	·30	—	·01	—	—	—	·19	·04	—	—	·19	—		6
7	·05	·07	—	—	—	—	·05	·09	—	—	·18	·14		7
8	·03	·10	·13	—	—	—	·02	—	—	·69	·08	·54		8
9	·06	·06	—	—	—	—	—	·08	—	·45	·94	·28		9
10	·12	—	·32	—	—	·31	—	·16	·06	·12	·05	—		10
11	—	—	—	—	·03	·10	—	—	—	1·38	—	·02		11
12	—	—	—	—	·05	·01	—	—	·01	·12	·01	·06		12
13	—	—	·02	·01	—	—	—	—	—	1·48	—	·13		13
14	·62	—	·02	·01	·02	·02	·03	—	·02	·35	·46	—		14
15	·69	—	—	—	1·03	·04	—	—	·17	·88	·14	—		15
16	·28	—	·13	·05	·27	·15	·09	—	·07	—	·44	—		16
17	·33	·10	·03	—	·01	—	·01	—	·02	—	·07	—		17
18	·33	—	·01	—	—	·07	·04	—	·02	·13	·34	—		18
19	·21	·01	·02	—	—	—	·38	—	·01	·43	—	·03		19
20	·28	—	—	—	—	—	·36	·05	·04	—	—	·03		20
21	·10	—	·11	—	—	·11	·42	—	·09	·01	—	—		21
22	·25	·25	·09	—	—	·37	·05	—	·02	·01	·05	—		22
23	·03	—	—	·06	—	—	·07	·02	—	·13	·59	—		23
24	·17	·09	·09	·13	—	—	·39	·01	—	·13	·02	—		24
25	·71	·20	·12	·17	—	—	—	·05	—	—	·58	—		25
26	·05	—	—	—	—	—	—	—	·02	·12	·35	—		26
27	·03	·20	·09	·11	—	·01	—	—	—	·14	—	—		27
28	—	·55	·08	—	—	·05	—	·02	—	·10	·12	·15		28
29	—		—	·35	—	—	—	—	—	—	·04	—		29
30	—	✕	—	·59	—	—	·03	·25	—	·02	·16	—		30
31	—	✕	—	✕	—	✕	—	—	✕	·03	✕	—		31
TOTAL	5·05	1·65	1·40	2·50	1·87	1·26	2·41	2·38	·88	7·62	5·69	1·88	Year's Total 34·89	
* Days with .01 in. or more.	22 ~~4~~	11 ~~2~~	18 ~~7~~	13 ~~2~~	8 ~~3~~	11 ~~3~~	18 ~~5~~	~~3~~ 14	14 ~~7~~	22 ~~4~~	22 ~~3~~	12 ~~4~~	185	
* Days with .04 in. or more.	18	9	11	11	5	8	13	11	7	18	19	8	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Ada M. Pott (Miss)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 329/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at PAVEYS LANGTON GREEN TUN WELLS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground NORTH ,, Sea Level 325 ft.

Jan 6th + 26th est'd from nearby Stns.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—	—	·03	—		1
2	—	·02	—	—	—	—	—	—	—	·18	1·70	·03		2
3	—	·25	—	·07	—	—	—	—	—	·18		·08		3
4	—	·27	—	·11	—	—	—	—	—	·25	·03	·06		4
5	—	·02	—	·05	·08	—	·03	—	—	—	·85	·20		5
6	(·15)	·09	—	—	—	—	·28	—	—	·66	—	—		6
7	·27	·10	—	—	—	—	·09	—	—	—	—	—		7
8	—	—	—	—	—	—		—	—	·50	—	·29		8
9	—	—	—	—	—	—		—	—	·20	·43	·11		9
10	—	—	—	—	—	—	·40	—	·02	·13	·07	—		10
11	—	·02	—	·03	—	—	·24	—	—	—	1·14	—		11
12	—	·05	·56	—	—	—	·14	—	—	—	—	—		12
13	—	·04	·31	—	—	—	·03	—	·27	—	1·13	—		13
14	—	—	·35	·05	—	—	—	—	—	·5	—	—		14
15	—	—	·02	—	·18	—	1·06	—	·03	·10	·46	·33		15
16	·05	·25	—	·01	—	·05	·09	—	·17	·69	·75	·04		16
17	—	—	·54	—	—	—	·05	—	—	—	·08	—		17
18	·02	·21	·32	·45	—	—	·02	—	·26	·30	·21	·15		18
19	—	·18	·07	—	—	—	—	—	68	—	·26	·15		19
20	—	·03	·05	·05	—	—	·29	·03	·03	·09	·12	—		20
21	·04	—	—	—	·61	—	—	—	—	·05	·35	—		21
22	·07	—	·65	—	18	·09	—	—	·15	—	—	—		22
23	—	·22	—	·28		—	—	—	—	·02	·03	—		23
24	—	—	—	·39		—	·15	—	—	·03	—	—		24
25		—	·58	—		—	·09	—	—	·04	—	—		25
26	(·92) ~~·52~~	·29	·18	—	·31	—	·02	—	—	—	·02	—		26
27	·26	·40	—	1·06	·06	—	·04	—	—	—	—	—		27
28	·17	·07	—	·02	·10	—	—	—	—	—	—	—		28
29	·38	·23	·16	~~·25~~	·53	—	—	—	·03	—	—	·25		29
30	·03	✗	—	·25	—	—	—	—	·01	·21	—	·03		30
31	·06	✗	—	✗	—	✗	—	—	✗	66	✗	·10		31
TOTAL	2·42 ~~1·87~~	2·74	3·19	2·82	2·05	·14	3·02	·03	1·65	4·34	7·66	1·82	Year's Total —	31·~~39~~ 31·88
* Days with .01 in. or more.	124	18	12	13	8	2	16	1	10	18	18	13	140 1	
* Days with .04 in. or more.	109	14	11	10	8	2	12	0	5	16	14	11	11 3 2	

74
360
434

* See Instruction 3 (f) on other side.

[illegible]

† Spare column, no entries required.

(*Signed*) Ada. H. Pott

P.T.O.

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEORO

RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

330

193

FORM 1090.

REGISTER O 1931.

330

TUNBRIDGE WELLS

1931 - 1932

MWR 780107

Kept at Tunbridge Wells

(Old

for

in the County of Kent

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									.65				2
3					1·28								3
4													4
5						·54						·30	5
6													6
7													7
8													8
9													9
10											1·23		10
11		·56											11
12													12
13													13
14							·49						14
15													15
16													16
17													17
18								·46					18
19													19
20													20
21													21
22			·16										22
23	·67												23
24				·86									24
25													25
26													26
27													27
28													28
29										·26			29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.43	2.53	0.45	4.11	2·84	1·30	2.41	3·87	2.31	0.59	5·00	0.77	YEAR'S TOTAL 28·61
*Days with ·01 in. or more.	17	22	7	18	14	12	19	19	14	6	18	12	178
*Days with ·04 in. or more.	14	16	3	16	10	9	10	17	9	3	10	4	121
40-9999	61·7	64·3	11·4	104·4	72·1	33·0	61.2	98·3	58·7	15·0	127·0	19.6	726·4

(Signed).. [P.T.O.

*See Instruction 2 (*f*) on other side.

330

Section **A** **for the entry of Daily Observa** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

193

Kept at Tunbridge Wells

in the County of Kent (old site) for work

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·65				2
3					1·28								3
4													4
5						·54						·30	5
6													6
7													7
8													8
9													9
10											1·23		10
11		·56											11
12													12
13													13
14							·49						14
15													15
16													16
17													17
18								·46					18
19													19
20													20
21													21
22			·16										22
23	·67												23
24				·86									24
25													25
26													26
27													27
28													28
29										·26			29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·43	2·53	0·45	4·11	2·84	1·30	2·41	3·87	2·31	0·59	5·00	0·77	YEAR'S TOTAL 28·61
*Days with ·01 in. or more.	17	22	7	18	14	12	19	19	14	6	18	12	178
*Days with ·04 in. or more.	14	16	3	16	10	9	10	17	9	3	10	4	121
40-9999	61·7	64·3	11·4	104·4	72·1	33·0	61·2	98·3	58·7	15·0	127·0	19·6	726·4

(Signed)..

*See Instruction 2 (*f*) on other side.

[P.T.O.

330

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM No.

REGISTER OF RAINFALL IN 1932.

193

Kept at Tunbridge Wells (~~[illegible]~~)

in the County of Kent (Old Site) Calverley Park

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9		·18											9
10	·88												10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29			·48										29
30		×		Discontinued									30
31		×		×		×			×		×		31
TOTAL	3.43	0.63	1.86										YEAR'S TOTAL
*Days with ·01 in. or more.	17	7	11										
*Days with ·04 in. or more.	12	6	9										

40-9999 87.1 16.0 47.2

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

X TUNBRIDGE WELLS (CALVERLEY PA

063511002
330|1
TUNBRIDGE WELLS
-CALVERLEY PARK
1931-1940
MWR
780107

330/1

193

Section **A** **for the entry of Daily Observat**

AIR MINISTRY.—METEOROL

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF 1931.

Kept at Tunbridge Wells (New Bowl

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12	.01	.06		.10		.08	.16				1
2	.16	.06		.19	.08				.67			.02	2
3	.11	.01	.10	.15	1.29			.41	.61		.03	.25	3
4		.01					.02	.01	.04		.08	.01	4
5				.24		.53	.05	.17	.06			.30	5
6		.08		.05		.03		.22		.21	.62	.01	6
7		.01		.01	.04	.03		.20		.03	.44		7
8		.12	.01		.01	.14	.03	.04			.05	.06	8
9		.18		.02		.01					.71	.01	9
10		.15	.16			.11	.02	.14			1.26		10
11	.11	.58							.01		.71		11
12	.12	.01					.03	.03	.42				12
13	.06				.10		.03	.21					13
14	.01	.10				.06	.51	.43			.01		14
15	.01	.07		.19	.06		.36	.15			.03	.04	15
16	.01	.09		.17	.27	.02	.02	.06	.02				16
17	.15	.05		.35			.34	.24	.02	.02			17
18	.01	.14	.01	.37		.10	.06	.46		.02	.47		18
19	.04			.43			.13	.30	.15				19
20		.12		.09			.03	.34					20
21		.02			.43				.01		.01		21
22	.31		.16					.01	.08		.01		22
23	.74				.18	.10			.03		.27	.01	23
24			.01	.90	.01	.04	.09	.32					24
25				.43			.28				.01		25
26		.09		.27			.27				.32		26
27	.13	.30		.07	.15		.01				.01		27
28	.10	.23		.06					—	.03		.01	28
29	.07	X			.16		.12		—	.25	.01	.01	29
30	.05	✕			.03		.02	—					30
31	.32	✕		✕	.01	✕		.02	✕		✕		31
TOTAL	2.51	2.54	0.46	4.05	2.82	1.27	2.42	3.84	2.28	0.56	5.05	0.73	28.53
*Days with ·01 in. or more.	18	21	7	18	14	12	19	20	13	6	18	11	177
*Days with ·04 in. or more.	14	16	3	16	10	9	10	16	8	2	10	4	118
40-9999	63.8	64.5	11.7	102.9	71.6	32.3	61.5	97.3	57.9	14.2	128.3	183	124.5

1931

*See Instruction 2 (*f*) on other side.

(Signed) X Dr FC LINTON. X

[P.T.O.

TUNBRIDGE WELLS (CALVERLEY PK

330/1

Section **A** for the entry of Daily Observat

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLO AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

193

Kept at Tunbridge Wells
in the County of Kent (New Site Bowling Green)
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·12	·01	·06		·10		·08	·16				1
2	·16	·06		·19	·08				·67			·02	2
3	·11	·01	·10	·15	1·29			·41	·61		·03	·25	3
4		·01					·02	·01	·04		·08	·01	4
5				·24		·53	·05	·17	·06			·30	5
6		·08		·05		·03		·22		·21	·62	·01	6
7		·01		·01	·04	·03		·20		·03	·44		7
8		·12	·01		·01	·14	·03	·04			·05	·06	8
9		·18		·02		·01					·71	·01	9
10		·15	·16			·11	·02	·14			1·26		10
11	·11	·58							·01		·71		11
12	·12	·01					·03	·03	·42				12
13	·06				·10		·03	·21					13
14	·01	·10				·06	·51	·43			·01		14
15	·01	·07		·19	·06		·36	·15			·03	·04	15
16	·01	·09		·17	·27	·02	·02	·06	·02				16
17	·15	·05		·35			·34	·24	·02	·02			17
18	·01	·14	·01	·37		·10	·06	·46		·02	·47		18
19	·04			·43			·13	·30	·15				19
20		·12		·09			·03	·34					20
21		·02			·43				·01		·01		21
22	·31		·16					·01	·08		·01		22
23	·74				·18	·10			·03		·27	·01	23
24			·01	·90	·01	·04	·09	·32					24
25				·43			·28				·01		25
26		·09		·27			·27				·32		26
27	·13	·30		·07	·15		·01				·01		27
28	·10	·23		·06					—	·03		·01	28
29	·07	X			·16		·12		—	·25	·01	·01	29
30	·05	X			·03		·02	—					30
31	·32	X		X	·01	X		·02	X		X		31
TOTAL	2·51	2·54	0·46	4·05	2·82	1·27	2·42	3·84	2·28	0·56	5·05	0·73	28·53
*Days with ·01 in. or more.	18	21	7	18	14	12	19	20	13	6	18	11	177
*Days with ·04 in. or more.	14	16	3	16	10	9	10	16	8	2	10	4	118
40-9999	63·8	64·5	11·7	102·9	71·6	32·3	61·5	97·3	57·9	14·2	128·3	18·3	124·5

*See Instruction 2 (*f*) on other side.

(Signed) X Dr FC LINTON X

[P.T.O.

330/1

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM No.

REGISTER OF RAINFALL IN 1932.

193

Kept at Tunbridge Wells (M W R 1932)

in the County of Kent (New Site) Bowling Green

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		·06	·44		·02			·07	·04	·01	1
2	·01			·13	·11				·03	·01		·20	2
3				·03	·22	·23			·35	·02			3
4	·02					·12							4
5	·28	·01			·01		·15		·08				5
6	·58		·03	·19					·05				6
7	·03		·09	·02			·15		·02	·05		·03	7
8			·24	·02	·19				·15	·59			8
9	·34	·21		·17	·48								9
10	·91	·19		·25	·08					·07	·02		10
11	·32	·11	·10	·15	·01	·03			·01	·03	·01	·01	11
12	·43	·06								·25			12
13	·11			·12	·05					1·14		·01	13
14	·13			·15	·17					·04			14
15	·06			·12	·05					·09			15
16	·11			·24	·05								16
17				·08						·03			17
18	·01								·02		·08		18
19	·01				·01				·02	·25	·01		19
20				·04	·06		·04	·03		1·09	·20		20
21					·20					·30		·04	21
22	·03		·34	·02	·04		·07		·50	·28	·36		22
23		·06	·14	·17					·31	1·07	·02	·13	23
24		·05					·60		·49	·02	·01		24
25				·02			·58		·10	·36	·07		25
26				·10			·81	·23		·03	·02		26
27			·31	·13	·13	·01	·46			·36	·05	·04	27
28				·01	·04		·14			·19			28
29			·51		·02			·25	·10	·51			29
30		✕	·05	·03	·49	·99		·02	·09		·25	·06	30
31		✕	·03	✕		✕	·07		✕		✕	·04	31
TOTAL	3.50 ✓	0.71 ✓	1.84 ✓	2.25 ✓	2.85 ✓	1.38 ✓	3.09 ✓	0.53 ✓	2.32 ✓	6.85 ✓	1.14	0.57 ✓	YEAR'S TOTAL 27.03
*Days with ·01 in. or more.	17	8	10	22	20	5	11	4	15	23	13	10	158/158
*Days with ·04 in. or more.	11	6	8	15	16	3	10	2	10	17	7	6	111/111
	88·9	18.0	46.7	57.1	72.4	35.1	78.5	13.5	58.9	174.0	29.0	14.5	

40-9999

*See Instruction 2 (*f*) on other side

(Signed)........................ [P.T.O.

330/1

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

" Ground " Sea Level 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·39	·13							·04	·02		1
2	0·40		·61	—	·09					·01			2
3	·14	·13	·47							·01			3
4	·16	·01	·02	—	·16								4
5	·22		·42	—	·13								5
6		·16	·08	—	·39					·02	·11		6
7	·31	·04	·02	—	·12					·48		·01	7
8	·08			—	·05		·37			·01			8
9				—	·06		·10			·07	·14		9
10		·25				·04	·07			·25	·01		10
11	·08			—	·03	·01	·03	·07	·10	·03	·02		11
12				·02		·19	·14		1·41				12
13	·03				·06		·29	·04	·23	·12	·14		13
14					·01		·06			·32	·35		14
15	·37		·17				·23	·27		·03	·01		15
16	·04		·97			·15	·08						16
17			·27			·02		·07	·11		·04		17
18	·02		·07			·29					·01		18
19		·01	·06	·02		·20		·01	·07				19
20		·03	·04	·13		·17	·01		·13		·01		20
21		·05						·21	·22				21
22		·01						·18	·07				22
23				·18	·44				·51	·05			23
24		·44		·11	·02	·04			·33		·02		24
25		·16		23					·01		·18	·05	25
26		·65		·03	·02	·01			·04	·03	·20	·11	26
27					·05				·01	·21		·18	27
28							·45			·42		·22	28
29	·03	×			·56		·06			·08			29
30	·07	×	·05				·05		·16	·02		·05	30
31	·13	×		×		×		·06	×		×		31
TOTAL	2·12	2·33	3·38	0·72	2·19	1·12	1·94	0·91	3·40	2·20	1·26	0·62	YEAR'S TOTAL 22·19
*Days with ·01 in. or more.	15	13	14	7	15	10	13	8	14	13	14	6	147
*Days with ·04 in. or more.	12	9	12	4	11	7	11	5	12	10	7	5	107
40-9999	53·8		85·9	18·3		28·4	49·3		86·4				

D

*See Instruction 2 (*f*) on other side.

(Signed) .... P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 330/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ~~355~~ ~~351~~ ft.

1928 Catechism mark

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01					·01		·14		·16		·20		1
2	·04		·19						·73	·47		·30		2
3	·02	·02		·15				·01		·39		·13		3
4	·19		·06		·05					·33	·07	·85		4
5			·03		·04			·02			·05	·35		5
6	·01		·30		·20	·17		·10		·19	·03	·48		6
7	·04									·09		·23		7
8				·08	·17			·02			1·27			8
9	·01		·03								1·31	·28		9
10			·31	·27				·12		·01	·29			10
11	·99		·49	·05			·25	·07				·27		11
12	·10		·22				·03	·10				·17		12
13	·64		·45	·07			·08	·09			·03	·04		13
14	·28	–	·57	·06						·04	·45	·62		14
15					·04						·15	·58		15
16	·19		·37	·02	·24				·02	·04		·05		16
17	·11		·29	·04	·14					·04		·30		17
18	·21		·02	·69			·24				·05	·35		18
19			·35	·02		·01			·20	·02		·21		19
20			·06				·05							20
21			·01	·17		·12				·12				21
22							·18	·09	·20			·11		22
23				·35		·87		·22		·04		·08		23
24		·01		·26		·06	·38	·14	·12					24
25	·10			·17						·02		·40		25
26	·06			·13		·08			·06			·03		26
27	·01			·27								·34		27
28		·12		·19		·06		·60				·20		28
29		×						·03	·18					29
30	·10	×						·02				·38		30
31	·02	×		×		×			×	·13	×	·10		31
TOTAL	3·13	0·15	3·75	2·99	0·88	1·38	1·21	1·77	1·51	2·09	3·70	7·05	Year's Total 29·61	
*Days with ·01 in. or more.	19	3	16	17	7	8	7	15	7	15	10	25	149	
*Days with ·04 in. or more.	13	1	12	15	7	6	6	10	6	12	8	24	120	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ......

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 330/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·02	·02	·02		·06	·05		·38	·11	·21			1
2	·12			·05		·02			·01	·42	·09			2
3		·02	·15	·03					·21	1·04	·17			3
4		·02		·34		·20			·24	·38		·11		4
5		·58	·04	·08		·02			·66	·18		·01		5
6	·04	·03		·22		·61				·01	·19			6
7	·03	·02		·25		·01					1·07	·09		7
8			·03	·30				·09		·29	·57	·08		8
9				·16		·13				·99	·21	·02		9
10	·04	·01	·06			·05					·14	·09		10
11	·08			·08		·12					·38			11
12		·02				·27		·62	·04		·91			12
13	·08	·21		·13	·04	·02					·19	·01		13
14				·05	·18	·08						·06		14
15		·15		·57					·37		·28	·07		15
16		·06		·17		·23			·43	·01	1·22	·01		16
17	·04		·06	·03	·01	·19	·04				·50			17
18				·31	·01	·08	·20		·45	·06				18
19				·02	·65	·01	·07		·05		·09			19
20		1·07		·01	·01	·06	·36		·02		·14			20
21	·02	·54		·01						·10	·02			21
22		·11						·42	·09					22
23			·01		·03			1·13				·05		23
24	·04	1·33			·44			1·01	·69	·03		·28		24
25	·11	·19		·13	·18	·09					·01	·49		25
26	·02	·18						·13	·03	·07	·01	·41		26
27	·02	·87			·02			·02	·09		·09	·28		27
28		·05			·01			·01	·03	·05		·22		28
29		X						·02	·57			·50		29
30	·10	X		·06	·07			1·23		·09	·65	·44		30
31		X		X	·01	X			X	·28	X	·65		31
TOTAL	0·94	5·48	0·37	3.02	1.66	2.25	0·72	4·68	4·36	4·11	7·14	3·87	Year's Total 38·60	
*Days with ·01 in. or more.	14	19	7	21	13	18	5	10	17	16	21	19	180	
*Days with ·04 in. or more.	10	12	4	15	6	13	5	7	13	13	18	15	131	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 338/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

193

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·16		·41		·15	·18	·09			·06	·11		1
2		·01	·01			·20	·06	·06						2
3				·72		·01	·01		·04		·28			3
4	·02		·10			·07			·39			·01		4
5	·22		·01	·01				·02	·06	·06	·17	·03		5
6	·46					·02		·02	·26	·08	1·05	·08		6
7	·43		·05			·02	·01		·01		·76	·01		7
8	·38		·15				·02				·79	·22		8
9	·45		·02				·24	·36	·09	·09				9
10	·04						·21	·28	·02					10
11				·02			·23				·89			11
12				·01		·25	·22	·02	·35	·01	·46	·14		12
13						·07	·01					·74		13
14		·05				·06	·72			·03	·14	·74		14
15		·04					·03				·02	·56		15
16	·26	·05			·06						·16	·10		16
17	·13	·76			·06	·24		·01		·01	·23	·61		17
18	·08	·16					·19			·01	·26	·16		18
19	·27	·05				·12		·05		·04	·03			19
20	·27	·03		·34					·73					20
21		·04		·39		·32	·11							21
22	·08	·40	·10		·03	·05	·07					·06		22
23	·03	·24	·02	·06			·40			·01				23
24	·04	·11				·11	·24		·02	·24				24
25	·13		·23	·11		·13	·04		·32	·05	·01			25
26		·14	·19	·04		·07			·05	·13				26
27	·30		·04				·07		·23	·10				27
28	·65		·04			·17	·28		·04			·08		28
29	·03	·08	·16			·94	·07			·03	·06	·01		29
30	·15	×			·01	·26				·30				30
31	·25	×	·17	×		×	·08		×	·99	×	·26		31
													Year's Total.	
TOTAL	5·15	2·32	1·29	2·11	0·16	3·26	3·49	0·91	2·61	2·18	5·37	3·92	32·77	✓
* Days with .01 in. or more.	22	15	14	10	4	19	22	9	14	16	16	17	178	✓
* Days with .04 in. or more.	19	13	10	7	2	16	17	5	11	10	13	15	136	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 193 330/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Tunbridge Wells (Calverley OK)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·80			·05			·01				·53	·35		1
2		·68		·25					·02			·80		2
3	·01	·14	·01							·01		·46		3
4	·11	1·10		·04								·22		4
5	·23	·08	·34				·19			·11				5
6	·04	·01	·82		·23					·05	·01			6
7		·71	·08	·10					·03	·03		·02		7
8			·25		·03	·08					·09	·58		8
9				·33	·12	·01	·03		·30			·04		9
10			·53	·20	·23	·49	·05					·71		10
11			·39		·04		·02					·14		11
12	·34	·26	·17	·02	·25	·29		·42	·22			·25		12
13	·21	·03	·63	·04		·43		·11	·06			·71		13
14	·02		·08		·13	·04		·84	·10			·05		14
15	·22	·10		·19			·24		·54					15
16	·01	·05	·31	·23		·05		·35	·22					16
17	·42		·06	·05		·04			·29		·15			17
18	·60	·06		·01	·55	·77			·10		·08	·02		18
19	·06	·09	·05	·14		·09	·02		·13			·10		19
20	·62		·19	·24	·51	·09			·01			·01		20
21	·66	·38	·06	·09	·01			·03				·02		21
22	·58	·02			·09	·06	·08			·96	·15	·08		22
23	·14						·05			·37	·01			23
24	·74	·12	·05		·01					·34				24
25	·12	·48	·31						·14	·42				25
26		·41	·01							·16				26
27		·05		·26					·01	·17				27
28	·14	·04								·02		·02		28
29	·06	X								·37	·05	·03		29
30	·24	✕				·08		·21		·04	·09			30
31	·18	✕		✕		✕			✕	·21	✕	·01		31
TOTAL	6·55	4·81	4·34	2·24	2·20	2·52	·69	1·96	2·17	3·26	1·16	4·62	Year's Total 36·52	
* Days with .01 in. or more.	23	19	18	16	12	13	9	6	14	14	9	20	173	
* Days with .04 in. or more.	20	16	16	14	9	12	5	5	10	11	7	13	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

193

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 330/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Tunbridge Wells (Calverly Park)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·01		·19	·13	12		·20	·02	·03	·05		1
2	·03			·04	·18		·11			·37		·01		2
3					·22		·03			·97	·05			3
4	·01					·02	·13	·09		·12		·15		4
5							·23			·38		·01		5
6	·03						·09	·02	·02					6
7	·01						·04	·60		·28		·06		7
8	·23						·18	·01		·23	·01	·03		8
9	·16							·06		·06		·64		9
10	·08	·11				·11		·06				·31		10
11	·18										·12	·34		11
12	·40						·02	·48		·04	·07			12
13	·34	·04								·06	·14	·07		13
14	·28	·17			·45				·02			·04		14
15	·04	·19			·01		·15			·31	·02	·08		15
16	·58		·01		·04			·01		·03	·01	·23		16
17		·14			·30				·01	·33	·06			17
18	·06				·02				·20	·06	·54			18
19								·04	·07		·20	·16		19
20					·09				·07		·44	·14		20
21	·02			·01				·02	·09		·09	·17		21
22				·01		·03		·01			·26	·13		22
23				·03								·01		23
24			·15						·08		·32	·13		24
25	·11		40	·33	·17		·02		·12	·02	·51	·04		25
26	·44	·19	·06					·01	·21	·32		·31		26
27	·04	·04			·25	·17	·35		1·55		·31			27
28	·02	·04			·31	·12		·22	·12					28
29	·19	X		·02	·25						·10	·19		29
30	·04	×		·36	·46	·01			·08	·02	·32			30
31	·26	×		×	·09	×			×	·22	×	·28		31
TOTAL	3·56	·92	·63	·80	3·03	·59	1·47	1·63	2·84	3·84	3·60	3·58	Year's Total 26·49	
* Days with .01 in. or more.	23	8	5	7	15	7	12	13	14	18	19	23	164	
* Days with .04 in. or more.	16	8	3	3	13	4	9	7	11	14	15	19	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. ~~193~~ 330/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tunbridge Wells (Calverley Park)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·04	·10	·39							·03		1
2				·02	·02			·44	·14	·18				2
3	·31			·30				·35			·17	·55		3
4	·13		·33	·24			·08	·90		·55	·17			4
5			·01	·26	·02		·25	·11		·14	·58	·02		5
6	·27	·01	·03				·17	·07			·17			6
7	·03	·05					·04	·04		·15	·14	·11		7
8		·09	·12							·49	·09	·66		8
9	·07	·04						·09		·49	1·02	·36		9
10	·12					·34		·14	·06	·07	·01			10
11		·01	·28		·03	·11			·01	1·78		·01		11
12										·19		·07		12
13			·01	·01						1·64		·14		13
14	·63		·01	·04	·01	·03	·04		·04	·29	·48			14
15	·74				1·16	·03	·01		·25	·65	·22			15
16	·35		·12	·06	·19	·11	·11		·03		·36			16
17	·31	·07	·02	·04	·02						·04			17
18	·28		·03			·06	·27		·01	·12	·32			18
19	·19						·28		·01	·42		·04		19
20	·25						·23	·06	·05			·05		20
21	·04		·09			·06	·49		·20					21
22	·25	·22	·05	·01		·36	·04		·02		·02			22
23	·03			·09			·07	·02		·10	·52			23
24	·19	·07	·04	·08			·02			·14	·01			24
25	1·22	·18	·09	·46			·48				·60	·01		25
26	·05		·01			·01			·03	·17	·27	·05		26
27	·02	·21	·06	·14		·01				·15	·33			27
28		·53	·04			·04				·09	·07	·09		28
29		X		·37							·03			29
30		✕		·65		·01		·02		·01	·17			30
31		✕		✕		✕	·03	·14	✕	·01	✕			31
													Year's Total	
TOTAL	5·49	1·48	1·38	2·87	1·84	1·17	2·61	2·38	·85	7·83	5·79	2·19	35·88	
* Days with .01 in. or more.	21	11	18	16	8	12	16	12	12	21	22	14	183	
* Days with .04 in. or more.	17	9	11	13	3	7	13	10	6	19	18	10	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………………………………… [P.T.O.

193

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 330/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940

Kept at Tunbridge Wells (Calverley Park)
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04			·01						·02			1
2		·02		·05						·16	·53	·01		2
3		·26		·10		–	·14			·19	1·16	·06		3
4		·11		·04						·25	·06	·06		4
5	·01				·01					·02	·80	·21		5
6	·12	·11				–	·23			·57				6
7	·25	·14				–	·07							7
8				·01		–	·01		·04	·53	·04	·27		8
9				·01				·01		·20	·42	·15		9
10						–	·32	·03		·21	·03			10
11				·02		–	·28				1·21			11
12		·07	·23			–	·08		·18		·01			12
13		·03	67			02	·02		·08		1·06			13
14		·01	·52	·05						·02		·33		14
15			·03		·16	–	·70		·02	·04	·56			15
16	·08	·30	·23	·01		·10	·08		·16	·83	·87	·07		16
17			·21				·06				·06			17
18	·03	·19	·32	·47			·07		·18	·32	·18	·04		18
19		·17	·05				·19		·58		·31	·13		19
20		·01	·06	·03				·02	·07	·08	·10			20
21	·04				·56		·34	·01		·02	·44			21
22	·03		·03		·12	·13			·12					22
23		·22	·04	·27							·01	·03		23
24				·31			·13			·03				24
25			·66		·01		·14			·03				25
26	87	·27	·20		·25		·04			·07				26
27	·43	·43		·18			·19							27
28	·25	·06		·01	·03									28
29	·29	·15	·15		·18				·01			·20		29
30	·07			·31						·18		·01		30
31										·67		·12		31
TOTAL	2·47	2·64	3·40	1·87	1·33	·25	3·09	·07	1·44	4·42	7·87	1·69	Year's Total 80·54	
* Days with .01 in. or more.	12	18	14	15	9	3	18	4	10	19	19	14	155	
* Days with .04 in. or more.	9	14	12	9	5	2	16	0	8	14	15	11	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
L ORGANIZATION.

331

FORM 1090.

REGIST

331
TUNBRIDGE WELLS
THE WHITE HOUSE
1931 - 1940

063402004

480104

Kept at The White House
in the County of Kent

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to … *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·10	·03	·08		·03			·06	·02			1
2	·15	·07		·22	·03			·10	·80	·03			2
3	·14	·02		·18	1·27			·31	·55		·05	·25	3
4			·10^{5}	·01			·04	·03	·10	·09			4
5				·25		·50	·04	·19	·09	·22		1·25	5
6		·10		·05		·05					·82	·04	6
7		·02			·05	·06		·38		·03	·40		7
8		·12			·03	·15	·04	·07			·08	·08	8
9		·11		·03		·03					·70	·03	9
10		·17	·05^{5}			·14		·15			1·35		10
11	·11	·54	·10^{5}								·54		11
12	·10	·06					·10	·05	·49		·02		12
13	·06						·02	·19					13
14		·10			·18	·06	·45	·41			·01		14
15	·03	·08		·19			·40	·16			·04	·05	15
16	·19	·12		·20	·31	·03	·04	·17					16
17		·06		·30	·01	·01	·33	·21		·06	·43		17
18	·03	·17	·03	·49		·11	·09	·49	·08	·04			18
19	·05			·09		·02	·11	·40	·16				19
20		·15					·05	·28			·05		20
21		·03			·42			·01			·03		21
22	·25		·16		·02				·02		·25		22
23	·66				·15	·10			·10			·04	23
24			·03	·70	·02	·06	·05	·40	·06				24
25	·02			·53			·32		·01		·05		25
26		·10		·32			·26				·27		26
27	·12	·30		·07	·16						·03		27
28	·13	·26		·07									28
29	·09				·12		·11			·32			29
30	·02	×			·04		·04	·05			·05		30
31	·30	×		×	·01	×			×		×		31
TOTAL	2·45	2·68	·50	3·78	2·77	1·35	2·57	4·05	2·52	·76	5·17	1·74	YEAR'S TOTAL 30.28
*Days with ·01 in. or more.	17	20	7	17	15	14	17	19	12	8	18	7	171
*Days with ·04 in. or more.	13	17	4	15	9	9	16	17	10	5	14	6	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

1-0015/27 331

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The White House Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·10	·03	·08		·03			·06	·02			1
2	·15	·07		·22	·03			·10	·80	·03			2
3	·14	·02		·18	1·29			·31	·55		·05	·25	3
4			·10^{5}	·01			·04	·03	·10	·09			4
5				·25		·50	·04	·19	·09	·22		1·25	5
6		·10		·05		·05					·82	·04	6
7		·02			·05	·06		·38		·03	·40		7
8		·12			·03	·15	·04	·07			·08	·08	8
9		·11		·03		·03					·70	·03	9
10		·17	·05^{5}			·14		·15			1·35		10
11	·11	·54	·10^{5}								·54		11
12	·10	·06					·10	·05	·49		·02		12
13	·06						·02	·19					13
14		·10			·18	·06	·45	·41			·01		14
15	·03	·08		·19			·40	·16			·04	·05	15
16	·19	·12		·20	·31	·03	·04	·17					16
17		·06		·30	·01	·01	·33	·21		·06	·43		17
18	·03	·17	·03	·49		·11	·09	·49	·08	·04			18
19	·05			·09		·02	·11	·40	·16				19
20		·15					·05	·28			·05		20
21		·03			·42			·01			·03		21
22	·25		·16		·02				·02		·25		22
23	·66				·15	·10			·10			·04	23
24			·03	·70	·02	·06	·05	·40	·06				24
25	·02			·53			·32		·01		·05		25
26		·10		·32			·26				·27		26
27	·12	·30		·07	·16						·03		27
28	·13	·26		·07									28
29	·09				·12		·11			·32			29
30	·02	×			·04		·04	·05			·05		30
31	·30	×		×	·01	×			×		×		31
TOTAL	2·45	2·68	·50	3·78	2·77	1·35	2·57	4·05	2·52	·76	5·17	1·74	YEAR'S TOTAL 30·28
*Days with ·01 in. or more.	17	20	7	17	15	14	17	19	12	8	18	7	171
*Days with ·04 in. or more.	13	17	4	15	9	9	16	17	10	5	14	6	135

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

331

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The White House
in the County of Tunbridge Wells
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 350 ft.

Form 1115

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.05		.10	.42		.05			.11	.06		1
2				.15	.15			~~.04~~	.04	.03		.20	2
3				.05	.25	.24		~~.48~~	.48	.04			3
4					.04	.16	.20				.03		4
5			.03			.02		~~.10~~	.10				5
6	.84		.03	.25				~~.06~~	.06				6
7	.06		.11	.04			.15	~~.16~~	.16	.06		.05	7
8			.26	.06	.21					.59			8
9	.40	.12^5		.13	.56								9
10	.82	.15^5		.30	.10					.07			10
11	.26	.16^5	.10^5	.14	.02	.04			.05		.06		11
12	.39	.70								.23			12
13	.10	.12^5		.10	.06				.02	1.15		.03	13
14	.12			.15	.19					.09			14
15	.05			.16	.06					.10			15
16	.11			.22	.07							.02	16
17	.03			.10			.02			.05			17
18					.03		.02		.05		.10		18
19										.25	.04		19
20					.07		.06	.03	.04	1.12	.20		20
21				.09	.20					.32		.06	21
22			.32	.16	.07		.09	.02	.44	.30			22
23	.04	.09	.16		.02				.41	1.06	.35	.19	23
24							.50		.30	.05	.05		24
25		.06		.05			.58		.13	.35	.02		25
26				.07			.45	.47		.07	.07	.07	26
27			.32	.19	.15		.35			.32			27
28			.04	.05	.05				.01	.21			28
29			.54		.06		.20	.28	.12	.50		.03	29
30		×	.05	.05	.26	.89		.03	.10	.02	.35	.07	30
31		×		×		×	.09		×		×	.07	31
TOTAL	3.37	1.45	1.96	2.61	3.04	1.35	2.76	.83	2.57	~~7.09~~ 7.09	1.33	.79	YEAR'S TOTAL 29.09
*Days with ·01 in. or more.	13	8	11	21	21	5	13	5	16	23	11	10	157
*Days with .04 in. or more.	12	8	9	21	18	4	11	2	14	21	9	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. M. Robins

P.T.O.

331

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~331~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at White House, Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 3·5 in.

Height of top of Gauge above Ground 1·0 ft 3 in.

,, Ground ,, Sea Level 300 ft.

261
246
3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·35	·15							·01				1
2	·40		·57		·11					·04				2
3	·11	·15	·41							·01				3
4	·15	·03	·05		·10									4
5	·25		·37		·24									5
6		·15	·11		·40					·06	·11			6
7	·29	·07			·39							·04		7
8	·12				·06		·40			·50				8
9					·07		·06			·03	·17			9
10		·32			·02	·07	·10			·22	·03			10
11	·14				·05	·03	·05	·15	·12	·04	·03			11
12						·20	·20		1·36					12
13	·06			·03	·07		·33	·05	·40	·10	·15			13
14					·03		·07	·22	·08	·30	·38			14
15	·35		·15				·31			·05				15
16	·07		·93			·18	·10							16
17			·26			·07		·08	·16		·06			17
18			·06			·29								18
19			·15			·20		·02	·20		·03			19
20		·07		·15		·19	·03	·01	·13		·02			20
21		·04 S						·26	·28					21
22		S						·20	·07	·02				22
23		·42		·11	·28				·38					23
24		·25		·18		·07			·32					24
25		·65		·23	·24				·05		·25	·05		25
26				·05	·03	·04				·09	·19	·11		26
27					·05					·25		·20		27
28							·30			·05		·22		28
29	·06				·67		·32			·45				29
30	·09	×	·08	·03			·05		·17	·05		·05		30
31	·11	×	·02	×		×		·07	×	·04	×			31
TOTAL	2·26	2·55	3·36	·78	2·61	1·34	2·32	1·09	3·69	2·30	~~1·41~~ 1·42	0·70	Year's Total 24·40	
*Days with ·01 in. or more.	14	11	13	7	16	10	13	9	13	18	11	6	141	
*Days with .04 in. or more.	14	10	12	5	13	10	12	7	13	14	4	6	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. M. Robins

[P.T.O.

form 331
1115

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The White House Tunbridge Wells
in the County of Kent
Diameter of Funnel of Gauge 3.5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 300 ft.

2.35
2.29
6

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.20					.19		.18		.20		1
2	.06	.03				.02			.70	.51 ~~.37~~		.30		2
3	.03	.02		.15				.01		.41		.12		3
4	.17		.05		.03					.27		.85		4
5	.03							.03	.02		.12	.42		5
6			.32		.25	.20		.12		.21	.05	.50		6
7								.02		.12		.25		7
8				.06	.19			.04			1.03			8
9			.06								1.40	.32		9
10			.26	.25			.05	.16		.03	.36	29		10
11	.93		.45					.09			.05			11
12			.21				.26	.10				.13		12
13	.73		.31				.15	.09				.04		13
14	.28		.50							.08	.45	.52		14
15					.02				.01		.20	.41		15
16	.16		.35		.30					.04		.05		16
17	.10		.25	.03	.19							.40		17
18	.19			.73			.29			.05	.06	.38		18
19			.36						.25	.03		.26		19
20			.08			.03	.10		.01			.02		20
21			.03	.17			.30	.01		.11				21
22						.13	.04	.10	.20	[illegible]		.12		22
23				.33		1.05	.45	.04		.05		.11		23
24		.05		.41		.07		.03	.15					24
25	.12			.16						.08 ~~.09~~		.45		25
26	.07			.15		.10			.10			.06		26
27				.22		.02		.55	See T. Wells			.30		27
28		.23^5		.25		.15	.02	~~.55~~				.30		28
29							.02	.02	.11					29
30	.12	×						.01	.06			.32		30
31	.03	×		×		×			×	.11	×	.19		31
TOTAL	3.04	.33	3.43	2.91	.98	1.77	1.68	1.~~9~~1 6	1.61	2.28 ~~2.29~~	3.72	7.39	Year's Total. 30.~~98~~ 76	
* Days with .01 in. or more.	15	4	12	12	6	9	10	14	10	15	9	26	147	
* Days with .04 in. or more.	11	2	12	11	4	6	8	10	7	12	9	23	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. McRobies

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. ✓

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The White House Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.04	.02			.07	.05		.38	.26	.17	.01		1
2	.17			.12						.39	.12			2
3	.01		.15	.05		.03			.25	.90	.20	.01		3
4				.35		.15			.61	.30		.13		4
5			.07	.14		.15			.68	.21		.02		5
6		.01		.25		.56				.01	.22			6
7	.08	.07		.25		.11				Trace	1.25	.17		7
8		.55	s .06	.25				.10		.29	.05	.10		8
9	.01	.03				.15				.90	.23			9
10	.05	s .03	s .07			.11					.20	.19		10
11	.10	.06	.16	.35		.09				Trace	.35			11
12		.05				.29			.06		.90			12
13	.10	.20		.15		.05		.78			.19			13
14				.14		.12			.02		.02	.10		14
15		.15		.55	.26	.02			.40		.35	.08		15
16		.11		.15		.48			.50	.04	1.15	.03		16
17			.11	.07		.03			.01	.05	.60			17
18	.05			.30		.06	.23		.41	.10	.03			18
19				.05	.05	.03	.12		.06		.10			19
20		1.00		.04	.02	.10	.30		.06		.15			20
21	.04	.50		.02	.75				.02	.11	.05			21
22		.13						.65	.27					22
23			.03		.04			.90	.61			.05		23
24	.05	1.10			.41			1.27		.04		.32		24
25	.15	.20			.20	.12					.04	.45		25
26	.02	.15		.15	.03			.16	.05	.10	.01	.42		26
27		.85						.03	.10		.10	.30		27
28		.06						.01	.05	.07	.02	.20		28
29								.03	.52	.03		.48		29
30	.19	×		.10	.10			1.30		.10	.61	.42		30
31		×		×	.03	×		.01	×	.30	×	.65		31
TOTAL	1.27	5.29	.67	3.48	1.89	2.72	.70	5.24	5.06	4.20	7.09	4.13	Year's Total. 41.74	
* Days with .01 in. or more.	14	19	8	19	10	19	4	11	19	18	24	19	184	
* Days with .04 in. or more.	11	16	6	18	7	15	4	7	16	16	20	15	151	

40-9999

† Spare column, no entries required.

(Signed) Mr M. Robins

P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The White House Tun: Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 300 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-35	-20	-03	-36		-20	-25	-12			-07	.15		1
2		-05				-23	-12	-10						2
3				.80			-03		-07		.30			3
4	-03		-15			-10			-55			·03		4
5	-25		-04					-05	-06	-10	-14	-08		5
6	-42					-05		-05	-30	-12	1·16			6
7	-49		-06			-06			-02	-02	·82			7
8	-45		-20		-04		-04	·30		-02	,70	·32		8
9	-45		-04		-03		-30	·29	-10	-12				9
10	-06						-21	-01	-07					10
11			-08				-25				,85			11
12				·03		-20	-22	-05	-50	-03	,55	-17		12
13						-16	-05				·02	·85		13
14		-07				-10	1·00			-05	-14	·49		14
15		-06					-02				·05	·51		15
16	-25	-07			·10		-01				·20	·16		16
17	-16	-80			·07	-11		-02		·07	·30	·51		17
18	-07	-19				-10	-17			-04	,25	·16		18
19	-31	-10				-15		-06		-07	·06			19
20	-25	-06		·35					-76					20
21		-03		.40		,35	,16							21
22	07	-45	-12		-05	-15	-10			-06		·05		22
23	-10	-23	-05				,40							23
24	-06	-15		,08		-64			-06	-26				24
25	-17		-25	-15		-15	-30		-30	-06	·05			25
26		-15	-20	,06		-10			·11					26
27	-35		-10				-05		·27	-45				27
28	-64		·07			-21	-40		·04					28
29	-06	-14	·17			·60	-04			-05	·07	-10		29
30	-15	✕				-30				-31				30
31	-25	✕	-20	✕		✕	·10		✕	1·06	✕	·26		31
TOTAL	5·39	2·75	1·76	2·23	0·29	3·96	4·22	1·05	3·21	2·92	5·46 5·76	4·14	Year's Total 37·68	
* Days with .01 in. or more.	22	15	15	8	5	19	21	10	14	17	17	14	177	
* Days with .04 in. or more.	21	14	14	7	4	19	18	8	13	14	16	13	161	

40-9999.

† Spare column, no entries required. X

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at The Old White House

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 300 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	85		.03	.06			.05				.62	.40		1
2		.60		.26					.10			.88		2
3	.02	.18							.02	.03		.45		3
4	.15	1.02		.10								.23		4
5	.29	.11	S.60				.20			.07				5
6	.09	.02	S.78	.02	.26					.09				6
7		.65	.10	.11					.03	.05				7
8		.01	S.25		.05	.10					.15	.68		8
9				.35	.10	.02	.08		.33			.10		9
10			.55	.25	.25	.48	.08					.60		10
11			.45		.09		.05					.20		11
12	.34		.27	.04	.30	.30		.65	.21			.20		12
13	.24	.25	.65	.05		.50		.12	.15			.79		13
14	.05	.03	.17	.01	.15	.05		.85	.14					14
15	.15	.01		.15			.34		.19					15
16	.	.11	.32	.40				.92	.42			.16		16
17	.45	.07	.06	.11		.16			.28					17
18	.65	.10		.17	.60	.84			.11		.26	.02		18
19	.07	.12	.08	.26		.12	.10		.26			.14		19
20	.65	.22	.21		.56	.07			.07			.03		20
21	.60	.36	.07	.12	.03			.04				.04		21
22	.55	.02			.11	.12	.04			100		.06		22
23	.17		.07				.12			.35	.20			23
24	.85	.20							.02	.34				24
25	.15	.65	.31		.03				.12	.38				25
26	.02	.40	.04							.19				26
27				.25					.03	.29				27
28	S.15	.04								4		.04		28
29	S.09	.21						.02		.20	.06	.05		29
30	.35	✕				.07		.30		.10	.05			30
31	.28	✕		✕		✕			✕	.32	✕	.03		31
TOTAL	7.13	5.38 ~~4.38~~	5.01	2.71	2.52	2.83	1.06	2.30	2.48	3.45	1.34	5.08	Year's Total 40.25	9
* Days with .01 in. or more.	23	22	18	17	12	12	9	7	16	14	6	19	175	✓
* Days with .04 in. or more.	21	17	17	15	10	11	9	6	12	13	6	16	153	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. M. Robins

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The White House Tunbridge Wells
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 300 ft.

file no: 740015/27

61

Days & totals

Dec Snow w.J.K.

Oct - Dec totals corrected for B.A.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.01			.30	.20	.72		.26 ~~26~~	.02	.06	.10		1
2			.06		.17		.20			.45		.03		2
3					.30		.03			.95	.07			3
4						02	.05	.12		.12		.12		4
5	.10						.70			.40		.05		5
6	.05										.02	.02		6
7	.04						.10	1.25		.35		.10		7
8	.21						.23	.02		.90	.03	.05		8
9	.15							.10		.10		.65		9
10	.10	.15						.11				.28		10
11	.21	.02				.12					74	.35		11
12	.35							.32		.06	.10			12
13	.40									.10	.20	.10		13
14	.30	.10			.45				.05			06		14
15	.05	.20 5			.03		.25			.30	.05	.10		15
16	.52	.25 5	.03							.10	.09	.25		16
17	.10	.15 5			.35				.03	.32	.08			17
18					.04			.06		.12	.50			18
19									.20	.02	.20	~~.30~~ 5 4		19
20					.25				12		.43	~~.15~~ 5 4		20
21	.03			.01					.11		.10	4		21
22				.03		.06		05	.15		.25	4		22
23				.05										23
24			.18	.30					.15		.30	4		24
25	.12		.26		.25		.05		.17	.05	.51			25
26	.40		.10					.04	.22	.35		.41 4		26
27	.15	.20			.10	.20	.35		1.64		.30			27
28	.05	.06			.50	.12		.24	.15			.25		28
29	.21	.06		.04	.30				.02		.10	4		29
30	.06	X		.29	.27				.11	.05	.35			30
31	.27	X		X	.12	X			X	.21	X	.25		31
TOTAL	3.91	1.20	[illegible]	.72	[illegible]	.72	[illegible]	[illegible]	3.38 ~~2.38~~	4.37	3.82	3.62	Year's Total ~~[illegible]~~	30.~~39~~ 49
* Days with .01 in. or more.	22	10	5	6	14	6	10	10	14	19	20	22 ~~19~~	~~155~~	158
* Days with .04 in. or more.	21	8	4	4	13	5	9	9	12	17	17	20 ~~17~~	~~136~~	139

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) M. M. Robins

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Old White House, Tunbridge Wells, Kent.

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04		·06	·15	·40		·04		·20	·20	[redacted]	·05		1
2	·27			·05	·03		·01	·50	·15 ~~·15~~					2
3	·10	·05		·38				·40			·20	·45		3
4			·32	·22			·10	·60		·60	·15			4
5	·30			·25			·26	·35		·10	·55			5
6	·06		·05				·20	·10			·25	·02		6
7		·10					·07			·25	·15	·15		7
8		·11	·14							·50	·10	·50		8
9	·10	·06							·10	·56	·90	·26		9
10	·13					·38			·02	·08	·02	·02		10
11			·30		·06	·15				1·55		·08		11
12										·18		·18		12
13			·03							1·60				13
14	·55		·02	·06	·03	·05				·35	·50			14
15	·70		·18	[redacted]	1·10	·06			·23	·90	·10			15
16	·32		·03	·07	·26	·15	·15		·10		·48			16
17	·32	·10	·05	·05			·20				·08			17
18	·30		·02	·25		·40	·45				·48			18
19	·20		·[redacted]	·20						·15		·05		19
20	·22		·[redacted]	·[redacted]			·20	·10 [redacted]		·42				20
21	·07		·12	·[redacted]		·16	·42					·02		21
22	·28	·22	·10	·[redacted]			·06		·15		·[redacted]			22
23	·06		·06	·10			·23	·03		·12	·60			23
24	·28	·10	·[redacted]	·18		·02	·06			·20	·01 [redacted]			24
25	·97	·22	·12	·38			·42	·03		·15	·70 [redacted]	·[redacted]		25
26	·03		·02				·05		·96	·18	·34	·10		26
27		·12	·12							·10	·38	·[redacted]		27
28		·55	·06	·72		·09				·06	·10	·14		28
29											·03			29
30		X						·05			·20			30
31		X		X		X	·06	·20	X	·03	X			31
TOTAL	5·22	1·63	1·80	3·06	1·88	1·46	2·98	2·36 ~~2·[illegible]~~	1·91 ~~1·81~~	8·27	6·32 ~~3·68~~	2·01 [redacted]	Year's Total 36·45	
* Days with ·01 in. or more.	20	10	18	14	6	9	17	13	8	21	21	13	170	
* Days with ·04 in. or more.	19	10	13	14	4	8	16	11	7	20	18	10	150	

176
15
191

67
47
200
737

7·37
80

62
570
632

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. M. Robins

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 331

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at The White House Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 300 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2				·08						·20	·55	·03		2
3		·28		·12						·22	1·25			3
4		·18		·06			·03			·25	·10	·15		4
5											·80			5
6	·15	·11					·26					·22		6
7	·27	·15			·02		·10				·40			7
8							·02		·05	·50		·30		8
9										·20		·18		9
10							·40	·05						10
11			·20	·05			·22				1·20			11
12			·67				·11		·15	·05				12
13			·60				·87				~~1·12~~ 1·82			13
14		·10					·10		·12			·30		14
15			·22		·20				·03		·42			15
16			·25			·12			·20	·92				16
17			·25				·05		·20		·80			17
18		·40	·10	·57			·03		·62	·32	·08			18
19		·20					·05		·04		·20	·24		19
20		·03		·36					·15	·06		·15		20
21	·20⁵				·58		·40	·04	·18		·22			21
22			·12		·23	·15		·02			·20			22
23		·22	·05	·23			·15				·40			23
24				·40			·14				·03			24
25	·92		·68				·05			·06				25
26	·35⁵	·20	·22		·25		·08							26
27	·20⁵	·50		·35						·05		·08		27
28	·20⁵	·08	·15	·02	·10									28
29	·15	·21			·28							·25		29
30		✖		·30					·03	·20		·03		30
31		✖		✖		✖			✖	·65	✖	·15		31
TOTAL	2·44	2·66	~~3·49~~ 3·51	2·54	1·58	·27	3·06	·11	1·77	~~3·48~~ 3·68	7·47	2·10	Year's Total 31·57	“d”
* Days with .01 in. or more.	8	17 ~~13~~	13	16	7	3	17	3	11	22 ~~13~~	19	16	~~124~~	(152)
* Days with .04 in. or more.	8	13	13	12 ~~10~~	6	3	14	2	9	18	16	12	~~112~~	(126)

× × × × × × × × × ×

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

[P.T.O.

FORM 1090. **B** M
S

332

SHERWOOD PARK

1931 - 1933

063303002 780107

332

, The following regist of mon
&c., is NOT required if daily
values are given on the other

tion and also the space for

his register should be sent:—
"Sherwood Park"
bridge Wells, Kent.
in Summer

RAINFALL IN 193

At Sherwood Park

In the County of Kent

Rain Gauge
Diameter of Funnel F
Height of Top above Ground 1 ft
Height of Ground above Sea Level 500 ft.

stance 2 miles Direction from gauge W.
stance 1½ miles Direction from gauge W.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more *	Number of Days with ·04 in. or more *
	Inches.	Inches.	Date.		
JAN.	2·29				
FEB.	2·59				
MAR.	0·41				
APRIL	3·92				
MAY	2·82				
JUNE	1·19				
JULY	2·05				
AUG.	3·95				
SEPT.	2·04				
OCT.	(·60)				
NOV.	(4·62) ~~5·22~~				
DEC.	0·76				
Total	27·24				

Oct. Nov. allocated by surrounding stns. 8/4/32

Signature R. G. Ellis

*See Instruction 2 (*f*) below.

nearest to gauge		es	House	
Heights of objects	40 feet	3 ft	60 ft app	
Distances ..	36 "	3 "	80 "	
Directions from gauge ..	N. W.	E & W.	N.	

If gauge has been moved during the year state—

Date of move................ Distance................ Direction................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

332

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Sherwood Park

In the County of Kent

Rain Gauge
- Diameter of Funnel Five in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 500 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more*	Number of Days with ·04 in. or more*
	Inches.	Inches.	Date.		
JAN.	2·29				
FEB.	2·59				
MAR.	0·41				
APRIL	3·92				
MAY	2·82				
JUNE	1·19				
JULY	2·05				
AUG.	3·95				
SEPT.	2·04				
OCT.	(·60)				
NOV.	(4·62) ~~5·22~~				
DEC.	0·76				
Total	27·24				

Oct. Nov. allocated by surrounding stns. 8/4/32

Signature R G Ellis

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
R. G. Ellis The Gardens, "Sherwood Park", Clinic & Spa Tunbridge Wells, Kent.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Tun Wells Distance 2 miles Direction from gauge W.

Nearest Parish Church at " " Distance 1½ miles Direction from gauge W.

Nature of objects nearest to gauge	Fir trees	Std Roses	House	
Heights of objects	40 feet	3 ft	60 ft app.	
Distances ..	36 "	3 "	80 "	
Directions from gauge ..	N. W.	E & W.	N.	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

332

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sherwood Park

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·03	—	·06	·32	—	·03	tr					1
2	—	·01	—	·18	·10	tr	—	—					2
3	—	—	—		·23	·19	—	tr					3
4	—	—	—	—	—	·14	—	tr					4
5	·33	—	—	—	·04		·15	—					5
6	·68	—	—	·23	—	—	—	—					6
7	·05	—	—	·04	—	—	—	—					7
8	—	—	—	—	·18	—	·03	—					8
9	·32	·18	—	·52	·50	—	—						9
10	·88	·34	—		·09	—	—						10
11	·45		·10 (Snow)	·11	·02	·11	—						11
12	·36	—		—	—	—	—						12
13	·18	·04	—	·09	·05	—	—						13
14	·14		—	·20	·16	—	—						14
15	·06	—	—	·11	·06	—	—						15
16	·14	—	—	35	·04	—	tr						16
17		—	—		—	—	tr						17
18	·02	—	—	—	—	—	tr						18
19	—	—	—	—	·02	—	tr						19
20	·02	—	—	·05	·06	—	·03						20
21	—	—	—	—	·25	—	—						21
22	·03	—	—	—		·01	·06						22
23	—	·07	·33	·21	·01	—	—						23
24	—	·06	—	—	—	—	·55						24
25	—	—	—	·03	tr.	—	·55						25
26	—	—	—	·13	—	—	·64						26
27	—	—	·32	·15	·14	tr	·31						27
28	—	—	·01	·01	·07	—	·16						28
29	—	—	·53	·04	·02	—	·01						29
30	—	×	·07	·16	·41	·87	tr						30
31	—	×	·05	×	—	×	·06		×		×		31
TOTAL	3·84	·73	1·41	2·67	2·77	1·32	2·57						YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) a. C. Styan

[R.T.O.

332

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. f 1133/30 Station No. 332

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kent/4

Kept at (SHERWOOD PARK TUNBRIDGE WELLS) X

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 500 ft.

cf 328-31

cmp 1932.

Good agreement with neighbours.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·38	·15	—	—	—	—	—	—	Tr.	·04	—	1
2	·40	—	·56	—	·04	—	—	—	—	·05	—	—	2
3	·14	·16	·47	—	—	—	—	—	—	·02	Tr.	—	3
4	·16	·01	·03	—	·03	—	—	—	—	—	—	—	4
5	·22	—	·30	—	·24	—	—	—	—	—	—	—	5
6	—	·17	·19	—	·30	—	—	—	—	·03	·11	—	6
7	·31	·06	·02	—	·25	—	—	—	—	·47	—	·02	7
8	·08	Tr.	—	—	·03	—	·36	—	—	·01	—	—	8
9	—	Tr.	—	Tr.	·08	—	·05	—	—	·07	·18	—	9
10	Tr.	·24	—	—	Tr	—	·09	—	—	·24	·03	—	10
11	·08	Tr.	—	—	·05	·04	·03	·08	·09	·02	Tr	—	11
12	—	Tr.	—	·05	Tr	·21	·14	Tr.	1·20	—	Tr.	—	12
13	·03	—	—	—	·15	—	·38	·04	·37	·12	·15	—	13
14	—	—	—	—	Tr.	—		—	—	·35	·30	—	14
15	·37	—	·15	—	—	—	·22	·25	—	—	·01	Tr.	15
16	·04	—	·95	—	—	·17	·06	—	—	·04	·04	—	16
17	—	Tr.	·31	—	—	·05	—	·07	·15	—	Tr	—	17
18	·02	—	·07 ~~·04~~	—	—	·30	—	—	Tr.	—	·01	—	18
19	Tr.	Tr.	·07 ~~·04~~	—	—	·13	—	—	·10	—	—	—	19
20	—	·06	·03	·13	—	·19	—	—	·13	—	Tr	—	20
21	—	·04	—	—	—	—	—	·22	·26	—	·01	Tr.	21
22	—	Tr.	—	—	—	—	—	·25	·02	·01	Tr	—	22
23	—	Tr.	—	·12	·53	Tr.	—	—	·53	·03	Tr.	—	23
24	Tr.	·50	—	·17	·02	·04	—	—	·32	—	·01	—	24
25	—	·25	—	·25	·02	Tr.	—	—	·09	—	·16	·05	25
26	—	·58	—	·05	·02	·02	—	—	·05	—	·20	·11	26
27	—	Tr	—	Tr	—	—	Tr	—	Tr	·23	—	·18	27
28	—	Tr.	—	—	·01	Tr.	·05	—	—	·33	—	·16	28
29	·03	×	Tr.	—	·52	—	·50	—	—	·09	—	—	29
30	·07 ~~·04~~	×	·06	—	—	—	·05	—	·15	Tr.	—	·04	30 OK
31	·13	×	—	×	—	×	—	·06	×	·02	×	Tr.	31
TOTAL	2·12	2·45	3·34	·77	2·35	1·15	1·93	·97	3·46	2·13	1·25	·56	YEAR'S TOTAL 22·48
*Days with ·01 in. or more.	15	11	14	6	15	9	11	7	13	17	13	6	137
*Days with .04 in. or more.	12	10	11	6	9	8	10	7	12	10	7	5	107

40-9999

*See Instruction 2 (*f*) on other side.

D O

(Signed) A. E. Styan

THE HEAD GARDENER X

P.T.O.

MATFIELD (KINGS MEAD)

(332/5)

Section **A** **for the entry of Daily Observ**

AIR MINISTRY.—METEORO

FORM 1090.

REGISTER O

332/5

MATFIELD - KINGS MEAD

1931 - 1940

063304004 780107

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION. Kent/+

1931.

adjusted by surrounding Stn. 8/4/32 [illegible]

Kept at Kings Mead Matfiel

in the County of K

[illegible] Aug to Sept.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·19											1
2		·07						·09	X: (2.28 ~~1.78~~)				2
3	·26			·20	1·24				~~2.28~~			·18	3
4		·01		·12				·32	·27				4
5		·03	·12	·27				·24	·07			·19	5
6		·09		·03		·51	·01	·62		·23			6
7		·01		·01			·04	·32		·04			7
8		·01			·02	·11	·03	·23		·01		·06	8
9		·10		·01		·01					1·72	·02	9
10		·18	·06			·10					1·33		10
11		55 ~~·55~~							·01		·51		11
12	·19	·01							·50				12
13					·13					·01			13
14		·10				·06	·40						14
15		·01		·12	·05		·23				·05		15
16	·05	·20		·15	·25								16
17	·04	·03		·21		·04	·33		·03	·02			17
18	·01	·19		·29			·06				·47		18
19	·02			·47			·34				·01		19
20		·03		·10								·01	20
21	·01	·10			·52						·02		21
22	·21		·15						·10				22
23	·61				·13	·02					·21		23
24				·61		·15							24
25			·01	·60			·01						25
26		·07		·43			·71				·23		26
27	·10			·03	·26						·04		27
28	·08	·47		·07								·01	28
29	·07			·01	·12		·10			·33			29
30	·04	×											30
31	·31	×		×	·05	×		(3.60)	×		×		31
TOTAL	2·00	2·45	·34	3·73	2·77	1·00	2·26	~~4·82~~	(3.26) ~~3·26~~	·64	4·59	·47	YEAR'S TOTAL 28·33
*Days with ·01 in. or more.	~~14~~	20	4	18	10	8	11	x ~~7~~	7	6	10	6	
*Days with ·04 in. or more.	~~11~~	~~12~~	3	13	9	6	8	x	5	3	8	3	

House Closed from Aug 10 to Sep 2

"d" ✓

40-9999

*See Instruction 2 (*f*) on other side. X: This includes fall during latter part of August while House closed

N

(Signed) Henry Hills Esq

[P.T.O.

[illegible]

MATFIELD (KINGS MEAD)

332/5

Section A for the entry of Daily Observ

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Kent/+

FORM 1090.

REGISTER OF RAINFALL IN 1931.

adjusted by surrounding stn. 8/4/32

Adjust Aug & Sept.

Stench

Kept at Kings Mead Matfield

in the County of Kent

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·19											1
2		·07						·09	X (2.28 ~~1.78~~)				2
3	·26			·20	1·24				~~5.38~~			·18	3
4		·01		·12				·32	·17				4
5		·03	·12	·27				·24	·07			·19	5
6		·09		·03		·51	·01	·62		·23			6
7		·01		·0			·04	·32		·04			7
8		·0			·02	·11	·03	·23		·01		·06	8
9		·10		·01		·01					1·72	·02	9
10		·18	·06			·10					1·33		10
11		55 ~~55~~						House closed from Aug 10 to Sept 2	·01		·51		11
12	·19	·01							·50				12
13					·13					·01			13
14		·10				·06	·40						14
15		·01		·12	·05		·23				·05		15
16	·05	·20		·15	·25								16
17	·04	·03		·21		·04	·33		·03	·02			17
18	·01	·19		·29			·06				·47		18
19	·02			·47			·34				·01		19
20		·03		·10								·01	20
21	·01	·10			·52						·02		21
22	·21		·15						·10				22
23	·61				·13	·02					·21		23
24				·61		·15							24
25			·01	·60			·01						25
26		·07		·43			·71				·23		26
27	·10			·03	·26						·04		27
28	·08	·47		·07								·01	28
29	·07			·01	·12		·10			·33			29
30	·04	X											30
31	·31	X		X	·05	X		(3.00)	X		X		31 "d" ✓
TOTAL	2·00	2·45	·34	3·73	2·77	1·00	2·26	4.82 ~~1·82~~	3.26 ~~6·26~~	·64	4·59	·47	YEAR'S TOTAL 28·33
*Days with ·01 in. or more.	~~14~~	~~20~~	~~4~~	~~18~~	~~10~~	~~8~~	~~11~~	~~X 7~~	~~7~~	~~6~~	~~10~~	~~6~~	
*Days with ·04 in. or more.	~~11~~	~~12~~	3	13	9	6	8	X	5	3	8	3	

40-9999

*See Instruction 2 (*f*) on other side. X This includes fall during latter part of August while House closed

N

(Signed) X Henry Hills Esq X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Matfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 390 ft.

dayo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	~~.04~~ .04		.05	.47		.85				.04	.02	1
2				.17	.09						.01	.12	2
3				.07	.15	.16	.01			.04			3
4	.03					.10							4
5					.05	.01							5
6	.75			.20	.01								6
7	.05												7
8			.34		.19		.15			.63			8
9	.31				.52								9
10	.80	.06			.09						.01		10
11	.35	.14			.02					.05	.01		11
12	.28	.10	.09		.23					.24	.01		12
13	.20				.03					.85			13
14	.14			.87	.15					.42			14
15	.03			.05	.06								15
16	.09			.15						.11			16
17				.17						.01			17
18	.01						03						18
19										.18			19
20				03	07				.68	1.01			20
21				.02	.21		.04			.27		.04	21
22			.34	.02	.06		.07	.01	.39	.18	.62		22
23		.07	.14	.16	.11				.75	1.00	.03	.13	23
24		.05							.28	.03	.01		24
25				.03	.02		.35		.15	.35	.01		25
26				.10			.94			.03	.05		26
27			.25	.10	.15		.89	.14		.40	.04		27
28			.01	.05	.05		.47			.23			28
29			.47		.02		.20	.30	.15	.48			29
30		×	.08		.34				.15	.03	.16		30
31		×	.08	×		×	.07		×		×	.10	31
TOTAL	3.06	.46	1.80	2.24	2.89	~~2~~.27	4.07	.45	2.55	6.54	1.00	.41	YEAR'S TOTAL 25.74
*Days with ·01 in. or more.	13	6	9	16	22	3	12	3	13	20	12	5	134
*Days with .04 in. or more.	9	6	8	12	16	2	10	2	11	16	6	4	102

Away from home & House Closed
gauge registered on retn '68

74
32
250
294

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry Hills

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Matfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·38	·14										1
2			·55		·15					·03	·18		2
3	·44	·14	·30							·02	·02		3
4	·01		·05		·01								4
5	·33	·01	·32		·23								5
6		·13	·20		·38					·03	·10		6
7	·33	·05	·03		·24					·63			7
8	·14	·02			·03		·34			·06			8
9					·10					·07	·15		9
10		·20					·12			·37	·03		10
11	·07				·07	·01	·04	·06	*				11
12				·09		·14	·15		*				12
13	·03				·08		·25	·19	* 1·67	·08	·13		13
14							·04	·05		·33	·25		14
15	·30		·05				·33	·30		·03	·07		15
16	·06		·70			·14	·30						16
17			·52			·08		·03	*		·05		17
18	·02		·04			·30					·01		18
19		*	·06			·13			·08		·01		19
20		∅		·12		·15			·12				20
21		*							·25				21
22		*				·06		·20		·02	·01		22
23		*		·08	·49	·07		·20	·60				23
24		*		·14		·10			·48				24
25		*		·23	·01				*		·19	·7	25
26		*		·03					·02		·21	·12	26
27		·136		·02	·05					·28		·15	27
28					·04		·03			·32		·23	28
29			·03	·02	·32		·51	·48		·05			29
30		×					·03		·17	·03		·06	30
31	·14	×		×		×			×		×		31
TOTAL	1·87	2·29	2·99	·73	2·20	1·18 ~~1·17~~	2·14	1·51	3·39	2·35	1·39	·63	YEAR'S TOTAL 22·66
*Days with ·01 in. or more.	11	∅ 11 ~~3~~	13	8	14	10	11	8	12 ~~8~~	15	14	5	(13 55) ~~117~~
*Days with ·04 in. or more.	8	11 ~~5~~	11	5	11	9	9	7	11 ~~7~~	9	9	5	(105) ~~99~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry Hall

P.T.O.

∅ Omitting Feby

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingshead Matfield

in the County of Kent

File No 84577/31.

33485. 33V/6.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03									.16		.18		1
2			.13					.18	.67	.51		.32		2
3	.01			.03						.48		.10		3
4	.16	.03	.03							.53	.06	.97		4
5			.03		.10			.03				.28		5
6			.31		.21	.12		.05		.2		.61		6
7	.04							.06		.07	.03	.24		7
8				.15	.16						1.40	.30		8
9			.03	.24	.01			.01			1.43			9
10			.23	.1 ~~X1~~	~~X~~			.1			.25			10
11	.85		.49					.06			.02	.23		11
12	.25		.15				.1	.14			.01	.15		12
13	.6		.36				.03	.13			.01	.04		13
14	.33		.55	.13							.57	.58		14
15	.03			.03						.09	.15	.65		15
16	.14		.35	.01	.33						.01	.05		16
17	.08		.38	.56	.09					.03	.01	.35		17
18	.18						.18				.01	.22		18
19			.37	.08							.01	.23		19
20			.1				.05		.19	.01	.01			20
21			.01	.14	~~X~~	.05			.01	.07				21
22							.25	.09		.03		.09		22
23				.35		.65	.05		.15	.03		.14		23
24				.17		.22	.33	.27	.18	.02				24
25	.07			.18		.01				.03		.5		25
26	.1			.02		.08						.05		26
27	.01			~~.27~~		.03			.03			.25		27
28		.22		.04		.14		.55				.37		28
29							.1	.05	.21					29
30	.12	X						.05				.19		30
31	.02	X		X		X		.01	X	.18	X	.25		31
TOTAL	3.02	.25	3.52	2.95	.90	1.30	1.09	1.78	1.36	2.44	3.92	7.34	Year's Total. 29.87	
* Days with .01 in. or more.	17	2	15	16	6	8	8	15	7	15	15	25	149	
* Days with .04 in. or more.	12	1	11	12	5	6	7	12	5	9	6	25	111	

Am a little doubtful of the [illegible] not be ·8 HH ✓ aw

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Henry Hills

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 332/~~5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kings Mead Matfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 400 ft.

Wet days

–R

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	·04	·02		·01	·05	09		·46	·13	·19			1
2	·22			·06					03	·35	·16			2
3			·15						·15	·98	·09			3
4		·08		·34		·21			·78	·77	·02	·11		4
5		·56		·10		·07			·71	·22				5
6	·03		·02	·24		·41				·08	·14			6
7	·05	·02		·26		·12					1·0	·11		7
8				·37				·04		·30 ~~88~~	·35 ~~35~~	·11 ~~11~~		8
9				·08		·14				·88 ~~13~~	·23 ~~33~~	~~18~~		9
10	·05			·01		·03				·13	·33	·18		10
11	·09	·01		·11		·06	·03				·42	·01		11
12		·02				·32		·73			·77			12
13	·06	·18		·14		·01			·04		·23	·02		13
14				·18	·24	·09						·07		14
15		·13		·60	·02				·43		·17			15
16		·07	·05	·10		·13			·44	·03	1·14	·02		16
17	·04	·	·08	·24	·01	·21	·02		·18		·67			17
18				·03		·03	·15		·35		·01			18
19				·02	·78	·02	·05		·04		·09	·02		19
20		·83				·06			·02		·15			20
21	·03	·47		·05					·04	·11	·03			21
22		·12						·29	·10					22
23								·66						23
24	·04	1·14			·35			1·03		·04		·35		24
25	·17	·31		·14		·05			·66			·43		25
26								·14			·01	·54 ~~07~~		26
27		·84						·01	·16	·06	·09	·25		27
28		·04			·05				·03	·06		·33		28
29									·42			·48		29
30		×		·05	·09			1·29	·03	·08	·69	·34		30
31	·08	×		×	·06	×		·02	×	·25	×	·74		31
TOTAL	1·09	4·86	·32	3·12 ~~2·58~~	1·61	2·01	·34	4·21	5·07	4·47	7·00	4·11	Year's Total. 38·21	
* Days with .01 in. or more.	12	16	5	19	9	17	5	9	19	16	22	17	166	
* Days with .04 in. or more.	10	1~~2~~3	~~2~~3	16 ~~3~~	6 ~~3~~	13 ~~4~~	23	~~2~~7	15 ~~4~~	15 X	~~8~~19	13 ~~4~~	133 ~~50~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Henry Hills

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Ada No 84577/31

Kept at Matfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·18	·07	·30		·29	·13	·21			·07	·10		1
2	·01	·30		·01		·16	·08					·03		2
3			·04	·59			·01				·27			3
4						·13			·39					4
5	·20		·09					·05	·15	·03	·13			5
6	·37		·01			·04		·05	·27	·14	·82	·13		6
7	·50					·02				·01	·78			7
8	·36		·05				·05		·03	·01	·75	·22		8
9	·56		·09				·51	1·10	·04	·13	·16			9
10	·05		·03				·38	·18	·02	·03				10
11							·28	·07			·84			11
12						·15	·20	·01	·63	·02	·40	·13		12
13						·18				·01		·63		13
14		·10				·05	·80			·04	·18	·57		14
15		·50					·03				·03	·47		15
16	·26										·16	·11		16
17	·16	·83			·33	·08					·27	·45		17
18	·10	·21			·04	·17	·18				·24	·12		18
19	·25					·13		·05		·03	2·10			19
20	·27	·06		·33					·52					20
21				·41		·33	·12		·02					21
22	·08	·35				·05	·08					·05		22
23	·06	·10	·10	·05			·43			·02				23
24	·05	·09	·03			·02				·21				24
25	·13	·01	·17	·13		·29	·38		·28	·0[illegible]	·02			25
26		·12	·29	·07		·09			·10	·22				26
27	·25		·01			·05	·11		·20	·26				27
28	·80		·11				·15					·07		28
29	·05		·10			1·05								29
30	·14	✕			·03	·11				·05	·07			30
31	·24	✕	·18	✕		✕	·07		✕	1·20	✕	·17		31
TOTAL	5·26	2·85	1·37	1·89	·40	3·39	4·02	1·72	2·65	2·44	5·39	3·25	Year's Total 34·63	✓
* Days with .01 in. or more.	22	12	15	8	3	19	18	8	12	17	17	14	165	✓
* Days with .04 in. or more.	21	11	11	7	2	17	17	7	9	8	15	13	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Henry Hall

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kings Mead Matfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·80		·01								60	·25		1
2		·44	·04	·40								1·10		2
3	·02	·12	·02									·44		3
4	·60	·94		·18								·23		4
5	·21	·11	·42				·16			·48		·03		5
6	·04		·55		·18					·04				6
7		·70	·24	·09	·07									7
8		·03	·16		·03	·06				·03	·09	·50		8
9				·38	·17		·03							9
10			·45	·19	·39	·55	·05		·34			·55		10
11			·40				·03					·15		11
12	·31	·28	·22	·02	·22	·20	·02					·01		12
13	·26	·05	·52	·04		·32		·16	·26			·86		13
14	·03		·03		·24	·04		1·10	·13			·08		14
15	·17	·10		·16		·04	·26	·57	·12					15
16			·29	·40		·05		·36	·25					16
17	·44		·08	·15		·25			·06		·14			17
18	·68	·06	·05		·44	·75			·21		·07	·03		18
19	·19	·08				·08			·20					19
20	·60		·36	·25	·75	·03			·32			·12		20
21	·55	·37	·10	·06					·06			·03		21
22	·59	·05	·01		·10	·03			·01	1·03	·21	·06		22
23	·08									·49				23
24	·72	·11	·14		·01				·03	·34		·01		24
25	·15	·43	·29 ~~·04~~						·16	·17				25
26	·01	·43 ~~·44~~	·04	~~·30~~						·23		~~·01~~		26
27	~~·15~~	·14 ~~·04~~		·30 ~~·04~~					·04	·22				27
28	·15	·04		·04						·02		·02		28
29	·10									·38				29
30	·34	✕						·02		·12	·10			30
31	·20	✕		✕		✕			✕	·15	✕	·05		31
TOTAL	7·24	4·48	4·42	2·66	2·60	2·40	·53	2·21	2·19	3·70	1·21	4·52	Year's Total 38·78	✓ ✓
* Days with .01 in. or more.	23	18	21	14	11	12	6	5	14	13	6	18	161	✓ ✓
* Days with .04 in. or more.	20	17	17	13	9	10	3	4	12	11	6	12	134	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Last 10 years average 30·65
" 3 " " 37—

(Signed) Henry Hills [P.T.O.

1938

Section **A** for the entry of Daily Observations

COPY FOR OFFICIAL USE

Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kingsmead Matfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 400 ft.

Totals

390 ft

W.G.H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·15	·20	·11		·23	·01	·05	·08		1
2		·09			·07		·19			·35		·01		2
3					·42		·37			·85	·03			3
4	·08						·10	·10		·03		1·10		4
5										·56				5
6	·04						·03		·03	·01				6
7							·14	·77		·22		·08		7
8	·29						·18			·21	·01			8
9	·12							·05		·05		·70		9
10	·08	·05				·05		·10				·34		10
11	·19						~~·19~~				·12	·23		11
12	·29					·09	·05 ~~·24~~			·03	·12	·03		12
13	·36	·05						·37		·03	·08	·02		13
14	·25	·10			·45				·02			·09		14
15	·08	·50			·02		·12			·32		·02		15
16	·35									·10	·04	·39		16
17		·04	~~·04~~		·36					·39 ~~·43~~	·02			17
18	·06	·05			·03		·01		·60	·08	·51			18
19								·02	·13		·18	·09		19
20					·10				·15	~~·16~~	·50	·35		20
21				·03					·09		·08	·16		21
22				·01		·01					·25	·13		22
23	·12			·04					·02		·02			23
24			·06								·33	·20		24
25			·41	·03	·18		·02	·01	·20	·03	·50			25
26	·46	·20	·08		·13			·02	·22	·32		·17		26
27	·05	·03	·01		·18	·10	·37		1·45	·03	·33			27
28	·02	·09			·36	·08		·26	·06			·27		28
29	·26			·02	·22				·03		·03	·19		29
30	·04	✕		·42	·39	·02			·05		·45			30
31	·28	✕		✕	·10	✕			✕	·16	✕	·18		31
TOTAL	3·42	1·14	·56	·55	3·20	·55	1·69	1·70	3·28	3·78	3·15	3·93	Year's Total 27·45	✓
* Days with .01 in. or more.	19	10	4	6	15	7	12	9	14	19	19	21	155	✓
* Days with .04 in. or more.	18	8	3	2	13	5	9	6	10	12	14	17 ~~18~~	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Henry Hills

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kingsmead Matfield
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level ~~400~~ 390 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·05	·02	·45				·17			·01		1
2				·03	·03			·39	·05	·24	·01			2
3	·24			·36				·27			·21	·44		3
4	·28		·40	·03				·45		·80	·24			4
5			·03	·23	·03		·36	·27		·43	·50	·05		5
6	·25		·04				·08	·05		·13	·20			6
7	·23	·07					·09	·04		·04	·25	·08		7
8		·10	·11							·16	·34	·58		8
9	·07	·03						·05		·88	1·17	·21		9
10	·13								·05	·11	·04			10
11			·28			·38		·11		1·44				11
12						·15				·13		·05		12
13	·01						·10			1·75		·19		13
14	·60		·02	·06	·03		·05			·30	·48			14
15	·95				·90		·12		·16	·72	·10			15
16	·36		·01	·06	·37	·07				·10	·48			16
17	·24	·08				·19					·08			17
18	·33		·02			·05	·45		·02	·05	·32			18
19	·24						·43		·02	·52		·07		19
20	·22						·15	·17	·02					20
21	·13					·13	·40		·04					21
22	·17	·27	·09			·35	·05	~~·02~~			·03			22
23			·01	·10		·03	·15	·02		·18	·50			23
24	·09	·19	·06	·06		·03	·04			·12	·57			24
25	1·00	·18	·10	·43			·50				·26			25
26	·12	·11	·02				·09		·03	·14	·33	·05		26
27	·06		·07	·07						·25	·42			27
28	·01	·61	·03			·05				·14	·09	·10		28
29				·30						·03	·01			29
30		✕		~~·30~~ 84		·01				·01	·19			30
31		✕	·09	✕		✕		·14	✕	·03	✕			31
TOTAL	5·55	1·64	1·43	2·59	1·81	1·44	3·06	1·96	·56	8·70	6·82	1·83	Year's Total 37·39	
* Days with .01 in. or more.	21	9	17	13	6	11	15	11	9	24	23	11	170	
* Days with .04 in. or more.	19	8	10	10	3	8	15	10	5	21	20	10	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Stanley Mills

1940

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 332/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~37~~ 40

File N° 845 77/31

Kept at Kings Mead Mayfield

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 400 ft.

Jan 7th est'd from nearby stn

Totals

Jan snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2			·07							·18	·37			2
3		·48	·10				·12			·13	1·33	·07		3
4			·09							·32	·11			4
5		·01									·94			5
6	x ·13	·10					·25			·53				6
7	x (30)			·10			·13							7
8							·01		·04	·52		·29		8
9				·05						·09	·47	·15		9
10							·54			·41	·06			10
11	Snow &										1·05			11
12			·24				·90				·02			12
13	Sleet		·66			·12	·08		·26	·04	1·13	·30		13
14			·54											14
15			·02		·28	·27	·52				·55			15
16	x		·20	·10		·11	·17		·16	·65	·98			16
17		·55	·02				·08				·05			17
18			·25	·37			·14		·07	·35	·16	·13		18
19		·27	·10				·07		·62		·07	·09		19
20			·05				·02	·06			·30			20
21	·36				·26		·52		·09	·05	·23			21
22			·04		·44	·25			·07					22
23		·17	·03	·20							·04	·09		23
24				·34			·15			·11				24
25	Snow		·62		·17									25
26	x	·20	·37											26
27	x	·34		·12			·91							27
28	x	·10						·01						28
29	x 1·75	·05	·16		·18				·03					29
30	x	✕		·41						·19				30
31	x	✕		✕		✕			✕	·62	✕	·13		31
TOTAL	2·53 ~~2·23~~	2·27	3·56	1·71	1·33	·75	4·61	·07	1·34	4·29	7·86	1·25	Year's Total ~~31·27~~	31·57
* Days with .01 in. or more.	~~3~~	~~10~~	~~17~~	~~8~~	~~5~~	~~4~~	~~16~~	~~2~~	~~8~~	~~14~~	~~17~~	~~8~~	~~119~~	
* Days with .04 in. or more.	~~3~~	~~9~~	~~14~~	~~8~~	~~5~~	~~4~~	~~2~~	~~1~~	~~7~~	~~14~~	~~16~~	~~8~~	~~98~~	"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Henry Hills

[P.T.O.

Section | **A** | for the entry of Daily Observa

AIR MINISTRY.—METEOROL

332|6

BRENCHLEY – THE WARREN

1931 – 1940

063236001 780107

332/6

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF 1931.

Kent/4

Kept at The Warren, Brenchl

in the County of Kent.

Diameter of Funnel of Gauge Same in. as last

Height of top of Gauge above Ground ft. return.

,, Ground ,, Sea Level ft.

for 1930 return

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.13	0.07	0.09	—	0.06	—	—	—	—	—	—	1
2	0.17	0.07	—	0.13	—	—	—	0.07	0.04	—	—	—	2
3	0.09	0.03	0.10	0.10	1.23	—	—	0.01	0.76	—	—	—	3
4	—	0.05	—	—	—	—	—	0.41	0.71	—	0.02	0.25	4
5	—	0.07	—	0.28	—	0.58	0.02	0.02	0.14	0.02	0.11	—	5
6	—	0.03	—	0.03	—	—	0.04	0.27	0.06	—	—	0.27	6
7	0.01	0.10	—	—	0.13	0.07	—	0.14	—	0.22	0.38	—	7
8	—	0.21	—	—	—	0.12	0.02	0.40	—	0.02	0.42	—	8
9	—	—	—	0.02	—	0.01	0.01	0.11	—	—	0.09	—	9
10	0.01	0.17	0.02	—	—	0.08	—	—	—	—	0.60	0.06	10
11	0.08	0.74	0.11	—	—	0.07	—	0.10	—	—	1.29	0.01	11
12	0.09	—	—	—	—	—	0.01	—	—	0.01	0.27	—	12
13	0.03	—	—	—	0.13	—	—	0.05	—	—	—	—	13
14	—	0.04	—	—	—	0.03	0.03	0.12	0.46	0.02	—	—	14
15	0.01	0.10	—	0.12	0.06	—	0.41	0.38	—	—	—	—	15
16	Trace.	0.16	—	0.17	0.26	0.07	0.24	0.21	—	—	0.03	—	16
17	0.01	0.03	—	0.21	—	—	0.06	0.14	—	—	—	0.05	17
18	0.01	0.10	Trace.	0.28	—	—	0.27	0.17	0.04	—	—	—	18
19	0.03	—	—	0.52	—	0.01	0.05	0.35	0.12	—	0.48	—	19
20	—	0.11	—	0.14	—	—	0.27	0.25	—	—	—	0.02	20
21	Trace.	0.06	—	—	0.56	—	0.03	0.29	—	—	—	—	21
22	0.22	—	0.10	—	—	—	—	0.01	0.02	—	0.02	—	22
23	0.76	—	0.01	—	0.32	0.11	—	0.04	0.08	—	0.02	—	23
24	—	—	—	0.60	—	0.06	—	—	0.01	—	0.24	—	24
25	0.01	—	—	0.53	—	—	0.04	0.32	0.01	—	—	Trace.	25
26	—	0.08	—	0.31	—	—	0.25	—	—	—	0.18	—	26
27	0.10	0.27	—	—	0.30	—	0.30	—	—	—	0.07	—	27
28	0.07	0.12	—	0.08	—	—	—	—	—	—	—	—	28
29	0.06	×	—	0.07	0.15	—	—	—	—	0.04	—	—	29
30	0.05	×	—	—	0.01	—	0.09	—	—	0.27	—	—	30
31	0.28	×	—	×	0.01	×	0.03	—	×	—	×	—	31
TOTAL	2.09	2.64	0.41	3.68	3.16	1.27	2.17	3.56	2.45	0.60	4.22	0.66	YEAR'S TOTAL 26.91
*Days with ·01 in. or more.	19	20	6	17	11	12	18	21	12	7	15	6	164
*Days with ·04 in. or more.	11	17	4	15	9	9	11	18	9	3	11	4	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Carl Langer

P.T.O.

X Dr CARL LANGER X

332/6

Section **A** for the entry of Daily Observa

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE: BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kent/4.

Kept at The Warren, Brenchley.
in the County of Kent.
Diameter of Funnel of Gauge Same in. as last
Height of top of Gauge above Ground ..... ft. return. in.
,, Ground ,, Sea Level ..... ft.

Get file for 1930 return.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.13	0.07	0.09	—	0.06	—	—	—	—	—	—	1
2	0.17	0.07	—	0.13	—	—	—	0.07	0.04	—	—	—	2
3	0.09	0.03	0.10	0.10	1.23	—	—	0.01	0.76	—	—	—	3
4	—	0.05	—	—	—	—	—	0.41	0.71	—	0.02	0.25	4
5	—	0.07	—	0.28	—	0.58	0.02	0.02	0.14	0.02	0.11	—	5
6	—	0.03	—	0.03	—	—	0.04	0.27	0.06	—	—	0.27	6
7	0.01	0.10	—	—	0.13	0.07	—	0.14	—	0.22	0.38	—	7
8	—	0.21	—	—	—	0.12	0.02	0.10	—	0.02	0.42	—	8
9	—	—	—	0.02	—	0.01	0.01	0.11	—	—	0.09	—	9
10	0.01	0.17	0.02	—	—	0.08	—	—	—	—	0.60	0.06	10
11	0.08	0.74	0.11	—	—	0.07	—	0.10	—	—	1.29	0.01	11
12	0.09	—	—	—	—	—	0.01	—	—	0.01	0.27	—	12
13	0.03	—	—	—	0.13	—	—	0.05	—	—	—	—	13
14	—	0.04	—	—	—	0.03	0.03	0.12	0.46	0.02	—	—	14
15	0.01	0.10	—	0.12	0.06	—	0.41	0.38	—	—	—	—	15
16	Trace.	0.16	—	0.17	0.26	0.07	0.24	0.21	—	—	0.03	—	16
17	0.01	0.03	—	0.21	—	—	0.06	0.14	—	—	—	0.05	17
18	0.01	0.10	Trace.	0.28	—	—	0.27	0.17	0.04	—	—	—	18
19	0.03	—	—	0.52	—	0.01	0.05	0.35	0.12	—	0.48	—	19
20	—	0.11	—	0.14	—	—	0.27	0.25	—	—	—	0.02	20
21	Trace.	0.06	—	—	0.56	—	0.03	0.29	—	—	—	—	21
22	0.22	—	0.10	—	—	—	—	0.01	0.02	—	0.02	—	22
23	0.76	—	0.01	—	0.32	0.11	—	0.04	0.08	—	0.02	—	23
24	—	—	—	0.60	—	0.06	—	—	0.01	—	0.24	—	24
25	0.01	—	—	0.53	—	—	0.04	0.32	0.01	—	—	Trace.	25
26	—	0.08	—	0.31	—	—	0.25	—	—	—	0.18	—	26
27	0.10	0.24	—	—	0.30	—	0.30	—	—	—	0.07	—	27
28	0.07	0.12	—	0.08	—	—	—	—	—	—	—	—	28
29	0.06	×	—	0.07	0.15	—	—	—	—	0.04	—	—	29
30	0.05	×	—	—	0.01	—	0.09	—	—	0.27	—	—	30
31	0.28	×	—	×	0.01	×	0.03	—	×	—	×	—	31
TOTAL	2.09	2.64	0.41	3.68	3.16	1.27	2.17	3.56	2.45	0.60	4.22	0.66	YEAR'S TOTAL 26.91
*Days with ·01 in. or more.	19	20	6	17	11	12	18	21	12	7	15	6	164
*Days with ·04 in. or more.	11	17	4	15	9	9	11	18	9	3	11	4	121

40-9999

*See Instruction 2 (*f*) on other side.

O.N

(Signed) Carl Langer

X DR. CARL LANGER X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Warren Brenchley

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 6½ in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.14	0.02	-	0.07	0.53	-	0.01	-	-	0.07	0.08	-	1
2	0.02	-	-	0.19	0.07	-	-	Trace	0.01	-	0.01	0.24	2
3	-	-	-	0.06	0.14	0.31	-	-	0.28	-	-	-	3
4	-	-	-	-	-	0.11	-	-	-	-	-	-	4
5	0.39	-	-	-	0.10	0.03	0.13	-	0.07	-	-	-	5
6	0.73	-	0.02	0.21	0.01	-	-	-	-	-	-	-	6
7	0.02	-	0.12	0.07	-	-	-	-	-	0.05	-	0.02	7
8	-	0.01	0.19	0.05	0.19	-	-	-	0.17	0.79	-	-	8
9	0.34	-	-	0.21	0.41	-	-	-	-	0.01	-	-	9
10	0.80	0.07	-	0.25	0.10	-	-	-	-	0.04	0.04	-	10
11	0.21	0.07	0.10	0.07	0.01	0.07	-	-	-	0.06	0.10	-	11
12	0.42	0.25	-	-	Trace	-	-	-	0.01	0.22	-	-	12
13	0.10	-	-	0.12	0.03	-	0.01	-	-	1.22	-	-	13
14	0.18	Trace	-	0.10	0.09	-	-	-	-	0.24	-	-	14
15	0.08	-	-	0.05	0.10	-	-	-	-	0.15	-	-	15
16	0.11	-	-	0.20	0.06	-	0.02	-	-	-	-	-	16
17	-	-	-	0.13	0.14	-	0.02	-	-	0.02	-	-	17
18	0.02	-	-	-	0.22	-	-	-	0.06	-	0.09	-	18
19	0.01	0.01	-	0.01	0.07	-	-	-	0.02	0.19	0.07	-	19
20	-	-	-	0.02	-	-	0.04	0.01	-	0.98	0.22	-	20
21	-	-	-	0.03	-	-	-		-	0.28	-	0.06	21
22	0.02	-	0.34	0.07	-	0.03	0.06	0.02	0.87	0.18	0.34	-	22
23	-	0.10	0.24	0.11	0.14	-	-	-	0.25	0.79	0.02	0.10	23
24	-	0.04	-	-	-	-	0.48	-	0.13	0.05	0.01	-	24
25	-	-	-	0.03	0.02	-	0.78	-	0.16	0.32	0.09	0.01	25
26	-	0.01	0.01	0.09	-	-	0.68	0.22	-	0.03	0.06	-	26
27	-	-	0.28	0.13	0.14	-	0.26	-	0.01	0.40	0.05	0.04	27
28	-	-	-	0.01	0.09	0.01	0.20	-	-	0.23	-	0.01	28
29	-	-	0.30	-	0.01	-	-	0.34	0.18	0.45	-	0.01	29
30	-	×	0.08	0.01	0.15	0.76	-	0.03	0.05	0.03	0.15	0.04	30
31	-	×	0.04	×	-	×	0.10	-	×	-	×	0.07	31
TOTAL	3.59	0.58	1.72	2.29	2.82	1.32	2.79	0.62	2.27	6.80	1.30	0.60	YEAR'S TOTAL 26.70
*Days with ·01 in. or more.	16	9	11	24	22	7	13	5	14	23	14	10	168
*Days with .04 in. or more.	11	5	9	18	17	4	7	2	10	19	11	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Carl

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Warren, Brenchley.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 6½ in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in	in.	in	in	in.	in	in.	†	
1	0.03	0.54	0.12	–	–	–	–	–	–	0.02	0.20	–		1
2	0.35	–	0.60	–	0.21	–	–	–	–	–	–	–		2
3	0.09	0.14	0.27	–	–	–	–	–	–	0.04	0.02	–		3
4	0.06	–	~~[illegible]~~	–	0.02	–	–	–	–	–	–	–		4
5	0.32	–	0.38	–	0.20	–	–	–	–	–	–	–		5
6	–	0.14	0.16	–	0.41	–	–	–	–	0.03	0.08	0.02		6
7	0.33	0.05	–	–	0.19	–	–	–	–	0.33	–	–		7
8	0.11	0.02	–	–	0.03	–	0.38	–	–	0.06	~~0.17~~	–		8
9	–	–	–	–	0.37	–	0.04	–	–	0.04	0.17	–		9
10	–	0.18	–	–	–	0.01	0.09	–	–	0.25	0.01	–		10
11	–	–	–	–	0.13	–	0.05	0.06	0.07	0.03	–	–		11
12	0.08	–	–	0.09	0.10	0.11	0.17	–	1.80	~~0~~ –	–	–		12
13	0.03	–	–	–	–	–	0.25	0.10	0.39	0.16	0.13	–		13
14	–	–	–	–	–	–	0.15	–	–	0.26	0.28	–		14
15	0.27	–	0.14	–	–	–	0.26	0.35	–	0.03	0.04	–		15
16	0.07	–	0.97	–	–	0.14	0.29	0.05	–	0.01	–	–		16
17	–	–	0.33	–	–	0.10	–	–	0.07	–	0.04	–		17
18	0.03	–	0.06	–	–	0.27	–	–	–	–	Trace	–		18
19	–	–	–	0.04	–	0.18	–	–	0.01	–	0.02	–		19
20	–	0.04	0.04	0.13	–	0.18	–	0.01	0.08	–	Trace	–		20
21	–	0.09	0.07	–	–	Trace	–	0.14	0.24	0.01	–	–		21
22	–	0.03	–	–	–	0.10	–	0.21	0.01	0.01	0.01	–		22
23	–	0.08	–	0.10	0.33	0.15	–	–	0.55	–	–	–		23
24	–	0.53	–	0.17	0.01	0.17	–	–	0.33	–	0.02	–		24
25	–	0.18	–	0.28	0.01	0.02	–	–	0.11	–	0.12	–		25
26	–	0.56	–	0.03	–	0.01	–	–	0.02	0.02	0.24	0.19		26
27	–	–	–	–	0.06	–	–	–	0.01	Snow 0.21	–	0.17		27
28	–	–	–	–	0.54	–	0.13	–	–	0.25	–	0.25		28
29	0.05	×	0.05	0.02	0.22	–	0.34	–	–	0.03	–	–		29
30	0.07	×	–	0.02	–	–	0.05	–	0.19	0.04	–	0.07		30
31	0.13	×	–	×	–	×	–	0.05	×	–	×	–		31
TOTAL	2.02	2.58	3.19	0.88	2.53	1.44 ~~1.45~~	2.20	0.97	3.88	1.83	1.38	0.70	Year's Total 23.61	
*Days with ·01 in. or more.	15	13	12	9	15	13	12	8	14	19	14	5	149	
*Days with .04 in. or more.	12	11	12	6	11	9	12	7	10	10	9	4	113	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Carl Langer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File 889495/28

Kept at The Warren, Brenchley.

in the County of Kent.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground 0 ft. 6½ in.

,, Ground ,, Sea Level 275. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	–	0.18	–	–	–	–	0.20	–	0.18	–	0.18		1
2	0.06	–	0.13	0.03	–	0.01	–	–	0.66	0.40	–	0.33		2
3	0.02	0.04	–	0.01	–	–	–	–	0.01	0.50	–	0.13		3
4	0.18	–	0.02	–	–	–	–	–	–	0.36	0.07	0.86		4
5	–	–	0.03	–	0.12	–	–	0.02	–	–	0.02	0.36		5
6	–	–	0.33	Trace	0.17	0.18	–	0.10	–	0.20	0.02	0.55		6
7	0.05	–	–	–	–	–	–	0.01	–	0.07	–	0.22		7
8	–	0.01	–	0.16	0.17	–	–	0.02	–	–	1.47	Trace		8
9	0.01	–	0.03	–	0.02	–	–	–	–	–	1.07	0.22		9
10	–	–	0.25	0.29	–	–	–	0.14	–	Trace	0.30	0.03		10
11	1.16	–	0.53	–	–	–	0.11	0.12	–	–	–	0.27		11
12	0.14	–	0.11	0.10	–	–	0.04	0.12	–	–	0.03	0.11		12
13	0.62	–	0.38	0.05	–	–	0.04	0.19	–	–	0.02	0.05		13
14	0.37	–	–	0.06	–	–	–	–	–	0.10	0.67	0.71		14
15	–	–	0.59	–	–	–	–	–	–	Trace	0.14	0.44		15
16	0.21	–	0.36	0.02	Trace	–	–	–	–	0.03	–	0.06		16
17	0.14	–	0.40	–	0.24	–	–	–	0.02	0.02	0.01	0.35		17
18	0.21	–	0.01	0.59	0.08	–	0.14	–	0.01	–	0.01	0.26		18
19	–	–	0.37	0.01	–	0.02	–	–	0.19	–	–	0.25		19
20	–	–	0.10	–	–	–	0.05	–	Trace	0.01	–	Trace		20
21	–	Trace	0.02	0.13	–	0.07	Trace	0.03	–	0.09	–	–		21
22	–	–	–	–	–	–	0.09	0.11	0.17	Trace	–	0.09		22
23	–	–	–	0.47	–	0.52	0.04	0.01	–	0.01	–	0.15		23
24	–	0.01	–	–	–	0.25	0.30	0.33	0.10	–	–	–		24
25	0.07	Trace	–	0.19	0.01	0.02	Trace	–	–	0.05	–	0.48		25
26	0.08	–	–	0.17	–	0.12	–	–	0.06	–	–	0.03		26
27	–	–	–	0.60	–	0.04	–	–	–	–	–	0.30		27
28	0.01	0.08	–	0.11	–	0.13	–	0.48	–	–	–	0.23		28
29	–	×	–	–	–	–	0.10	0.06	0.30	–	–	Trace		29
30	0.13	×	–	–	–	–	–	0.06	–	–	–	0.47		30
31	0.02	×	–	×	–	×	–	0.01	×	0.20	×	0.18		31
TOTAL	3.52	0.14	3.84	2.99	0.81	1.36	0.91	2.01	1.52	2.22	3.83	7.31	Year's Total. 30.46	
* Days with .01 in. or more.	18	4	17	16	7	10	9	17	9	14	12	26	159	
* Days with .04 in. or more.	14	2	12	12	5	7	9	11	6	10	6	24	118	

40-9999

† Spare column, no entries required.

(Capt.) (Signed) Carl Langer Jun

* See Instruction 2 (f) on other side.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. ✓

Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Warren. Brenchley.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 6½ in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.22	0.04	0.02	-	-	0.07	0.08	-	0.I7	0.I2	0.24	Tr.		1
2	0.2I	-	Tr	0.06	-	-	-	-	0.I2	0.37	0.09	-		2
3	-	0.02	0.I4	0.05	-	0.03	-	-	0.I6	0.92	0.09	-		3
4	-	0.06	-	0.38	-	0.I9	-	-	0.4I	0.32	Tr.	0.I3		4
5	-	0.63	0.03	0.II	-	0.05	-	-	0.66	0.35	-	Tr.		5
6	*0.03	0.04	0.02	0.23	-	0.39	-	-	-	0.06	0.I4	0.02		6
7	0.04	*0.06	-	0.26	-	0.I5	-	-	-	-	0.88	0.II		7
8	-	0.0I	*0.0I	0.38	-	-	-	0.08	-	0.28	0.50	0.I7		8
9	-	-	-	0.I3	-	0.I6	-	-	-	0.94	0.22	Tr.		9
10	0.06	0.02	*0.06	0.02	-	0.06	-	-	-	Tr.	0.32	0.I6		10
11	0.II	0.0I	-	0.I3	-	0.I0	0.08	-	-	-	0.4I	-		11
12	-	0.03	-	-	-	0.30	-	0.53	0.04	-	0.75	-		12
13	0.09	0.I9	-	0.I5	-	Tr.	-	-	-	-	0.I9	0.04		13
14	-	-	-	0.I9	0.29	0.08	-	-	-	-	-	0.08		14
15	-	0.I5	-	0.58	0.03	-	-	-	0.44	-	0.29	0.07		15
16	-	0.I0	-	0.I7	-	0.09	-	-	0.38	-	0.96	0.0I		16
17	0.04	-	0.08	0.07	0.02	0.2I	0.05	-	Tr.	-	0.63	-		17
18	-	-	-	0.27	-	0.04	0.I6	-	0.32	0.I2	0.02	-		18
19	-	Tr.	-	0.04	0.75	0.0I	0.04	-	0.08	-	0.I0	-		19
20	-	0.83	-	0.02	0.02	0.05	0.4I	-	0.04	Tr.	0.II	-		20
21	0.03	0.47	-	0.05	-	-	-	-	0.02	0.II	0.04	-		21
22	-	0.I3	-	0.02	-	-	-	0.22	0.08	-	-	-		22
23	-	-	0.03	-	Tr.	-	-	0.48	-	-	-	0.08		23
24	0.06	I.30	-	-	0.3I	-	-	0.95	0.6I	0.04	-	0.34		24
25	0.I9	0.I9	-	0.I5	0.22	0.07	-	-	-	-	0.02	0.43		25
26	*Tr.	0.I6	-	-	-	0.0I	-	0.II	0.06	0.07	0.0I	0.48		26
27	*0.0I	0.7I	-	-	0.I4	-	-	0.02	0.I3	-	0.I0	0.30		27
28	-	0.07	-	-	0.06	-	-	0.II	0.03	0.06	0.0I	0.2I		28
29	-	X	-	-	Tr.	-	-	0.04	0.38	-	-	0.54		29
30	0.08	X	-	0.08	0.I5	-	-	I.30	0.04	0.I0	0.80	0.43		30
31	-	X	-	X	0.05	X	-	0.0I	X	0.25	X	0.63		31
TOTAL	I.I7	5.22	0.39	3.54	2.04	2.06	0.82	3.85	4.I7	4.II	6.92	4.23	Year's Total. 38.52	
* Days with .01 in. or more.	I4	2I	8	22	II	I8	6	II	I9	I5	23	I8	I86	
* Days with .04 in. or more.	I0	I6	3	I9	8	I5	6	9	I7	I5	I9	I6	I53	

40-9999

* Snow.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) C. R. Langer Junr

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Warren Brenchley

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 6½ in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.28	0.18	0.01	0.32	–	0.44	0.19	0.26	–	–	0.09	0.13		1
2	0.02	0.02	0.01	–	–	0.15	0.09	0.09	–	–	–	Trace		2
3	–	0.02	–	0.56	0.01	0.07	0.01	–	0.03	–	0.26	–		3
4	–	–	0.09	–	–	0.09	–	–	0.36	–	0.01	0.04		4
5	0.22	–	0.01	0.01	–	–	–	0.06	0.10	0.08	0.12	0.03*		5
6	0.30	–	–	–	–	0.05	–	0.04	0.27	0.25	0.72	0.05		6
7	0.45	–	0.06	–	–	0.05	0.01	–	0.02	0.01	0.75	0.01		7
8	0.31	–	0.10	–	–	–	0.06	–	–	0.01	1.00	0.21		8
9	0.55	–	0.03	–	–	–	0.36	0.79	0.02	0.05	0.04	–		9
10	0.06	–	–	–	–	0.04	0.39	0.23	0.01	0.04	–	–		10
11	–	–	–	0.03	–	–	0.25	0.04	–	–	0.75	–		11
12	–	–	–	0.05	–	0.27	0.24	–	0.39	–	0.34	0.12		12
13	–	–	–	–	–	0.14	0.03	–	–	–	–	0.55		13
14	–	0.06	–	–	–	0.06	0.80	–	–	0.03	0.20	0.42		14
15	–	0.09	–	–	–	–	0.05	–	–	–	0.04	0.46		15
16	0.12*	0.06	–	–	0.19	–	–	–	0.01	–	0.17	0.13		16
17	0.23*	0.79	–	–	–	0.12	–	0.01	Trace	0.02	0.31	0.76		17
18	0.12	0.22	–	–	–	0.09	0.19	0.02	–	0.01	0.18	0.12		18
19	0.25	0.06	–	–	–	0.48	Trace	0.07	–	0.03	0.01	–		19
20	0.34	0.09	–	0.35*	–	–	–	–	0.50	–	–	–		20
21	–	0.01	–	0.41	–	0.31	0.10	–	0.04	–	–	–		21
22	0.11	0.34	0.12	–	0.04	0.09	0.09	–	–	–	–	0.06		22
23	0.05	0.08	0.02	0.04	–	–	0.40	–	–	0.02	–	–		23
24	0.07	0.12	–	–	–	Trace	0.01	–	–	0.21	–	–		24
25	0.20	Trace	0.25	0.11	–	0.20	0.22	–	0.25	0.07	0.03	0.01		25
26	Trace	0.12	0.27	0.04	–	0.08	–	–	0.07	0.17	–	–		26
27	0.30	0.01	–	–	–	–	0.19	–	0.17	0.30	–	–		27
28	0.74	–	0.07	–	–	0.38	0.06	–	0.04	–	–	0.08		28
29	0.04	0.07*	0.21	–	–	0.86	0.47	–	–	0.02	0.07	0.02		29
30	0.14	✕	Trace	–	0.05	0.15	–	–	–	0.16	–	–		30
31	0.21	✕	0.19	✕	–	✕	0.07	–	✕	1.16	✕	0.20		31
TOTAL	5.11	2.34	1.44	1.92	0.29	4.12	4.28	1.61	2.28	2.64	5.09	3.40	Year's Total 34.52	✓
* Days with .01 in. or more.	22	17	14	10	4	20	22	10	15	18	18	18	188	✓
* Days with .04 in. or more.	21	13	9	8	3	20	18	8	10	10	15	14	149	✓

40-9999.

* See Instruction 2 (f) on other side. *Snow.

† Spare column, no entries required.

(*Signed*) ……

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at THE WARREN. BRENCHLEY.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 6½ in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	†	
1	0.76	0.02	0.02	0.06	Trace	–	0.06	–	–	–	0.53	0.24		1
2	–	0.60	0.03	0.36	–	–	–	–	–	–	Trace	1.07		2
3	0.01	0.14	0.02	–	–	–	–	–	–	–	–	0.38		3
4	0.12	0.94	–	0.16	–	–	–	–	–	–	–	0.23		4
5	0.29	0.08	0.43*	–	–	–	0.18	–	–	0.48	–	–		5
6	0.03	0.01	0.32*	Trace	0.17	–	–	–	–	0.03	Trace	–		6
7	–	0.71	0.35*	0.06	0.22	–	–	–	0.01	0.02	–	0.03		7
8	–	0.01	0.03*	–	0.03	0.06	–	–	–	–	0.07	0.38		8
9	–	–	0.17*	0.43	0.18	0.01	0.06	–	0.30	–	–	0.05		9
10	–	–	0.41	0.15	0.40	0.55	0.06	0.05	–	–	–	0.56		10
11	Trace.	–	0.37	0.07	0.03	–	0.03	–	–	–	–	0.16		11
12	0.31	0.27	0.28	0.07	0.23	0.22	0.01	0.43	0.23	–	–	0.10		12
13	0.26	0.05	0.54	0.06	–	0.35	–	0.63	0.04	–	–	0.77		13
14	0.03	0.01	0.01	–	0.15	0.03	–	0.38	0.10	–	–	Trace		14
15	0.18	0.11	–	0.18	0.01	0.02	0.23	–	0.25	–	–	Trace		15
16	0.03	0.08	0.30	0.42	–	0.06	–	0.38	0.19	–	–	–		16
17	0.37	0.02	0.06	0.11	–	0.11	–	–	0.26	–	0.23	–		17
18	0.68	0.05	Trace	–	0.50	0.59	–	–	0.26	–	0.05	0.01		18
19	0.12	0.10	0.06	0.14	0.02	0.10	0.04	–	0.31	–	Trace	0.09*		19
20	0.55	Trace	0.32	0.23	0.64	0.05	–	–	0.04	–	–	Trace		20
21	0.50	0.37	0.06	0.05	Trace	–	0.01	0.22	–	–	–	0.02		21
22	0.47	0.05	Trace	–	0.07	0.01	0.03	–	–	0.95	0.28	0.10		22
23	0.09	Trace	–	–	–	–	0.13	–	–	0.36	0.01	Trace		23
24	0.71	0.13	0.09	–	0.03	–	–	–	0.04	0.31	–	Trace		24
25	0.16	0.39	0.28	–	–	–	–	–	0.11	0.18	–	–		25
26	Trace.	0.36	0.08	–	–	–	–	–	–	0.17	–	–		26
27	–	0.13	–	0.33	–	–	–	–	0.02	0.21	–	–		27
28	Snow	0.06	–	0.01	–	–	–	–	–	0.02	–	0.02		28
29	Snow	✕	–	–	–	–	–	–	–	0.61	0.04	0.01		29
30	0.50	✕	–	–	–	–	–	0.02	–	0.17	0.12	Trace		30
31	0.22	✕	–	✕	–	✕	–	–	✕	0.07	✕	0.02		31
TOTAL	6.39	4.69	4.23	2.89	2.68	2.16	0.84	2.11	2.16	3.58	1.33	4.24	Year's Total 37.30	✓
* Days with .01 in. or more.	23	23	21	17	14	13	11	7	14	13	8	17	181	✓
* Days with .04 in. or more.	17	18	16	16	9	9	7	6	12	10	7	12	139	✓

* See Instruction 3 (f) on other side. *Snow.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 332/6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at THE WARREN BRENCHLEY.

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 6½ in.

„ Ground „ Sea Level 275 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	Trace	0.02	–	0.20	0.09	0.26	–	0.32	0.01	0.05	0.08		1
2	0.04	Trace	–	0.09	0.13	–	0.13	–	–	0.30	–	0.02		2
3	Trace	–	–	–	0.33	–	0.03	–	–	0.55	0.07	–		3
4	0.03	–	–	–	–	0.04	0.23	0.07	–	0.15	Trace	0.12		4
5	0.01	–	–	–	–	–	0.28	–	0.01	0.46	–	0.03		5
6	0.03	–	–	–	–	–	0.03	Trace	0.02	Trace	Trace	Trace		6
7	0.02	–	–	–	–	–	0.15	0.52	–	0.28	–	0.06		7
8	0.27	–	–	–	–	–	0.16	0.02	0.03	0.31	0.02	0.01		8
9	0.10	–	–	–	–	–	Trace	0.06	–	0.08	–	0.64		9
10	0.10	0.08	–	–	–	0.07	–	0.08	–	–	–	0.33		10
11	0.21	Trace	–	–	–	Trace	–	0.01	–	–	0.11	0.26		11
12	0.37	–	–	–	–	0.31	0.04	0.68	–	0.03	0.10	0.01		12
13	0.38	*0.03	–	–	–	–	–	–	–	0.07	0.10	0.04		13
14	0.30	*0.11	–	–	0.38	–	–	–	0.04	–	–	0.07		14
15	0.03	*0.19	–	–	0.02	–	0.14	–	–	0.36	0.02	0.07		15
16	0.52	*0.04	0.01	–	Trace	–	Trace	0.02	–	0.15	0.01	0.21		16
17	–	*0.12	–	–	0.32	–	–	–	Trace	0.60	0.02	–		17
18	0.07	Trace	–	–	0.02	0.01	0.02	–	0.37	0.07	0.52	–		18
19	Trace	–	–	–	Trace	–	–	0.04	0.09	–	0.19	Snow		19
20	–	Trace	–	–	0.08	–	–	–	0.14	–	0.52	do		20
21	Trace	–	–	0.08	–	–	–	–	0.10	–	0.08	do		21
22	Trace	–	–	0.02	–	–	–	0.01	Trace	–	0.26	do		22
23	–	–	–	0.04	–	–	–	–	–	–	0.01	do		23
24	–	–	0.09	–	–	–	–	–	0.02	–	0.34	do		24
25	0.11	–	0.43	0.08	0.21	–	0.03	–	0.19	0.03	0.64	do ~~[illegible]~~		25
26	0.54	0.17	0.09	–	–	–	–	0.02	0.27	0.33	–	do 098		26
27	0.07	0.03	0.06	–	0.15	0.13	0.30	–	1.75	0.04	0.35	0.10 ~~Trace~~		27
28	0.03	0.04	–	–	0.41	0.09	–	0.27	0.04	–	–	Trace ~~[illegible]~~		28
29	0.28	×	–	0.02	0.24	–	–	–	0.03	–	0.08	0.18 ~~Trace~~		29
30	0.05	✕	–	0.53	0.49	0.01	–	–	0.05	0.04	0.37	Trace		30
31	0.35	✕	–	✕	0.15	✕	–	–	✕	0.20	✕	0.22		31
TOTAL	3.92	0.81	0.70	0.86	3.04	0.75	1.80	1.80	3.47	4.06	3.86	3.43	Year's Total 28.50	
* Days with .01 in. or more.	23	9	6	7	14	8	13	12	16	19	20	2~~5~~6	17~~2~~3	
* Days with .04 in. or more.	16	7	4	5	12	6	9	7	11	16	15	~~21~~ 19	12~~9~~7	

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 332/Ho

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

a/c

Kept at THE WARREN, BRENCHLEY.
in the County of KENT.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 6½ in.
,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.05	–	0.06	0.10	0.44	–	0.08	–	0.14	–	Trace	0.03		1
2	0.02	–	Trace	0.02	0.01	–	Trace	0.37	0.03	0.18	Trace	–		2
3	0.28	–	–	0.33	–	–	–	0.18	Trace	–	0.20	0.40		3
4	0.28	–	0.37	0.22	–	–	0.04	0.47	–	0.78	0.13	Trace		4
5	–	–	0.03	0.27	0.02	–	0.45	0.37	–	0.61	0.52	0.08		5
6	0.29	–	0.04	0.01	–	–	0.12	0.04	–	0.10	0.22	–		6
7	0.08	0.07	–	–	–	–	0.06	0.03	–	0.03	0.18	0.06		7
8	0.01	0.10	0.12	–	–	–	0.01	–	–	0.32	0.04	0.51		8
9	0.05	0.05	–	–	–	–	–	0.06	–	0.58	0.87	0.17		9
10	0.13	–	–	–	–	0.40	–	0.11	0.04	0.13	0.09	Trace		10
11	Trace	0.01	0.25	–	0.01	0.14	–	–	0.01	1.75	Trace	Trace		11
12	–	–	–	–	0.02	Trace	–	–	–	0.05	–	0.03		12
13	–	–	0.01	0.01	–	0.03	–	–	–	1.74	–	0.15		13
14	0.60	–	0.01	0.04	0.04	0.02	0.05	–	–	0.27	0.48	Trace		14
15	0.80	–	Trace	–	1.03	0.04	0.03	–	0.12	0.83	0.10	–		15
16	0.37	–	0.09	0.06	0.30	0.20	0.10	–	Trace	–	0.46	–		16
17	0.26	0.09	0.03	–	0.01	–	0.02	–	–	–	0.09	–		17
18	0.30	–	0.02	–	–	0.05	0.06	–	0.01	0.07	0.34	–		18
19	0.22	Trace	–	–	–	–	0.38	–	0.01	0.47	Trace	0.03		19
20	0.20	–	Trace	–	–	0.02	0.09	0.23	0.02	–	–	0.05		20
21	0.07	–	0.12	–	–	0.06	0.18	Trace	0.05	–	–	–		21
22	0.18	0.24	0.09	–	–	0.36	0.04	–	0.01	–	002	–		22
23	0.07	–	Trace	0.06	–	0.01	0.07	0.02	–	0.13	0.45	–		23
24	0.17	0.11	0.07	0.15	–	0.01	0.03	Trace	Trace	0.12	0.02	–		24
25	1.25*	0.19	0.10	0.26	–	–	0.60	–	–	–	0.61	Trace		25
26	0.16	Trace	0.02	–	–	–	0.06	–	0.02	0.17	0.26	0.04		26
27	0.06	0.15	0.07	0.08	–	0.03	Trace	–	–	0.33	0.31	–		27
28	Trace	0.41	0.03	Trace	–	0.04	–	–	–	0.10	0.09	[illegible]*		28
29	–	×	–	0.30	–	Trace	–	–	–	0.05	0.04	0.09*		29
30	–	×	–	0.80	–	0.01	–	0.25	–	0.03	0.16	–		30
31	–	×	–	×	–	×	0.04	0.23	×	0.02	×	–		31
TOTAL	5.90	1.42	1.53	2.71	1.88	1.42	2.51	2.36	0.46	8.86	5.68	1.64	Year's Total 36.37	
* Days with .01 in. or more.	23	10	18	15	9	15	20	12	11	23	22	12 ✓	190	
* Days with .04 in. or more.	21	9	11	12	4	8	16	10	4	20	20	9 ✓	144	

*Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

*Section **A** for the entry of Daily Observations — Station No. 332/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at THE WARREN BRENCHLEY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 6½ in.

,, Ground ,, Sea Level 275 ft.

Jan 27th — 3rd Feb 1st – 4th apportioned ~~estd from nearby stns~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	0.07	–		1
2	–	–	–	0.07	–	–	–	–	–	0.15	0.45	0.01		2
3	–	–	–	0.09	–	–	0.24	–	–	0.16	1.33	0.05		3
4	–	(.49) ~~1.79~~	–	0.07	–	–	Trace	–	–	0.28	0.12	0.09		4
5	–	0.02	–	Trace	–	–	Trace	–	–	0.01	0.95	0.19		5
6	0.12	0.10	–	–	0.01	–	0.20	–	–	0.80	–	–		6
7	0.27	0.17	–	–	0.01	–	0.11	–	–	Trace	–	–		7
8	Trace.	Trace	–	–	–	–	0.01	–	0.02	0.46	–	0.28		8
9	–	–	–	0.01	–	–	–	–	–	0.16	0.45	0.15		9
10	–	–	–	–	–	–	0.48	0.04	Trace	0.49	0.08	Trace		10
11	–	–	–	0.01	–	–	0.10	–	–	–	1.14	–		11
12	–	–	0.28	0.01	–	Trace.	0.53	–	0.03	Trace.	0.04	–		12
13	–	–	0.65	Trace.	–	0.04	Trace.	–	0.04	–	1.12	0.32		13
14	–	–	0.28*	0.06	–	–	–	–	Trace.	0.02	–	–		14
15	–	–	0.02	–	0.26	0.24	0.44	–	0.01	0.04	0.42	0.01		15
16	–	–	0.17	Trace.	–	0.13	0.19	–	0.09	0.65	1.00	0.06		16
17	–	–	0.25	–	–	–	0.03	–	0.03	Trace.	0.03	Trace.		17
18	–	0.63	0.31	0.33	–	–	0.07	–	0.05	0.33	0.17	0.13		18
19	–	0.25	0.08	0.01	–	–	0.03	–	0.67	Trace.	0.26	0.09		19
20	–	0.05	0.09	0.02	–	–	0.02	–	0.03	0.02	0.11	0.02		20
21	–	–	–	–	0.48	–	0.59	–	0.03	0.02	0.24	–		21
22	–	Trace.	0.03	–	0.14	0.27	Trace.	–	0.07	–	Trace.	–		22
23	–	0.17	0.02	0.19	0.02	–	0.01	–	–	–	0.04	0.04*		23
24	–	–	–	0.28	–	–	0.11	–	–	0.05	–	0.01		24
25	0.10	–	0.73	Trace	Trace	–	0.10	–	–	0.03	–	–		25
26	0.82	0.18	0.26	0.01	0.14	–	Trace.	–	–	0.15	–	0.01		26
27	– ✓	0.36	Trace.	0.03	Trace.	–	0.46	–	–	–	–	Trace.		27
28	1.30 ✓ (~~1.0~~) ✓	0.08	–	Trace.	0.05	–	Trace.	–	–	–	–	–		28
29		0.07	0.14	Trace.	0.09	–	–	–	0.01	–	–	0.28		29
30	– ✓	✗	Trace.	0.40	Trace.	–	–	–	–	0.17	–	0.03		30
31	– ✓	✗	–	✗	–	✗	–	–	✗	0.67	✗	0.15		31
TOTAL	2.61 ~~2.21~~ ~~1.31~~	2.54 ~~3.87~~	3.31	1.59	1.20	0.68	3.72	0.04	1.08	4.66	8.02	1.92	Year's Total ~~31.40~~	31.40 ~~32.20~~
* Days with .01 in. or more.	~~4~~ 9	12	14	15	9	4	18	1	12	19	18	18	149 ~~144~~	
* Days with .04 in. or more.	~~4~~ 9	11	11 ~~8~~	8	6	4	12	1	5	14	17	12	110 ~~105~~	

* See Instruction 3 (f) on other side. *Snow.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

333

Section **A** for the entr

AIR MINI

FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REG

93/ .

333

SPELDHURST RECTORY

1931 - 1940

063402002

780104

Kept at S P E L D H U

in the County of K

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING M

S DAY.

An observer who does not confo *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.08	—	0.11	—	—	—	0.07	0.14	—	—	—	1
2	0.16	0.06	—	0.26	—	—	—	—	0.65	0.01	—	—	2
3	0.12	0.01	0.10	0.17	1.11	—	—	0.36	0.60	—	0.03	0.24	3
4	—	0.02	—	0.01	0.01	—	—	—	0.04	0.01	0.07	—	4
5	—	—	—	0.22	—	0.53	0.04	0.15	0.08	—	0.01	0.30	5
6	—	0.07	—	0.06	—	0.02	—	—	—	0.22	0.46	0.04	6
7	—	0.03	—	—	0.06	0.10	—	0.22	—	0.01	0.42	—	7
8	—	0.11	—	—	0.02	0.15	0.05	0.05	—	—	0.07	0.04	8
9	0.02	0.13	0.06	0.02	—	0.01	—	—	—	—	0.73	0.02	9
10	0.01	0.18			—	0.10	0.01	0.15	—	—	1.57	—	10
11	0.08	0.54	—	—	—	—	—	—	0.02	—	0.25	—	11
12	0.13	—	—	—	—	—	0.01	0.17	0.44	—	—	—	12
13	0.05	0.01	—	—	0.16	—	0.01	—	—	—	—	—	13
14	—	0.11	—	—	—	0.08	0.52	0.40	—	—	—	—	14
15	0.01	0.07	—	0.16	0.10	—	0.10	0.22	—	—	0.02	0.04	15
16	0.01	0.12	—	0.18	0.27	0.02	—	0.17	0.02	—	—	—	16
17	0.18	0.04	—	0.21	0.02	—	0.37	0.25	0.06	0.06	—	—	17
18	0.02	0.14	0.02	0.37	—	—	0.07	0.60	—	0.03	0.47	—	18
19	0.04	0.01	—	0.43	—	0.19	0.12	0.41	0.13	—	—	—	19
20	—	0.14	—	0.06	—	—	—	0.25	—	—	0.01	—	20
21	—	0.01	—	—	0.42	—	0.05	—	0.05	—	0.02	—	21
22	0.24	—	0.13	—	—	—	—	—	—	—	0.01	—	22
23	0.62	—	—	—	0.14	0.10	—	—	—	—	0.23	0.02	23
24	—	—	0.01	0.95	0.02	0.04	0.07	0.35	0.04	—	—	—	24
25	0.01	—	—	0.32	—		0.35	—	—	—	0.01	—	25
26	—	0.09	—	0.33	—	—	0.24	—	—	—	0.31	—	26
27	0.16	0.32	—	0.08	0.20	—	—	—	—	—	0.03	—	27
28	0.14	0.25	—	0.07	—	—	—	—	—	0.05	0.01	0.02	28
29	0.06		—	—	0.08	—	0.12	—	—	0.27	0.01	0.02	29
30	0.05	✕	—	—	0.04	—	0.01	—	—	—	—	—	30
31	0.31	✕		✕	—	✕	—	0.04	✕	—	✕	—	31
TOTAL	2.42	2.54	0.32	4.01	2.65	1.34	2.14	3.86	2.27	0.66	4.74	0.74	YEAR'S TOTAL 27.69
*Days with ·01 in. or more.	20	22	5	18	14	11	16	16	12	8	20	9	171
*Days with ·04 in. or more.	14	16	3	16	10	8	12	16	10	4	10	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Masters
Rector of Speldhurst

P.T.O.

333

Section **A** **for the entry of Daily Observations.**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at SPELDHURST. RECTORY

in the County of KENT

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ft. TEN in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.08	—	0.11	—	—	—	0.07	0.14	—	—	—	1
2	0.16	0.06	—	0.26	—	—	—	—	0.65	0.01	—	—	2
3	0.12	0.01	0.10	0.17	1.11	—	—	0.36	0.60	—	0.03	0.24	3
4	—	0.02	—	0.01	0.01	—	—	—	0.04	0.01	0.07	—	4
5	—	—	—	0.22	—	0.53	0.04	0.15	0.08	—	0.01	0.30	5
6	—	0.07	—	0.06	—	0.02	—	—	—	0.22	0.46	0.04	6
7	—	0.03	—	—	0.06	0.10	—	0.22	—	0.01	0.42	—	7
8	—	0.11	—	—	0.02	0.15	0.05	0.05	—	—	0.07	0.04	8
9	0.02	0.13	0.06	0.02	—	0.01	—	—	—	—	0.73	0.02	9
10	0.01	0.18			—	0.10	0.01	0.15	—	—	1.57	—	10
11	0.08	0.54	—	—	—	—	—	—	0.02	—	0.25	—	11
12	0.13	—	—	—	—	—	0.01	0.17	0.44	—	—	—	12
13	0.05	0.01	—	—	0.16	—	0.01	—	—	—	—	—	13
14	—	0.11	—	—	—	0.08	0.52	0.40	—	—	—	—	14
15	0.01	0.07	—	0.16	0.10	—	0.10	0.22	—	—	0.02	0.04	15
16	0.01	0.12	—	0.18	0.27	0.02	—	0.17	0.02	—	—	—	16
17	0.18	0.04	—	0.21	0.02	—	0.37	0.25	0.06	0.06	—	—	17
18	0.02	0.14	0.02	0.37	—	—	0.07	0.60	—	0.03	0.47	—	18
19	0.04	0.01	—	0.43	—	0.19	0.12	0.41	0.13	—	—	—	19
20	—	0.14	—	0.06	—	—	—	0.25	—	—	0.01	—	20
21	—	0.01	—	—	0.42	—	0.05	—	0.05	—	0.02	—	21
22	0.24	—	0.13	—	—	—	—	—	—	—	0.01	—	22
23	0.62	—	—	—	0.14	0.10	—	—	—	—	0.23	0.02	23
24	—	—	0.01	0.95	0.02	0.04	0.07	0.35	0.04	—	—	—	24
25	0.01	—	—	0.32	—		0.35	—	—	—	0.01	—	25
26	—	0.09	—	0.33	—	—	0.24	—	—	—	0.31	—	26
27	0.16	0.32	—	0.08	0.20	—	—	—	—	—	0.03	—	27
28	0.14	0.25	—	0.07	—	—	—	—	—	0.05	0.01	0.02	28
29	0.06		—	—	0.08	—	0.12	—	—	0.27	0.01	0.02	29
30	0.05	✕	—	—	0.04	—	0.01	—	—	—	—	—	30
31	0.31	✕		✕	—	✕	—	0.04	✕	—	✕	—	31
TOTAL	2.42	2.54	0.32	4.01	2.65	1.34	2.14	3.86	2.27	0.66	4.74	0.74	YEAR'S TOTAL 27.69
*Days with ·01 in. or more.	20	22	5	18	14	11	16	16	12	8	20	9	171
*Days with ·04 in. or more.	14	16	3	16	10	8	12	16	10	4	10	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. Masters
Rector of Speldhurst

P.T.O.

333

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Speldhurst Rectory

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

„ Ground „ Sea Level 334 ft.

Station number 333

File number 685231/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	0.02		0.05	0.47	—	0.03	0.02	—	0.10	0.04	—	1
2	0.02	—	—	0.14	0.09	—	—	—	0.05	—	0.01	0.17	2
3	—	—	—	0.04	0.22	0.29	—	—	0.35	0.03	—	—	3
4	0.02	—	—	—	—	0.17	—	—	—	—	—	—	4
5	0.24	—	0.01	—	0.03	0.01	0.23	—	0.07	—	—	—	5
6	0.69	—	0.03	0.43	—	—	—	—	0.04	0.01	—	—	6
7	0.11	—	0.10	0.04	—	—	0.12	—	0.03	0.04	—	0.02	7
8	—	—	0.27	0.05	0.22	—	—	—	0.15	0.51	—	—	8
9	0.44	0.20	—	0.14	0.49	—	—	—	—	—	—	—	9
10	0.97	0.20	—	0.27	0.09	—	—	—	—	0.06	0.05	—	10
11	0.17	0.09	0.03	0.10	0.02	—	—	—	0.02	0.04	0.02	—	11
12	0.32	0.07	—	0.01	—	—	—	—	—	0.19	0.01	—	12
13	0.09	—	—	0.13	0.07	—	—	—	—	1.15	—	0.03	13
14	0.11	—	—	0.11	0.17	—	—	—	—	0.09	—	—	14
15	0.03	0.01	—	0.17	0.04	—	—	—	—	0.09	—	—	15
16	0.06	—	—	0.23	0.09	—		—	—	—	—	—	16
17	—	—	—	0.08	—	—	—	—	—	0.02	—	—	17
18	0.02	—	—	~~[illegible]~~	—	—	—	—	0.16	—	0.09	—	18
19	0.01	0.01	—	0.02	0.01	—	—	—	0.05	0.26	0.03	—	19
20	—	—	—	0.11	0.05	—	0.04	0.05	—	1.08	0.19	—	20
21	—	—		0.01	0.28	—	—	—	—	0.30	—	0.08	21
22	0.03	—	0.35	0.08	0.04	—	0.08	—	0.48	0.28	0.35	—	22
23	—	0.06	0.19	0.09	0.01	—	—	—	0.20	1.03	0.03	0.12	23
24	—	0.05	—	0.05		—	0.58	—	0.31	0.04	0.02	—	24
25	—	—	—	0.05			0.53	—	0.18	0.36	0.07	0.02	25
26	—	—	—	0.13		—	0.30	0.21	—	0.07	0.02		26
27	—	—	0.32	—	0.19	—	0.66	—	—	0.30	0.09	0.04	27
28	—	—	—	—	0.10	—	0.14	—	—	0.22	—	0.01	28
29	—	—	0.53	0.02	0.03	—	—	0.25	0.12	0.44	0.01	—	29
30	—	×	0.04	0.08	—	0.96	—	0.04	0.11	0.02	0.25	0.07	30
31	—	×	0.05	×	—	×	0.11	—	×	—	×	0.05	31
TOTAL	3.78	0.71	1.92	2.63	2.71	1.43	2.82	0.57	2.32	6.73	1.28	0.61	YEAR'S TOTAL 27.21
*Days with ·01 in. or more.	17	9	11	25	20	4	11	5	15	24	16	10	167
*Days with ·04 in. or more.	11	6	8	21	15	3	10	4	13	20	8	6	125

40-9999

(Signed) Herbert Masters [P.T.O.

Canon

Rector of Speldhurst

*See Instruction 2 (*f*) on other side.

333

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SPELDHURST RECTORY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	0.30	—										1
2	0.35	—	0.57	—	0.14	—	—	—	—	0.05	0.03	—	2
3	0.08	0.15	0.39	—	—	—	—	—	—	—	—	—	3
4	0.13	0.03	—	—	0.14	—	—	—	—	—	—	—	4
5	0.23	—	0.38	—	0.17	—	—	—	—	—	—	—	5
6	0.32	0.14	0.10	—	0.43	—	—	—	—	0.08	0.13	—	6
7	—	0.06	—	—	0.23	—	—	—	—	0.33		—	7
8	0.05	—	—	—	0.05	—	0.42	—	—	—	—	—	8
9	—	—	—	—	0.05	—	0.12	—	—	0.16	0.18	—	9
10	—	0.31	—	—	0.02	0.10	0.03	—	—	0.21	—	—	10
11	0.06	—	—	—	0.05		0.07	—	0.16	—	0.01	—	11
12	—	—	—	0.02	—	0.19	0.25	—	1.55	—	0.01	—	12
13	0.05	—	—	—	0.08	—	0.29	—	0.26	0.13	0.16	—	13
14	—	—	—	—	—	—	0.05	—	—	0.30	0.41	—	14
15	0.38	—	0.17	—	—	—	0.29	0.21	—	0.06	0.01	—	15
16	0.05	—	0.94	—	—	0.16	0.05	—	—	—	—	—	16
17	0.01	—	0.28	—	—	—	0.05	0.06	0.13	—	0.06	—	17
18	0.03	—	0.06	—	—	0.38	—	—	—	—	—	—	18
19	—	—	0.18	—	—	0.41	—	—	0.39	—	0.02	—	19
20	—	0.06	0.05	0.17	—	0.19	—	—	0.15	—	0.01	—	20
21	—	0.05	—	—	—	—	—	0.39	0.27	0.01	0.01	—	21
22	—	—	—	—	0.01	—	—	0.24	—	—	—	—	22
23	—	0.04	—	0.18	0.42	—	—	—	0.45	0.07	—	—	23
24	—	0.55	—	0.13	0.04	0.12	—	—	0.20	—	—	—	24
25	—	—	—	0.23	0.01	—	—	—	—	—	0.21	—	25
26	—	0.80	—	0.05	0.02	0.02	—	—	0.13	—	0.12	0.23	26
27	—	—	—	—	0.06	—	—	—	—	0.24	—	0.16	27
28	—	0.17	—	—	—	—	0.34	—	—	0.43	—	0.19	28
29	0.05	—	—	—	0.59	—	0.07	—	—	0.05	—	—	29
30	0.07	✕	0.08	0.09	—	—	0.08	—	0.16	0.04	—	0.05	30
31	0.15	✕	0.03	✕	—	✕	—	0.06	✕	0.01	✕		31
TOTAL	2.05	2.66	3.23	0.87	2.51	1.57	2.11	0.96	3.85	2.17	1.37	0.63	YEAR'S TOTAL 23.98
*Days with ·01 in. or more.	16	12	12	7	17	8	13	5	11	15	14	4	134
*Days with ·04 in. or more.	14	11	11	6	13	7	12	5	11	13	7	4	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Herbert Masters [P.T.O.

Rector of Speldhurst

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 333

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SPELDHURST RECTORY

in the County of KENT

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	—	—	—	—	—	—	0.17	—	0.14	—	0.24		1
2	0.10	—	0.19	—	—	—	—	—	0.65	0.46	—	0.28		2
3	0.02	0.02	—	0.15	—	—	—	—	—	0.49	—	0.09		3
4	0.16	0.01	0.06	—	0.06	—	—	—	—	0.28	0.08	0.79		4
5	—	—	0.03	—	0.05	—	—	0.04	—	—	0.02	0.46		5
6	0.02	—	0.32	—	0.19	0.17	—	0.12	—	0.22	—	0.51		6
7	0.04	—	—	—	—	—	—	—	—	0.09	—	0.23		7
8	—	—	—	0.04	0.16	—	—	0.02	—	—	1.07	—		8
9	—	—	0.03	—	—	—	—	—	—	—	1.69	0.32		9
10	—	—	0.25	0.25	—	—	—	0.10	—	—	0.23	—		10
11	0.97	—	0.47	0.05	—	—	0.27	0.06	—	—	0.03	0.19		11
12	0.12	—	0.24	—	—	—	0.09	0.08	—	—	—	0.13		12
13	0.58	—	0.27	—	—	—	0.20	0.03	—	—	0.03	0.02		13
14	0.26	—	0.51	0.08	—	—	—	—	—	0.09	0.48	0.50		14
15	—	—	—	—	0.04	—	—	—	0.01	0.01	0.15	0.42		15
16	0.16	—	0.32	0.04	0.35	—	—	—	—	0.06	—	—		16
17	0.07	—	0.25	0.04	0.17	—	—	—	—	0.05	0.01	0.38		17
18	0.15	—	0.02	0.43	—	—	0.22	—	—	—	0.03	0.45		18
19	—	—	0.37	0.02	—	0.02	—	—	0.29	0.03	—	0.17		19
20	—	—	0.07	—	—	—	0.10	—	—	—	—	—		20
21	—	—	0.02	0.14	—	0.11	—	—	—	0.08	—	—		21
22	—	—	—	—	—	—	0.26	0.07	0.18	0.01	0.02	0.11		22
23	—	—	—	0.34	—	1.42	—	—	—	0.02	—	0.18		23
24	—	0.03	0.01	0.37	—	0.23	0.41	—	0.13	—	—	—		24
25	0.09	0.01	—	0.22	—	—	—	—	—	—	—	0.46		25
26	0.13	—	—	0.24	—	0.08	—	—	0.07	—	—	0.15		26
27	0.02	—	—	0.09	—	0.01	—	—	—	—	—	0.33		27
28	—	0.18	—	0.45	—	0.19	0.01	0.60	—	—	—	0.30		28
29	0.10	—	—	—	—	—	0.07	0.03	0.15	—	—	—		29
30	—	×	—	—	—	—	—	0.11	—	—	—	0.50		30
31	0.01	×	—	×	—	×	—	—	×	0.12	×	0.12		31
TOTAL	3.02	0.25	3.43	2.95	1.02	2.23	1.63	1.43	1.48	2.15	3.84	7.33	Year's Total 30.76	
*Days with ·01 in. or more.	18	5	17	16	7	8	9	12	7	15	12	24	150	
*Days with .04 in. or more.	13	1	12	15	7	6	8	9	6	11	6	23	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Herbert Masters
Canon, [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 333

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SPELDHURST RECTORY

in the County of KENT

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground — ft TEN in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	0.03	0.02	0.02	—	0.17	0.02		0.58	0.20	0.14			1
2	0.13	—	—	0.08	—	0.06	—	—	—	0.52	0.09	—		2
3	—	0.01	0.13	0.02	—	0.02	—	—	0.17	0.95	0.19	—		3
4	—	0.06	—	0.38	—	0.30	—	—	0.35	0.25	—	0.13		4
5	—	0.57	0.05	0.09	—	0.08	—	—	0.59	0.12	—	—		5
6	0.03	0.03	0.01	0.24	—	0.56	—	—	—	0.03	0.21	—		6
7	0.04	—	—	0.27	—	0.05	—	—	—	[illegible]	0.95	0.12		7
8	—	—	0.06	0.37	—	—	—	0.04	—	0.28	0.53	0.10		8
9	0.02	—	—	0.16	—	0.12	—	—	—	0.67	0.20	—		9
10	0.05	—	0.07	0.01	—	0.04	—	—	—		0.36	0.18		10
11	0.08	—	—	0.35	—	—	—	—	—	—	0.35	—		11
12	—	0.04	—	—	—	0.35	—	0.90	0.06	—	0.80	—		12
13	0.09	0.20	—	0.01	0.04	0.02	—	—	—	—	0.13	—		13
14	—	—	—	0.11	0.15	0.08	—	—	—	—	0.02	0.12		14
15	—	0.15	—	0.54	—	—	—	—	0.37	0.01	0.39	0.05		15
16	—	0.05	—	0.23	—	0.21	—	—	0.44	0.04	0.92	0.02		16
17	0.02	—	0.11	0.05	—	0.19	0.01	—	0.02	—	0.44	—		17
18	—	—	—	0.25	—	0.05	0.20	—	0.37	0.07	0.02	—		18
19	—	—	—	0.04	0.70	0.02	0.14	—	0.44	—	—	0.02		19
20	—	0.64	—	0.06	0.03	0.08	0.30	—	0.03	—	0.22	—		20
21	0.02	0.53	—	—	0.02	—	—	—	0.03	0.11	0.04	—		21
22	0.01	0.12	—	—	—	—	—	0.33	0.16	—	—	—		22
23	—	—	0.02	—	—	—	—	1.22		—	—	—		23
24	0.05	1.03	—	—	0.53	—	—	0.80	0.59	0.03	—	+		24
25	0.17	0.22	—	0.12	0.26	0.14	—	—	—	—	—	+ 0.49		25
26	0.02	0.20	—	—	—	—	—	0.15	0.02	0.08	0.04	0.56		26
27	—	0.89	—	—	0.15	—	—	—	0.14	—	0.09	0.25		27
28	—	0.07	—	—	—	—	—	—	0.02	0.07	0.01	0.17		28
29	—	—	—	—	—	—	—	0.13	0.50	0.01	—	0.46		29
30	0.11	×	—	0.08	0.08	—	—	1.25	—	0.11	0.54	0.50		30
31	—	×	—	×	0.02	×	—	—	×	0.28	×	0.60		31
TOTAL	1.09	4.84	0.47	3.48	1.98	2.54	0.67	4.82 ~~3.82~~	4.48	3.83	6.68	3.77	Year's Total. 37.65	
* Days with .01 in. or more.	15	17	8	21	10	18	5	8	18	18	22	~~15~~ 16	17~~5~~6	
* Days with .04 in. or more.	9	14	5	17	7	15	3	8	13	14	19	~~13~~ 14	13~~7~~8	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Herbert Masters
Canon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 333

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SPELDHURST RECTORY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level 334 ft.

780107

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.39	0.17	0.01	0.27	—	0.16	0.29	0.29	—	—	0.06	0.13		1
2	—	0.03	—	0.01	—	0.31	0.07	0.12	—	—	—	—		2
3	—	—	—	0.70	—	—	0.02	—	0.05	—	0.28	—		3
4	0.03	—	0.13	—	—	0.09	—	—	0.38	—	—	0.03		4
5	0.22	—	—	—	—	—	—	0.06	—	0.05	0.24	0.07		5
6	0.33	—	—	—	—	0.04	—	0.04	0.36	0.10	1.28	—		6
7	0.46	—	0.04	—	—	0.05	—	—	—	0.02	0.85	—		7
8	0.37	—	0.29	—	—	—	0.02	—	—	—	0.65	0.31		8
9	0.50	—	0.02	—	—	—	0.30	0.26	0.06	0.20	0.05	—		9
10	0.06	—	—	—	—	—	0.34	0.25	0.09	—	—	—		10
11	—	—	—	—	—	—	0.32	—	—	—	0.84	—		11
12	—	—	—	0.16	—	0.23	0.27	—	0.41	0.01	0.41	0.18		12
13	—	—	—	—	—	0.10	0.10	—	—	—	0.02	0.74		13
14	—	0.05	—	—	—	0.08	0.65	—	—	0.04	0.13	0.62		14
15	—	0.10	0.12	—	—	—	—	—	—	—	0.04	0.45		15
16	0.34	0.04	0.03	—	0.17	—	—	—	—	—	0.19	0.15		16
17	0.16	0.68	—	—	0.08	0.18	—	—	—	0.04	0.30	0.45		17
18	0.13	0.16	—	—	—	0.08	0.14	—	—	0.02	0.25	0.15		18
19	0.27	0.05	—	—	—	0.10	0.01	0.08	—	—	0.03	—		19
20	0.21	0.07	—	0.36	—	—	—	—	0.49	—	—	—		20
21	—	0.07	—	0.38	—	0.34	0.18	—		—	—	—		21
22	0.15	0.33	—	—	0.05	0.13	0.11	—		—	—	0.05		22
23	0.03	0.20	—	0.08	—	—	0.42	—		0.11	0.01			23
24	0.03	0.08	—	—	—	2.22	0.13	—		0.23	—			24
25	0.16	—	0.26	0.17	—	0.15	0.09	—	0.30	0.06	0.04			25
26	—	0.15	0.18	0.06	—	0.09	—	—	0.06	0.16	—			26
27	0.37	0.02	0.06	—	—	—	—	—	0.37	0.26	0.01			27
28	0.63	—	0.09	—	—	0.18	0.26	—	0.09	—	—	0.08		28
29	0.05	0.12	0.11	—	—	0.25	0.07	—	—	0.04	0.07	0.02		29
30	0.15	✕	—	—	—	0.42	—	—	—	0.27	—	0.01		30
31	0.26	✕	0.21	✕	—	✕	—	—	✕	0.84	✕	0.23		31
99 TOTAL	5.30 ~~5.29~~	2.32	1.55	2.19	0.30	5.20	3.79 ~~3.78~~	1.10	2.66	2.45	5.75	3.67	Year's Total 36.28 ~~36.26~~	✓
* Days with .01 in. or more.	22	16	13	9	3	19	19	7	11	16	20	16	171	✓
* Days with .04 in. or more.	19	14	10	8	3	19	16	7	11	13	16	13	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert Masters [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 333

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SPELDHURST. RECTORY

in the County of KENT

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ......ft. TEN in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.86	—	0.01	0.06			0.01	—	0.13	—	0.74	0.37		1
2	—	0.49	—	0.28	—	—	~~0~~	—	—	0.01	—	0.78		2
3	0.01	—	—	—	—	—	—	—	0.02	0.01	—	0.34		3
4	0.14	0.98	—	0.10	—	—	—	—	—	—	—	0.25		4
5	0.25	0.10	0.37	—	—	—	0.20	—	—	—	—	—		5
6	0.04	0.01	0.88	—	0.24	—	—	—	—	0.06	0.02	—		6
7	—	0.64	0.07	0.08	—	—	—	—	0.03	—	—	0.04		7
8	—	—	0.24	—	0.04	0.08	—	—	—	—	0.11	0.72		8
9	—	—	—	0.38	0.10	0.01	0.07	—	0.33	—	—	0.08		9
10	—	—	0.49	0.20	0.27	0.45	0.04	—	—	—	—	0.60		10
11	—	—	0.45	—	—	—	0.04	—	—	—	—	0.11		11
12	0.32	0.29	0.25	0.02	0.32	—	0.01	0.44	0.27	—	—	0.21		12
13	0.23	0.05	0.68	0.05	0.13	0.35	—	0.04	0.28	—	—	0.57		13
14	0.03	0.01	0.12	—	—	0.04	—	1.04	0.09	—	—	0.05		14
15	0.18	0.09	—	0.18	—	—	0.54	—	0.27	—	—	—		15
16	—	0.06	0.35	0.43	—	—	—	0.33	0.21	—	—	0.02		16
17	0.47	—	0.06	0.11	—	0.11	—	—	0.14	—	0.17	—		17
18	0.62	0.07	—	—	0.79	0.02	—	—	0.07	—	0.15	—		18
19	0.10	0.12	0.04	0.15	—	0.78	0.48	—	0.26	—	—	0.12		19
20	0.58	0.02	0.82	0.25	0.54	0.11	—	—	0.03	—	—	—		20
21	0.59	0.36	0.03	0.09	0.02	0.07	0.02	0.03	—	—	0.01	0.02		21
22	0.59	0.02	—	—	0.12	0.08	0.09	—	—	0.87	0.25	0.06		22
23	0.19	—	—	—	—	—	0.04	—	—	0.44	0.01	—		23
24	0.75	0.20	0.07	—	—	—	—	—	—	0.33	—	—		24
25	0.12	0.59	0.28	—	0.04	—	—	—	0.11	0.45	—	—		25
26	—	0.44	0.03	—	0.01	—	—	—	—	0.11	—	—		26
27	—	0.17	—	0.25	—	—	—	—	0.02	0.19	—	—		27
28	0.13	0.07	0.02	—	—	—	—	—	—	0.03	—	—		28
29	0.08	—	—	—	—	—	—	—	—	0.19	0.05	0.07		29
30	0.33	✕	—	—	—	0.08	—	0.37	—	0.03	0.11	—		30
31	0.18	✕	—	✕	—	✕	—	—	✕	0.39	✕	0.02		31
TOTAL	6.79	4.78	5.26	2.63	2.62	2.18	1.54	2.25	2.26	3.11	1.62	4.37	Year's Total 3941	✓✓
* Days with .01 in. or more.	22	20	19	15	12	12	11	6	15	13	10	18	143	✓✓
* Days with .04 in. or more.	20	16	15	14	10	10	8	5	11	9	7	15	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert Masters
Canon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 383

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SPELDHURST RECTORY
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 334 ft.

Aye

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.03				0.28	0.32	0.10	—	0.24	0.04	0.04	0.18		1
2	0.05	—	—	0.05	0.19	—	0.20	—	—	0.43	—	0.01		2
3	—	—	—	—	0.23	—	—	—	—	0.70	0.05	—		3
4	0.03	—	—	—	—	—	0.14	0.09	—	0.13	—	0.13		4
5	—	—	—	—	—	—	0.68	—	0.01	0.41	—	0.02		5
6	0.04	—	—	—	—	—	0.04	—	—	—	0.01	—		6
7	0.03	—	—	—	—	0.02	0.12	0.63	—	0.23	—	0.08		7
8	0.23	—	—	—	—	—	—	—	0.01	0.25	—	0.05		8
9	0.15	—	—	—	—	—	0.25	0.07	—	0.04	—	0.73		9
10	0.13	0.10	—	—	—	0.07	—	0.08	—	—	—	0.24		10
11	0.21	0.01	—	—	—	—	—	—	—	—	0.13	0.30		11
12	0.35	—	—	—	—	—	0.06	0.31	—	0.05	0.10	0.01		12
13	0.37	0.05	—	—	—	—		—	—	0.08	0.20	0.07		13
14	0.35	0.18	—	—	0.41	—	—	—	0.03	—	—	0.04		14
15	0.05	0.29	—	—	0.02	—	0.23	—	—	0.33	0.03	0.06		15
16	0.49	—	—	—	0.03	—	—	0.02	—	0.06	0.03	—		16
17	—	0.15	0.01	—	0.27	—	—	—	0.01	0.27	0.10	—		17
18	0.06	—	0.02	—	0.02	—	0.04	—	0.07	0.05	0.53	—		18
19	—	—	—	—	—	—	—	0.06	—	—	0.24	0.38 +	Snow	19
20	—	—	—	—	0.11	—	—	—	0.14	—	0.39	—		20
21	0.02	—	—	—	—	—	—	—	0.15	—	0.05	+	Snow	21
22	0.01	—	—	—	—	0.03	—	0.06	—	—	0.22	0.32 +		22
23	—	—	—	0.04	—	—	—	—	—	—	—	—		23
24	—	—	0.15	—	—	—	—	—	0.18	—	0.31	— +		24
25	0.11	—	0.28	0.32	0.18	—	—	0.03	0.12	0.03	0.56	—		25
26	0.41	0.22	0.08	0.02	—	—	—	—	0.21	0.32	0.31	0.48 +		26
27	0.06	0.06	—	—	0.30	0.17	0.38	—	1.12	0.01	—	—		27
28	0.04	0.04	—	—	0.33	0.10	—	0.21	0.12	—	—	0.01		28
29	0.20	—	●	0.03	0.29	—	—	—	—	—	0.08	0.22		29
30	0.05	☒	—	0.35	0.20	—	—	—	0.08	0.04	0.38	—		30
31	0.24	☒	—	☒	0.10	☒	—	—	☒	0.19	☒	0.28		31
TOTAL	3.71	1.10	0.54	~~0.86~~ 0.81	2.96	0.71	2.24	1.56	2.49	3.66	3.76	~~3.71~~ 3.61	Year's Total 27.25	✓
* Days with .01 in. or more.	24	9	5	6	15	6	11	10	14	19	19	~~19~~ 23	~~157~~ 161	✓
* Days with .04 in. or more.	19	8	3	4	12	4	11	8	10	17	16	~~15~~ 17	~~127~~ 129	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert Masters

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 333

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SPELDHURST RECTORY

in the County of KENT

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	—	0.05	0.13	0.36	—	0.04	—	0.29	—	—	0.04		1
2	—	—	—	0.02	0.02	—	0.03	0.40	0.05	—	0.01	—		2
3	0.27	—	—	0.38	—	—	—	0.21	—	0.13	0.17	0.39		3
4	0.12	—	0.33	0.19	—	—	0.11	0.94	—	0.57	0.07	0.01		4
5	—	—	0.02	0.22	0.03	—	0.12	0.02	—	0.10	0.55	0.04		5
6	0.31	—	0.02	—	—	—	0.20	0.12	—	—	0.23	—		6
7	0.04	0.09	—	—	—	—	0.03	0.04	—	0.12	0.14	0.14		7
8	0.02	0.10	0.12	—	—	—	—	—	—	0.63	0.30	0.49		8
9	0.06	0.05	—	—	—	—	—	0.09	—	0.47	0.68	0.24		9
10	0.13	—	—	—	—	0.31	—	0.12	0.08	0.12	0.03	—		10
11	—	0.01	0.27	—	0.02	0.13	—	—	—	1.43	—	0.02		11
12	—	—	—	—	0.03	—	—	—	—	0.03	0.01	0.06		12
13	—	—	0.01	0.01	—	—	—	—	0.02	1.53	—	0.10		13
14	0.60	—	0.02	—	—	0.02	0.04	—	—	0.33	0.47	—		14
15	0.62	—	—	0.02	1.19	0.04	—	—	0.12	0.72	0.15	—		15
16	0.33	—	0.14	0.07	0.17	0.15	0.10	—	0.08	—	0.42	—		16
17	0.31	0.09	0.03	0.05	—	—	—	—	—	—	0.07	—		17
18	0.33	—	0.01	—	—	0.06	0.04	—	—	0.15	0.40	—		18
19	0.17	—	0.01	—	—	—	0.31	—	—	0.31	—	0.02		19
20	0.25	—	—	—	—	—	0.40	0.11	0.08	—	—	0.04		20
21	0.06	—	0.12	—	—	0.12	0.57	—	0.09	0.01	—	—		21
22	0.30	0.23	0.08	0.01	—	0.38	—	—	0.02	—	0.04	—		22
23	0.04	—	—	0.09	—	—	0.10	0.02	—	0.11	0.60	—		23
24	0.15	0.10	0.06	0.27	—	—	0.05	0.06	—	0.14	0.01	—		24
25	1.16	0.22	0.10	0.20	—	—	0.37	—	—	—	0.62	0.02		25
26	0.02	—	0.01	—	—	0.01	0.01	—	0.03	0.14	0.35	0.03		26
27	0.02	0.17	0.07	0.10	—	—	—	—	—	0.10	0.37	—		27
28	—	0.59	0.06	—	—	0.07	—	—	—	0.05	0.09	0.13		28
29	—	—	—	0.37	—	—	—	—	—	0.03	0.04	—		29
30	—	✕	—	0.64	—	—	—	0.02	—	0.02	0.16	—		30
31	—	✕	—	✕ ~~2.77~~ ~~2.76~~	—	✕	0.04	0.20	✕	0.01	✕	0.01		31
TOTAL	5.32	1.65	1.53	2.76	1.82	1.29	2.56	2.35	0.86	7.25	5.98	1.78	Year's Total 35.15	
* Days with .01 in. or more.	22	10	19	16	7	10	17	13	10	23	24	16	187	
* Days with .04 in. or more.	18	9	11	12	3	8	14	10	7	18	20	10	140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 333

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~1~~40

Kept at Speldhurst Rectory

in the County of Kent

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Toples

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	0·02	—	—	—	—	—	0·04	—		1
2	—	0·05	—	0·11	—	—	—	—	—	0·18	0·38	0·02		2
3	—	0·25	—	0·10	—	—	—	—	—	0·20	1·28	0·02		3
4	—	0·17	—	0·05	—	—	—	—	—	0·24	0·04	0·09		4
5	—	0·01	—	—	0·01	—	0·05	—	—	0·03	0·82	0·19		5
6	0·13	0·08	—	—	—	—	0·30	—	—	0·59	—	—		6
7	0·29	0·15	—	—	—	—	0·10	—	—	—	—	—		7
8	—	—	—	0·01	—	—	0·05	—	0·02	0·39	—	0·28		8
9	—	—	—	—	—	—	—	0·02	—	0·19	0·40	0·15		9
10	—	—	—	—	—	—	0·37	0·06	—	0·11	0·08	—		10
11	—	—	—	0·04	—	—	0·12	—	—	—	1·12	—		11
12	—	0·06	0·20	—	—	—	0·12	—	0·16	0·02	0·03	—		12
13	—	0·03	0·67	—	—	—	—	—	0·06	—	1·06	—		13
14	—	—	0·35	0·09	—	—	—	—	—	0·05	—	0·36		14
15	—	—	0·03	—	0·17	—	0·94	—	0·04	0·06	0·45	0·02		15
16	0·08	0·24	0·17	0·02	—	0·09	0·10	—	0·19	0·81	0·77	0·07		16
17	—	—	0·29	—	—	0·10	0·04	—	—	—	0·07	—		17
18	0·04	0·21	0·30	0·43	—	—	0·04	—	0·29	0·29	0·19	0·14		18
19	—	0·17	0·09	0·02	—	—	—	—	0·53	—	0·26	0·15		19
20	—	0·04	0·05	0·04	—	—	—	0·03	0·03	0·10	0·12	—		20
21	0·06	—	—	—	0·56	—	0·23	0·02	—	0·05	0·39	—		21
22	0·08	0·01	0·04	—	0·13	—	—	—	0·15	—	0·02	—		22
23	—	0·17	0·04	0·31	—	—	—	—	—	0·02	0·03	0·05		23
24	—	—	—	0·37	—	—	0·15	—	—	—	—	0·02		24
25	—	—	0·63	—	—	—	0·09	—	—	—	—	—		25
26	0·88	0·20	0·17	0·01	0·35	—	0·04	—	—	0·05	—	—		26
27	0·36	0·37	—	0·54	—	—	0·09	0·01	—	—	—	0·01		27
28	0·27	0·04	—	0·04	0·13	—	—	0·01	—	—	—	—		28
29	0·29	0·24	0·13	—	0·36	—	—	—	0·03	—	—	0·25		29
30	0·12	✕	—	0·30	—	—	—	—	—	0·19	—	0·02		30
31	0·05	✕	—	✕	—	✕	—	—	✕	0·64	✕	0·02		31
TOTAL	2·65	2=49 ~~2·48~~	3·16	2=48 ~~2·28~~	1·73	0·19	2·83	0·15	1·50	4·21	7·55	1·86	Year's Total 30·59	
* Days with .01 in. or more.	12	18	14	16	8	2	16	6	10	19	19	17	157	
* Days with .04 in. or more.	12	15	13	12	6	2	16	1	7	16	16	10	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

334

Section **A** for the entry of D
AIR ~~MINISTRY~~.

FORM 1090.

REGIST

Kept at Pembury
in the County of Kent
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this paragraph

—
334
PEMBURY
1931 – 1940
063304003
780107

OPY FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·12	·02	·09	[illegible]	-	-	·01	·05	-	-	-	1
2	-	·08	-	·15	·02	-	-	·30	·80	·02	·02	-	2
3	·13	·08	·10	·18	1·20	-	-	-	·61	-	·03	·21	3
4	-	·04	-	-	-	-	·03	·04	·14	·03	·12	·02	4
5	-	-	-	·36	-	·57	·09	·23	·09	-	-	·31	5
6	-	-	-	·06	-	-	-	·46	-	·24	·48	-	6
7	-	-	-	-	·04	·08	-	·19	-	·04	·43	-	7
8	-	·12	·02	-	-	·11	-	·09	-	-	·08	·07	8
9	-	·16	-	-	-	·04	-	-	-	-	·74	·04	9
10	-	·15	·09	·05	-	·12	-	·16	-	-	1·27	-	10
11	·14	·59	-	-	-	-	·05	·02	·03	-	·79	-	11
12	·11	·04	-	-	-	-	·04	·05	·63	-	-	·02	12
13	·05	-	·02	-	·14	-	·05	·14	-	-	-	-	13
14	-	·13	-	-	-	·11	·47	·37	-	-	·01	-	14
15	·04	·09	-	·18	·09	-	·32	·13	-	-	-	·08	15
16	-	·13	-	·19	·26	·03	·03	·15	-	-	-	-	16
17	·09	·08	-	-	·02	-	·35	·18	·06	·06	-	-	17
18	·03	·19	·03	·72	-	·07	·05	·46	-	-	·54	-	18
19	·05	-	-	·54	-	·03	·27	·33	·19	-	·02	-	19
20	-	·17	-	·10	-	-	·04	·29	-	·05	·02	·04	20
21	-	·03	-	-	·49	-	-	·02	·03	-	·04	-	21
22	·24	-	·17	-	-	-	-	-	·08	-	·04	-	22
23	·69	-	-	-	·16	·10	-	-	·04	-	·22	·03	23
24	-	-	-	·80	·02	·07	·04	·33	-	-	-	-	24
25	-	-	-	·66	-	-	·41	-	·03	-	·03	-	25
26	-	·10	-	·38	-	-	·32	-	·02	-	·33	-	26
27	·13	·31	-	·08	·23	-	·02	-	-	-	·04	-	27
28	·12	·25	-	·09	-	-	-	-	-	·05	-	-	28
29	·09	X	-	-	·13	-	·12	-	-	·31	-	·04	29
30	·06	X	-	-	·03	-	·04	-	-	-	-	-	30
31	·30	X	-	X	·04	X	·10	·04	X	-	X	-	31
TOTAL	2·44	2·86	·45	4·52	2·87	1·33	2=84 ~~2·84~~	3·99	2·80	·80	5·25	·86	YEAR'S TOTAL 31·01
*Days with ·01 in. or more.	16	19	7	16	14	11	19	21	14	8	19	10	174
*Days with ·04 in. or more.	15	18	3	16	10	9	16	18	10	6	13	7	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Priscilla Fowler [P.T.O.

Section **A** for the entry of Daily Observations. 83248/1128. COPY FOR OFFICIAL USE. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·12	·02	·09	[illegible]	-	-	·01	·05	-	-	-	1
2	-	·08	-	·15	·02	-	-	·30	·80	·02	·02	-	2
3	·13	·08	·10	·18	1·20	-	-	-	·61	-	·03	·21	3
4	-	·04	-	-	-	-	·03	·04	·14	·03	·12	·02	4
5	-	-	-	·36	-	·57	·09	·23	·09	-	-	·31	5
6	-	-	-	·06	-	-	-	·46	-	·24	·48	-	6
7	-	-	-	-	·04	·08	-	·19	-	·04	·43	-	7
8	-	·12	·02	-	-	·11	-	·09	-	-	·08	·07	8
9	-	·16	-	-	-	·04	-	-	-	-	·74	·04	9
10	-	·15	·09	·05	-	·12	-	·16	-	-	1·27	-	10
11	·14	·59	-	-	-	-	·05	·02	·03	-	·79	-	11
12	·11	·04	-	-	-	-	·04	·05	·63	-	-	·02	12
13	·05	-	·02	-	·14	-	·05	·14	-	-	-	-	13
14	-	·13	-	-	-	·11	·47	·37	-	-	·01	-	14
15	·04	·09	-	·18	·09	-	·32	·13	-	-	-	·08	15
16	-	·13	-	·19	·26	·03	·03	·15	-	-	-	-	16
17	·09	·08	-	-	·02	-	·35	·18	·06	·06	-	-	17
18	·03	·19	·03	·72	-	·07	·05	·46	-	-	·54	-	18
19	·05	-	-	·54	-	·03	·27	·33	·19	-	·02	-	19
20	-	·17	-	·10	-	-	·04	·29	-	·05	·02	·04	20
21	-	·03	-	-	·49	-	-	·02	·03	-	·04	-	21
22	·24	-	·17	-	-	-	-	-	·08	-	·04	-	22
23	·69	-	-	-	·16	·10	-	-	·04	-	·22	·03	23
24	-	-	-	·80	·02	·07	·04	·33	-	-	-	-	24
25	-	-	-	·55	-	-	·41	-	·03	-	·03	-	25
26	-	·10	-	·38	-	-	·32	-	·02	-	·33	-	26
27	·13	·31	-	·08	·23	-	·02	-	-	-	·04	-	27
28	·12	·25	-	·09	-	-	-	-	-	·05	-	-	28
29	·09	X	-	-	·13	-	·12	-	-	·31	-	·04	29
30	·06	X	-	-	·03	-	·04	-	-	-	-	-	30
31	·30	X	-	X	·04	X	·10	·04	X	-	X	-	31
TOTAL	2·44	2·86	·45	4·52	2·87	1·33	~~2·04~~ 2=84	3·99	2·80	·80	5·25	·86	YEAR'S TOTAL 31·01
*Days with ·01 in. or more.	16	19	7	16	14	11	19	21	14	8	19	10	174
*Days with ·04 in. or more.	15	18	3	16	10	9	16	18	10	6	13	7	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Priscilla Fowler

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·05	-	·06	·44	-	·03	·03	·02	·12	·06	-	1
2	·04	-	-	·14	·12	-	-	·02	·05	·03	·02	·19	2
3	-	-	-	·07	·27	·16	-	-	·36	·04	-	-	3
4	·04	-	-	-	-	·11	-	-	-	-	·02	-	4
5	·23	-	·03	-	·64	·05	·14	-	·10	-	-	-	5
6	·62	-	·04	·28	·03	-	-	-	·07	-	-	-	6
7	·08	-	·14	·11	-	-	·06	-	·05	·05	-	-	7
8	-	-	·25	-	·18	-	-	-	·17	·53	-	-	8
9	·30	·15	-	·19	·59	-	-	-	-	·03	-	-	9
10	·84	·12	-	·29	·10	-	-	-	·02	·06	·04	-	10
11	·39	-	·10	·15	·03	·09	-	-	·03	·08	·03	-	11
12	·35	·17	-	·03	-	-	-	-	·02	·32	·03	-	12
13	·12	-	-	·13	·06	-	-	-	·02	1·23	-	·07	13
14	·13	·01	-	-	·17	-	-	-	-	·04	-	-	14
15	·06	-	-	·25	·08	-	·01	-	-	·12	-	-	15
16	·12	-	-	·21	·06	-	-	-	-	-	-	-	16
17	·01	-	-	·11	-	-	·05	-	·02	·03	-	-	17
18	·03	-	-	·03	-	-	·02	-	·05	-	·09	-	18
19	·04	-	-	·02	·03	-	-	-	-	·23	·05	-	19
20	-	-	-	·07	·07	-	·06	·02	·04	1·08 ~~1·08~~	·22	-	20
21	·03	·02	-	-	·23	-	-	-	-	·29	·02	·05	21
22	·04	-	·34	·04	·07	·07	·08	·03	·48	·15	·31	-	22
23	-	·09	·10	·16	·05	-	-	-	·34	1·08	·04	·14	23
24	-	·06	-	-	-	-	·50	-	·31	·06	·03	-	24
25	-	-	-	·04	-	-	·50	-	·13	·37	·09	-	25
26	-	-	-	·12	-	-	·60	·22	-	·05	·04	-	26
27	-	-	·26	·14	·15	-	·30	-	-	·34	·09	·08	27
28	-	-	·01	·03	·05	-	·19	-	-	·22	-	-	28
29	-	-	·47	·02	·05	-	·03	·27	·12	·55	-	·04	29
30	·03	×	·09	·04	·42	·74	-	·02	·11	·04	·21	·08	30
31	-	×	·05	×	-	×	·08	·03	×	-	×	·06	31
TOTAL	3·66	·67	1·88	2·73	3·29	1·22	2·65	·64	2·51	7·14 ~~7·16~~	1·39	·71	YEAR'S TOTAL 28·51
*Days with ·01 in. or more.	20	8	12	24	22	6	15	8	20	25	17	8	185
*Days with .04 in. or more.	16	6	10	19	19	6	11	2	14	22	11	8	144

114
300
300
714

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Priscilla Fowler

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. ....in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·33	·15	-	-	-	-	-	-	·03	·09	-	1
2	·29	-	·64	-	·09	-	-	-	-	·05	·03	-	2
3	·13	·15	·41	-	-	-	-	-	-	·04	·02	-	3
4	·13	·03	·04	-	·04	-	-	-	-	-	-	-	4
5	·20	·02	·31	-	·25	-	-	-	-	-	-	-	5
6	-	·19	·12	-	·03	-	-	-	-	·05	·13	-	6
7	·34	·08	·05	-	·28	-	-	-	-	·60	-	·05	7
8	·12	-	-	-	·05	-	·38	-	-	·04	-	-	8
9	-	-	-	-	·10	·04	·07	-	-	·11	·18	-	9
10	-	·23	-	-	-	-	·09	-	-	·24	·03	-	10
11	10	-	-	-	·11	-	·04	·08	·11	·04	·03	-	11
12	-	-	-	·09	-	·26	·22	-	1·33	·13	-	-	12
13	-	-	-	-	·09	-	·32	-	·37	-	·15	-	13
14	-	-	-	-	·03	-	·08	·07	-	·40	·29	-	14
15	·33	-	·18	-	-	-	·25	·26	-	·06	·03	·01	15
16	·04	-	·83	-	-	·22	·08	-	-	·04	-	-	16
17	-	-	·34	-	-	·09	-	·08	·14	-	·05	-	17
18	-	-	·04	-	-	·35	-	-	-	-	·03	-	18
19	·08	-	·14	-	-	·16	-	-	·12	-	·03	-	19
20	-	·10	·07	·14	-	·25	-	-	·15	-	·03	-	20
21	-	·10	-	-	-	-	-	·34	·28	-	·02	-	21
22	-	-	-	-	-	·03	-	·21	·03	·03	·03	-	22
23	-	-	-	·12	·56	·03	-	-	·60	·04	·02	-	23
24	-	-	-	·18	-	·11	-	-	·33	·02	·03	-	24
25	-	·50	-	·25	·04	-	-	-	·11	-	·18	·07	25
26	-	·54	-	·05	-	·03	-	-	·07	·04	·21	·09	26
27	-	-	-	·04	·05	-	-	-	·02	·24	-	·15	27
28	-	-	-	-	-	·02	·31	-	-	·33	-	·20	28
29	·05	-	-	-	·35	-	·32	-	-	·09	-	-	29
30	-	×	·10	-	-	-	·05	-	·14	·05	-	·06	30
31	·19	×	·03	×	-	×	·02	·07	×	·03	×	·02	31
TOTAL	2·05	2·27	3·43	·87	2·07	1·59	2·23	1·11	~~3·79~~ 3·80	2·70	1·61	·65	YEAR'S TOTAL 24·39
*Days with ·01 in. or more.	13	11	15	7	14	12	13	7	14	22	20	8	156
*Days with .04 in. or more.	13	9	14	7	12	7	12	7	12	18	8	6	125

50
230
100
380

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Priscilla Fowler
(Miss)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pembury.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	-	·19	-	-	·03	-	·15	·01	·16	·03	·18		1
2	·05	-	·15	-	-	-	-	·02	·69	·55	-	·36		2
3	·03	·04	-	·12	-	-	-	·02	·05	·45	-	·16		3
4	·76	·03	·06	-	·03	-	-	-	-	·43	·10	·92		4
5	·03	-	·03	-	·09	-	-	·04	-	-	·06	·40		5
6	·02	-	·31	-	·23	·21	-	·11	-	·20	·04	·59		6
7	·05	-	-	-	·02	·03	-	-	-	·10	-	·26		7
8	-	·02	-	·21	·20	-	-	·03	-	-	1·25	·02		8
9	·03	-	·04	-	·03	-	-	-	-	-	1·40	·30		9
10	·02	-	·30	·28	-	-	-	·11	-	·03	·27	·03		10
11	·89	-	·44	·05	-	-	·07	·07	-	-	·03	·20		11
12	·07	-	·19	-	-	-	·08	·09	-	-	-	·15		12
13	·49	-	·28	·07	-	-	·10	·16	-	-	·04	·10		13
14	·32	-	·56	·08	-	-	-	-	-	·01	·35	·72		14
15	·02	-	-	-	·03	-	-	-	-	·09	·17	·81		15
16	·15	-	·34	·03	·12	-	-	-	·04	·05	-	·05		16
17	·08	-	·39	·05	·20	-	-	-	·02	·08	-	·35		17
18	·25	-	·03	·65	-	-	·19	-	-	-	·09	·53		18
19	-	-	·32	·04	-	·05	-	-	·23	-	-	·23		19
20	-	-	·10	-	-	-	·06	-	·03	·04	-	·02		20
21	-	-	·03	·17	-	·12	·02	·03	-	·13	-	-		21
22	-	-	-	-	-	-	·04	·10	·18	-	·03	·12		22
23	-	-	-	·36	-	1·02	-	·03	-	·08	-	·15		23
24	-	·05	·02	·26	-	·13	·36	·09	·13	-	-	-		24
25	·13	·02	-	·20	·03	·03	-	-	-	·03	-	·44		25
26	·06	-	-	·11	-	·09	-	-	·08	-	-	·04		26
27	·03	-	-	·54	-	·02	-	-	-	-	-	·28		27
28	·02	-	-	·10	-	·14	·02	·06	-	-	-	·34		28
29	-	-	-	-	-	-	·09	·04	·22	-	-	·02		29
30	·13	×	-	-	-	-	-	·04	-	-	-	·49		30
31	·06	×	-	×	-	×	-		×	·12	×	·18		31
TOTAL	3·13	·16	3·78	3·32	~~1·18~~ ·98	1·87	1·03	1·69	1·68	2·57	3·86	8.44	Year's Total. 32·71	
* Days with .01 in. or more.	23	5	18	17	10	11	10	17	11	16	13	29	180	
* Days with .04 in. or more.	15	2	14	16	5	7	8	12	8	14	10	27	138	

28
70
98

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Priscilla Fowler

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ……ft……in.

,, Ground ,, Sea Level 416 ft.

Feb corr for Auth
Obsr notified.
15/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·06	·04	·04	·03	·16	·12	-	·41	·15	·24	-		1
2	·23	-	·19	·07	-	-	-	-	-	·35	·12	-		2
3	·02	·01	-	·06	-	·05	-	-	·19	·49	·11	-		3
4	-	·10	-	·36	-	·17	-	-	·41	·59	-	·14		4
5	-	·58	-	·09	-	·18	-	-	·72	·21	·02	·03		5
6	·05	-	·05	·27	-	·53	-	-	-	·07	·19	·03		6
7	·05	-	-	·30	-	·13	-	-	-	·02	1·17	·13		7
8	-	-	-	·38	-	-	-	·16	-	·25	·41	·10		8
9	·03	-	-	·14	-	·15	-	-	-	·91	·30	·03		9
10	·05	·07	-	·03	-	·04	-	-	-	·02	·14	·19		10
11	·11	-	·10	·28	-	·14	·03	-	-	·02	·44	·03		11
12	-	·04	-	-	-	·27	-	·62	·05	-	·92	-		12
13	·09	·21	-	·15	·02	·05	-	-	-	·01	·20	·03		13
14	-	-	-	·27	·30	·11	-	-	-	·03	·05	-		14
15	-	·18	-	·51	·04	-	-	-	·32	·02	·21	·09		15
16	-	·08	·03	·20	-	·38	-	-	·47	·04	1·19	·07		16
17	·06	-	·09	·08	·04	·20	-	-	·02	-	·63	·04		17
18	-	-	-	·03	·03	·06	·15	-	·39	·07	·03	·02		18
19	-	-	-	·04	·71	·04	·19	-	·07	-	·08	-		19
20	-	·86	-	·03	·03	·08	·27	-	·06	-	·13	-		20
21	·04	·47	-	·01	-	-	-	-	·04	·13	·05	-		21
22	-	·12	-	·03	-	-	-	·34	·22	-	·02	-		22
23	-	-	·04	-	·03	-	-	·60	-	-	-	·04		23
24	·06	1·26	-	-	·42	-	-	1·13	·63	·06	-	·35		24
25	·25	·27	-	·14	·27	·09	-	-	-	-	·04	·34		25
26	·03	·08	-	[illegible]	·04	-	-	·14	·06	·08	·03	43 ·43	3	26
27	-	·84	-	-	-	-	-	·04	·14	-	·09	·24		27
28	-	·07	-	-	-	-	-	·02	·04	·08	·03	·27		28
29	-		-	-	·10	-	-	·03	·48	·02	-	·36		29
30	·13	X	-	·09	·04	-	-	1·29	·10	·12	·59	·33		30
31	-	X	-	X		X		·04	X	·31	X	·69		31
TOTAL	1·47	5 ~~4~~·30	·54	3·60	2·10	2·83	·76	4·35	4·82	4·55	7·43	4·18 ~~4·17~~	Year's Total 40·92	
* Days with .01 in. or more.	15	17	7	23	14	18	5	11	19	23	26	22	200	
* Days with .04 in. or more.	12	16	6	18	9	18	4	9	18	16	21	16	163	

98

97
320
417

97

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………………………………

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 416 ft.

118
290
408

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	44	·20	·12	·36	-	·33	·15	·21	-	-	·07	·12		1
2	·02	·04	·04	·03	-	·18	·09	·10	·65	-	-	·04		2
3	-	-	-	·83	-	·13	·04	-	-	-	·28	-		3
4	-	-	·15	-	-	·09	-	-	·48	-	-	·03		4
5	·22	-	·03	·03	-	-	-	·06	·09	·07	·18	-		5
6	·38	-	-	-	-	·05	-	·05	·27	·14	·93	·15		6
7	·42	-	·07	-	-	·04	-	-	-	-	·87	-		7
8	·38	-	·18	-	-	-	·06	-	·03	·03	·82	·26		8
9	·44	-	·04	-	-	-	·32	·56	·03	·12	·02	·01		9
10	·07	-	-	-	-	-	·26	·38	·05	·02	-	-		10
11	-	-	-	-	-	-	·28	·03	-	-	·84	-		11
12	-	-	-	·04	-	·19	·22	·02	·62	-	·44	·14		12
13	-	-	-	-	-	·20	·06	-	-	·03	·03	·78		13
14	-	·07	-	-	-	·08	·75	-	-	·04	·15	·68		14
15	-	·07	-	-	-	-	·05	-	-	-	·05	·43		15
16	-	·07	-	-	·12	-	-	-	-	-	·18	·19		16
17	·40	·74	-	-	·04	·13	-	·02	-	·04	·29	·53		17
18	-	·15	-	-	-	·10	·19	-	-	-	·27	·15		18
19	·43	·14	-	-	-	·31	-	·08	-	·07	·04	-		19
20	·32	·08	-	·36	-	-	-	-	·50	-	-	-		20
21	-	-	-	·34	-	·36	·11	-	-	-	-	-		21
22	-	·42	·12	-	·04	·08	·09	-	-	-	-	·08		22
23	·15	·28	·04	·07	-	-	-	-	-	·04	-	-		23
24	·03	·11	-	-	-	·07	·39	-	-	·23	-	-		24
25	·13	·03	·22	·14	-	·20	·49	-	·41	·05	·05	-		25
26	·02	·14	·22	·04	-	·09	-	-	·08	·24	-	-		26
27	·23	-	·05	-	-	-	·09	-	·29	·26	-	-		27
28	·72	-	·05	-	-	·18	·30	-	·08	·04	-	·10		28
29	·05	-	·22	-	-	·71	·07	-	-	-	·09	·03		29
30	·13	✕	-	-	·03	·24	-	-	-	·15	-	-		30
31	·26	✕	·20	✕	-	✕	·09		✕	1·10	✕	·17		31
TOTAL	5·26	2·54	1·75	2·24	·23	3·76	4·10	1·50	2·98	2·67 ~~2·57~~	5·60	3·89	Year's Total 36·62	~~36·52~~ ✓
* Days with .01 in. or more.	20	14	15	10	4	20	20	10	13	17	18	17	178	✓
* Days with .04 in. or more.	18	13	14	8	3	20	20	7	11	14	16	14	158	✓

109
460
569

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Priscilla Fowler (Miss). [P.T.O.

67
100
100

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·83	·03	·07	·07	-	-	·07	-	-	·01	·54	·36		1
2	·02	·47	·03	·30	-	-	-	-	-	-	-	·89		2
3	·03	·14	·02	·20	-	-	-	-	-	·03	-	·39		3
4	·13	·95	-	-	-	-	-	-	-	-	-	·24		4
5	·26	·13	-	-	-	-	·20	-	-	·14	-	-		5
6	·05	-	-	-	·23	-	·02	-	-	·06	·03	-		6
7	-	·65	-	·09	-	-	-	-	-	·06	-	-		7
8	-	·04	-	-	·05	·09	-	-	-	·02	·11	·68		8
9	-	-	-	·41	·12	·03	·06	-	·40	-	-	·05		9
10	-	-	1·89	·23	·36	·42	·07	-	-	-	-	·67		10
11	-	-	·44	-	·06	-	·04	-	-	-	-	·19		11
12	·29	·27	·19	·03	·22	·25	·03	-	·28	-	-	·22		12
13	·23	·05	·55	·05	-	·44	-	·39	·10	-	-	-		13
14	·04	·03	·12	-	·14	·05	-	·35	·12	-	-	-		14
15	·20	·11	-	·19	·02	·09	·26	·74	·46	-	-	-		15
16	·03	·07	·29	·44	-	·07	-	·35	·17	-	-	·69		16
17	·39	-	·08	·13	-	·77	-	-	·34	-	·22	-		17
18	·59	·07	·06	·03	·49	·63	-	-	·18	-	·09	-		18
19	·10	·12	·09	·13	·06	·08	·65	-	·29	-	-	-		19
20	·58	·03	·18	·26	·61	·12	-	-	·04	-	-	-		20
21	·58	·05	·28	·09	·04	-	·02	·04	-	-	-	·16		21
22	·47	·06	-	·02	·10	·05	·02	-	-	·92	·20	·08		22
23	·15	-	-	-	-	-	-	-	-	·43	-	·02		23
24	·75	·13	·16	-	·03	-	-	-	·03	·34	-	-		24
25	·15	·41	·25	-	-	-	-	-	·16	·24	-	-		25
26	·03	·46	·07	-	-	-	-	-	-	·26	-	-		26
27	-	·12	-	·27	-	[illegible]	-	-	·04	·22	-	-		27
28	-	-	·02	·05	-	·01	-	-	-	·04		·06		28
29	-	-	-	-	-	-	-	-	-	·29	·05	·04		29
30	·57	✕	-	-	-	-	-	·09	-	·13	·11	-		30
31	·20	✕	-	✕	-	✕			✕	·17	✕	·05		31
TOTAL	6·67	4·39 ~~4·69~~	4·79 ~~4·19~~	2·99	2·53	2·50 ~~2·57~~	·84	1·96	2·61	3·36	3 1·35	4·69	Year's Total 5 35·43	✓
* Days with .01 in. or more.	23	21	18	18	14	14	11	6	13	16	8	16	178	✓
* Days with .04 in. or more.	20	18	15	15	12	12	7	6	12	13	7	15	~~123~~	✓ 152

99
370
4·69

* See Instruction 3 (f) on other side.

89
[illegible]
431

109
200
100
479

70
180
250

† Spare column, no entries required.

(*Signed*) A. P. Fowler (Miss) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 416 ft.

December

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	-	·02	-	·22	·15	·17	-	·24	·03	·07	·09		1
2	·08	-	-	·08	·13	-	·25	-	-	·37	-	·03		2
3	-	-	-	-	·37	-	·05	-	-	·93	·07	-		3
4	·04	-	-	-	-	·04	·12	·12	-	·04	-	·10		4
5	·03	-	-	-	-	-	·67	-	·02	·50	-	-		5
6	·05	-	-	-	-	-	·07	-	·04	·04	·03	-		6
7	·04	-	-	-	-	-	·09	·76	-	·27	·01	·11		7
8	·25	·01	-	-	-	·03	·22	·03	·01	·26	·04	·04		8
9	·14	·02	-	-	-	-	-	·08	-	·09	-	·62		9
10	·09	·07	-	-	-	·07	-	·08	-	-	-	·36		10
11	·21	·02	-	-	-	-	-	-	-	-	·18	·29		11
12	·33	·02	-	-	-	-	·06	·41	-	·05	·11	·03		12
13	·38	-	-	-	-	-	-	-	-	·08	·13	·06		13
14	·23	-	-	-	·43	-	-	-	·04	-	-	·07		14
15	·05	-	-	-	·04	-	·19	·01	-	·17	·03	·05		15
16	·45	·45	·03	-	·02	-	·02	·04	-	·20	·04	·27		16
17	-	·08	·02	-	·36	-	-	-	·03	·33	·10	-		17
18	·07	·08	·01	-	·04	·01	-	-	·21	·10	·54	-		18
19	-	-	-	-	-	-	-	·05	·06	-	·22	-		19
20	-		-	-	·13	-	-	-	·13	-	·54	-		20
21	·03	·03	-	·04	-	-	-	·03	·13	-	·09	-		21
22	·02	-	-	·03	-	·05	-	·04	·01	-	·24	-		22
23	·01	-	-	·08	-	-	-	-	-	-	·03	-		23
24	-	-	·13	-	·03	-	-	-	·04	-	·32	-		24
25	·11	-	·35	·08	·27	-	·04	·03	·19	·04	·53	-		25
26	·48	·19	·10	-	-	-	-	·06	·21	·34	-	·77		26
27	·07	·05	·02	-	·18	·18	·34	-	1·50	·03	·29	-		27
28	·05	·05	-	-	·36	·12	-	·25	·15	-	-	·02		28
29	·24	-	-	-	·26	·04	-	-	-	-	·05	·19		29
30	·06	✕	-	·35	·28	-	-	-	·08	·04	·94	-		30
31	·23	✕	-	✕	·11	✕	-	-	✕	·18	✕	·18		31
TOTAL	3·78	1·07	·68	·66	3·23	·69	2·29	1·99	3·09	4·09	~~4·19~~ 4.00	3·28	Year's Total 29·44	
* Days with .01 in. or more.	26	12	8	6	16	9	13	14	17	20	22	~~17~~ 23	180	
* Days with .04 in. or more.	22	7	3	5	14	7	12	10	13	18	18	~~14~~ 18	14~~3~~7	

90 3/0

Print 98 14/3/39

† Spare column, no entries required.

(Signed) A. Priscilla Fowler

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pembury nr Tunbridge Wells

in the County of Kent

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 416 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-	·05	·09	·46	-	-	-	·17	-	·04	·06		1
2	·03	-	·02	·05	·04	-	·02	·36	·08	-	·02	-		2
3	·26	·03	-	·29	-	-	-	·34	-	-	·20	·42		3
4	·12	-	·35	·26	-	-	·03	·54	-	·78	·18	·02		4
5	-	-	·03	·24	·03	-	·35	·34	-	·20	·49	·05		5
6	·26	-	·05	·03	-	-	·10	·08	-	·09	·19	-		6
7	·07	·08	-	-	-	-	·10	·07	-	·03	·20	·07		7
8	·03	·09	·13	-	-	-	·03	-	-	·32	·15	·49		8
9	·06	·06	-	-	-	-	-	·08	-	·71	1·07	·21		9
10	·13	-	-	-	-	·29	-	·16	·08	·08	·03	·02		10
11	·02	·03	·30	-	-	·25	-	-	·04	1·66	·02	·03		11
12	-	-	-	-	·04	-	-	-	-	·12	·02	·05		12
13	·03	-	·03	·02	·02	-	-	-	·03	1·78	·82	·25		13
14	·54	-	·03	·04	·03	-	·08	-	·02	-	·50	·02		14
15	·70	-	-	-	·98	·08	·02	-	·17	·60	·09	-		15
16	·32	-	·12	·06	·22	·14	·06	-	-	-	·46	-		16
17	·29	·11	-	·04	·04	-	·04	-	-	-	·06	-		17
18	·35	-	·05	-	-	·06	·21	-	·03	·07	·35	-		18
19	·22	·01	·03	-	-	-	·34		·04	·48	-	·06		19
20	·20	-	-	-	-	-	·22	·09	·07	-	-	·05		20
21	·10	-	·12	-	-	·10	·46	-	·11	-	-	-		21
22	·22	·22	·04	·01	-	·35	·04	-	·03	-	·04	-		22
23	·09	-	·04	·09	-	·03	·08	·03	-	·14	·58	-		23
24	-	·14	·05	·23	-	·04	·04	·03	·03	·14	·03	-		24
25	·69	·20	·09	·45	-	-	·53	·09	-	-	·65	-		25
26	·05	-	·03	·02	-	-	-	-	·04	·13	·32	·07		26
27	-	·05	·08	·10	-	·04	-	-	-	·26	·38	·12		27
28	·04	·64	·05	·02	-	·06	-	-	-	·11	·09	-		28
29	-		-	·19	-	·02	-	-	-	·07	·03	-		29
30	-	×	-	·87	-	-	-	·03	-	·03	·19	-		30
31	-	×	-	×		×	·05	08 ~~·68~~	×	-	×	-		31
TOTAL	4·88	1·66	1·69	3·10	1·86	1·46	2·80	2·32	·94	7·80	7·20 ~~6·40~~	1·99	Year's Total 36·90	
* Days with .01 in. or more.	24	12	20	19	9	12	19	14	14	20	27	16	206	
* Days with .04 in. or more.	20	9	14	14	3	9	15	11	9	18	26	12	154	

82
210
292

131
49
1·00
7·21

† Spare column, no entries required.

(*Signed*) A. Priscilla Fowler

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 334

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Pembury

in the County of Kent

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 416 ft.

Totals

Oct
Nov
Dec
corrected for arith.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	·02	-	-		-		-	-	-		1
2	-	·06	-	·07	-	-		-	-	·16	·09	·24		2
3	-	·19	-	·10	-	-	·04	-	-	·02	·45	-		3
4	-	·19	-	·04	-	-	-	-	-	·24	1·31	·07		4
5	-	·02	-	-	-	-	-	-	-	·03	·08	·19		5
6	·14	·10	-	-	-	-	·26	-	-	·53	·83	-		6
7	·24	-	-	-	-	-	·10	-	-	-	-	-		7
8	·02	·14	-	·02	-	-	·04	-	-	·47	-	·29		8
9	-	-	-	·03	-	-	-	-	-	·11	·41	·15		9
10	-	-	-	-	-	-	·31	·07	·01	-	·05			10
11	-	-	-	·03	-	-	·03	-	·11	-	1·03	-		11
12	-	-	·23	·02	-	·02	·38	-	·07	-	·03	-		12
13		·07	·50	-	-	·05	·04	-	·18	-	1·08	-		13
14	-	-	·76	·07	-	-	-	-	-	·29	-	·28		14
15	-	-	·04	·02	·24	·06	·64	-	·03	·04	·63	·02		15
16	-	-	·16	·04	-	·11	·15	-	·20	·62	·87	·09		16
17	-	-	·24	-	-	-	·07	-	·03	·02	·10	·02		17
18	-	·44	·28	·41	-	-	·04	-	·09	·33	·14	·15		18
19	-	·83	·09	·03	-	-	·17	-	·60	-	·08	·15		19
20		·04	·07	·04	-	-	-	·03	·03	·02	·27	-		20
21	-	·03	-	-	·54	-	·46	-	·04	·04	·34	-		21
22	-	·02	-	-	·17	·21	-	-	·11	·02	-	·07		22
23	·21	·25	·09	·24	·03	-	·02	·01	-	·03	·04	·02		23
24	-	-	·09	·39	-	-	·14	-	-	·04	·03	-		24
25	-4	-	·75	-	·02	-	·13	-	-	·08	·03	-		25
26	1·09 4	·19	·24	·02	-	-	·03	-	-	·11	·02	-		26
27	-4	·34	-	·15	-	-	·54	·02	-	-	·02	·02		27
28	-4	·08	-	·03	·03	-	-	-	-	-	-	·26		28
29	-4	·14	·16	·02	·08	-	-	-	·03	-	-	-		29
30	- ✓	X		·45	-	-	-	-	-	·75	-	·13		30
31	·66 4	X		X	-	X	-		X	·62	X	·16		31
TOTAL	2·38 ✓	3·13 ✓	3·70 ✓	2·24 ✓	1·11	·45 ✓	3·59	·13	1·53	4·57 ~~4·02~~	3 7·98	2·31 ~~2·41~~	Year's Total ~~3~~ 33·07	~~32·6~~ 9
* Days with .01 in. or more.	11 ~~8~~	17	14 ~~24~~	21	7	5	19	4	13	21	22	~~18~~ 17	~~166~~	171
* Days with .04 in. or more.	9 ~~5~~	~~13~~ 14	14	11 ✓	4 ✓	4 ✓	16 ✓	1 ✓	8 ✓	15	17	~~8~~ 13	~~122~~	126

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. P. Fowler

P.T.O.

335

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEO

RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER

193/ .

063304001

335 — 295038

PEMBURY W.W

1931 — 1940

780107

Kept at Pembury Waterwo

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 19

THE MORNING MEASUREMENT

OUS DAY.

An observer who does not conform to this rule shou *1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read eaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	—	·08	—	·01	—	·07	·05	—	—	—	1
2	·16	·08	—	·16	·03	—	—	—	·71	—	—	—	2
3	·11	·07	·09	·14	·95	—	—	·36	·63	—	·02	·18	3
4	—	·03	—	—	—	—	—	·02	·18	—	·09	—	4
5	—	—	—	·25	—	·54	·09	·20	·08	—	—	·26	5
6	—	·07	—	·03	—	·01	—	·40	—	·18	·44	·01	6
7	—	·01	—	—	·04	·04	—	·15	—	—	·40	—	7
8	—	·09	—	—	·02	·14	·02	·06	—	—	·07	·03	8
9	—	·11	·01	·02	—	·01	—	—	—	—	·69	·01	9
10	—	·17	·05	—	—	·10	—	·14	—	—	1·25	—	10
11	·10	·53	—	—	—	—	—	—	·02	—	·68	—	11
12	·08	·02	—	—	—	—	·03	·05	·45	—	—	—	12
13	·05	—	—	—	·10	—	·04	·15	—	—	—	—	13
14	—	·10	—	—	—	·08	·45	·35	—	—	—	—	14
15	·02	·06	—	·16	·07	—	·21	·13	—	—	·03	·06	15
16	·01	·15	—	·16	·24	—	—	·15	—	—	—	—	16
17	·02	·05	—	·29	·02	—	·30	·31	·03	·03	—	—	17
18	·01	·14	—	·24	—	·06	·06	·49	—	·03	·46	—	18
19	·03	—	—	·53	—	—	·14	·28	·14	—	—	—	19
20	—	·15	—	·07	—	—	·02	·23	—	—	—	·01	20
21	—	·03	—	—	·52	—	—	—	—	—	·02	—	21
22	·22	—	·14	—	—	—	—	—	·05	—	·03	—	22
23	·69	—	—	—	·12	·10	—	—	·01	—	·20	—	23
24	—	—	·02	·70	—	·05	·03	·33	—	—	—	—	24
25	—	—	—	·67	—	—	·34	—	—	—	·01	—	25
26	—	·07	—	·35	—	—	·23	—	—	—	·31	—	26
27	·12	·31	—	·04	·24	—	—	—	—	—	·02	—	27
28	·10	·21	—	·06	—	—	—	—	—	·02	—	—	28
29	·06	—	—	—	·11	—	·10	—	—	·29	—	—	29
30	·05	×	—	—	·02	—	·03	—	—	—	—	—	30
31	·28	×	—	×	—	×	—	·03	×	—	×	—	31
TOTAL	2·11	2·54	·31	3·95	2·48	1·14	2·09	3·90	2·35	·55	4·72	·56	YEAR'S TOTAL 26·70
*Days with ·01 in. or more.	17	21	5	17	13	11	15	19	11	5	16	7	157
*Days with ·04 in. or more.	12	17	3	15	9	8	10	17	8	2	10	3	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [illegible] C.E.

Consulting Waterworks Engineer

P.T.O.

335

Section **A** for the entry of Daily Obs

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Pembury Waterworks

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 197·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	—	·08	—	·01	—	·07	·05	—	—	—	1
2	·16	·08	—	·16	·03	—	—	—	·71	—	—	—	2
3	·11	·07	·09	·14	·95	—	—	·36	·63	—	·02	·18	3
4	—	·03	—	—	—	—	—	·02	·18	—	·09	—	4
5	—	—	—	·25	—	·54	·09	·20	·08	—	—	·26	5
6	—	·07	—	·03	—	·01	—	·40	—	·18	·44	·01	6
7	—	·01	—	—	·04	·04	—	·15	—	—	·40	—	7
8	—	·09	—	—	·02	·14	·02	·06	—	—	·07	·03	8
9	—	·11	·01	·02	—	·01	—	—	—	—	·69	·01	9
10	—	·17	·05	—	—	·10	—	·14	—	—	1·25	—	10
11	·10	·53	—	—	—	—	—	—	·02	—	·68	—	11
12	·08	·02	—	—	—	—	·03	·05	·45	—	—	—	12
13	·05	—	—	—	·10	—	·04	·15	—	—	—	—	13
14	—	·10	—	—	—	·08	·45	·35	—	—	—	—	14
15	·02	·06	—	·16	·07	—	·21	·13	—	—	·03	·06	15
16	·01	·15	—	·16	·24	—	—	·15	—	—	—	—	16
17	·02	·05	—	·29	·02	—	·30	·31	·03	·03	—	—	17
18	·01	·14	—	·24	—	·06	·06	·49	—	·03	·46	—	18
19	·03	—	—	·53	—	—	·14	·28	·14	—	—	—	19
20	—	·15	—	·07	—	—	·02	·23	—	—	—	·01	20
21	—	·03	—	—	·52	—	—	—	—	—	·02	—	21
22	·22	—	·14	—	—	—	—	—	·05	—	·03	—	22
23	·69	—	—	—	·12	·10	—	—	·01	—	·20	—	23
24	—	—	·02	·70	—	·05	·03	·33	—	—	—	—	24
25	—	—	—	·67	—	—	·34	—	—	—	·01	—	25
26	—	·07	—	·35	—	—	·23	—	—	—	·31	—	26
27	·12	·31	—	·04	·24	—	—	—	—	—	·02	—	27
28	·10	·21	—	·06	—	—	—	—	—	·02	—	—	28
29	·06	—	—	—	·11	—	·10	—	—	·29	—	—	29
30	·05	×	—	—	·02	—	·03	—	—	—	—	—	30
31	·28	×	—	×	—	×	—	·03	×	—	×	—	31
TOTAL	2·11	2·54	·31	3·95	2·48	1·14	2·09	3·90	2·35	·55	4·72	·56	YEAR'S TOTAL 26·70
*Days with ·01 in. or more.	17	21	5	17	13	11	15	19	11	5	16	7	157
*Days with ·04 in. or more.	12	17	3	15	9	8	10	17	8	2	10	3	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W H Maxwell A.M.I.C.E.

Consulting Waterworks Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pembury Waterworks

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 197·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·03	—	·04	·55	—	·03	—	—	·15	·04	·02	1
2	·03	—	—	·12	·08	—	—	—	·02	·02	·01	·12	2
3	—	—	—	·05	·27	·12	—	—	·34	·03	—	—	3
4	·01	—	—	—	—	·12	—	—	—	—	—	—	4
5	·18	—	—	—	·01	·02	·15	—	—	—	—	—	5
6	·54	—	·02	·36	—	—	—	—	·04	—	—	—	6
7	·08	—	·11	·10	—	—	·01	—	·01	·03	—	·04	7
8	—	—	·23	·03	·19	—	—	—	·13	·55	—	—	8
9	·28	·11	—	·08	·48	—	—	—	—	—	—	—	9
10	·82	·02	—	·26	·10	—	—	—	—	·06	·02	—	10
11	·44	·10	·10	·11	·01	·09	—	—	—	·21	·02	·01	11
12	·32	·05	—	—	—	—	—	—	—	·29	—	—	12
13	·11	—	—	·07	·04	—	—	—	—	1·06	—	·02	13
14	·11	—	—	·13	·17	—	—	—	—	·11	—	—	14
15	·03	—	—	·10	·07	—	—	—	—	·11	—	—	15
16	·08	—	—	·18	·06	—	—	—	—	—	—	—	16
17	—	—	—	·08	—	—	—	—	—	·03	—	—	17
18	—	—	—	·01	—	—	—	—	·03	—	·08	—	18
19	·01	—	—	—	·01	—	—	—	·03	·18	·04	—	19
20	—	—	—	·06	·06	—	·05	·03	—	·95	·18	—	20
21	—	—	—	—	·21	—	—	—	—	·25	—	·03	21
22	·02	—	·34	—	·03	·05	·05	—	·46	·15	·31	—	22
23	—	·07	·10	·11	·08	—	—	—	·21	1·01	·04	·13	23
24	—	·05	—	—	—	—	·41	—	·42	·04	·01	—	24
25	—	—	—	·03	—	—	·56	—	·12	·31	·05	—	25
26	—	—	—	·10	—	—	·34	·18	—	·04	·02	·02	26
27	—	—	·26	·11	·15	—	·45	—	—	·33	·06	·04	27
28	—	—	—	·02	·03	—	·12	—	—	·21	—	·01	28
29	—	—	·45	—	·03	—	—	·25	·12	·52	—	·01	29
30	—	×	·05	·07	·38	·79	—	—	·09	·02	·15	·05	30
31	—	×	·05	×	—	×	·05	—	×	—	×	·05	31
TOTAL	3·18	·43	1·71	2·22	3·01	1·19	2·22	·46	2·02	666	1·03	·55	YEAR'S TOTAL 24·68
*Days with ·01 in. or more.	16	7	10	22	21	6	11	3	13	24	14	13	160
*Days with .04 in. or more.	11	5	9	18	15	5	9	2	9	19	9	6	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W H Maxwell AMICE
Consulting Waterworks Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pembury Waterworks

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 197·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·26	·13	—	—	—	—	—	—	—	·22	—		1
2	·33	—	·59	—	·13	—	—	—	—	·03	—	—		2
3	·16	·15	·41	—	—	—	—	—	—	·01	—	—		3
4	·11	—	·03	—	·06	—	—	—	—	—	—	—		4
5	·28	—	·30	—	·24	—	—	—	—	—	—	—		5
6	—	·16	·11	—	·31	—	—	—	—	·05	·12	—		6
7	·29	·06	·01	—	·26	—	—	—	—	·61	—	·01		7
8	·13	·01	—	—	·05	—	·35	—	—	·01	—	—		8
9	—	—	—	—	·09	—	·04	—	—	·07	·14	—		9
10	—	·17	—	—	—	·02	·08	—	—	·23	—	—		10
11	·06	—	—	—	·11	—	·04	·08	·06	—	—	—		11
12	—	—	—	·10	—	·21	·20	—	1·19	—	—	—		12
13	·03	—	—	—	·08	—	·29	·08	·35	·01	·16	—		13
14	—	—	—	—	—	—	·04	—	—	·37	·28	—		14
15	·32	—	·13	—	—	—	·24	·19	—	·04	·02	—		15
16	·07	—	·87	—	—	·20	·22	—	—	—	—	—		16
17	—	·01	·33	—	—	·13	—	·05	·12	—	·02	—		17
18	·03	—	·05	—	—	·37	—	—	—	—	·01	—		18
19	—	·01	·18	·03	—	·23	—	—	·11	—	—	—		19
20	—	·06	·10	·12	—	·22	—	·01	·12	—	·02	—		20
21	—	·08	—	—	—	—	—	·38	·28	—	—	—		21
22	—	—	—	—	—	—	—	·19	·01	·01	—	—		22
23	—	—	—	·11	·64	·03	—	—	·55	—	—	—		23
24	—	·52	—	·17	·02	·09	—	—	·39	—	—	—		24
25	—	·25	—	·25	·02	—	—	—	·04	—	·20	·05		25
26	—	·49	—	·04	—	·02	—	—	·07	·03	·21	·10		26
27	—	—	—	·01	·04	·02	—	—	—	·23	—	·17		27
28	—	—	—	—	·04	—	·25	—	—	·26	—	·25		28
29	—	—	—	—	·34	—	·25	—	—	·08	—	—		29
30	·04	×	·07	·02	—	—	·04	—	·19	·03	—	·05		30
31	·13	×	·01	×	—	×	—	·06	×	—	×	—		31
TOTAL	2·01	2·23	3·32	·85	2·43	1·54	2·04	1·04	3·48	2·07	1·40	·63	Year's Total 23·04 ✓	
*Days with ·01 in. or more.	14	13	15	9	15	11	12	8	13	16	11	6	143	
*Days with ·04 in. or more.	11	10	12	6	13	7	12	7	12	9	7	5	111	

40-9999

*See Instruction 2 (*f*) on other side. X H P Bishop Eos C.E. X

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pembury Waterworks

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 197·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	—	—	—	·03	—	·14	—	—	—	·20		1
2	·04	—	·15	—	—	—	—	—	·66	·13	—	·26		2
3	·01	·02	—	·05	—	—	—	—	—	·55	—	·07		3
4	·13	—	·04	—	—	—	—	—	—	·42	·08	·85		4
5	—	—	·01	—	·09	—	—	·02	—	·36	·02	·34		5
6	·01	—	·32	—	·20	·14	—	·10	—	·18	—	·50		6
7	·03	—	—	—	—	—	—	—	—	—	—	·22		7
8	—	—	—	·19	·16	—	—	·02	—	·07	1·16	—		8
9	—	—	·03	—	—	—	—	—	·05	—	1·29	·26		9
10	·01	—	·32	·25	—	—	—	·10	—	—	·23	—		10
11	·88	—	·47	·05	—	—	·02	·03	—	—	·02	·21		11
12	·10	—	·16	—	—	—	·05	·13	—	—	—	·12		12
13	·56	—	·27	·05	—	—	·11	·22	—	—	·03	·10		13
14	·27	—	·51	·06	—	—	—	—	—	·09	·50	·61		14
15	—	—	—	—	—	—	—	—	—	—	·10	·79		15
16	·12	—	·35	·02	·32	—	—	—	—	·04	—	·03		16
17	·05	—	·36	·03	·21	—	—	—	·02	·05	—	·32		17
18	·18	—	·01	·66	—	—	·17	—	—	—	·06	·40		18
19	—	—	·36	·03	—	·04	—	—	·21	—	—	·19		19
20	—	—	·09	—	—	—	·05	—	—	·01	—	—		20
21	—	—	·01	·13	—	·10	·01	—	—	·08	—	—		21
22	—	—	—	—	—	—	·14	·06	·14	—	—	·13		22
23	—	—	—	·36	—	1·15	·03	—	—	·05	—	·09		23
24	—	·03	—	·17	—	·12	·35	·05	·10	—	—	—		24
25	·08	·01	—	·16	—	·01	—	—	—	·03	—	·43		25
26	·08	—	—	·11	—	·08	—	—	·06	—	—	·03		26
27	—	—	—	·48	—	—	—	—	—	—	—	·32		27
28	—	·17	—	·10	—	·26	—	·53	—	—	—	·25		28
29	—	—	—	—	—	—	·07	·01	·21	—	—	—		29
30	·12	×	—	—	—	—	—	·01	—	—	—	·38		30
31	·04	×	—	×	—	×	—	·02	×	·13	×	·15		31
TOTAL	2·74	·23	3·46	2·90	·98	1·93	1·00	1·44	1·45	2·19	3·49	7·25	Year's Total 29·06	
*Days with ·01 in. or more.	18	4	16	17	5	9	10	14	8	14	10	25	150	
*Days with .04 in. or more.	14	1	12	14	5	7	7	8	7	12	7	23	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. Pembury Waterworks

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

335

Kept at Borough Surveyors Office - Tun-Wells PEMBURY W.W.

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. X in.

,, Ground ,, Sea Level 196 ft.

X

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·04	·03	·01	·	·15	·15	·	·42	·13	·23	·		1
2	·16	·	·	·07	·	·	·	·	·	·35	·10	·		2
3	·	·02	·14	·03	·	·02	·	·	·24	1·15	·10	·		3
4	·	·06	·	·33	·	·19	·	·	·36	·55	·	·12		4
5	·	·53	·03	·09	·	·16	·	·	·68	·18	·	·		5
6	·04	·03	·01	·27	·	·48	·	·	·	·05	·17	·		6
7	·03	·02	·	·26	·	·10	·	·	·	·	1·02	·13		7
8	·	·	·01	·39	·	·	·	·06	·	·25	·37	·11		8
9	·	·	·	·11	·	·15	·	·	·	·80	·27	·01		9
10	·05	·01	·05	·01	·	·05	·	·	·	·01	·16	·18		10
11	·09	·	·	·35	·	·10	·	·	·	·	·46	·		11
12	·	·01	·	·	·	·24	·	·54	·03	·	·86	·		12
13	·07	·18	·	·14	·01	·01	·	·	·	·	·20	·01		13
14	·	·	·	·24	·24	·09	·	·	·	·	·	·08		14
15	·	·18	·	·55	·	·	·	·	·32	·	·18	·06		15
16	·	·04	·	·20	·	·29	·	·	·43	·03	1·25	·		16
17	·03	·	·11	·03	·02	·19	·01	·	·	·	·48	·		17
18	·	·	·	·28	·01	·03	·12	·	·37	·04	·02	·		18
19	·	·	·	·02	·69	·01	·06	·	·03	·	·08	·		19
20	·	·92	·	·01	·	·05	·32	·	·01	·	·12	·		20
21	·02	·52	·	·03	·	·	·	·	·	·11	·05	·		21
22	·	·09	·	·	·	·	·	·36	·10	·	·	·		22
23	·	·	·02	·	·	·	·	·67	·	·	·	·07		23
24	·05	1·25	·	·	·46	·	·	·96	·56	·03	·	·28		24
25	·18	·22	·	·09	·41	·08	·	·	·	·	·03	·36		25
26	·02	·14	·	·	·	·	·	·14	·04	·06	·	·41		26
27	·	·85	·	·	·	·	·	·02	·11	·	·08	·24		27
28	·	·07	·	·	·09	·	·	·	·09	·	·	·21		28
29	·	X	·	·	·	·	·	·06	·44	·05	·	·51		29
30	·09	✕	·	·06	·12	·	·	1·21	·08	·07	·55	·36		30
31	·	✕	·	✕	·03	✕	·	·	✕	·28	✕	·61		31
TOTAL	1·05	5·18 ~~5·11~~	·40 ~~·39~~	3·57	2·08	2·39	·66	4·02	4·25	4·14	6·76	3·75	Year's Total 38·25	
* Days with .01 in. or more.	13	20	7	22	10	18	5	9	17	17	21	17	176	
* Days with .04 in. or more.	9	14	3	15	6	14	4	8	13	14	19	15	134	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh P. Bishop

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 335

FORM 1090

REGISTER OF RAINFALL IN 1936

TO: mo 7
WITH
RECEIVED 5 JAN 1937
TI
400
INITIALS IF ACKNOWLEDGED
RELEVANT FILE & LAT
FILE NO.
TO ON

Kept at Pembury Waterworks, Tunbridge Wells
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 8 in.
,, Ground ,, Sea Level 197·2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·17	·02	·28	·	·30	·14	·19	·	·	·06	·13		1
2	·	·03	·03	·	·	·19	·04	·09	·	·	·	·		2
3	·	·	·	·47	·	·06	·01	·	·02	·	·25	·		3
4	·02	·	·12	·	·	·08	·	·	·45	·	·	·02		4
5	·24	·	·02	·	·	·	·	·02	·08	·07	·16	·03		5
6	·30	·	·	·	·	·04	·	·02	·25	·12	·94	·07		6
7	·46	·	·04	·	·	·02	·	·	·	·	·75	·01		7
8	·37	·	·18	·	·	·	·02	·	·01	·	·70	·21		8
9	·47	·	·04	·	·	·	·29	·64	·04	·08	·03	·		9
10	·03	·	·	·	·	·	·45	·26	·	·	·	·		10
11	·	·	·	·	·	·	·25	·01	·	·	·79	·		11
12	·	·	·	·02	·	·20	·17	·	·62	·	·40	·14		12
13	·	·	·	·	·	·14	·04	·	·	·02	·	·70		13
14	·	·05	·	·	·	·06	·70	·	·	·03	·11	·66		14
15	·	·05	·	·	·	·	·	·	·	·	·03	·47		15
16	·25	·06	·	·	·09	·	·	·	·	·	·15	·14		16
17	·17	·80	·	·	·02	·15	·	·	·	·02	·26	·35		17
18	·	·15	·	·	·	·14	·15	·	·	·	·25	·11		18
19	·26	·09	·	·	·	·25	·	·05	·	·04	·01	·		19
20	·28	·07	·	·34	·	·—	·	·	·55	·	·	·		20
21	·	·02	·	·37	·	·32	·10	·	·	·	·	·		21
22	·09	·35	·02	·06	·03	·05	·07	·	·	·	·	·04		22
23	·05	·24	·	·	·	·	·38	·	·	·01	·	·		23
24	·05	·05	·	·	·	·25	·	·	·03	·23	·	·		24
25	·11	·	·24	·15	·	·25	·36	·	·25	·07	·03	·		25
26	·	·12	·20	·07	·	·07	·	·	·04	·17	·	·		26
27	·28	·	·02	·	·	·	·07	·	·27	·23	·	·		27
28	·67	·	·02	·	·	·21	·29	·	·05	·	·	·07		28
29	·05	·09	·21	·	·	·79	·07	·	·	·02	·07	·		29
30	·11	✕	·	·	·	·24	·	·	·	·18	·	·02		30
31	·28	✕	·17	✕	·	✕	·06	·	✕	·94	✕	·15		31
TOTAL	4·94	2·34	1·33	1·76	·14	3·81	3·66	1·28	2·66	2·23	4·99	3·32	Year's Total 32·46	✓
* Days with .01 in. or more.	21	15	14	8	3	20	19	8	13	15	17	17	170	✓
* Days with .04 in. or more.	19	13	8	7	1	19	17	5	10	10	13	13	135	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Pembury Waterworks

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 5 in.

,, Ground ,, Sea Level 196 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.78	-	.01	.07	-	-	.03	-	-	-	.56	.42		1
2	-	.42	.01	.31	-	-	-	-	.02	-	-	1.07		2
3	-	.11	-	-	-	-	-	-	-	-	-	.37		3
4	.11	.88	-	.25	-	-	-	-	-	-	-	.24		4
5	.25	.10	.33	-	-	-	.18	-	-	.09	-	-		5
6	.02	-	.67	.01	.18	-	-	-	-	.05	-	-		6
7	-	.66	.06	.07	.07	-	-	-	.04	.04	-	.02		7
8	-	.01	.16	-	.03	.07	-	-	-	-	10	.53		8
9	-	-	-	.40	.12	.01	.04	-	.35	-	-	.05		9
10	-	-	.48	.20	.41	.51	.08	-	-	-	-	.68		10
11	-	-	.38	-	.03	-	.02	-	-	-	-	.16		11
12	.26	.29	.18	.02	.20	.22	.01	.30	.27	-	-	.12		12
13	.22	.04	.56	.03	-	.42	-	.58	.05	-	-	.76		13
14	.02	-	.05	-	.13	.02	-	.68	.09	-	-	-		14
15	.21	.10	-	.15	-	.03	.24	-	.35	-	-	-		15
16	-	.04	.33	.55	-	.06	-	.31	.12	-	-	-		16
17	.42	-	.07	.09	-	.30	-	-	.20	-	.24	-		17
18	.62	.05	-	.01	.52	.61	-	-	.16	-	.11	.03		18
19	.10	.08	.07	.12	.02	.09	.16	-	.30	-	-	.09		19
20	.58	-	.30	.25	.67	.03	-	-	.02	-	-	-		20
21	.60	.35	.06	.06	.01	-	-	.01	-	-	-	.01		21
22	.52	.06	.01	-	.08	.05	.02	-	-	.95	.17	.04		22
23	.09	-	-	-	-	-	.08	-	-	.41	-	-		23
24	.77	.15	.11	-	.01	-	-	-	.01	.33	-	-		24
25	.18	.45	.26	-	-	-	-	-	.12	.25	-	-		25
26	.-	.38	.06	-	-	-	-	-	-	.17	-	-		26
27	.01	.10	-	.29	-	-	-	-	.05	.22	-	-		27
28	.08	.04	-	.02	-	-	-	-	-	.01	-	.03		28
29	.07	✕	-	-	-	-	-	-	-	.34	.03	.02		29
30	.33	✕	-	-	-	-	-	.05	-	.06	.09	-		30
31	.19	✕	-	✕	-	✕	-	-	✕	.13	✕	.02		31
TOTAL	6.43	4.31	4.16	2.90	2.48	2.42	.86	1.93	2.15	3.05	1.30	4.66	Year's Total 36.6	✓
* Days with .01 in. or more.	22	19	20	18	14	13	10	6	15	13	7	18	175	✓
* Days with .04 in. or more.	19	18	17	13	9	9	6	5	12	12	6	12	138	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pembury Waterworks.

in the County of Kent.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 5 in.

,, Ground ,, Sea Level 196 ft.

Nov. Total Corr. for Arith. 20.2.39 EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	.01	–	.18	–	.14	–	.21	.01	.03	.11		1
2	.06	–	–	.06	.15	–	.14	–	–	.45	–	.01		2
3	–	–	–	–	.31	–	.01	–	–	.88	.03	–		3
4	.01	–	–	–	–	.03	.10	.11	–	.10	–	.08		4
5	–	–	–	–	–	–	.92	–	–	.38	–	–		5
6	.03	–	–	–	–	–	.04	–	–	.01	–	.01		6
7	.03	–	–	–	–	–	.12	.99	.02	.22	–	.07		7
8	.24	–	–	–	–	.01	.18	–	–	.20	–	.01		8
9	.14	–	–	–	–	–	–	.07	–	.04	–	.66		9
10	.08	.06	–	–	–	.06	–	.07	–	–	.01	.35		10
11	.18	–	–	–	–	–	–	–	–	–	.18	.27		11
12	.29	–	–	–	–	.02	.09	.61	–	.03	.10	.01		12
13	.39	.06	–	–	–	–	–	–	–	.05	.10	.04		13
14	.22	.12	–	–	.42	–	–	–	.03	–	–	.05		14
15	.04	.21	–	–	.02	–	.16	–	–	.28	.02	.06		15
16	.36	–	.01	–	–	–	–	.01	–	.05	.01	.25		16
17	–	.12	–	–	.27	–	–	–	–	.31	.04	–		17
18	.04	–	–	–	–	–	.03	–	.18	.08	.50	–		18
19	–	–	–	–	.01	–	–	.02	.03	–	.19	.11		19
20	–	–	–	–	.12	–	–	–	.11	–	.54	.17		20
21	.01	–	–	.01	–	–	–	–	.10	–	.07	.20		21
22	–	–	–	.02	–	.03	–	.01	–	–	.22	.12		22
23	–	–	–	.05	–	–	–	–	–	–	–	–		23
24	–	–	.13	–	–	–	–	–	.03	–	.34	.09		24
25	.09	–	.32	.03	.24	–	.03	.01	.18	.02	.51	.03		25
26	.46	.16	.08	–	–	–	–	.03	.18	.30	–	.26		26
27	.06	.03	–	–	.15	.14	.32	–	1.58	.01	.27	–		27
28	.04	.03	–	–	.35	.08	–	.22	.15	–	–	–		28
29	.25	X	–	.03	.25	–	–	–	–	–	.06	.16		29
30	.05		–	.24	.24	.01	–	–	.05	.02	.32	–		30
31	.21		–		.09		–	–		.18		.20		31
													Year's Total	
TOTAL	3.28	0.79	0.55	0.44	2.80	0.38	2.28	2.15	2.85	3.62	3.64 5	3.32	26.00	
* Days with .01 in. or more.	22	8	5	7	14	8	13	11	13	20	19	23	163	
* Days with .04 in. or more.	18	6	3	3	12	3	10	6	9	14	14	18	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pembury Waterworks

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - ft. 5 in.

,, Ground ,, Sea Level ~~196~~ 197 ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	.03	.09	.37	-	-	-	.21	-	-	.02		1
2	.02	-	-	.03	.02	-	-	.44	.05	.25	-	-		2
3	.28	-	-	.29	-	-	-	.20	-	-	.21	.42		3
4	.10	-	.36	.27	-	-	.06	.55	-	.87	.14	-		4
5	-	-	.01	.22	.01	-	.30	.30	-	.27	.48	.04		5
6	.28	-	.03	-	-	-	.13	.03	-	.03	.22	-		6
7	.06	.07	-	-	-	-	.02	.02	-	.02	.16	.08		7
8	-	.08	.12	-	-	-	-	.01	-	.44	.12	.48		8
9	.03	.04	-	-	-	-	-	.04	-	.66	1.01	.18		9
10	.11	-	-	-	-	.35	-	.09	.05	.06	.01	-		10
11	-	-	.26	-	.03	.15	-	-	.01	1.83	-	-		11
12	-	-	-	-	-	-	-	-	-	.02	-	.08		12
13	-	-	-	-	-	-	-	-	.01	1.80	.01	.17		13
14	.56	-	.02	.03	.02	-	.06	-	-	.28	.48	-		14
15	.71	-	-	-	.85	.04	.02	-	.15	.59	.09	-		15
16	.33	-	.07	.05	.17	.15	.06	-	-	-	.42	-		16
17	.28	.09	.02	-	.02	-	-	-	-	-	.08	-		17
18	.35	-	.01	-	-	.03	.24	-	-	.08	.32	-		18
19	.22	-	-	-	-	-	.40	-	.02	.48	-	.05		19
20	.22	-	-	-	-	-	.15	.10	.05	-	-	.03		20
21	.06	-	.12	-	-	.02	.40	-	.09	-	-	-		21
22	.23	.22	.06	-	-	.34	.03	-	-	-	.03	-		22
23	.06	-	-	.06	-	.01	.07	.03	-	.13	.55	-		23
24	.18	.16	.06	.20	-	.01	.03	.01	.02	.12	.01	-		24
25	1.22	.17	.09	.34	-	-	.49	-	-	-	.62	-		25
26	.01	-	-	-	-	-	.04	-	.03	.15	.30	.02		26
27	.06	.19	.05	.11	-	.02	-	-	-	.24	.32	-		27
28	-	.58	.03	-	-	.02	-	-	-	.07	.08	.10		28
29	-	X	-	.27	-	-	-	-	-	.03	.03	-		29
30	-	✗	-	.79	-	-	-	-	-	.02	.14	-		30
31	-	✗	-	✗	-	✗	.04	-	✗	.02	✗	-		31
TOTAL	5.38	1.60	1.34	2.75	1.49	1.14	2.54	1.82	.69	8.46	5.83	1.67	Year's Total 34.71	
* Days with .01 in. or more.	~~4~~ 22	~~0~~ 9	~~7~~ 16	~~2~~ 13	~~5~~ 8	~~6~~ 11	~~4~~ 17	~~5~~ 12	~~5~~ 11	~~6~~ 23	~~5~~ 23	~~3~~ 12	~~52~~ 177	
* Days with .04 in. or more.	18 ✓	9 ✓	9 ✓	11 ✓	3 ✓	5 ✓	13 ✓	7 ✓	6 ✓	17 ✓	18 ✓	9 ✓	125 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh P. Bishop

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 335

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at PEMBURY WATERWORKS

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 5 in.

,, Ground ,, Sea Level 196 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											.03			1
2		.05		.11						.16	.43			2
3		.20		.10			.01			.24	1.25	.07		3
4		.17		.05						.20	.05	.06		4
5		.01									.91	.13		5
6	.12	.09					.24			.48				6
7	.24	.10					.10							7
8									.04	.46		.28		8
9				.01						.11	.40	.12		9
10							.42	.06		.22	.05/			10
11				.01			.18				1.05			11
12		.04	.17			.01	.06		.08		.03			12
13		.02	.68			.11	.01		.13		1.07			13
14			.42	.06						.02		.28		14
15			.02		.25	.01	.58		.01	.01	.60			15
16	.04	.28	.19	.03		.06	.20		.15	.58	.91	.06		16
17			.21				.04		.02		.06			17
18	.03	.22	.27	.39			.03		.09	.31	.14	.12		18
19			.13				.19		.57		.10	.09		19
20		.24	.09	.02				.01	.02	.03	.21			20
21	.04	.04			.54		.36		.01	.03	.30			21
22	.02	.01	.03		.16	.21			.08					22
23		.23	.03	.24	.01						.02	.06		23
24				.35			.12			.03		.01		24
25			.81				.08			.07				25
26	.90	.17	.21				.01			.08		.01		26
27	.42	.32		.23	.20		.47							27
28	.13	.04												28
29	.11	.14	.14						.02			.25		29
30	.10	✕		.44	.09					.13				30
31	.05	✕		✕		✕			✕	.61	✕	.15		31
TOTAL	2.20	2.37	3.40	2.04 ~~2.16~~	1.25	.40	3.10	.07	1.22	3.77	7.61	1.69	Year's Total 29.24	
* Days with .01 in. or more.	12	18	14	13	6	5	17	2	12	18	18	14	149	
* Days with .04 in. or more.	10	15	11	9	5	3	13	1	7	13	15	12	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh P. Bishop

P.T.O.

FORM 1090. **B**

336

336

TENTER GARTH.

SOUTHBOROUGH.

KENT

1931 – 1934

063402003

*** The following register o
&c., is NOT required i
values are given on the

also the space for
r should be sent:—

RAINFALL IN

At Southborough

In the County of

Rain Gauge
Diameter of Funnel
Height of Top above Ground
Height of Ground above Sea

Summer
Direction from gauge N
Direction from gauge N.

mn vis

Month.	Total Depth.	Greatest in 24 hou
	Inches.	Inches.
JAN.	1.88	
FEB.	2.22	
MAR.	1.11	
3.92 APRIL	~~4.92~~ (3.92)	
2.81 MAY	~~1.81~~ (2.81)	
JUNE	1.21	
JULY	2.41	
AUG.	4.03	
SEPT.	2.25	
OCT.	.66	
NOV.	4.54	
DEC.	.95	
Total	27.99	

Signature Emily Powell (Ship)

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

apr May adjusted for date of reading

May 1 in low

adjust ?

May is ½" lower than Pembury
Annual Total is good.

4/12/1932

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Southborough Kent

In the County of

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft. 9 *in.*
Height of Ground above Sea Level *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.88				
FEB.	2.22				
MAR.	1.11				
3.92 APRIL	~~4.92~~ (3.92)				
2.81 MAY	~~1.81~~ (2.81)				
JUNE	1.21				
JULY	2.41				
AUG.	4.03				
SEPT.	2.25				
OCT.	.66				
NOV.	4.54				
DEC.	.95				
Total	27.99				

Signature Emily Powell (Miss)

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter Irregular in Summer

Nearest Railway Station Tonbridge Distance Direction from gauge N.

Nearest Parish Church at S. Peter's Southborough Distance Direction from gauge N.

Nature of objects nearest to gauge	Amongst a bed of common iris			
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

apr & may adjusted for date of reading

May 1in low

May is ½" lower than Pembury
Annual Total is good.

4/12/1932

adjust

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

336

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Tester Garth, Southborough

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 9 in.
- *Height of Ground above Sea Level* ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.		3.81			
FEB.		·46			
MAR.		2.20			
APRIL		2.85			
MAY		3.21			
JUNE		~~·47~~ (1.27)			
JULY		~~3.44~~ (2.64)			
AUG.		·67			
SEPT.		2.05			
OCT.		6.35			
NOV.		·97			
DEC.		·67			
Total		27.15			

Signature Emily Powell (Miss)

June 75th low

heavy fall on 30th June (allocated)

Stand. 22/3/33

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Miss Emily Powell, Tester Garth, Southborough Kent

Hour of observation by the clock—in Winter Not taken at regular times in Summer

Nearest Railway Station Tonbridge Distance 2½ miles Direction from gauge

Nearest Parish Church at Tunbridge Wells about 2½ miles Distance Direction from gauge

Nature of objects nearest to gauge	Trees			
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan: 15 Snow
" 17 "
March 11th Snow
April 10th Thunder, lightning & snow
June 10th Thunder Storm
July 27th & 28th Thunders Storms
Aug: 21st & 27th Thunder Storms

No heavy falls of snow in Southborough

No severe thunder storms in Southborough.

M.O.
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

336

Anth Checked.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Tenter Garth, Southborough

In the County of Kent

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground ft 9 in.

Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.66				
FEB.	2.18				
MAR.	2.88				
APRIL	.71				
MAY	2.09				
JUNE	1.39				
JULY	1.94				
AUG.	1.06				
SEPT.	2.69				
OCT.	2.13				
NOV.	1.00				
DEC.	.94		[illegible]		
Total	20.67 ✓				

Signature Emily Powell

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mrs Emily Powell
Tenter Garth, Southborough. Kent

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge	Iris			
Heights of objects				
Distances ..				
Directions from gauge ..				

Generally low look into with 10 yrs sheets

If gauge has been moved during the year state— No

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

Sept. 1" low
[illegible]

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made? Taken at irregular times

February Snow Showers 19th 20th 22nd Snow 24th
April Sleet 19th
May Thunder 8th 22nd Thunder Storm 24th
June Thunder Storm 20th Thunder 22nd
August 11th 15th 22nd Thunder.
Thunder storms few, & very slight here

Letter sent re low total
9/3/34

333
334
335

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

f 661607/26

336

M/Kent/4

FORM 1090. **B** **Monthly Summary.**

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193~~4~~4

At Southborough

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ... *ft* 9 *in.*
- *Height of Ground above Sea Level* ... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.53				
FEB.	.04				
MAR.	3.28	Snow	2nd		
APRIL	2.72	Hail	23rd		
MAY	.82	Thunder	28th		
JUNE	1.86	Thunder Storm	May 16th		
JULY	1.23	Thunder Storm	22nd + 24th		
AUG.	1.39	Thunder	30th + 31st		
SEPT.	1.36				
OCT.	1.73	Thunder Storm	4th		
NOV.	3.55				
DEC.	6.40				
Total	26.~~4~~91	not corr			

Signature E. Powell

Rainfall taken by Miss D'Ombrain, south end of Southborough

*See Instruction 2 (*f*) below.

C **Particulars of Station.**

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

193^3 Less ap. OK previously

Hour of observation by the clock—in Winter ... in Summer ...

total corrected for weather

Nearest Railway Station ... Distance ... Direction from gauge ...

Nearest Parish Church at ... Distance ... Direction from gauge ...

Nature of objects nearest to gauge	In bed of iris.	Side of house on	S.E. of gauge	
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



Letter sent re low total 21/2/35

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Rain measured rather irregularly. N. end of Southborough

Very little snow fell in Southborough

all slight Thunderstorms without heavy showers of rain

Oct: 2.01 Nov: 3.82, Dec: 7.49

Total for year 30.38.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

M.O. JAN 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

X Penshurst (Smart

336/7

PENHURST SMARTS.HILL.RES

1935 - 1938

063400006

780107

Section **A** for the
AIR M

FORM 1090.

Station No. 336/7

RAINFALL ORGANIZATION.

R N 1935. Kent 4.

...nual total slightly low, ...o otherwise a good return
Steer

Kept at ~~The Bottl~~

in the County of

Diameter of Funnel of

Height of top of Gauge a

,, Ground ,,

THE MORNING DAY.

An observer who does not ...y 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.23	.03	.03	-	-	.09	.02	-	.93	.11	.08	-		1
2	.11	-	.01	.08	-	-	-	-	-	.31	.10	-		2
3	-	-	.10	.01	-	-	-	-	.10	1.25	.16	-		3
4	-	.07	-	.35	-	.26	-	-	.35	.20	-	.08		4
5	-	.50	.05	.08	-	.13	-	-	.62	.13	-	-		5
6	-	.05	-	.18	-	.51	-	-	-	-	.10	.02		6
7	.10	.05	-	.21	-	.11	-	-	-	-	1.11	.12		7
8	-	-	.04	.32	-	-	-	-	-	.24	.50	.12		8
9	-	-	-	.16	-	.16	-	-	-	.72	.14	.01		9
10	.07	-	.04	-	-	.03	-	-	-	-	.36	.16		10
11	.08	-	-	.23	-	.12	.11	-	.03	-	.31	-		11
12	-	.01	-	-	-	.19	-	1.26	-	-	.91	-		12
13	.09	.20	-	.10	-	.02	-	-	-	-	.10	.01		13
14	-	-	-	.06	.19	.08	-	-	-	-	.02	.10		14
15	-	.17	-	.36	0	-	-	-	.30	-	.41	.06		15
16	-	.03	-	.28	-	.16	-	-	.40	-	.87	.01		16
17	-	-	.11	.05	-	.18	-	-	.02	-	.46	.01		17
18	-	-	-	.25	-	.06	.25	-	.38	.07	.01	-		18
19	-	-	-	.08	.60	.02	.30	-	.04	-	.04	-		19
20	-	.50	-	.05	.03	.08	.34	-	.03	-	.12	-		20
21	.01	.43	-	-	-	-	÷	÷	.02	.11	.03	-		21
22	-	.09	-	-	-	-	-	.23	.06	-	-	-		22
23	-	-	.02	-	-	-	-	.62	.01	-	-	.08		23
24	.04	1.09	-	-	.47	-	-	1.32	.48	.04	-	.22		24
25	.11	.24	-	.11	.30	.22	-	-	-	-	.01	.30		25
26	.02	.21	-	-	-	-	-	.17	.03	.07	.01	.35		26
27	.01	.64	-	-	-	-	-	-	.08	-	.08	.20		27
28	-	.03	-	-	.21	-	-	-	.02	.06	.01	.17		28
29	-	-	-	-	-	-	-	-	.57	.08	-	.41		29
30	.08	X	-	.03	.08	-	-	1.04	.11	-	.50	.30		30
31	-	X	-	X	.02	X	-	.01	X	.28	X	.59		31
TOTAL	.95	4.34	.40	3.04	1.90	2.42	1.02	4.65	4.58	3.67	6.44	3.32	Year's Total. 36.73	
* Days with .01 in. or more.	812	817	88	19	88	173	×5	7×	×20	14	248	205	~~35~~ 171	
* Days with .04 in. or more.	9	14	5	18	6	14	4	6	13	14	18	15	136	

40-9999 ~~P. Waterworks~~ ~~Committee~~ X

* See Instruction 2 (f) on other side.

X PENSHURST WATER works COMMITTEE X

† Spare column, no entries required.

(Signed) ~~Jas. L. Good~~

[P.T.O.

X Penshurst (Smarts Hill Res.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 336/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. Kent 4.

Kept at ~~The Bottle House, Penshurst.~~

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 336 ft.

annual total slightly low, but otherwise a good return. Steer

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.23	.03	.03	-	-	.09	.02	-	.93	.11	.08	-		1
2	.11	-	.01	.08	-	-	-	-	-	.31	.10	-		2
3	-	-	.10	.01	-	-	-	-	.10	1.25	.16	-		3
4	-	.07	-	.35	-	.26	-	-	.35	.20	-	.08		4
5	-	.50	.05	.08	-	.13	-	-	.62	.13	-	-		5
6	-	.05	-	.18	-	.51	-	-	-	-	.10	.02		6
7	.10	.05	-	.21	-	.11	-	-	-	-	1.11	.12		7
8	-	-	.04	.32	-	-	-	-	-	.24	.50	.12		8
9	-	-	-	.16	-	.16	-	-	-	.72	.14	.01		9
10	.07	-	.04	-	-	.03	-	-	-	-	.36	.16		10
11	.08	-	-	.23	-	.12	.11	-	.03	-	.31	-		11
12	-	.01	-	-	-	.19	-	1.26	-	-	.91	-		12
13	.09	.20	-	.10	-	.02	-	-	-	-	.10	.01		13
14	-	-	-	.06	.19	.08	-	-	-	-	.02	.10		14
15	-	.17	-	.36	o	-	-	-	.30	-	.41	.06		15
16	-	.03	-	.28	-	.16	-	-	.40	-	.87	.01		16
17	-	-	.11	.05	-	.18	-	-	.02	-	.46	.01		17
18	-	-	-	.25	-	.06	.25	-	.38	.07	.01	-		18
19	-	-	-	.08	.60	.02	.30	-	.04	-	.04	-		19
20	-	.50	-	.05	.03	.08	.34	-	.03	-	.12	-		20
21	.01	.43	-	-	-	-	-	-	.02	.11	.03	-		21
22	-	.09	-	-	-	-	-	.23	.06	-	-	-		22
23	-	-	.02	-	-	-	-	.62	.01	-	-	.08		23
24	.04	1.09	-	-	.47	-	-	1.32	.48	.04	-	.22		24
25	.11	.24	-	.11	.30	.22	-	-	-	-	.01	.30		25
26	.02	.21	-	-	-	-	-	.17	.03	.07	.01	.35		26
27	.01	.64	-	-	-	-	-	-	.08	-	.08	.20		27
28	-	.03	-	-	.21	-	-	-	.02	.06	.01	.17		28
29	.08	-	-	-	-	-	-	-	.57	.08	-	.41		29
30		×	-	.08	.08	-	-	1.04	.11	-	.50	.30		30
31	-	×	-	×	.02	×	-	.01	×	.28	×	.59		31
TOTAL	.95	4.34	.40	3.04	1.90	2.42	1.02	4.65	4.58	3.67	6.44	3.32	Year's Total. 36.73	
* Days with .01 in. or more.	12	17	8	19	8	17	5	7	20	14	24	20	~~35~~ 171	
* Days with .04 in. or more.	9	14	5	18	6	14	4	6	13	14	18	15	136	

~~40-9999 P. Waterworks W. Committee~~

* See Instruction 2 (f) on other side.

X PENSHURST WATER/works COMMITTEE X

† Spare column, no entries required.

(Signed) ~~[illegible]~~

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 336/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

~~Totals~~

Kept at ~~The Rattle House, Penshurst~~ (Swaylands, Hall)

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 336 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.15	.01	.39	-	.14	.32	.27	-	-	.04	.10		1
2	-	.08	-	-	-	.32	.06	.09	-	-	.01	-		2
3	-	-	-	.53	-	-	.02	-	.13	-	.25	-		3
4	.04	-	.09	-	-	.07	-	-	.26	-	-	.04		4
5	.22	-	.03	-	-	-	-	-	.08	.05	.13	.05		5
6	.35	-	-	-	-	.03	-	.04	.16	.09	1.36	.06		6
7	.57	-	.01	-	-	.08	-	-	.02	-	.54	-		7
8	.30	-	.14	-	-	-	.03	.08	-	-	.69	.19		8
9	.35	-	.02	-	-	-	.35	-	.07	.15	-	-		9
10	.04	-	-	-	-	-	.26	.57	-	-	-	-		10
11	-	-	-	.16	-	-	.39	-	-	-	.77	-		11
12	-	-	-	.05	-	.19	.21	-	28	-	.21	.16		12
13	-	-	-	-	-	.07	-	-	-	-	-	.47		13
14	-	.04	-	-	-	.06	.75	-	-	.03	.13	.35		14
15	-	07	-	-	-	-	-	-	-	-	.03	.29		15
16	.26	.06	-	-	.18	-	.01	-	-	-	.17	.14		16
17	.12	.59	-	-	.14	.10	-	-	-	.01	.28	.44		17
18	.09	.08	-	-	-	-	.10	.01	-	.03	.21	.11		18
19	.24	.03	-	-	-	-	.02	.06	-	.02	.03	-		19
20	.26	.05	-	.32	-	-	-	-	.51	-	-	-		20
21	-	.06	-	.35	-	.36	.23	-	-	-	-	-		21
22	.10	.32	.09	-	.06	.07	.07	-	-	-	-	.05		22
23	.02	.29	.04	.06	-	-	.32	-	.03	.05	-	-		23
24	.02	.04	-	-	-	.30	.05	-	.28	.23	-	-		24
25	.15	-	.19	.20	-	.10	.10	-	.04	.14	.03	-		25
26	-	.18	.16	.05	-	.07	.03	-	-	.07	-	-		26
27	.32	-	-	-	-	-	-	-	.16	.24	-	-		27
28	.53	-	.05	-	-	.18	.16	-	.03	-	-	.04		28
29	.02	.06	.11	-	-	.26	.07	-	-	.04	.06	-		29
30	.12	✕	-	-	-	.16	-	-	-	.59	-	-		30
31	.26	✕	.17	✕	-	✕	.08	-	✕	.42	✕	.27		31
TOTAL	4.66	2.10	1.11	2.02	.38	2.56	3.63	1.12	2.05	2.16	4.94	2.76	Year's Total 29.49	
* Days with .01 in. or more.	22	15	13	9	3	17	21	7	13	15	17	15	167	
* Days with .04 in. or more.	19	14	9	9	3	16	16	6	10	11	13	15	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 336/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Bottle House, PENSHURST

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 336 ft.

np low 1936

467151/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.69	.01	-	.06	-	-	-	-	-	-	.51	.23		1
2	-	.46	-	.33	-	-	-	-	.25	.03	-	.67		2
3	-	.09	-	-	-	-	-	-	.09	-	-	.27		3
4	.14	.96	-	.05	-	-	-	-	-	-	-	.23		4
5	.23	.11	.25	-	-	-	.20	-	-	-	-	-		5
6	.03	.02	.69	-	.23	-	-	-	-	.45	-	-		6
7	-	.55	.15	.05	-	-	-	-	.03	.04	-	.02		7
8	-	-	.20	-	.06	.02	-	-	-	-	.14	.58		8
9	-	-	-	.33	.10	-	.07	-	.32	-	-	.03		9
10	-	-	.52	.19	.29	.35	-	-	-	-	-	.62		10
11	-	-	.41	-	.09	-	.05	-	-	-	-	.06		11
12	.25	.19	.14	.02	.32	.29	.02	.76	.23	-	-	.15		12
13	.20	.04	.55	.04	-	.18	-	.01	.16	-	-	.52		13
14	.01	-	.01	-	.12	.04	-	.85	.11	-	-	-		14
15	.12	.09	-	.14	-	-	-	-	.42	-	-	-		15
16	-	.11	.28	.34	-	.21	-	.28	.20	-	-	.02		16
17	.30	-	.08	.08	-	-	-	-	.28	-	.14	-		17
18	.42	.10	.07	-	.72	.71	-	-	.01	-	.12	.06		18
19	.07	.08	-	.12	.01	.11	1.41	-	.18	-	-	.09		19
20	.41	-	.20	.22	.45	.07	-	-	.13	-	-	-		20
21	.41	.34	.01	.09	-	-	.02	.10	-	-	-	.02		21
22	.54	-	-	-	.07	.10	.08	-	-	.90	.31	.44		22
23	.19	-	-	-	-	-	.01	-	-	.21	-	-		23
24	.77	.19	.07	-	.01	-	-	-	-	.35	-	+		24
25	.16	.40	.26	-	+	+	-	-	-	.25	+	-		25
26	-	.33	+	-	.05	-	-	-	+	.05	+	-		26
27	-	.07	-	.22	-	-	-	-	.03	.24	-	-		27
28	.11	.05	-	-	+	+	+	+	+	.01	-	-		28
29	.08		-	-	-	-	-	.09	-	.14	.06	.04		29
30	.25	✕	-	-	-	-	+	.62	-	.05	.09	-		30
31	.16	✕	-	✕	-	✕	+	-	✕	.45	✕	.02		31 low
TOTAL	5.54	4.19	3.89	2.28	2.52	2.08	1.86	2.71	2.44	2.77	1.37	3.67	Year's Total 35.32	MJ.
* Days with .01 in. or more.	21	19	16	15	13	10	8	7	14	13	7	18	161	
* Days with .04 in. or more.	19	17	14	14	11	9	5	6	11	11	7	13	137	GB

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Louis E. Wood M.B., F.R.S.A. [P.T.O.

O X Penshurst W. W. Committee

PENSHURST (SMART'S HILL RES)

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 336/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Bottle House Penshurst.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 336 ft.

1935
6
9 } np low

letter written c. 23/2/39.

467151/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	·29	·45	·04	–	·20	·03	–	·08		1
2	·04	–	–	·01	·22	–	·48	–	–	·30	–	–		2
3	–	–	–	–	·19	–	·01	–	–	·60	·04	–		3
4	·02	–	–	–	–	·02	·12	·09	–	·13	–	·06		4
5	–	–	–	–	–	–	·29	–	–	·40	–	–		5
6	·04	–	–	–	–	–	·02	–	–	·01	–	–		6
7	·03	–	–	–	–	–	·06	·77	–	·21	–	–		7
8	·22	–	–	–	–	·01	–	–	·02	·25	–	·08		8
9	·11	–	–	–	–	–	–	·07	–	·02	–	·55		9
10	·08	·07	–	–	–	·02	–	·06	–	–	–	·15		10
11	·19	–	–	–	–	–	–	–	–	–	·09	·24		11
12	·34	·03	–	–	–	–	·05	·81	–	·03	·01	–		12
13	·32	·16	–	–	–	–	–	–	–	·07	·19	·07		13
14	·26	·07	–	–	·39	–	–	–	·03	–	–	·06		14
15	·03	·17	–	–	–	–	·15	–	–	·04	–	·06		15
16	·37	·01	·02	–	–	–	–	–	–	·03	·04	·24		16
17	–	·14	–	–	·25	–	–	–	·01	·45	·03	–		17
18	·04	–	–	–	·02	–	–	–	·07	–	·42	–		18
19	–	–	–	–	–	–	–	·04	·07	–	·27	·44		19
20	–	–	–	–	·03	–	–	–	·05	–	·30	·05		20
21	·03	–	–	–	–	–	–	·02	·17	–	–	·02		21
22	–	–	–	–	–	·02	–	·04	–	–	·25	·05		22
23	–	–	–	–	–	–	–	–	·01	–	–	·01		23
24	–	–	·16	–	·01	–	–	–	·20	–	·30	·10		24
25	·10	–	·25	·09	·19	–	·03	–	·09	·01	·49	·01		25
26	·37	·17	·07	·02	–	–	–	·20	·28	·34	–	·19		26
27	·06	·05	–	–	·27	·17	·30	–	·73	–	·29	–		27
28	·04	·01	–	–	·34	·07	–	·19	·16	–	–	·01		28
29	·17		–	·02	·18	–	–	–	·02	–	·13	·20		29
30	·05	✕	–	·23	·19	·03	–	–	·09	·03	·24	–		30
31	·19	✕	–	✕	·06	✕	–	–	✕	·20	✕	·27		31
TOTAL	3·13	·88	·50	·37	2·63	·79	1·55	2·29	2·20	3·15	3·09	2·94	Year's Total 23·52	np low
* Days with .01 in. or more.	23	10	4	5	14	8	11	10	16	18	15	21	155	
* Days with .04 in. or more.	18	7	3	2	11	3	8	9	11	11	13	17	113	CO 23/2/39

† Spare column, no entries required.

(*Signed*) Louis E. Wood [P.T.O.

PENSHURST WATER COM.

* See Instruction 3 (f) on other side.

~~337~~

337

EDELLS MARKBEECH

1931- 1940

063501002

780107

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM ~~1000~~

REGIST

Kept at Edells, Mark

in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea Le

THE MORNING MEASU Y.

An observer who does not conform to … *following*
year in the space on the right of thi

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·08	·01	·27	–	·06	–	·08	·28	–	–	–	1
2	·13	·04	–	·25	·02	–	–	·01	·37	·01	–	–	2
3	·11	–	·09	·18	·86	–	–	·27	·65	–	·03	·24	3
4	–	·01	–	·01	·01	–	·03	·02	·09	·01	·04	·01	4
5	–	·01	–	·25	–	·59	·05	·08	·04	–	·01	·19	5
6	–	·10	–	·06	–	·01	–	–	·01	·24	·58	·10	6
7	·01	·02	–	–	·06	·07	–	·20	·10	–	·26	–	7
8	–	·10	–	–	·03	·16	·03	·09	–	–	·04	·03	8
9	–	·10	–	·02	–	–	–	–	–	–	·71	·02	9
10	·02	·20	·01	–	–	·10	·01	·17	–	–	1.71	–	10
11	·10	·50	–	–	–	–	–	–	·02	–	·24	–	11
12	·06	·01	–	–	–	–	·02	–	·32	–	–	–	12
13	·04	–	–	–	·02	·01	–	·32	–	–	–	–	13
14	·01	·09	–	–	–	·05	·61	·66	–	–	–	–	14
15	·01	·06	–	·13	·14	–	·11	·66	–	–	–	·02	15
16	·01	·09	–	·17	·29	·02	–	·21	·07	–	–	–	16
17	·05	·06	–	·18	·01	–	·37	·32	·02	·04	–	–	17
18	·01	·20	·02	·28	–	·14	·08	·78	–	·01	·56	–	18
19	·06	·01	–	·36	–	·09	·20	·34	·10	–	–	–	19
20	–	·14	–	·04	–	–	·23	·34	–	–	·01	–	20
21	·01	·01	–	–	·44	–	–	–	–	–	·02	–	21
22	·23	–	·19	–	–	–	–	–	·07	–	·01	–	22
23	·47	·02	·02	–	·16	·08	–	–	·03	–	·25	·02	23
24	–	–	·01	·83	·02	·09	·07	·27	·01	–	–	–	24
25	–	–	–	·42	·01	–	·34	–	–	–	·02	–	25
26	–	·06	–	·35	–	–	·29	–	–	–	·42	–	26
27	·14	·28	–	·09	·15	–	·02	–	–	–	·03	–	27
28	·09	·28	–	·05	–	–	–	–	–	·03	–	·02	28
29	·10	×	–	–	·09	–	·11	–	–	·23	·01	·01	29
30	·07	×	–	–	·02	–	·01	–	–	–	–	–	30
31	·24	×	–	×	·01	×	–	–	×	–	×	–	31
TOTAL	1·97	2·47	·35	3·94	2·34	1·47	2·58	4·82	2·18	·57	4·95	·66	YEAR'S TOTAL 28·30
*Days with ·01 in. or more.	21	23	7	18	17	13	17	17	15	7	18	10	183
*Days with ·04 in. or more.	14	16	2	16	8	10	11	15	10	3	10	3	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. F. Pearse

[P.T.O.

337

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM ~~1000~~

REGISTER OF RAINFALL IN 1931 .

Kept at Edells, Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·08	·01	·27	-	·06	-	·08	·28	-	-	-	1
2	·13	·04	-	·25	·02	-	-	·01	·37	·01	-	-	2
3	·11	-	·09	·18	·86	-	-	·27	·65	-	·03	·24	3
4	-	·01	-	·01	·01	-	·03	·02	·09	·01	·04	·01	4
5	-	·01	-	·25	-	·59	·05	·08	·04	-	·01	·19	5
6	-	·10	-	·06	-	·01	-	-	·01	·24	·58	·10	6
7	·01	·02	-	-	·06	·07	-	·20	·10	-	·26	-	7
8	-	·10	-	-	·03	·16	·03	·09	-	-	·04	·03	8
9	-	·10	-	·02	-	-	-	-	-	-	·71	·02	9
10	·02	·20	·01	-	-	·10	·01	·17	-	-	1.71	-	10
11	·10	·50	-	-	-	-	-	-	·02	-	·24	-	11
12	·06	·01	-	-	-	-	·02	-	·32	-	-	-	12
13	·04	-	-	-	·02	·01	-	·32	-	-	-	-	13
14	·01	·09	-	-	-	·05	·61	·66	-	-	-	-	14
15	·01	·06	-	·13	·14	-	·11	·66	-	-	-	·02	15
16	·01	·09	-	·17	·29	·02	-	·21	·07	-	-	-	16
17	·05	·06	-	·18	·01	-	·37	·32	·02	·04	-	-	17
18	·01	·20	·02	·28	-	·14	·08	·78	-	·01	·56	-	18
19	·06	·01	-	·36	-	·09	·20	·34	·10	-	-	-	19
20	-	·14	-	·04	-	-	·23	·34	-	-	·01	-	20
21	·01	·01	-	-	·44	-	-	-	-	-	·02	-	21
22	·23	-	·19	-	-	-	-	-	·07	-	·01	-	22
23	·47	·02	·02	-	·16	·08	-	-	·03	-	·25	·02	23
24	-	-	·01	·83	·02	·09	·07	·27	·01	-	-	-	24
25	-	-	-	·42	·01	-	·34	-	-	-	·02	-	25
26	-	·06	-	·35	-	-	·29	-	-	-	·42	-	26
27	·14	·28	-	·09	·15	-	·02	-	-	-	·03	-	27
28	·09	·28	-	·05	-	-	-	-	-	·03	-	·02	28
29	·10	X	-	-	·09	-	·11	-	-	·23	·01	·01	29
30	·07	X	-	-	·02	-	·01	-	-	-	-	-	30
31	·24	X	-	X	·01	X	-	-	X	-	X	-	31
TOTAL	1·97	2.47	·35	3·94	2·34	1·47	2.58	4·82	2·18	·57	4·95	·66	YEAR'S TOTAL 28·30
*Days with ·01 in. or more.	21	23	7	18	17	13	17	17	15	7	18	10	183
*Days with ·04 in. or more.	14	16	2	16	8	10	11	15	10	3	10	3	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) M. F. Pearse

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Edells, Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

„ Ground „ Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·01	–	·05	·49	–	·01	·08	–	·11	·05	·01	1
2	·03	–	–	·14	·06	–	–	·01	·06	·03	·01	·25	2
3	–	–	–	·02	·20	·08	–	–	·42	–	–	–	3
4	·03	–	–	–	–	·16	·01	–	–	–	–	–	4
5	·21	–	·01	–	·05	·01	·33	–	·09	–	–	–	5
6	·61	–	·04	·32	·07	–	–	–	·03	·01	–	–	6
7	·16	–	·09	·03	–	–	·28	–	·04	·04	–	·02	7
8	–	–	·20	·07	·23	–	–	–	·17	·50	–	–	8
9	·44	·14	–	·12	·83	–	–	–	–	–	–	–	9
10	·85	·25	·02	·27	·08	–	–	–	–	·06	·01	–	10
11	·27	·06	·01	·06	·03	·01	–	–	·01	·13	·02	·01	11
12	·31	·07	–	–	–	–	–	·01	·02	·34	–	–	12
13	·06	–	–	·14	·04	–	–	–	·01	1·07	–	·02	13
14	·09	·01	–	·43	·07	–	–	–	–	·08	–	–	14
15	·02	–	·01	·10	·06	–	–	–	–	·11	–	–	15
16	·08	–	–	·20	·07	–	–	–	–	–	–	·01	16
17	–	–	–	·09	–	–	–	–	–	·04	–	–	17
18	·02	–	–	–	–	–	–	–	·05	–	·10	–	18
19	·01	–	–	·01	·02	·01	–	–	·05	·27	·02	·01	19
20	–	–	–	·17	·03	–	·01	·13	–	·87	·20	–	20
21	·01	–	–	·01	·36	–	–	·15	–	·30	·01	·06	21
22	·03	–	·29	·03	·04	–	·11	–	·58	·25	·33	·01	22
23	–	·10	·05	·06	·06	–	–	–	·14	·88	·01	·11	23
24	–	·04	–	·01	–	–	·49	–	·24	·05	·02	–	24
25	–	–	–	·01	–	–	·53	–	·09	·30	·06	·01	25
26	–	–	·01	·08	–	–	·31	·18	–	·05	·04	–	26
27	–	–	·28	·12	·20	·01	·57	–	·01	·45	·09	·01	27
28	–	–	·01	·01	·15	–	·09	–	–	·21	·01	–	28
29	–	–	·41	·01	·11	–	–	·35	·14	·41	–	·01	29
30	–	×	·02	·04	·02	1·07	·02	·03	·09	·02	·34	·08	30
31	–	×	·14	×	–	×	·10	–	×	–	×	·05	31
TOTAL	3·36	·68	1·59	2·60	3·27	1·35	2·86	·94	2·24	6·58	1·32	·67	YEAR'S TOTAL 27·46
*Days with ·01 in. or more.	18	8	15	26	22	7	13	8	18	24	16	15	190
*Days with ·04 in. or more.	11	6	8	17	18	3	9	5	13	21	8	5	124

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) M. F. Pearse

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Edells, Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 320 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·35	·17	–	–	–	–	–	–	·02	·02	–		1
2	·31	–	·50	–	·07	–	–	–	–	·01	–	–		2
3	·11	·15	·37	–	–	–	–	–	–	–	·03	–		3
4	·15	·02	·01	–	·14	–	–	–	–	–	–	–		4
5	·20	·01	·37	–	·15	–	–	–	–	–	–	–		5
6	–	·12	·10	–	·52	–	–	–	–	·04	·08	–		6
7	·25	·06	·02	–	·14	–	–	–	–	·19	–	·02		7
8	·11	–	–	–	·08	–	·21	–	–	·02	–	–		8
9	–	–	–	–	·14	–	·11	–	–	·09	·17	–		9
10	–	·38	–	–	–	·05	·01	–	–	·21	–	–		10
11	·11	–	–	–	·04	·06	·03	·14	·03	–	–	–		11
12	–	–	–	·01	–	·21	.20	–	1.46	–	–	–		12
13	·06	–	–	–	·08	–	·32	·04	·25	·06	·15	–		13
14	–	–	–	–	·01	–	·02	–	–	·37	·23	–		14
15	·32	–	·14	–	–	–	·23	·23	–	·03	–	–		15
16	·03	–	·72	–	–	·16	·29	–	–	–	–	–		16
17	·01	·03	·29	–	–	·01	–	·05	·09	–	·06	–		17
18	·06	–	·06	–	–	·39	–	–	–	–	·01	–		18
19	–	·02	·35	·01	–	·31	–	–	·33	–	·01	·01		19
20	–	·01	·12	·02	–	·29	–	–	·16	–	·01	–		20
21	–	·06	–	–	–	–	–	·30	·25	·01	–	–		21
22	–	–	–	–	·82	·03	·03	·19	–	·15	·01	–		22
23	–	·02	–	·20	·25	·04	–	–	·28	·01	–	–		23
24	–	·45	–	·14	·01	·04	–	–	·26	–	·02	–		24
25	–	·16	–	·25	–	–	–	–	·03	·03	·09	·08		25
26	–	·45	–	·05	–	·05	–	–	·03	·04	·04	·14		26
27	–	·03	–	–	·08	·02	–	–	–	·17	–	·15		27
28	–	·01	–	–	–	–	·29	–	–	·29	–	·18		28
29	·06	×	–	–	·33	–	·04	–	–	·05	–	–		29
30	·07	×	·07	·01	–	–	·04	–	·15	·04	–	·07		30
31	·11	×	·01	×	–	×	–	·07	×	·01	×	–		31
TOTAL	~~2.22~~ 2.02	2.33	3.30	·69	2.86	1.66	1.82	1.02	3.32	1.84	·93	·65	Year's Total 22.64	
*Days with ·01 in. or more.	16	17	15	8	15	13	13	7	12	20	14	7	157	
*Days with .04 in. or more.	14	9	12	4	13	10	9	7	9	12	7	5	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Pearse

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~5~~.4

Kept at Edells, Markbeech
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	-	-	-	·03	-	·26	-	·11	·01	·23		1
2	·06	-	·19	-	-	-	-	-	·67	·60	·01	·32		2
3	·02	·02	-	·30	-	-	-	-	·01	·69	-	·07		3
4	·13	·02	·05	·01	·06	-	-	-	-	·15	·07	·60		4
5	·01	-	·02	-	·05	-	-	·02	-	-	·02	·40		5
6	·01	-	·33	·02	·15	·19	-	·13	-	·20	·01	·55		6
7	·05	-	-	-	-	·03	-	-	-	·11	-	·23		7
8	-	-	-	-	·11	-	-	·02	·03	-	·94	-		8
9	·01	-	·02	-	-	-	-	-	·01	-	1.01	·30		9
10	-	-	·25	·24	-	-	-	·07	-	·01	·90	·02		10
11	·93	-	·34	·10	-	-	·02	·03	-	-	-	·20		11
12	·12	·01	·11	-	-	-	·13	·07	-	-	-	·02		12
13	·43	-	·24	·10	-	-	·46	·02	-	-	·01	·04		13
14	·20	-	·47	·05	-	-	-	-	-	·03	·63	·54		14
15	·01	-	-	-	·05	-	-	-	-	·01	·15	·59		15
16	·17	-	·26	·02	·32	-	-	-	-	·06	·01	-		16
17	·06	-	·11	·02	·05	-	-	-	-	·06	-	·27		17
18	·13	-	·04	·30	-	-	·29	-	·01	-	-	·44		18
19	-	-	·29	·05	-	·03	-	-	·31	·05	-	·17		19
20	-	-	·04	·01	-	-	·16	·01	-	-	-	·03		20
21	-	-	·01	·14	-	·11	·04	-	-	·09	-	-		21
22	-	·01	-	-	-	-	·15	·06	·17	·01	-	·14		22
23	-	·01	-	·34	-	1.26	-	·01	·01	·01	-	·07		23
24	-	·01	·01	·22	-	·13	·46	·01	·11	-	-	-		24
25	·13	-	-	·13	·02	-	-	-	-	·02	-	·44		25
26	·08	-	-	·13	-	·09	-	-	·08	-	-	·06		26
27	·02	-	-	·19	-	-	-	-	-	-	-	·34		27
28	-	·06	-	·01	-	·18	-	·58	-	-	-	·27		28
29	-	X	-	-	-	-	·02	·03	·12	-	-	-		29
30	·10	X	-	-	-	-	-	·09	-	-	-	·40		30
31	·01	X	-	X	-	X	-	-	X	·11	X	·10		31
TOTAL	2.71	·14	2.78	~~2.47~~ 2.38	·81	2.05	1.73	1.41	1.53	2.32	3.77	6.84	Year's Total 28.56	
*Days with ·01 in. or more.	21	7	17	19	8	9	9	15	11	17	12	26	177	
*Days with .04 in. or more.	13	1	13	13	7	6	7	7	6	11	6	23	119	

44
1906
238

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Pearse

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Edells, Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·25	·04	·03	·02	–	·08	·05	–	·47	·15	·10	–		1
2	·10	–	·01	·05	–	·01	–	–	–	·41	·18	–		2
3	–	·01	·11	·03	–	–	–	–	·22	1.24	·11	–		3
4	–	·08	–	·35	–	·35	–	–	·12	·22	·02	·13		4
5	–	·44	·05	·08	–	·05	–	–	·62	·18	–	·01		5
6	·05	·11	·02	·21	–	·71	–	–	–	·01	·15	·01		6
7	·06	·03	–	·23	–	·05	–	–	–	–	·94	·11		7
8	–	–	·05	·35	–	·01	–	·02	–	·27	·66	·08		8
9	·01	–	–	·19	–	·18	–	–	–	·81	·14	·05		9
10	·07	·01	·07	·01	–	·05	–	–	–	–	·16	·15		10
11	·09	–	–	·19	–	·08	·20	–	–	–	·44	·01		11
12	–	·02	–	–	–	·22	·16	·93	·05	–	1.19	–		12
13	·09	·20	–	·11	·04	·03	–	–	–	–	·08	·06		13
14	·01	–	–	·04	·12	·12	–	–	–	·01	·02	·10		14
15	–	·17	–	·42	·01	·01	–	–	·31	–	·36	·08		15
16	–	·03	–	·22	–	·04	–	–	·45	–	·90	–		16
17	·02	–	·08	·06	–	·20	–	–	·03	–	·40	–		17
18	–	–	–	·24	–	·07	·35	–	·39	·07	·01	–		18
19	–	–	–	·05	·62	·03	·19	–	·04	–	·08	–		19
20	–	·60	–	·11	·01	·08	·52	–	·04	–	·24	–		20
21	·02	·48	–	–	–	–	–	–	·03	·13	·03	–		21
22	·01	·14	–	–	–	–	–	·34	·07	–	–	–		22
23	–	–	·02	–	–	–	–	·48	·01	–	–	·07		23
24	·04	·91	–	–	·47	–	–	1·28	·62	·03	–	·25		24
25	·15	·19	–	·10	·22	·19	–	–	–	–	·02	·32		25
26	·02	·20	–	–	–	–	–	·16	·04	·07	·02	·37		26
27	·03	·62	–	–	·29	–	–	–	·11	–	·11	·25		27
28	–	·03	–	–	·07	–	–	–	·05	·08	·01	·21		28
29	–	×	–	–	–	–	–	·05	·67	–	–	·37		29
30	·08	×	–	·12	·09	–	–	·97	·10	·08	·55	·50		30
31	–	×	–	×	·01	×	–	·01	×	·29	×	·61		31
TOTAL	1.10	4·31	·44	3·18	1·95	2·56	1.47	4·24	4·44	4·05	6·92	3·74	Year's Total. 38.40	
* Days with .01 in. or more.	17	19	9	21	11	20	6	9	20	16	25	20	193	
* Days with .04 in. or more.	10	13	5	18	8	15	6	7	17	13	18	17	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Pearce

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jau. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·14	·02	·33	-	·17	·41	·23	-	-	·05	·08		1
2	-	·13	-	·01	-	·48	·09	·08	-	-	-	-		2
3	-	-	-	·51	-	·04	·03	-	·08	-	·26	-		3
4	·05	-	·10	-	-	·07	-	-	·30	-	-	·05		4
5	·30	-	·02	-	-	-	-	·05	·21	·05	·16	·11		5
6	·40	-	-	-	-	·02	-	·04	·23	·02	1.01	·06		6
7	·43	-	·03	-	-	·06	·01	-	·02	-	·52	·01		7
8	·36	-	·09	-	-	-	·01	-	·01	·01	·57	·20		8
9	·46	-	·02	-	·01	-	·46	-	·07	·17	·01	-		9
10	·05	-	-	-	-	-	·21	·57	-	-	-	-		10
11	-	-	-	·18	-	-	·36	-	-	-	·87	-		11
12	-	-	-	·05	-	·20	·25	·01	·27	-	·31	·17		12
13	-	-	-	-	-	·05	·06	-	-	-	-	·58		13
14	-	·06	-	-	-	·06	·74	-	-	·04	·11	·57		14
15	-	·10	-	·01	-	·02	-	-	-	-	·04	·30		15
16	·24	·07	-	-	·20	-	·05	-	-	-	·19	·13		16
17	·12	·59	-	-	·23	·15	-	·02	-	·02	·27	·47		17
18	·11	·11	-	-	-	·02	·14	-	-	·01	·22	·12		18
19	·32	·05	·01	-	-	·04	·02	·08	-	·04	·03	-		19
20	·25	·05	·01	·34	-	-	·03	-	·52	-	-	-		20
21	-	·06	-	·40	-	·33	·19	-	·02	-	-	-		21
22	·10	·32	·12	·01	·11	·17	·10	-	-	-	-	·05		22
23	·02	·21	·02	·07	-	-	·45	-	-	·06	-	-		23
24	·02	·05	-	-	-	-	·08	-	·02	·22	-	-		24
25	·18	-	·16	·21	-	·07	·01	-	·42	·07	·04	·01		25
26	-	·17	·17	·07	-	·08	-	-	·04	·20	-	·01		26
27	·31	·01	·01	·01	-	-	-	-	·23	·24	-	-		27
28	·59	-	·06	-	-	·23	·76	-	·06	·05	-	·09		28
29	·04	·06	·13	-	·01	·26	·08	-	-	-	·06	·01		29
30	·09	✕	·01	-	-	·15	-	-	-	·40	-	-		30
31	·26	✕	·19	✕	·04	✕	·09	-	✕	·61	✕	·20		31
TOTAL	5.02	2.18	1.17	2.20	·60	2.67	4.63	1.08	2.50	2.21	4.72	3.22	Year's Total 32.20	
* Days with .01 in. or more.	22	16	17	13	6	20	23	8	15	16	17	19	192	
* Days with .04 in. or more.	20	15	8	9	4	17	17	6	11	12	15	15	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Pearse [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Edells, Markbeech,
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·77	·02	–	·09	–	–	·01	–	–	–	·55	·23		1
2	·01	·53	–	·37	–	–	–	–	·06	·01	·01	·61		2
3	·01	·16	·02	–	·01	–	–	–	·13	·01	–	·28		3
4	·12	1.05	–	·03	–	–	–	–	–	–	–	·25		4
5	·23	·13	·31	–	–	–	·18	–	–	·01	–	–		5
6	·03	·01	·85	–	·21	–	–	–	–	·05	·01	–		6
7	–	·62	·05	·08	·15	–	–	–	·03	·06	–	·03		7
8	·01	·04	·21	–	·07	·04	–	–	–	–	·12	·55		8
9	–	–	–	·39	·09	·01	·07	–	·33	–	–	·08		9
10	–	–	·46	·19	·27	·41	·02	–	–	–	–	·64		10
11	–	–	·42	–	·09	–	·05	–	–	–	–	·11		11
12	·33	·23	·13	·03	·31	·35	·01	·34	·20	–	–	·18		12
13	·19	·06	·53	·05	–	·29	–	·11	·16	–	–	·48		13
14	·02	·02	·03	–	·11	·05	–	·83	·11	–	–	–		14
15	·13	·07	–	·18	–	–	·25	–	·50	–	–	·01		15
16	·01	·19	·32	·27	–	·15	–	·32	·22	–	–	·02		16
17	·33	·01	·07	·10	–	–	–	–	·15	–	·11	–		17
18	·61	·07	·10	–	·58	·72	–	–	–	–	·19	·03		18
19	·09	·10	·05	·14	·03	·10	1.46	–	·12	–	–	·13		19
20	·49	·01	·14	·22	·55	·18	–	–	·02	–	–	·01		20
21	·50	·35	·03	·12	–	–	·02	·16	·01	–	–	·04		21
22	·62	·03	·01	–	·09	·17	·08	–	–	·70	·43	·08		22
23	·29	–	–	–	–	–	·02	–	–	·37	–	·01		23
24	·85	·25	·03	–	·06	–	–	–	·01	·37	–	–		24
25	·13	·43	·29	–	–	–	–	–	·07	·32	–	·01		25
26	–	·34	·01	–	·02	–	–	–	–	·04	–	–		26
27	–	·12	–	·25	–	–	–	–	·06	·23	–	–		27
28	·16	·11	–	·01	–	–	–	–	–	·02	–	·02		28
29	·08	×	–	–	–	–	–	·17	–	·11	·07	·04		29
30	·35	×	–	–	–	·08	–	·80	–	·09	·08	–		30
31	·15	×	–	×	–	×	–	–	×	·41	×	·03		31
TOTAL	6.51	4.95	4.06	2.52	2.64	2.55	2.17	2.73	2.18	2.80	1.57	3.87	Year's Total 3855	✓
* Days with .01 in. or more.	25	24	20	16	15	12	11	7	16	15	9	23	193	✓
* Days with .04 in. or more.	19	18	14	13	12	11	6	7	12	11	7	14	144	✓

† Spare column, no entries required.

(*Signed*) M. F. Pearce [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Edells, Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·03	–	·25	·21	·01	–	·20	·02	·04	·09		1
2	·08	–	–	·05	·16	–	·27	–	–	·36	–	·01		2
3	–	–	–	–	·18	–	–	–	–	·66	·05	–		3
4	·05	–	–	–	–	·03	·15	·07	–	·14	–	·11		4
5	·01	–	–	–	–	–	·30	–	–	·43	–	–		5
6	·03	–	–	–	–	–	·05	–	·02	–	·01	·02		6
7	·04	–	–	–	–	–	·09	·65	–	–	–	·05		7
8	·22	–	–	–	–	–	·14	–	·02	·26	–	·07		8
9	·10	–	–	–	–	–	–	·07	–	·30	–	·68		9
10	·09	·05	–	–	–	·06	–	·08	–	·07	–	·11		10
11	·19	–	–	–	–	–	–	·15	–	–	·11	·26		11
12	·32	·04	–	–	–	–	·01	2.26	–	–	·09	·01		12
13	·41	·14	–	–	–	–	–	–	–	·05	·23	·12		13
14	·30	·18	–	–	·37	–	–	–	·02	·10	·01	·05		14
15	·04	·26	–	–	·02	–	·19	–	–	–	–	·10		15
16	·40	·01	·02	–	·03	–	–	·02	–	·32	·07	·27		16
17	–	·12	–	–	·24	–	·01	–	·01	·04	·05	–		17
18	·06	–	–	–	·03	–	·01	–	·16	·20	·53	–		18
19	–	–	–	–	–	–	–	·06	·11	–	·33	·30		19
20	–	–	–	–	·11	–	–	–	·09	–	·41	·07		20
21	·04	–	–	–	–	–	–	·02	·15	–	·08	·16		21
22	·01	–	–	–	–	·02	–	·04	·01	–	·22	·17		22
23	–	–	–	·01	–	–	–	–	–	–	·01	–		23
24	–	·01	·12	–	–	–	–	–	·28	–	·33	·03		24
25	·10	–	·33	·06	·16	–	·02	·04	·05	·04	·41	·01		25
26	·40	·19	·07	·02	–	–	–	·18	·30	·32	–	·34		26
27	·07	·06	–	–	·24	·20	·34	–	·59	–	·29	–		27
28	·04	·05	–	–	·36	·08	–	·24	·26	–	–	·01		28
29	·16	×	–	·01	·22	·01	–	–	–	–	·05	·20		29
30	·06	×	–	·28	·20	–	–	–	·12	·06	·31	–		30
31	·16	×	–	×	·09	×	–	–	×	·17	×	·28		31
TOTAL	3·40	1.11	·57	~~·23~~ ·43	2.66	·61	1.59	3.88	2.39	3·54	3.63	~~3·51~~ 3·52	Year's Total 27·12	✓
* Days with .01 in. or more.	25	11	5	6	15	7	13	13	16	17	20	24	172	# ✓
* Days with .04 in. or more.	21	9	3	3	12	4	8	11	11	16	17	18	133	# ✓ #

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Pearse

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE,—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Edells, Markbeech

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	·05	·14	·31	-	·02	·01	·20	-	-	·03		1
2	·02	-	-	·05	·02	-	·06	·25	·05	·08	·01	-		2
3	·33	·01	-	·39	-	-	-	·26	-	-	·28	·35		3
4	·07	-	·27	·14	-	-	·07	·91	-	·63	·07	·01		4
5	-	·01	·01	·12	·01	-	·18	·21	-	·10	·47	·03		5
6	·30	·01	·02	-	·05	-	·17	·05	-	-	·23	-		6
7	·03	·05	-	-	-	-	·02	·05	-	·03	·13	·11		7
8	·01	·10	·15	-	-	-	-	-	-	·54	·42	·47		8
9	·05	·04	-	-	-	-	-	·09	-	·43	·50	·26		9
10	·13	-	-	-	-	·23	-	·14	·05	·08	·03	-		10
11	-	·01	·23	-	-	·04	-	-	-	1.85	-	·02		11
12	-	-	-	-	-	-	-	-	-	·01	-	·03		12
13	-	-	·02	·01	-	-	·01	-	-	1.52	·01	·06		13
14	·56	-	·01	·02	·01	·02	·09	-	-	·30	·48	·02		14
15	·48	-	-	-	·81	·03	·09	-	·08	·63	·14	-		15
16	·33	-	·09	·06	·12	·10	·11	-	·19	-	·38	-		16
17	·28	·09	·04	·01	·01	-	-	-	-	-	·07	-		17
18	·35	-	·01	-	·15	·06	·21	-	·01	·27	·28	-		18
19	·18	-	-	-	-	-	·22	-	-	·55	-	·03		19
20	·23	-	-	-	-	·01	·26	·07	·09	-	-	·06		20
21	·04	-	·11	-	-	·14	·19	-	·15	·02	-	-		21
22	·25	·18	·12	·02	-	·36	·06	-	-	-	·04	-		22
23	·01	-	·02	·11	-	-	·03	·01	-	·10	·52	-		23
24	·17	·06	·05	·11	-	·01	·10	-	-	·14	-	-		24
25	1.02	·18	·07	·04	-	·01	·27	·05	-	-	·52	·01		25
26	·03	-	·01	·08	-	-	-	-	-	·06	·31	·03		26
27	·01	·12	·05	·10	-	·01	-	-	-	·11	·24	-		27
28	-	·39	·04	-	-	·05	-	-	-	·13	·08	·12		28
29	-	×	-	·28	-	-	-	-	-	·03	·03	-		29
30	-	×	-	·54	-	-	-	·04	-	·01	·19	·01		30
31	-	×	-	×	-	×	·15	·39	×	·02	×	·01		31
TOTAL	4.90	1.25	1.37	2.22	1.49	1.07	2.31	2.53	·82	7.64	5.43	1.66	Year's Total 32.69 c	
* Days with .01 in. or more.	23	13	19	17	9	13	19	14	8	23	23	18	199 c	
* Days with .04 in. or more.	16	9	12	13	5	7	15	12	7	17	19	7	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Pearse

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 337

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~1~~0

Kept at Edells, Markbeech,

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	·02	–		1
2	–	·06	–	·09	–	–	–	–	–	·14	·37	·01		2
3	·01	·22	–	·11	–	–	·01	–	–	·11	1·15	·07		3
4	–	·15	–	·07	–	–	–	–	–	·16	·05	·07		4
5	–	·01	–	–	–	–	·04	–	–	·02	·84	·19		5
6	·14	·07	–	–	–	–	·26	–	–	·46	–	–		6
7	·29	·14	–	–	–	–	·30	–	–	–	–	·01		7
8	–	–	–	–	–	–	·01	–	·05	·38	–	·26		8
9	–	–	–	·01	–	–	–	·02	–	·10	·29	·17		9
10	–	–	–	–	–	–	·53	·06	·01	·14	·05	–		10
11	–	·01	–	·04	–	–	·08	–	–	–	·94	·03		11
12	–	·06	·18	·01	–	–	·11	–	·19	–	·01	–		12
13	–	·03	·78	–	–	–	·01	–	·09	–	1·71	–		13
14	–	–	·34	·07	–	–	·01	–	–	·03	·01	·27		14
15	–	–	·02	–	·12	–	1.00	–	·03	·06	·32	·02		15
16	·06	·25	·18	–	–	·05	·10	–	·17	·71	·59	·04		16
17	–	–	·26	–	–	–	·02	–	–	–	·14	·01		17
18	·02	·21	·28	·35	–	–	·19	·02	·11	·25	·24	·14		18
19	–	·14	·09	·01	–	–	·02	–	·44	–	·24	·07		19
20	–	·02	·03	·03	–	–	·02	·02	·02	·16	·10	–		20
21	·06	·01	–	–	·70	–	·21	–	–	·02	·36	–		21
22	·03	–	·03	–	·18	·13	·01	–	·12	–	–	–		22
23	–	·07	·06	·24	–	–	–	–	–	–	·02	·02		23
24	–	–	–	·32	–	–	·15	–	–	·01	–	·02		24
25	–	–	·44	–	–	–	·02	–	–	·10	–	–		25
26	·72	·24	·17	–	·75	–	·02	–	–	–	–	–		26
27	·44	·25	–	–	·02	–	·03	–	–	–	–	·01		27
28	·30	·04	–	·02	·13	–	–	–	–	–	–	–		28
29	·27	·25	·13	–	·71	–	–	–	–	–	–	·21		29
30	–	X	–	·25	–	–	–	–	–	·16	–	·02		30
31	·12	X	–	X	–	X	–	–	X	·71	X	·11		31
TOTAL	2.46	2.23	2.99	1.62	2.61	·18	3·15	·12	1.23	3·72	7·45	1·75	Year's Total 29·51	
* Days with .01 in. or more.	12	19	14	14	7	2	22	4	10	18	19	20	161	
* Days with .04 in. or more.	9	14	11	9	6	2	11	1	7	14	15	11	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Pearse

P.T.O.

338

Section **A** for the en

AIR MIN

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REC 3/.

338 — 293375

EDENBRIDGE — FALCONHURST

1931 — 1940

063501001 780107

150

Kept at Falconhurst

in the County of K

"Funnel Table"

Diameter of Funnel of Gau

Height of top of Gauge abov

,, Ground ,,

THE MORNING **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	·24	·29	—	·07	—	·06	·10	·01	—	—	1
2	·14	·04	—	·25	—	—	—	·03	·53	—	—	—	2
3	·10	·01	·10	·21	·85	—	—	·30	·60	—	—	·29	3
4	—	·02	—	·01	·02	—	·04	·02	·11	·02	·09	·01	4
5	—	—	—	·28	—	·58	·03	·08	·05	·01	·01	·22	5
6	—	·06	—	·08	—	—	·04	—	tr	·30	·60	·09	6
7	—	—	—	—	·04	·09	—	·15	·15	—	·25	—	7
8	—	·15	—	—	·03	·17	·03	·10	—	·01	·05	·03	8
9	—	·12	—	·01	—	·01	—	—	—	—	·70	·01	9
10	—	·25	—	—	—	·10	·01	·18	—	—	1.80	—	10
11	·11	·61	—	—	—	—	—	—	·03	—	·25	—	11
12	·03	tr	—	—	—	—	·01	—	·35	—	—	·02	12
13	·06	—	—	—	—	—	·01	·35	—	—	—	tr	13
14	—	·10	—	—	·01	·03	·65	·75	—	—	·01	—	14
15	·01	·02	—	·12	·17	—	·17	·69	—	—	—	·01	15
16	·02	·12	—	·18	·29	·01	—	·35	—	—	—	—	16
17	·04	·06	—	·19	·02	—	·40	·25	·09	·05	—	—	17
18	·01	·18	—	·24	—	·09	·09	·78	·01	·02	·62	—	18
19	·06	—	—	·37	—	·06	·22	·45	·09	—	—	—	19
20	—	·04	·02	·05	—	—	·25	·30	—	—	·01	—	20
21	—	·10	—	—	·45	—	—	—	—	—	·04	—	21
22	·19	—	·18	—	—	—	—	—	·10	—	·01	—	22
23	·67	·02	·02	—	·17	·06	—	—	·04	—	·28	—	23
24	—	—	·01	·54	·02	·08	·07	·25	·01	—	—	·02	24
25	—	—	—	·76	—	—	·44	—	—	—	·01	tr	25
26	—	·07	—	·38	—	—	·34	—	·02	—	·45	—	26
27	·15	·31	—	·10	·17	—	·03	—	—	—	·03	—	27
28	·09	·10	—	·05	—	—	—	—	—	·03	—	·01	28
29	·10		—	—	·07	—	·13	—	—	·25	—	tr	29
30	·07	×	—	—	·01	—	·02	—	—	—	—	—	30
31	·27	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	99 2·12	2·46	·57	4·11	2·32	1·35	2·98	5·09	2·28	·70	5·21	·71	YEAR'S TOTAL 29·90
*Days with ·01 in. or more.	17	20	6	18	14	12	19	17	15	9	17	10	174
*Days with ·04 in. or more.	13	16	3	16	8	9	12	15	11	3	11	~~7~~ 3	~~124~~ 120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) F. J. Patten

P.T.O.

338

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL … ALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Falconhurst, Cowden

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 375 ft.

~~(please send "General Table" in due course)~~

150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	·24	·29	—	·07	—	·06	·10	·01	—	—	1
2	·14	·04	—	·25	—	—	—	·03	·53	—	—	—	2
3	·10	·01	·10	·21	·85	—	—	·30	·60	—	—	·29	3
4	—	·02	—	·01	·02	—	·04	·02	·11	·02	·09	·01	4
5	—	—	—	·28	—	·58	·03	·08	·05	·01	·01	·22	5
6	—	·06	—	·08	—	—	·04	—	tr	·30	·60	·09	6
7	—	—	—	—	·04	·09	—	·15	·15	—	·25	—	7
8	—	·15	—	—	·03	·17	·03	·10	—	·01	·05	·03	8
9	—	·12	—	·01	—	·01	—	—	—	—	·70	·01	9
10	—	·25	—	—	—	·10	·01	·18	—	—	1·80	—	10
11	·11	·61	—	—	—	—	—	—	·03	—	·25	—	11
12	·03	tr	—	—	—	—	·01	—	·35	—	—	·02	12
13	·06	—	—	—	—	—	·01	·35	—	—	—	tr	13
14	—	·10	—	—	·01	·03	·65	·75	—	—	·01	—	14
15	·01	·02	—	·12	·17	—	·17	·69	—	—	—	·01	15
16	·02	·12	—	·18	·29	·01	—	·35	—	—	—	—	16
17	·04	·06	—	·19	·02	—	·40	·25	·09	·05	—	—	17
18	·01	·18	—	·24	—	·09	·09	·78	·01	·02	·62	—	18
19	·06	—	—	·37	—	·06	·22	·45	·09	—	—	—	19
20	—	·04	·02	·05	—	—	·25	·30	—	—	·01	—	20
21	—	·10	—	—	·45	—	—	—	—	—	·04	—	21
22	·19	—	·18	—	—	—	—	—	·10	—	·01	—	22
23	·67	·02	·02	—	·17	·06	—	—	·04	—	·28	—	23
24	—	—	·01	·54	·02	·08	·07	·25	·01	—	—	·02	24
25	—	—	—	·76	—	—	·44	—	—	—	·01	tr	25
26	—	·07	—	·38	—	—	·34	—	·02	—	·45	—	26
27	·15	·31	—	·10	·17	—	·03	—	—	—	·03	—	27
28	·09	·10	—	·05	—	—	—	—	—	·03	—	·01	28
29	·10	×	—	—	·07	—	·13	—	—	·25	—	tr	29
30	·07	×	—	—	·01	—	·02	—	—	—	—	—	30
31	·27	×	—	×	—	×	—	—	×	—	×	—	31
99 TOTAL	2·12	2·46	·57	4·11	2·32	1·35	2·98	5·09	2·28	·78	5·21	·71	YEAR'S TOTAL 29·90
*Days with ·01 in. or more.	17	20	6	18	14	12	19	17	15	9	17	10	174
*Days with ·04 in. or more.	13	16	3	16	8	9	12	15	11	3	11	~~7~~ 3	~~124~~ 120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. J. Patton

[P.T.O.

338

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Falconhurst, Cowden

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 375 ft.

150

Sept. 22nd & 23rd. amended by observer.

Form 956 sent suggesting ·70 & ·77 for Sep 22nd 23rd

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·01	—	·05	·50	—	·01	·07	·01	·11	·04	—	1
2	·04	—	—	·14	·07	—	—	·01	·03	·02	~~tr~~	·30	2
3	—	—	—	·01	·20	·09	—	—	·50	—	~~tr~~	·01	3
4	·03	—	—	—	·01	·16	—	—	—	—	—	—	4
5	·25	—	·01	—	·05	·02	34	—	·09	—	—	—	5
6	·74	—	—	·30	·06	—	—	—	·06	·01	—	—	6
7	·20	—	·08	·03	—	—	·23	—	·07	·01	—	·02	7
8	—	—	·22	·06	·25	—	—	—	·20	·56	—	—	8
9	·44	·15	—	·16	·88	—	—	—	—	—	—	—	9
10	1·00	·28	—	·30	·08	—	—	—	·01	·05	·04	—	10
11	·23	·05	—	·05	·03	—	—	—	·01	·10	·02	—	11
12	·30	·15	—	—	—	—	—	·02	·01	·38	·01	—	12
13	·15	—	—	·15	·04	—	—	—	·01	·87	—	—	13
14	·10	—	—	·57	·07	—	—	~~tr~~	—	·26	—	·02	14
15	·06	—	—	·10	·05	—	—	—	—	·12	—	~~tr~~	15
16	·10	—	—	·20	·12	—	~~tr~~	—	—	—	—	—	16
17	—	—	—	·08	—	—	—	—	—	·06	—	·01	17
18	·02	—	—	—	—	—	~~tr~~	—	·05	—	·10	—	18
19	—	—	—	·01	·01	—	—	—	·06	·31	·03	—	19
20	—	—	—	·17	·02	—	—	·17	—	·93	·19	—	20
21	—	—	—	—	·36	—	—	·05	—	·36	—	·06	21
22	·05	—	·30	—	·05	—	·10	—	·71	·27	·37	~~tr~~	22
23	—	·10	·04	·07	·03	—	—	—	·10	·96	·02	·10	23
24	—	·03	—	—	—	—	·43	—	·20	·05	·02	—	24
25	—	—	—	—	—	—	·54	—	·10	·33	·03	—	25
26	—	—	·02	·10	—	—	·40	·16	—	·06	·08	—	26
27	—	—	·32	·09	·22	—	·46	—	·02	·48	·10	—	27
28	—	—	·01	·05	·09	—	·09	—	—	·21	—	—	28
29	—	—	·45	—	·19	—	~~tr~~	·42	·15	·47	—	·04	29
30	—	×	·01	·05	·03	1·09	—	·02	·09	·01	·36	·10	30
31	—	×	·16	×	—	×	·09	—	×	~~tr~~	×	·05	31
99 TOTAL	3·86	·77	1·62	2·74	3·41	1·36	2·69	·92	2·48	6·99	1·41	·71	YEAR'S TOTAL 28·96
*Days with ·01 in. or more.	16	7	11	21	23	4	10	8	20	24	14	10	168
*Days with ·04 in. or more.	14	5	7	18	17	3	9	5	13	20	8	6	125

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Talbot

P.T.O.

338

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Falconhurst, Cowden

in the County of Kent

corrd. by Cards.

150

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·50	·19	—	—	—	—	—	—	·02	·01	—		1
2	·40	—	·52	—	·07	—	—	—	—	·02	·01	—		2
3	·11	·18	·48	—	—	—	—	—	—	—	·03	—		3
4	·13	·03	·01	—	tr	—	—	—	—	—	—	—		4
5	·26	·01	·32	—	·29	—	—	—	—	—	—	—		5
6	—	·12	·15	—	·50	—	—	—	—	·05	·10	—		6
7	·29	·07	·03	—	·25	—	—	—	—	·18	—	—		7
8	·10	·01	—	—	·07	—	·37	—	—	·04	—	—		8
9	—	—	—	—	·14	—	·10	—	—	·13	·17	—		9
10	—	·36	—	—	—	·05	·05	—	—	·23	—	—		10
11	·12	—	—	—	·04	·07	·04	·27	·04	·02	·02	—		11
12	—	—	—	·01	—	·23	·20	—	1·30	—	—	—		12
13	·06	—	—	—	·08	—	·40	·06	·37	·03	·17	—		13
14	—	—	—	—	·02	—	·04	—	—	·42	·24	—		14
15	·35	—	·12	—	—	—	·34	·25	—	·02	·02	—		15
16	·04	—	1·05	—	—	·19	·34	—	—	—	—	—		16
17	·02	·01	·27	—	—	·02	—	·07	·10	—	·06	—		17
18	·03	—	·07	—	—	·38	—	—	—	—	·02	—		18
19	·03	·06	·37	tr	—	·28	—	tr	·33	—	—	—		19
20	—	·01	·10	·01	—	·19	—	—	·18	—	·02	—		20
21	—	·08	—	—	—	—	—	·25	·27	—	tr	—		21
22	—	—	—	—	·84	·08	·06	·20		·20	tr	—		22
23	—	·02	—	·12	·30	·05	—	—	·30	tr	·01	—		23
24	—	·56	—	·20	—	·02	—	—	·32	—	·03	—		24
25	—	·17	—	·25	—	—	—	—	·11	·02	·08	·05		25
26	—	·48	—	·04	—	·05	—	—	·02	·02	·02	·15		26
27	—	—	—	—	·10	·02	—	—	—	·20	—	·15		27
28	—	·01	—	—	—	—	·24	—	—	·28	—	·20		28
29	·04		—	—	·20	—	·11	—	—	·05	—	tr		29
30	·10	×	·050	·04	—	—	·05	—	·18	·05	—	·07		30
31	·06	×	—	×	—	×	—	·08	×	·03	×	—		31
99 TOTAL	2·20	2·68	3·73	·67	2·90	1·63	2·34	1·18	3·52	2·01	1·01	·62	Year's Total 24·49	24·49
*Days with ·01 in. or more.	17 ✓	17 ✓	14 ✓	7 ✓	13 ✓	13 ✓	13 ✓	7 ✓	12 ✓	19 ✓	16 ✓	5 ✓	153 ✓	
*Days with ·04 in. or more.	14 ✓	10 ✓	12 ✓	5 ✓	12 ✓	10 ✓	13 ✓	7 ✓	11 ✓	11	6 ✓	5 ✓	116 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

DM

† Spare column, no entries required.

(*Signed*)

P.T.O.

Sept. Circ. D.1. [illegible] 3.10.

338

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Edenbridge, Falconhurst (mostly [illegible])

in the County of Kent

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.50	.19							.02	.01	-	1
2	.40		.52		.07					.02	.01		2
3	.11	18	.48								.03		3
4	.13	.03	01										4
5	.26	.01	.32		.29								5
6		.12	.15		.50					.05	.10		6
7	.29	.07	.03		.25					.18			7
8	.10	.01			.07		.37			.04			8
9					.14		.10			.13	.17		9
10		.36				.05	.05			.23			10
11	.12				.04	.07	.04	.27	.04	.02	.02		11
12				.01		.23	.20		1.30				12
13	.06				.08		.40	.06	.37	.03	.17		13
14					.02		.04			.42	.24		14
15	.35		.12				.34	.25		.02	.02		15
16	.04		1.05			.19	34						16
17	.02	.01	.27			.02		.07	.10		.06		17
18	.03		.07			.38					.02		18
19	.03	.06	.37			.28			.33				19
20		.01	.10	.01		.19			.18		.02		20
21		.08						.25	.27				21
22					.84	.08	.06	.20		.20			22
23		.02		.12	.30	.05			.30		.01		23
24		.56		.20		.02			.32		.03		24
25		.17		.25					.11	.02	.08	.05	25
26		.48		.04		.05			.02	.02	.02	.15	26
27					.10	.02				.20		.15	27
28		.01					.24			.28		.20	28
29	.04				.20		.11			.05			29
30	.10	×	.05	.04			.05		.18	.05		.07	30
31	.06	×		×		×		.08	×	.03	×		31
TOTAL	2 2.~~4~~0	2.68	3.73	.67	2.90	1.63	2.34	1.18	3.52 ~~2.22~~	2.01	1.01	.62	YEAR'S TOTAL ✓ 24.49
*Days with .01 in. or more.	17	17	14	7	13	13	13	7	12	19	16	5	153
*Days with .04 in. or more.	14	10	12	5	12	10	13	7	11	11	6	5	116

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. A. Cannon

[P.T.O.

COPY FOR OFFICIAL USE. 1/1/kg.

Section **A** for the entry of Daily Observations. Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Falconhurst, Cowden

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 375 ft.

150
TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	—	—	·05	—	·28	·01	·11	·02	·29		1
2	·06	—	·19	—	—	—	—	·01	·78	·62	—	·32		2
3	·01	·01	—	·32	—	—	—	—	—	·79	—	·05		3
4	·15	·01	·05	·01	·05	—	—	—	—	·16	·09	·70		4
5	—	—	·03	—	·10	—	—	·03	—	—	·02	·38		5
6	—	—	·32	·01	·16	·22	—	·08	—	·22	·02	·63		6
7	·06	—	—	—	—	·04	—	·06	—	·15		·25		7
8	—	—	—	—	·12	—	—	·02	—	—	·95	—		8
9	—	—	·02	—	—	—	—	·02	·06	—	·97	·35		9
10	·02	—	·29	·23	—	—	—	·10	—	—	1·10	·02		10
11	·95	—	·34	·15	—	—	·01	·04	—	—	·01	·19		11
12	·22	—	·10	—	—	—	·21	·08	—	—	—	·05		12
13	·52	—	·15	·04	—	—	·38	·03	—	·02	·01	·05		13
14	·18	—	·49	·12	—	—	·01	—	—	—	·67	·55		14
15	·04	—	—	—	·04	—	—	—	—	·05	·14	·50		15
16	·18	—	·27	·03	·24	—	—	—	—	·07	·03	·02		16
17	·12	—	·12	·04	·04	—	—	—	—	·08	—	·29		17
18	·13	—	·02	·42	—	—	·23	—	·03	—	—	·57		18
19	—	—	·30	·09	—	·08	—	—	·35	·01	—	·22		19
20	—	—	·03	—	—	—	·18	·03	·01	·04	·02	·04		20
21	—	—	·02	·15	—	·16	·11	—	—	·10	—	—		21
22	—	—	—	—	—	—	·10	·06	·20	·03	—	·06		22
23	—	—	—	·36	—	1·25	·12	·01	—	·03	—	·16		23
24	—	·04	·01	·30	—	·12	·50	—	·15	—	—	—		24
25	·12	—	—	·13	·01	—	—	—	—	·05	—	·48		25
26	·10	—	—	·12	—	·10	—	—	·09	—	—	·07		26
27	·03	—	—	·28	—	·01	—	—	·01	·01	—	·28		27
28	—	·06	—	·02	—	·08	—	·62	—	—	—	·38		28
29	—	×	—	—	—	—	·03	·04	·12	—	·02	·01		29
30	·10	×	—	—	—	—	—	·08	—	—	—	·35		30
31	—	×	—	×	—	×	—	—	×	·10	×	·18		31
99 TOTAL	3·01	·12	2·75	2·82	·76	2·11	1·88	1·59	1·81	2·64	4·07	7·44	Year's Total. 31·00	
* Days with .01 in. or more.	18	4	17	18	8	10	11	17	11	18	14	28	174	
* Days with .04 in. or more.	14	2	11	14	7	9	8	10	7	13	6	25	126	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

144
600

(Signed) G. T. Talbot

[P.T.O.

REGISTER OF RAINFALL IN 1954.

Kept at Edenbridge, Falconhurst (Smarts Beach)
in the County of Kent

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

150

April circ D.I. sent

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02					·05		·28	·01	·11	·02	·29		1
2	·06		·19					·01	·78	·62		·32		2
3	·01	·01		·32						·79		·05		3
4	·15	·01	·05	·01	·05					·16	·09	·70		4
5			·03		·10			·03			·02	·38		5
6			·32	·01	·16	·22		·08		·22	·02	·63		6
7	·06					·04		·06		·15		·25		7
8					·12			·02			·95			8
9			·02					·02	·06		·97	·35		9
10	·02		·29	·23				·10			1·10	·02		10
11	·95		·34	·15			·01	·04			·01	·19		11
12	·22		·10				·21	·08				·05		12
13	·52		·15	·04			·38	·03		·02	·01	·05		13
14	·18		·49	·12			·01				·67	·55		14
15	·04				·04					·05	·14	·50		15
16	·18		·27	·03	·24					·07	·03	·02		16
17	·12		·12	·04	·04					·08		·29		17
18	·13		·02	·42			·23		·03			·57		18
19			·30	·09		·08			·35	·01		·22		19
20			·03				·18	·03	·01	·04	·02	·04		20
21			·02	·15		·16	·11			·10				21
22							·10	·06	·20	·03		·06		22
23				·36		1·25	·12	·01		·03		·16		23
24		·04	·01	·30		·12	·50		·15					24
25	·12			·13	·01					·05		·48		25
26	·10			·12		·10			·09			·07		26
27	·03			·28		·01			·01	·01		·28		27
28		·06		·02		·08		·62				·38		28
29							·03	·04	·12		·02	·01		29
30	·10	X						·08				·35		30
31		X		X		X			X	·10	X	·18		31
TOTAL	3·01	·12	2·75	2·8~~6~~ 2	·76	2·11	1·88	1·59	1·81	2·64	4·07	7·44	Year's Total 31·00	
*Days with ·01 in. or more.	18	4	17	18	8	10	11	17	11	18	14	28	174	
*Days with ·04 in. or more.	14	2	11	14	7	9	8	10	7	13	6	25	126	

40-9999
*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) A A Cannon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Edenbridge, Falconhurst (Marks Beech)

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	.05	.03	.02	-	.07	.05	-	.30	.15	.07	-		1
2	.13	-	.02	.06	-	-	-	-	-	.41	.22	-		2
3	-	-	.11	.02	-	-	-	-	.10	1.29	.11	-		3
4	-	.08	-	.35	-	.24	-	-	.26	.27	-	.14		4
5	-	.38	.02	.08	-	.22	-	-	.62	.25	-	-		5
6	-	.14	.04	.23	-	.67	-	-	-	-	.19	.03		6
7	.07	.01	-	.27	-	.17	-	-	-	.01	.96	.05		7
8	-	-	.05	.36	-	.02	-	.04	-	.27	.65	.08		8
9	.01	-	-	.21	-	.20	-	-	-	1.00	.23	.04		9
10	.06	-	.07	.10	-	.03	-	-	-	.04	.15	.13		10
11	.11	-	-	.19	-	.11	.22	-	-	-	.48	-		11
12	-	.05	-	-	-	.25	.15	.59	.05	-	1.26	-		12
13	.10	.22	-	.12	-	.04	-	-	-	-	.11	.04		13
14	-	-	-	.05	.16	.18	-	-	-	-	.03	.10		14
15	-	.20	-	.45	.01	.02	-	-	.35	-	.30	.07		15
16	-	.05	-	.28	-	.07	-	-	.40	-	.98	.04		16
17	.03	-	.07	.07	-	.22	-	-	.04	-	.40	-		17
18	-	-	-	.32	-	.07	.32	-	.46	.08	.02	-		18
19	-	-	-	.08	.63	.05	.13	-	.05	-	.08	-		19
20	-	.77	-	.13	.01	.08	.73	-	.06	-	.23	-		20
21	.02	.54	-	-	-	-	-	-	.04	.13	.03	-		21
22	.01	.15	-	-	-	-	-	.23	.06	-	-	-		22
23	-	-	.03	-	-	-	-	.42	.01	-	-	.03		23
24	.04	.90	-	-	.27	-	-	1.46	.71	.04	-	.29		24
25	.15	.36	-	.09	.44	.21	-	-	-	-	.01	.31		25
26	.05	-	-	-	-	-	-	.18	.04	.07	-	.41		26
27	.02	.90	-	-	-	-	-	-	.09	-	.12	.29		27
28	-	.05	-	-	.20	-	-	.01	.04	.08	-	.24		28
29	-	✕	-	-	-	-	-	-	.67	-	-	.38		29
30	.11	✕	-	.12	.08	-	-	1.03	.12	.10	.62	.50		30
31	-	✕	-	✕	-	✕	-	-	✕	.31	✕	.72		31
99 TOTAL	1.16	4.85	.44	3.60	1.80	2.92	1.60	3.96	4.47	4.50	7.25	3.89	Year's Total 40.44	
*Days with .01 in. or more.	15	16	9	21	8	19	6	8	20	16	22	19	179	
*Days with .04 in. or more.	10	15	5	19	6	16	6	7	19	15	18	17	153	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Cannon

[P.T.O.

J. W. W. GR.
✓ ✓ K

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Falconhurst, Cowden,
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 375 ft.

July rain falls a little high in plotting 50 but appears justified [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.05	.03	.02	—	.07	.05	—	.30	.15	.07	—		1
2	.13	—	.02	.06	—	—	—	—	—	.41	.32	—		2
3	—	—	.11	.02	—	—	—	—	.10	1.29	.11	—		3
4	—	.08	—	.35	—	.24	—	—	.26	.27	—	.14		4
5	—	.38	.02	.08	—	.22	—	—	.62	.25	—	—		5
6	—	.14	.04	.23	—	.67	—	—	—	—	.19	.03		6
7	.07	.01	—	.27	—	.17	—	—	—	.01	.96	.05		7
8	—	—	.05	.36	—	.02	—	.04	—	.27	.65	.08		8
9	.01	—	—	.21	—	.20	—	—	—	1.00	.23	.04		9
10	.06	—	.07	.10	—	.03	—	—	—	.04	.15	.13		10
11	.11	—	—	.19	—	.11	.22	—	—	—	.48	—		11
12	—	.05	—	—	—	.25	.15	.59	.05	—	1.26	—		12
13	.10	.22	—	.12	—	.04	—	—	—	—	.11	.04		13
14	—	—	—	.05	.16	.18	—	—	—	—	.03	.10		14
15	—	.20	—	.45	.01	.02	—	—	.35	—	.30	.07		15
16	—	.05	—	.28	—	.07	—	—	.40	—	.98	.04		16
17	.03	—	.07	.07	—	.22	—	—	.04	—	.40	—		17
18	—	—	—	.32	—	.07	.32	—	.46	.08	.02	—		18
19	—	—	—	.08	.63	.05	.13	—	.05	—	.08	—		19
20	—	.77	—	.13	.01	.08	.73	—	.06	—	.23	—		20
21	.02	.54	—	—	—	—	—	—	.04	.13	.03	—		21
22	.01	.15	—	—	—	—	—	.23	.06	—	—	—		22
23	—	—	.03	—	—	—	—	.42	.01	—	—	.03		23
24	.04	.90	—	—	.27	—	—	1.46	.71	.04	—	.29		24
25	.15	.36	—	.09	.44	.21	—	—	—	—	.01	.31		25
26	.05	—	—	—	—	—	—	.18	.04	.07	—	.41		26
27	.02	.90	—	—	—	—	—	—	.09	—	.12	.29		27
28	—	.05	—	—	.20	—	—	.01	.04	.08	—	.24		28
29	—	X	—	—	—	—	—	—	.67	—	—	.38		29
30	.11	✕	—	.12	.08	—	—	1.03	.12	.10	.62	.50		30
31	—	✕	—	✕	—	✕	—	—	✕	.31	✕	.72		31
TOTAL	1.16	4.85	.44	3.60	1.80	2.92	1.60	3.96	4.47	4.50	7.35	3.89	Year's Total 40.44	
* Days with .01 in. or more.	15	16	8 9	21	8	19	6	8	20	16	22	19	178 9	
* Days with .04 in. or more.	10	15	4 5	19	6	16	6	7	19	15	18	17	152 3	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. J. Talbot

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Edenbridge, Falconhurst (Mark Beech)

in the County of Kent

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TL

Copy by B.R.O

400 150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·35	·15	·01	·38		·19	·40	1·14		–	·05	·08		1
2		·11	·01	·01		·40	·10	·09		–	–	–		2
3	·01			·45		·12	·04		·04	–	·28	–		3
4	·05		·11			·08			·41	–	–	·07		4
5	·25							·05	·17	·07	·19	·13		5
6	·30					·03		·07	·25	·02	·92	·07		6
7	·51		·02			·05			·02	–	·68	–		7
8	·37		·08				·01		·01	–	·48	·21		8
9	·57		·02		·01		·47		·08	·12	·17	·01		9
10	·05						·17	·36	·01	·02	–	–		10
11				·18			·34			–	·88	–		11
12				·03		·16	·27	·03	·23	–	·36	·17		12
13						·12	·03			–	·07	·60		13
14		·05				·06	·68			·04	·11	·63		14
15		·11		·01			·01			–	·04	·27		15
16	·25	·07			·22		·05			–	·19	·20		16
17	·10	·65			·20	·17		·02		–	·28	·60		17
18	·12	·11				·05	·18			–	·22	·15		18
19	·35	·05				·04	·03	·10		·06	·05	–		19
20	·40	·06		·36			·02		·61	–	–	–		20
21				·39		·34	·27		·03	–	–	–		21
22	·10	·38	·13	·01	·11	·15	·02			–	–	·05		22
23		·18	·04	·07			·56			·07	–	–		23
24	·03	·05							·02	·27	–	–		24
25	·19		·10	·22		·07	·11		·36	·01	·05	–		25
26		·16	·24	·05		·10			·11	·30	–	·02		26
27	·26			·03					·26	·25	–	–		27
28	·68		·07			·20	·77		·03	–	–	·11		28
29	·05	·07	·14			·28	·04			·05	·06	·02		29
30	·12	×				·14				·12	–	–		30
31	·27	×	·20	×	·07	×	·09		×	·87	×	·17		31
TOTAL	5·38	2·20	1·17	2·19	·61	2·75	4·66	1·86	2·64	2·27	5·02	3·56	Year's Total. 34·31	
* Days with .01 in. or more.	22	14	13	13	5	19	22	8	16	14	18	18	182	
* Days with .04 in. or more.	20	14	9	8	4	18	16	6	10	11	17	15	148	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A. A. Cannon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Edenbridge, Falconhurst
in the County of Kent
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

Copy by [illegible]
T. L
150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.87	.02	.05	.08	-		.07	-	-		.51	.20		1
2	-	.63	-	.44	-		-	-	.04		.01	.69		2
3	.02	.19	-	-	.01		-	-	.06	.04	-	.27		3
4	.15	1.23	-	.03	-		-	-	-		-	.26		4
5	.26	.16	.27	-	-		.18	-	-	.01	-	-		5
6	.05	-	.28	-	.22		-	-	-	.04	.02	-		6
7	-	.65	.15	.09	.14		-	-	-	.08	-	-		7
8	-	-	.23	-	.06	.06	-	-	.03		.13	.40		8
9	-	-	-	.35	.10	.01	.06	-	.35		-	.07		9
10	-	-	.48	.20	.21	.40	.02	-	-		-	.66		10
11	-	-	.42	-	.18		.05	-	-		-	.22		11
12	.38	.23	.15	.03	.32	.30	.02	.30	.22		-	.05		12
13	.19	.07	.53	.05	.01	.38	-	.14	.17		-	.41		13
14	.03	.03	.04	-	.10	.04	-	1.07	.13		-	.08		14
15	.06	.09	-	.21	-		.27	-	.42		-	-		15
16	.08	.22	.30	.30	-	.17	-	.35	.25		-	.03		16
17	.35	.02	.10	.12	-		-	-	.14		.13	-		17
18	.68	.07	.13	-	.55	.72	-	-	-		.20	.02		18
19	.10	.12	.05	.17	.04	.10	1.40	T -	.18		-	.16		19
20	.51	.03	.12	.24	.54	.18	-	-	.04		-	-		20
21	.45	.32	.06	.14	.01		.03	.05	-		-	.04		21
22	.65	.03	.01	-	.08	.21	.02	-	-	.62	.36	.09		22
23	.35	-	-	-	-		.08	-	-	.54	-	-		23
24	.90	.25	.03	-	.05		-	-	.01	.38	-	-		24
25	.10	.44	.25	-	-		-	-	.07	.31	-	.05		25
26	.01	.43	.02	-	-		-	-	-	.04	-	.01		26
27	-	.20	-	.25	-		-	-	.05	.24	-	-		27
28	.05	.12	-	.02	-		-	-	-	.03	-	-		28
29	.23	-	-	-	-		-	.12	-	.10	.06	.02		29
30	.32	×	-	-	-		-	.50	-	.12	.09	.04		30
31	.15	×	-	×	-	×	-	-	×	.34	×	-		31
99 TOTAL	6.94	5.55	3.67	2.72	2.62	2.57	2.20	2.53	2.16	2.89	1.51	3.77	Year's Total 39.13	
* Days with .01 in. or more.	24	22	20	16	16	11	11	7	15	14	9	20	185	
* Days with .04 in. or more.	21	17	17	13	13	10	7	7	13	12	7	16	153	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

M338

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.....

At Falconhurst, Cowden,

In the County of Kent

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 6 *in.*
- *Height of Ground above Sea Level* 380 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·94	·90	24	24	21
FEB.	5·55	1·23	4	22	18
MAR.	3·67	·53	13	20	17
APRIL	2·72	·44	2	16	13
MAY	2·62	·55	18	16	13
JUNE	2·57	·72	18	11	10
JULY	2·20	1·40	19	8	7
AUG.	2·53	1·07	14	7	7
SEPT.	2·16	·42	15	18	13
OCT.	2·89	·62	22	13	12
NOV.	1·51	·51	1	9	7
DEC.	3·80	·69	2	21	14
Total	39·16				

Signature G. J. Talbot

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Sir George John Talbot
Falconhurst, Edenbridge, Kent.

Hour of observation by the clock—in Winter 8 A.M. in Summer 9 A.M.

Nearest Railway Station Cowden Distance 1 M. Direction from gauge S.E

Nearest Parish Church at MARKBEECH Distance 1/4 M. Direction from gauge E.N.E

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state— no move

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

150 TL

400

M

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

M

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Edenbridge, Falconhurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 375 ft.

TL 150 400

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	·04	–	·30	·22	–	–	20	·03	·08	·10		1
2	·08	–	–	05	·10		·30	–	–	·38	–	·09		2
3	–	–	–	–	·26		–	–	–	·72	·05	–		3
4	·05	–	–	–	–	·02	·17	·07	–	·02	–	·12		4
5	·01	–	–	–	–		·27	–	–	·59	–	–		5
6	·03	–	–	–	–		·06	–	·01	·02	·01	·04		6
7	·05	–	–	–	–		·07	·51	–	·33	–	·05		7
8	·24	–	–	–	–		·19	–	·03	·31	–	·09		8
9	·10	–	–	–	–		–	·07	–	·12	–	·75		9
10	·10	·05	–	–	–	·04	–	·08	–	–	–	·13		10
11	·20	–	–	–	–		–	1·23	–	–	·09	·29		11
12	·38	·04	–	–	–		·04	2·26	–	·05	·09	·02		12
13	·41	·18	–	–	–		–	–	–	·11	·27	·14		13
14	·34	·20	–	–	·36		–	–	·02	–	–	·09		14
15	·04	·32	–	–	·02		·20	–	–	·30	·02	·08		15
16	·53	–	·02	–	–		–	·02	–	·03	·07	·36		16
17	–	·12	–	–	·28		~~tr~~	–	·02	·22	·06	–		17
18	·09	–	–	–	·04		–	–	·20	–	·60	–		18
19	–	–	–	–	–		–	·06	·15	–	·34	·35		19
20	·01	–	–	–	·08		–	–	·10	–	·48	–		20
21	·05		–	–	–		–	·04	·14	–	–	·23		21
22	·01	–	–	–	–	·03	–	·03	–	–	·30	·16		22
23	–	–	–	·01	–		–	–	–	–	·01	·02		23
24	–	–	·08	–	–		–	–	32	–	·37	–		24
25	·11	·21	·38	·04	·13		·03	·04	·06	·03	·50	–		25
26	·39	·06	·07	·01	–		–	·15	·31	·32	–	·38		26
27	·07	·06	–	–	·12	·23	–	–	·64	·01	·35	–		27
28	·05	–	–		·47	·10	·35	·23	·25	–	–	–		28
29	·18	–	–	–	·20		–	–	·01	–	·05	·24		29
30	·07	☒	–	·25	·19		–	–	·12	·05	·39	–		30
31	·21	☒	–	☒	·10	☒	–	–	☒	·15	☒	·30		31
99 TOTAL	3·84	1·24	·59	·36	2·65	·64	1·68	4·79	2·58	3·79	4·13	4·03	Year's Total 30·32	✓
* Days with .01 in. or more.	26	9	5	5	14	6	10	13	16	19	19	21	163	✓
* Days with .04 in. or more.	22	9	4	3	13	4	9	11	11	13	16	19	134	✓

* See Instruction 3 (f) on other side.

2·19

M

† Spare column, no entries required.

(*Signed*) A. A. Cannon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Edenbridge, Falconhurst

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 375 ft.

T.L. 150

Copy by B.R.O.

400

Aug corr for arith.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·06	·17	·30	–	–	–	·27	–	–	·04		1
2	·02	–	–	·03	·03	–	·05	·27	·07	·09	–	–		2
3	·36	–	–	·40	–	–	–	·26	–	–	·32	·44		3
4	·11	–	·30	·16	–	–	·07	·95✓	–	·55	·08	·02		4
5	–	–	–	·14	·02	–	·18	·18✓	–	·22	·48	·03		5
6	·31	–	·02	–	–	–	·18✓	·03	–	–	·22	–		6
7	·05	·06	–	–	–	–	·06	·06	–	·03	·20	·16		7
8	·01	·10	·16	–	–	–	·01	~~tr~~	–	·58	·18	·54		8
9	·05	·04	–	–	–	–	–	·11	–	·50	·77	·31		9
10	·15	–	–	–	–	·20	–	·16	·05	·07	·03	–		10
11	–	–	·23	–	–	·04	–	–	–	1·62	–	·02		11
12	–	–	–	–	–	–	–✓	–	–	·01	–	·02		12
13	–	·01	·02	·02	–	–	–	–	–	1·51	–	·07		13
14	·68	–	·01	·05	·01	–	·05	–	·02	·34	·55	·04		14
15	·60	–	–	–	·77	·03✓	·10	–	·08	·67	·05	–		15
16	·31	–	·10	·06	·10	·10	·12	–	·13	–	·60	–		16
17	·34	·10	·05	·02	·02	–	–	–	–	–	·08	–		17
18	·40	–	·02	–	·20	·04	·24	–	·02	·20	·33	–		18
19	·20	–	–	–	–	–	·32	–	–	·78	–	·03		19
20	·26	–	–	–	–	–	28	·10✓	·09	–	–	·05		20
21	·07	–	·11	–	–	·09	·24	–	·16	·03	–	–		21
22	·30	·22	·12	·01	–	·30	·05	–	·01	–	–	–		22
23	·03	–	·05	·10	–	–	·03	–	–	·10	·64	–		23
24	·21	·06	·03	·09	–	~~tr~~	·13	–	–	·15	–	–		24
25	1·10✓	·20	·05	·03	–	–	·25	·07	–	–	·61✓	–		25
26	·04	–	–	·10	–	–	–	–	–	·07	·33	·04		26
27	–	·16	·05	·10	–	–	–	–	–	·13	36	–		27
28	·02	·43	·04	–	–	04	–	–	–	·19	·09	·13		28
29	–		–	·34	–	–	–	–	–	·03	·02	–		29
30	–	✕	–	·55	–	–	–	–	–	–	·21	–		30
31	–	✕	–	✕	–	✕	·14	·57	✕	·03	✕	–		31
99 TOTAL	5·65	1·38	1·42	2·37	1·45	·84	2·50	2·76 ~~3·26~~	·90	7·90	6·15	1·94	Year's Total 35·26	✓
* Days with .01 in. or more.	23	10	17	17	8	8	18	11	10	22	20	15	179	✓
* Days with .04 in. or more.	18	9	12	12	4	7	16	10	7	17	18	10	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 338

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

150
400

Kept at Edenbridge (Falconhurst)
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 375 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	-	-	-	-	-	-	-	-	-	-		1
2	-	-	-	.12	-	-	-	-	-	.12	·47	-		2
3	-	·30	-	·13	-	-	-	-	-	12	1·28	.09		3
4	-	.17	-	.07	-	-	-	-	-	.20	·06	-		4
5	-	-	-	-	-	-	·05	-	-	.03	·97	·28		5
6	.17	·09	-	-	-	-	·29	-	-	·60	-	-		6
7	·30	·16	-	-	-	-	·51	-	-	-	-	-		7
8	-	tr	-	-	-	-	-	-	·08	·45	-	·28		8
9	-	·01	-	-	-	-	-	-	-	·09	·34	·18		9
10	-	-	-	-	-	-	·57	.05	-	.20	·05	-	✓	10
11	-	-	-	.05	-	-	-	-	-	-	1·15	·02		11
12	-	·06	·26	.02	-	-	·22	-	16	-	·02	-		12
13	-	·06	·72	-	-	-	·07	-	·13	-	1·26	-		13
14	-	-	·40	·08	-	-	·01	-	-	.04	-	·30		14
15	-	-	-	-	·12	-	1.05	-	-	.04	·39	.02		15
16	·07	·29	·19	-	-	·05	·12	-	·23	.73	·66	·04		16
17	-	-	·22	-	-	-	·03	-	·02	-	·15	-		17
18	✓·01	·20	.33	36	-	-	·19	·04	·13	.28	·25	·16		18
19	-	·17	·11	-	-	-	-	-	·44	-	·12	·06		19
20	- ✓	·05	·05	.04	-	-	·06	·03	·03	-	·38	-		20
21	·07	-	-	-	·67	-	·32	-	-	.16	.36	-		21
22	·03	-	·04	-	·20	.14	-	-	·14	-	-	-		22
23	-	·07	·06	23	-	-	-	-	-	-	·06	·03		23
24	-	-	-	.37	-	-	·18	-	-	01	-	·01		24
25	-	-	·40	-	-	-	-	-	-	.10	.02	-		25
26	·80	·23	·25	-	·73	-	·02	-	-	-	-	-		26
27	·41	.33	-	-	-	-	·03	-	-	-	-	·02		27
28	·27	·05	-	03	·16	-	-	-	-	-	-	-		28
29	·23	.24	·14	-	·76	-	-	-	-	-	-	·24		29
30	·11	×	-	.25	-	-	-	-	✓	17	-	·02		30
31	-	×	-	×	-	×	-	-	×	.86	×	·12		31
99 TOTAL	2·47	2·50	3·17	1·75	2·64	·19	3·72	·12	1·36	4·20	7·99	1·87	Year's Total 31·98	✓ ✓
* Days with .01 in. or more.	11	17	13	12	6	2	16	3	9	17	18	16	140	✓ ✓
* Days with .04 in. or more.	9 ✓	15 ✓	13 ✓	10 ✓	6 ✓	2 ✓	12 ✓	2 ✓	7 ✓	15 ✓	16	10	117	✓

† Spare column, no entries required

(*Signed*) ~~A. A. Cannan~~
Hon. Mr. Justice Talbot

[P.T.O.

* See Instruction 3 (f) on other side.

339

339

EDENBRIDGE – STONEWALL PARK

1931 – 1940

780107

063400005

FORM 1090. METEOR ATION.

County No.
River Dist.
Station No.

Kept at Stonewal
in the County of Chi
by E. J. B. Mead

Cowden
ge 5 in.
und 1 ft. 1 in.
Level 344 ft.

THE MORNIN DAY.

An observer who does not 1st of the following year in the spac

Jan. 1, following.
B. A. Vernier 1931

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·06	0·08	0·19	—	0·11	—	0·06	0·09	—	—		1
2	0·14	0·05	—	0·27	0·05	—	—	0·02	0·61	—	—		2
3	0·12	—	0·10	0·18	0·90	—	—	0·28	0·85	—	0·03	0·27	3
4	—	0·01	—	0·01	0·02	—	0·02	0·02	0·07	0·01	0·03		4
5	—	—	—	0·26	—	—	0·05	0·08	0·06	—	—	0·25	5
6	—	0·08	—	0·05	—	0·59	—	—	—	0·21	0·61	0·12	6
7	—	0·04	—	—	0·04	0·08	0·07	0·16	—	0·01	0·25		7
8	—	0·12	—	—	0·03	0·15	—	0·08	—	0·01	0·03	0·04	8
9	—	0·15	—	0·01	—	—	—	—	—	—	0·59	0·03	9
10	0·02	0·20	0·01	—	—	0·09	0·01	0·17	—	—	1·91		10
11	0·09	0·55	—	—	—	—	—	—	0·02	—	0·26		11
12	0·05	~~0·07~~	0·02	—	—	—	0·01	0·01	0·36	—			12
13	0·04	~~0·10~~	—	—	0·06	—	—	0·27	—	—			13
14	0·01	0·07	—	—	—	0·04	0·46	0·39	—	—			14
15	0·03	~~0·10~~	—	0·11	0·09	—	0·21	0·45	—	—	0·01	0·02	15
16	—	0·10	—	0·19	0·30	0·02	—	0·18	—	—			16
17	0·12	0·06	—	0·20	0·01	—	0·37	0·28	0·06	0·04			17
18	0·01	0·08	0·05	0·22	—	0·12	0·08	0·64	—	0·01	0·55		18
19	0·06	—	—	0·40	—	—	0·20	0·37	0·09	—		0·01	19
20	—	0·14	—	0·04	—	—	0·19	0·25	—	—			20
21	0·01	0·01	—	—	0·46	—	—	—	—	—	0·03		21
22	0·21	0·01	0·15	—	—	—	—	—	0·04	—	0·01		22
23	0·56	-	—	—	0·20	0·08	—	—	0·03	—	0·24	0·02	23
24	—	-	0·02	0·58	0·02	0·06	0·05	0·27	—	—			24
25	—	-	—	0·66	—	—	0·37	—	—	—	0·01		25
26	—	0·08	—	0·36	—	—	0·25	—	—	—	0·30		26
27	0·15	0·31	—	0·09	0·20	—	0·02	—	—	—	0·01		27
28	0·10	0·19	—	0·05	—	—	—	—	—	0·03		0·01	28
29	0·10	×	—	—	0·11	—	0·10	—	—	0·25			29
30	0·07	×	—	—	0·02	—	0·01	—	—	—			30
31	0·22	×	—	×	0·01	×	—	—	×	—	×		31
TOTAL	2·11	2·31	0·43	3·87	2·52	1·34	2·47	4·00	2·28	0·57	4·87	0·77	YEAR'S TOTAL 27·54
Days with ·01 in. or more.	19	19	7	18	16	10	17	18	11	8	16	9	168
Days with ·04 in. or more	14	16	4	16	10	9	12	15	9	3	8	4	120

0 Snow ~~0 Sleet~~

0 Thunder

339

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~2~~31

County No.
River Dist.
Station No.

Kept at Stonewall Park
in the County of Chiddingstone Kent
by E. G. B. Meade-Waldo

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station ~~9 AM~~ Cowden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.
B. A.
Vermeer 1931

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in. ⊙	in.	in.	in. ⊙	in.	in.	in.	in.	in.	in.	
1	—	0.06	0.08	0.19	—	0.11	—	0.06	0.09	—	—		1
2	0.14	0.05	—	0.27	0.05	—	—	0.02	0.61	—	—		2
3	0.12	—	0.10	0.18	0.90	—	—	0.28	0.85	—	0.03	0.27	3
4	—	0.01	—	0.01	0.02	—	0.02	0.02	0.07	0.01	0.03		4
5	—	—	—	0.26	—	—	0.05	0.08	✱ 0.06	—	—	0.25	5
6	—	⊙ 0.08	—	0.05	—	0.59 ⊙	—	—	—	0.21	0.61	0.12	6
7	—	0.04	—	—	0.04	0.08	0.07	0.16	—	0.01	0.25		7
8	—	0.12	—	—	0.03	0.15	—	0.08 10 ✱	—	0.01	0.03	0.04	8
9	—	0.15	—	0.01	—	—	—	—	—	—	0.59	0.03	9
10	0.02	0.20	0.01 0	—	—	0.09	0.01	0.17	—	—	1.91		10
11	0.09	0.55	—	—	—	—	—	—	0.02	—	0.26		11
12	0.05	— ~~0.07~~ ⊙	0.02	—	—	—	0.01	0.01	0.36	—			12
13	0.04	— ~~0.10~~	—	—	0.06	—	—	0.27	—	—			13
14	0.01	0.07 ⊙	—	—	—	0.04	0.46	0.39 ⊙	—	—			14
15	0.03	~~0.10~~	—	0.11	0.09	—	0.21	0.45 ⊙	—	—	0.01	0.02	15
16	—	0.10 ⊙	—	0.19	0.30	0.02	—	0.18	—	—			16
17	0.12	0.06 0	—	⊙ 0.20	0.01	—	0.37	0.28	0.06	0.04			17
18	0.01	0.08 ⊙	0.05	⊙ 0.22	—	0.12	0.08	0.64	—	0.01	0.55		18
19	0.06	—	—	0.40	—	—	0.20	0.37	0.09	—		0.01	19
20	—	0.14	—	0.04	—	—	0.19	0.25	—	—			20
21	0.01	0.01	—	—	0.46	—	—	—	—	—	0.03		21
22	0.21	0.01	0.15	—	—	—	—	—	0.04	—	0.01		22
23	0.56	-	—	—	0.20	0.08	—	—	0.03	—	0.24	0.02	23
24	—	-	0.02	0.58	0.02	0.06	0.05	0.27	—	—			24
25	—	-	—	0.66	—	—	0.37	—	—	—	0.01		25
26	—	0.08	—	0.36	—	—	0.25	—	—	—	0.30		26
27	0.15	0.31	—	0.09	⊙ 0.20	—	0.02	—	—	—	0.01		27
28	0.10	⊙ 0.19	—	0.05	—	—	—	—	—	0.03		0.01	28
29	0.10	×	—	—	⊙ 0.11	—	0.10	—	—	0.25			29
30	0.07	×	—	—	0.02	—	0.01	—	—	—			30
31	0.22	×	—	×	0.01	×	—	—	×	—	×		31
TOTAL	2.11	2.31	0.43	3.87	2.52	1.34	2.47	4.00	2.28	0.57	4.87	0.77	YEAR'S TOTAL 27.54 ✓
Days with ·01 in. or more	19	19	7	18	16	10	17	18	11	8	16	9	168
Days with ·04 in. or more	14	16	4	16	10	9	12	15	9	3	8	4	120

O Snow ⊙ ~~Sleet~~ Sleet

⊙ Thunder

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stonewall Park

in the County of Chiddingstone. Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 344 ft.

Total days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·15	—	—	0·05	0·61	—	0·02	0·05	—	0·09	0·04	—	1
2	0·05	—	—	0·14	0·08	—	—	—	0·02	0·01	0·01	0·27	2
3	0·22	—	—	0·03	0·19	0·10	—	—	0·49	0·01	—	—	3
4	0·03	—	—	—	—	0·76	—	—	—	—	—	—	4
5		—	0·01	—	0·06	0·01	0·28	—	0·09	—	—	0·01	5
6	0·76	—		0·35	0·03	—	—	—	0·01	—	—	—	6
7	0·15	—	0·10	0·03	—	—	0·17	—	0·04	0·03	—	—	7
8	—	—	0·21	0·05	0·19	—	—	—	0·14	0·47	—	—	8
9	0·47	0·14	—	0·11	0·69	—	—	—	—	~~[illegible]~~	—	—	9
10	0·95	0·21	—	0·31	0·07	—	—	—	0·01	0·05	0·02	—	10
11	0·20	0·07	—	0·09	0·02	—	—		0·02	—	0·01	0·01	11
12	0·35	0·04	0·01	—	—	—	—	—	0·01	0·07	—	—	12
13	0·08	0·01	—	0·13	0·05	—	—	—	—	0·26	—	—	13
14	0·10	—	—	0·31	0·10	—	—	—	—	1·02	—	—	14
15	0·04	—	—	—	0·02	—	—	—	—	0·08	—	—	15
16	0·08	—	—	0·10	0·08	—	—	—	—	0·11	—	—	16
17	—	—	—	0·21	—	—	—	—	—	0·05	—	0·01	17
18	0·02	—	—	0·09	—	—	0·01	—	0·05	—	0·18	—	18
19	—	—	—	—	—	0·02	—	—	0·04	0·27	0·03	—	19
20	0·01	—	—	—	0·03	—	—	⊙ 0·02	—	0·96	0·20	—	20
21	—	—	—	0·17	0·41	—	0·09	0·08		0·31		0·05	21
22	0·03	0·01	0·31	0·01	0·04	—	—	—	x	0·26	0·38	—	22
23	—	0·13	0·09	0·02	0·03	—		—	x	0·89	0·03	0·11	23
24	—	0·03	—	—	—		0·40	—	x	0·05	0·02	0·01	24
25	—	—	—	—	—		0·60	—	1·29	0·32	0·05	0·01	25
26	—	—	—	—	—		0·31	⊙ 0·17		—	0·02	0·01	26
27	—	—	0·29	—	0·20 ~~0·29~~	0·01	⊙ 0·59	—	/	0·32	0·08	—	27
28	—	—	0·02	—	0·08		0·10	—		0·22	—	—	28
29	—	—	0·46	—	0·08		0·01	—	x	0·45	—	—	29
30	—	×	0·01	—	0·01	0·88	0·09	0·32	x	0·01	0·35	0·06	30
31	—	×	0·13	×	—	×	—	—	×	—	×	0·04	31 26·26
TOTAL	3·69	0·64	1·64	2·20	3·07	1·18	2·67	·64	2·21	6·31	1·42	5·59	YEAR'S TOTAL ~~26·09~~
*Days with ·01 in. or more.	17	8	11	17	21	6	12	5	17	24	13	11	162
*Days with .04 in. or more.	13	5	7	13	15	3	9	4	17	20	4	5	115

40-9999 ⊙ Thunder × Snow

*See Instruction 2 (*f*) on other side.

(Signed) E. G. B. Meade Waldo

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stonewall Park

in the County of Chiddingstone, Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

" Ground " Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05	0·38	0·16	–	–	–	–	–	–	0·02	0·01	–	1
2	0·34		0·53	–	0·05	–	–	–	–	–	–	–	2
3	0·10	0·17	0·38	–	~~0·08~~	–	–	–	–	0·01	–	–	3
4	0·16	0·02	0·02	–	0·08	–	–	–	–	–	–	–	4
5	0·21		0·41	–	0·24	–	–	–	–	–	–	–	5
6		0·15	0·07	–	0·44	–	–		–	0·06	0·07	–	6
7	0·26	0·06	–	–	0·25	–	–	–	–	0·46	–	–	7
8	0·11		–	–	0·11	–	0·30	–	–		–	–	8
9			–	–	0·09	–	0·05	–	–	0·05	0·16	–	9
10	~~0·06~~	0·39	–	–	–	0·02	0·06	–	–	0·20	0·02	–	10
11	0·08		–	–	0·05	0·07	0·03	0·14	0·05	–	–	–	11
12				–	–	0·18	0·31	–	1·29	0·01	–	–	12
13	0·04		–	–	0·13	–	0·31	0·05	0·35	0·05	0·15	–	13
14			–	–	0·01	–	0·02	–	–	0·39	0·24	–	14
15	0·32		0·13	–	–	–	0·13	0·18	–	0·03	0·01	–	15
16	0·05		0·89	–	–	0·15	0·16	–	–	–	–	–	16
17		x 0·02	0·36	–	–	0·03	–	0·05	0·09	–	0·06	–	17
18	0·06		0·07	–	–	⊙ 0·38	–	–	–	–	–	–	18
19			0·33	–	–	0·26	–	–	0·32	–	0·02	–	19
20		x 0·02	0·12	0·04	–	0·38	–		0·14	–	0·02	0·01	20
21		x 0·06	–	–			–	⊙ 0·26	0·26	–	–	–	21
22			–	–	0·34 ⊙	0·01	0·02	0·19	–	0·05	0·02	0·01	22
23			–	–	0·24 ⊙	0·03	–	–	0·27	0·01	–	–	23
24		x 0·33	–	0·13	0·02	0·05	–	–	0·17	0·01	–	–	24
25		0·16	–	0·18	–	0·04	–	–	0·02	0·01	0·08	0·07	25
26		0·45	–	0·25	–	0·02	–	–	0·05	0·03	0·05		26
27			–	0·04	0·08	–	–	–	0·01	0·17	–	0·12	27
28		0·01	–	–	–	–	0·24	–	–	0·17	–	0·15	28
29	0·04		–	–	–	–		–	–	0·04	–	–	29
30	0·06	×	0·09	0·04	⊙ 0·37	–	0·14	–	0·15	0·04	–	~~0·06~~	30
31	0·09	×	0·05 ~~34~~	×	–	×	~~0·05~~	0·05	×	–	×		31
TOTAL	1·97	2·22	3·61	0·68	2·50	1·62	1·77	0·92	3·17	1·81	0·91	0·42	YEAR'S TOTAL 21·60
*Days with ·01 in. or more.	15	13	14	6	15	13	12	7	13	19	13	6	146
*Days with .04 in. or more.	15	9	13	6	13	8	9	7	11	11	7	~~5~~ 4	113

40-9999 x Snow ⊙ Thunder

*See Instruction 2 (*f*) on other side.

(Signed) E. G. B. Meade-Waldo

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stonewall Park

in the County of Chiddingstone, Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·25

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·02	0·01	0.03	—	—	0·02	—	0·19	0·02	0·12	—	0·25		1
2	0·05	—	—	—	—	0·01	—	—	0.63	0·61	0·02	0·33		2
3	0·02	—	0·19	0·24	—	—	—	—	—	0·52	—	0·11		3
4	0·14	0·02	—	—	0·01	—	—	—	—	0·31	0·08	0·58		4
5	0·01	·003	0·04	—	0.08	—	—	0·02	—	—	0·01	0·47		5
6	0·01	—	0·03	—	0·16	0·13	—	0·09	—	0·20	0·01	0·55		6 2·29
7	0·05	—	0·31	—	—	0·03	—	0·03	—	0·09	—	0·23		7
8	—	—	—	—	0·13	—	—	0·01	—	—	0·88	—		8
9	0·01	—	0·02	—	—	—	—	—	0·04	—	~~0·98~~ 1·10	0·29		9
10	—	—	0·28	0·23	—	—	—	0·09	—	—	0·78	—		10
11	1·01	—	0·37	0·09	—	—	Tr.	0·02	—	—	0·02	0·19		11
12	0·12	0·01	0·10	—	—	—	0·31	0·09	—	—	—	0·09		12
13	0·50	—	0·17	0·09	—	—	0·58	0·02	—	—	0·01	0·02		13
14	0·22	—	0·54	—	—	—	—	—	—	—	0·69	0·59		14
15	—	—	—	—	—	—	—	—	—	0·07	0·15	0·57		15 4·27
16	—	—	0·28	0·03	0·02	—	—	—	—	0·04	0·01	0·02		16
17	0·18	—	0·19	0·05	0·34	—	—	—	—	0·06	—	0·27		17
18	0·07	—	0·02	0·39	0·07	—	0·35	—	—	—	—	0·51		18
19	0·22	—	0·29	0·05	—	0·06	—	—	0·31	—	—	0·16		19
20	—	—	0·06	—	—	—	0·12	—	0·02	0·05	—	0·03		20
21	—	—	—	0·14	—	0·10	0·04	—	—	0·07	—	[illegible]		21
22	—	—	—	—	—	—	0·12	—	0·19	0·01	—	0·13		22
23	—	—	—	0·37	—	1·07×	Tr.	0·05	—	0·02	—	0·05		23
24	—	·02	—	0·32	—	0·19	0·41	—	0·13	[illegible]	—	[illegible]		24
25	0·10	—	—	0·14	—	—	—	—	—	0·02	—	0·46		25
26	0·11	—	—	0·20	0·01	0·11	—	—	0·09	—	—	0·04		26
27	0·02	—	—	0·10	—	—	—	—	—	—	—	0·30		27
28	—	·03	—	0·14	—	0·18	Tr.	0·64	—	—	0·01	0·30		28
29	~~00~~	—	—	[illegible]	—	—	0·02	0·02	0·14	—	—	—		29
30	0·08	×	—	0·	—	—	—	0·15	—	—	—	0·46		30
31	—	×	—	×	—	×	—	—	×	0·07	×	0·11		31
TOTAL	2·94	0·12	2·92	~~2·63~~ 2·58	0·82	1·90	1·95	1·42	1·57	2·26	3·77	7·21	Year's Total 29·41	
*Days with ·01 in. or more.	19	6	16	15	8	10	8	13	9	15	13	26	158	
*Days with .04 in. or more.	12	0	12	14	5	7	7	7	7	12	6	23	112	

40-9999

*See Instruction 2 (*f*) on other side.

× Thunder

† Spare column, no entries required.

(*Signed*) E. A. B. Meade-Waldo

E. R. Meade-Waldo

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

664958X

Gauge

Kept at Stonewall Park Chiddingstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.25	0.04	0.04	—	—	0.12	0.03	—	1.42	0.10	0.22	—		1
2	0.12	—	—	0.06	—	0.03	—	—	0.08	0.39	—	—		2
3	—	0.06	0.11	0.03	—	—	—	—	—	1.40	0.14	—		3
4	—	—	—	0.35	—	0.28	—	—	0.27	0.26	—	0.10		4
5	—	—	0.05	0.09	—	0.05	—	—	0.61	0.15	—	—		5
6	—	—	—	0.19	—	—	—	—	—	—	0.13			6
7	0.11	—	—	0.27	—	0.73	—	—	—	—	1.06	0.16		7
8	—	0.49	0.07°	0.37	—	0.13	—	—	—	0.26	0.72	~~0.04~~ 0.12		8
9	—	0.08	—	0.16	—	0.18	—	—	—	0.93	0.02	0.04		9
10	0.10	Tr	0.05°	0.05	—	0.04	—	—	—	—	0.20	0.16		10
11	0.10	—	—	0.20	—	0.07	0.11	—	—	—	0.42	—		11
12	—	0.06	—	—	—	0.22	0.09	1.18	0.04	—	1.12	—		12
13	0.09	0.22	—	0.12	—	0.04	—	—	—	0.01	0.09	—		13
14	—	—	—	0.04	0.18	0.10	—	—	Tr	—	0.03	0.13		14
15	—	0.20	—	0.41	0.01	—	—	—	0.30	—	~~0.09~~ 0.32	0.07		15
16	—	0.05	0.01	0.42	—	0.14	—	—	0.50	—	0.98	0.02		16
17	—	—	0.12	0.06	—	0.20		—	0.03	—	0.46	—		17
18	—	—	—	0.29	—	0.07	0.31	—	0.42	0.09	—	—		18
19	—	—	—	0.10	0.65	0.03	0.20	—	0.05	—	0.05	—		19
20	—	0.69	—	0.07	0.03	0.09	0.43	—	0.03	—	0.13	—		20
21	0.03	0.56	—	Tr	—	—	—	—	0.03	0.11	0.03	—		21
22	—	0.13	—	Tr	—	—	—	0.23	0.07	—	—	—		22
23	—	—	0.03	—	0.44	—	—	0.52	0.01	—	—	—		23
24	0.06	1.06×	—	—	0.29	—	—	1.42	0.62	0.02	—	0.31		24
25	0.11	0.26	—	0.10	—	0.21	—	—	—	—	0.02	0.30		25
26	0.01	0.22	—	—	—	—	—	—	0.04	0.09	—	0.38		26
27	0.01	0.64	—	—	—	—	—	0.19	0.08	—	—	0.25		27
28	—	0.05	—	—	0.18	—	—	—	0.02	0.08	0.13	0.23		28
29	—	—	—	—	—	—	—	1.08	0.72	—	—	0.41		29
30	0.09	×	—	0.14	0.09	—	—	—	0.12	0.15	0.60	0.47		30
31	—	×	—	×	0.01	×	—	—	×	0.33	×	0.74		31
TOTAL	1.08	4.81	0.48	3.52	1.88	2.73	1.17	4.62	~~5.38~~ 5.46	4.37	6.87	3.89	Year's Total. 40.80	
* Days with .01 in. or more.	12	16	8	20	9	18	6	6	19	15	20	16	165	
* Days with .04 in. or more.	9	16	6	19	6	16	5	6	14	13	15	15	140	

40-9999 × Thunder ° Snow

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stonewall Park
in the County of Kent Chiddingstone

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.33	0.17	0.01	0.33		0.16	0.43	0.50	—	.	0.05	0.11		1
2	—	0.09	—	-	—	0.27	0.07	0.02	—	—	-	—		2
3	—	0.01	—	0.47	—	0.13	0.03	—	—	—	0.27	—		3
4	0.07	—	0.12	-	—	0.07	—	0.04	0.41	—	—	0.08		4
5	0.26	—	0.03	—	—	[illegible]	—	0.04	0.09	0.06	0.15	0.13°		5
6	0.46	—	—	—	—	0.03	0.01	—	0.21	0.01	1.35	—		6
7	0.45	—	0.03	—	—	0.07	—	—	—		0.50	—		7
8	0.39	—	0.09	—	—	—	0.03	—	—		0.75	0.22		8
9	0.50	—	0.02	—	0.01	—	0.39	0.05	0.07	0.20	—	—		9
10	0.06	—	—	—		—	0.24	0.35	—	—	—	—		10
11	—	—	—	0.15	—	—	0.40	—	—	—	0.98	—		11
12	—	—	—	0.06	—	0.20	0.24	0.02	0.23	—	0.23	0.18		12
13	—	—	—	0.02	—	—	0.08	—	—	—	—	0.74		13
14	—	0.05	0.01	—	—	0.10	0.72	—	—	0.05	0.14	0.58		14
15	—	0.08	—	—	—	—	Tr	—	—	—	0.04	0.43		15
16	0.24	0.07	—	—	0.18	0.03	0.03	—	—	0.02	0.21	0.23		16
17	—	0.63	—	—	0.17	—	—	—	—	0.03	0.33	0.47		17
18	0.01	0.11	—	—	—	0.20×	0.13	—	—	0.02	0.18	0.19		18
19	0.30	0.03	0.01	—	—	0.03	0.01	—	—	—	0.02	—		19
20	0.30	0.03	—	0.36	—	[illegible]	0.04	0.09	0.68×	—	—	—		20
21	—	0.09	—	0.38	—	0.34	0.23	—	0.01	—	—	—		21
22	0.13	0.31	0.12	—	0.07	0.09	0.10	—	—	—	—	0.05		22
23	0.02	0.24	0.04	0.08	—	—	0.47	—	—	0.06	—	—		23
24	0.03	0.06	—	—	—	—	0.09	—	0.01	0.23	—	—		24
25	0.15	—	0.17	0.20	—	—	0.02	—	0.30	0.04	0.04	—		25
26	—	0.30	0.20	0.05	—	0.19	0.03	—	0.08	0.24	—	0.03		26
27	0.35	0.01	—	—	—	—	—	.	0.15	0.27	—	—		27
28	0.53	—	—	—	—	0.33	0.39	—	0.05	—	—	0.09		28
29	—	0.08	0.19	—	—	0.34	0.05	—	—	0.05	0.06	—		29
30	0.16	×	—	—	—	0.20	Tr	—	—	0.40	—	0.01		30
31	0.29	×	0.21	×	—	×	0.09	—	×	0.42	×	0.22		31
TOTAL	5.03	2.36	1.25	2.10	0.43	2.78	4.32	1.11	2.29	2.10	5.30	3.76	Year's Total. 32.83	✓
* Days with .01 in. or more.	20	17	14	10	4	17	24	8	12	15	16	16	173	✓
* Days with .04 in. or more.	17	13	8	9	3	14	17	6	10	11	15	14	137	✓

40-9999

× Thunder

† Spare column, no entries required. ° Snow

* See Instruction 2 (f) on other side.

(Signed) E.R. Meade-Waldo [P

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Stonewall Park ~~Kent~~

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.85	0.05	—	0.12	—	—	0.02	—	0.02	—	0.59	0.30		1
2	—	0.62	0.01	0.35	—	—	—	—	0.11	—	—	0.59		2
3	—	0.26	—	—	—	—	—	—	0.11	0.01	—	0.30		3
4	0.16	1.06	—	0.04	—	—	—	—	—	—	—	0.25		4
5	0.28	0.11	0.30	—	—	—	0.18	—	—	—	—	—		5
6	0.09	—	0.81	—	0.24	—	—	—	—	0.06	—	—		6
7	—	0.63	0.02	0.09	0.05	—	—	—	0.03	0.06	—	0.02		7
8	—	—	0.23	—	0.08	0.06	—	—	—	—	—	0.54		8
9	—	—	—	0.40	0.10	Tr.	0.09	—	0.34	—	0.13	0.07		9
10	—	—	0.13	—	0.32	0.36	—	—	—	[illegible]	—	0.80		10
11		—	0.80	0.18	0.08	—	0.05	—	—	—	—	0.05		11
12	0.33	0.22	0.17	0.06	0.37	0.29	0.01	0.70	0.24	—	—			12
13	0.20	0.07	0.50	0.05	—	0.24	—	0.02	0.17	—	—	0.18		13
14	0.02	0.02	0.01	—	0.13	0.04	—	0.78	0.13	—	—	0.53		14
15	0.18	0.08	—	0.19	—	—	0.24	—	0.51	—	—	0.04		15
16		0.19	0.32	0.31	—	0.13		0.29	0.20	—	0.14	—		16
17	0.97 }	0.02	0.08	0.12	—	—		—	0.19	—	0.15	—		17
18		0.14	0.15	—	0.60	0.80 0.80		—	Tr.	—	—	0.16		18
19	0.09	0.05	0.02	0.05	0.02	0.16	1.73 x	—	0.16	—	—	—		19
20	0.51	—	0.17	0.37	0.48	0.09	—	—	0.05	—	—	—		20
21	0.53	0.38	—	0.12	0.09	—	0.03	0.29	—	0.01	—	0.04		21
22		—	—	—	—	0.15	0.09	—	—	} 1.09	0.43	0.08		22
23	0.56	—	—	—	0.04	—	0.02	—	—		—	0.01		23
24	0.29	0.28	0.08	—	—	—	—	—	—	0.34	—	—		24
25	0.84	0.52	0.27	—	—	—	—	—	0.09	0.27	—	—		25
26	0.16	0.23	0.02	—	0.02	—	—	—	—	0.10	—	—		26
27	[illegible]	0.08	—	0.22	—	—	—	—	0.07	0.20	—	—		27
28	[illegible]	0.09	—	—	—	—	—	—	—	—	—	—		28
29	0.22	—	—	—	—	—	—	0.11	—	—	0.07	0.05		29
30	0.29	✕	—	—	—	0.04	—	1.08	—	0.23	0.10			30
31	0.12	✕	—	✕	—	✕	—	—	✕	0.29	✕	0.03		31
TOTAL	~~6.59~~ 6.64	5.10	4.09	2.67	2.62	2.36	2.46	3.27	2.42	2.66	1.61	4.04	Year's Total 39.89	✓
* Days with .01 in. or more.	20	20	18	15	14	11	10	7	15	12	7	18	167	✓
* Days with .04 in. or more.	19	18	12	15	12	11	6	6	13	10	7	15	144	✓

40-9999.

* See Instruction 2 (f) on other side.

21.07

† Spare column, no entries required.

(*Signed*) E.R. Meade-Waldo [P.T.O.

x fell in ½ hr.

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Stonewall Park

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 344 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·03	—	—	—	0·32	} + 0·40	0·02	—	0·20	·	—	0·13		1
2	0·05	—	0·02	0·04	0·11	—	0·42°	—	—	0·36	—	—		2
3	—	—	—	—	0·27	—	—	—	—	0·80	0·05	—		3
4	—	—	—	—	—	—	0·16	0·07	—	—	—	0·15		4
5	—	—	—	—	—	0·02	0·31°	—	—	0·16	—	—		5
6	—	—	—	—	—	—	0·04	—	—	0·41	—	—		6
7	0·10	—	—	—	—	—	0·07	0·76	0·01	0·30	—	0·09		7
8	0·20	—	—	—	—	—	0·22	—	0·02	0·35	—	0·02		8
9	0·12	—	—	—	—	—	—	0·08		0·03	—	0·71		9
10		0·05	—	—	—	0·05	~~0·05~~	0·08	—	—	—	0·15		10
11	0·29	—	—	—	—	—	—	—	—	—	0·09	0·30		11
12	0·40	0·03×	—	—	—	—	0·06	1·33°	—	—	0·07	—		12
13	0·35	0·16×	—	—	—	—	—	—	—	0·14	0·22	0·12		13
14	0·32	0·15×	—	—	0·40	—	—	—	0·03	—	—	0·08		14
15	—	0·22×	—	—	0·01	—	0·13	—	—	0·31	—	0·12		15
16	0·53	0·03×	—	—	—	—	—	0·02	—	0·04	0·06	0·27		16
17	—	0·10×	0·02	—	0·30	—	—	—	0·01	0·20	0·04	·		17
18	0·08	—	—	—	0·03	—	0·02	—	0·10	—	0·52	·		18
19	—	—	—	—	—	—	—	0·05	0·12	—	0·31	·		19
20	—	—	—	—	0·07	—	—	—	0·09	—	0·40	·		20
21	—	—	—	—	—		—	—	0·16	—	—	0·59×		21
22	0·05	—	—	—	—	0·03	—	0·06	—	—	0·30	0·18×		22
23	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	—	0·20×	—	0·01	—	—	—	0·23	—	0·32	—		24
25	0·13	—	0·25×	0·06	0·19	—	0·03	—	0·08	0·03	0·53	0·03×		25
26	0·46	0·23	0·08×	0·02	—	—	—	0·21	0·31	0·33	—	0·37		26 3·26
27	0·08	0·07	—	—	0·28	0·20	0·36	—	0·63	0·01	0·32	—		27
28	—	0·05	—	—	0·42	0·08	—	0·21	0·24	—	—	0·02		28
29	0·23	—	—	0·01	0·23	—	—	—	—	—	—	0·22		29
30	0·26	×	—	0·20		0·03	—	—	0·11	0·05	0·45			30
31	0·20	×	—	×	0·19	×	—	—	×	0·22	×	0·30		31
TOTAL	3·68	1·09	0·57	0·23	2·83	0·81	1·84	2·87	2·34	3·74	3·68	3·80	Year's Total. 27·58	
* Days with .01 in. or more.	18	10	5	5	14	7	12	10	15	16	14	18	1·44	
* Days with .04 in. or more.	17	8	3	3	11	4	9	~~10~~ 9	11	13	14	15	117	

40-9999

* See Instruction 2 (f) on other side. × Snow. ○ Thunder

† Spare column, no entries required.

(Signed) R Meade Waldo

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stonewall Park

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 344 ft.

ape

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.04	—	0.05	0.20	0.32	—	0.02	0.01	0.21		—	0.04		1
2	0.02	—	—	0.03	0.02	—	0.06	0.40	0.06	0.07	0.01	—		2
3	0.37	—	—	0.58	—	—	—	0.13	—	—	0.19	0.40		3
4	0.05	—	0.27	0.04	—	—	0.05	1.08	—	0.61	0.06	—		4
5	—	—	—	0.15	0.02	—	0.27	—	—	0.18	0.57	0.04		5
6	0.31	—	0.04	—	—	—	0.19	0.05	—	—	0.31	—		6
7	0.05	0.08	—	—	—	—	0.02	0.04	—	0.05	0.17	0.10		7
8	—	—	0.15	—	—	—	0.01	—	—	0.47	0.39	0.53		8
9	0.07	—	—	—	—	—	—	—	—	0.48	0.53	0.27		9
10	0.12	0.14	—	—	—	0.25	—	0.24	0.07	.12	0.03	—		10
11	—	—	0.26	—	0.03	0.07	—	—	—	1.65	—	—		11
12	—	—	—	—	—	—	—	—	—	—	—	0.06		12
13	0.01	—	—	—	—	—	—	—	—	1.40	0.02	0.06		13 4.9
14	0.61	—	0.03	0.02	0.01	—	0.07	—	—	0.30	0.51	—		14
15	0.71	—	—	—	0.90	0.04	0.11	—	0.09	0.65	0.10	—		15
16	0.26	—	0.11	0.07	0.13	0.13	0.16	—	0.17	—	0.44	—		16
17	0.23	0.12	0.04	0.03	—	—	—	—	—	—	0.06	—		17
18	0.34	—	—	—	0.07	0.09	0.16	—	0.01	—	0.32	—		18
19	0.20	—	0.01	—	—	—	0.17	—	—	—	—	—		19
20	0.24	—	—	—	—	—	{0.53	0.08	0.07	0.75	—	0.03		20
21	0.03	—	0.11	—	—	0.09		—	0.18	0.04	—	0.04		21
22	0.28	—	0.12	0.01	—	0.31	0.04	—	—	—	0.06	—		22
23	0.02	0.19	—	0.15	—	—	0.05	0.02	—	0.14	0.54	—		23
24	—	0.10	0.06	0.09	—	—	0.03	—	—	0.13	—	—		24
25	1.12x	0.20	0.07	0.06	—	—	0.26	—	—	—	0.68	—		25
26	0.06	—	0.05	Tr	—	—	0.01	0.05	0.01	0.09	0.58	—		26
27		0.19	0.04	0.16	—	—	—	~~0.01~~	—	0.13	~~0.03~~ 0.02	0.04		27
28	—	0.44	—	—	—	—	—	—	—	0.13	0.09	x 0.13		28
29			—	0.29	—	0.04	—	—	—	?	0.09	—		29
30		✕	—	0.56	—	—	—	0.04	—	—	0.17	—		30
31		✕	—	✕	—	✕	0.09	0.15	✕	0.03	✕	—		31
TOTAL	5.14	1.46	~~1.40~~ 1.41	~~2.62~~ 2.44	1.50	1.02	2.30	2.29	0.87	7.42	~~5.99~~ 5.88	1.74	Year's Total 33.65	
* Days with .01 in. or more.	21	8	15	15	8	8	~~19~~ 20	12	9	20	23	12	71	
* Days with .04 in. or more.	17	8	13	11	4	8	~~16~~ 15	10	7	19	19	11	~~143~~ 142	

* See Instruction 3 (f) on other side.

x Snow.
◦ Thunder

† Spare column, no entries required.

Signed ? gauge emptied [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 339

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Stonewall Park Chiddingstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 344 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—		—	—		—	—	0.04			1
2	—	0.08	—	0.09	—	—	—	—	—	0.14	0.47	0.03		2
3	—	0.29	—	0.12	—	—	0.01	—	—	0.15	1.26	0.06		3
4	—	0.12	—	0.08	—	—	0.11	—	—	0.18	0.05	0.10		4
5	—	—	—	—	—	—	0.32	—	—	0.02	0.88	0.19		5
6	0.17	0.11	—	—	—	—	0.10	—	—	0.49	—	—		6
7	0.31	0.13	—	—	—	—	—		—	—	—	0.28		7
8	—	—	—	—	—	—	—	—	0.05	0.43	—	0.18		8
9	—	—	—	—	—	—	—	—	—	0.10	0.32	—		9
10	—	—	—	—	—	—	0.57	0.04	0.02	0.16	0.06	—		10
11	—	—	—	0.06	—	—	—	—	—	—	1.13	0.06		11
12	—	—	0.23	—	—	—	0.10	—	0.15	—	—	—		12
13	—	0.10 x	1.06 x	—	—	—	—	—	0.13	—	1.61	—		13
14	—	—		0.08	—	—	—	—	—	0.03		0.29		14
15	—	—	0.03		0.16	0.06	1.01	—	—	0.07	0.43	0.03		15
16	—	—	0.35	—		—	0.11	—	0.23	0.65	0.67	—		16
17	—	—	0.14	0.34	—	—	—	—	—	—	0.14	—		17
18	—	0.11	0.20	0.02	—	—	0.03	0.01	—	0.31	0.21	0.18		18
19	—	0.18	0.10	0.02	—	—	0.12	—	0.59	—	—	—		19
20	—	0.21	0.03	—	—	—	0.02	0.03	0.03	0.23	0.40	—		20
21	—	—	—	—	0.65	—	0.28	0.01	—	—	0.45	—		21
22	0.18 x	—	0.04	—	0.11	0.11	—	—	0.12	—	—	—		22
23	—	0.12	0.04	0.14	—	—	—	—	—	—	0.03	—		23
24	—	—	—	0.50	—	—	0.12	—	—	—	—	0.10 x		24
25	—	—	0.57	—	—	—	0.03	—	—	0.06	—	—		25
26	0.90	0.24	0.09	0.10	0.72	—	0.05	—	—	—	0.01	—		26
27	0.31 x	0.32	—	0.03	0.20	—	0.06	—	—	—	—	—		27
28	0.21 x	0.02	—	—	—	—	—	—	—	—	—	—		28
29	0.21 x	0.23	0.15	—	—	—	—	—	0.01	—	—	0.27		29
30	0.13	✕	—	0.25	—	·	—	—	—	0.18	—	—		30
31	0.02	✕	—	✕	—	✕	—	—	✕	0.76	✕	0.14		31
TOTAL	2.44	2.26	3.03	1.83	1.84	0.17	2.98	0.09	1.33	3.96	8.16	1.91	Year's Total 30.00	
* Days with .01 in. or more.	9	14	14	13	5	2	16	4	9	16	17	13	132	
* Days with .04 in. or more.	8	13	13	10	5	2	12	1	6	14	15	11	110	

x snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. R. Meade-Waldo

[P.T.O.

340

Section **A** for the enti

AIR MINI

FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090. REG 931 .

340

EDEN BRIDGE

GILRIDGE

1931 - 1940

06361300

780107

Kept at Gilridge

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING MI S DAY.

An observer who does not confo of the following year in the space on the right

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr. (A) fog	0.09	—	0.33	—	0.08	Tr. (A)	0.08	0.18	Tr. (A)	—	Tr. (A) fog	1
2	0.16	0.04	—	0.26	0.03	—	—	0.33	0.48	0.01	Tr. (B)	0.09	2
3	0.09	Tr. (A) snow	0.10	0.15	0.76	—	Tr. (A)	—	0.64	—	0.05	0.22	3
4	—	0.02 snow	—	0.01	0.02	—	0.03	0.02	0.11	0.02	0.07	Tr. (A)	4
5	0.01 fog	Tr. (A)	—	0.26	—	0.61	0.07	0.08	0.04	Tr. (A)	Tr. (A)	0.23	5
6	0.01 fog	0.11 snow+rain	Tr. (B) snow	0.06	—	0.06	—	—	Tr. (A)	0.28	0.50	0.09	6
7	Tr. (A) snow	0.01 snow	Tr. (B) snow	Tr. (A)	0.06	0.04	—	0.18	0.09	Tr. (A)	0.33	—	7
8	0.01 snow	0.12	Tr. (A) snow	—	Tr. (A)	0.18	0.02	0.09	Tr. (A) ditto	Tr. (B)	0.04	0.03	8
9	—	0.26	Tr. (B) snow	Tr. (A)	—	Tr. (A)	—	Tr. (A)	—	—	0.80	0.01	9
10	0.01	0.13	Tr. (A) snow	Tr. (A) dew	Tr. (B)	0.10	0.01	0.19	—	Tr. (A) fog	1.78	Tr. (A) fog	10
11	0.11	0.59	Tr. (A) snow	—	—	—	Tr. (B)	Tr. (B)	0.02	Tr. (A) fog	0.22	—	11
12	0.07	Tr. (A) snow	—	—	Tr. (A)	Tr. (A)	0.05	—	0.31	—	—	0.01	12
13	0.01	—	Tr. (A) sleet	—	Tr. (A)	Tr. (A) dew	0.01	0.52	—	—	Tr. (A) ditto	Tr. (A)	13
14	0.01	0.11	—	—	0.09	0.02	0.63	0.62	—	—	Tr. (A)	—	14
15	0.02	0.09	—	0.13	0.13	—	0.10	0.84	Tr. (A) dew	—	Tr. (A) fog	0.02	15
16	—	0.06 rain+snow	—	0.19	0.32	0.02	—	0.07	0.08	Tr. (B)	—	—	16
17	0.04	0.06 snow	—	0.17	0.02	—	0.43	0.22	0.01	0.05	—	—	17
18	0.01	0.15	0.01	0.21 snow+rain	—	0.11	0.10	0.95	Tr. (A) dew	0.01	0.63	—	18
19	0.06	Tr. (A)	—	0.34	—	0.05	0.26	0.29	0.09	—	Tr. (A) dew	Tr. (A) fog	19
20	—	0.15	Tr. (A)	0.03 Tr. (A)	—	—	0.16	0.30	Tr. (A)	—	0.04	Tr. (A) dew	20
21	0.01	Tr. (A)	Tr. (A)	Tr. (A)	0.49	—	—	Tr. (A)	Tr. (B)	Tr. (A) ditto	Tr. (A) ditto	—	21
22	0.38	Tr. (A)	0.17	Tr. (A)	Tr. (B)	—	—	Tr. (B)	0.10	Tr. (A) ditto	0.01	—	22 3.05
23	0.52	0.03	0.03	—	0.15 12.30 p.m.	0.09	—	—	0.02	—	0.28	0.01	23 3
24	—	—	0.01	0.93	—	0.03	0.08	0.24	0.01	Tr. (A) dew	Tr. (A) ditto	Tr. (A)	24
25	—	—	—	0.32	Tr. (A) dew (?)	—	0.44	—	Tr. (A)	Tr. (A)	0.02	Tr. (A) dew	25
26	—	0.06	—	0.35	—	—	0.31	—	—	0.01	0.44	—	26
27	0.15	0.32 snow+rain	—	0.11	0.18	—	0.02	Tr. (A) dew	—	—	0.03	—	27
28	0.09	0.26 snow	—	0.05	—	—	—	Tr. (A) dew	—	0.02	—	0.02 snow+rain	28
29	0.10	×	—	Tr. (A)	0.09	—	0.12	—	Tr. (A) ditto	0.24	0.01	Tr. (A) snow	29
30	0.06 snow+rain	×	—	—	0.01	—	—	Tr. (A) dew	—	—	Tr. (A) fog	—	30
31	0.31	×	—	×	0.01	×	—	—	×	—	×	Tr. (A) dew	31
TOTAL	2.24	2.66	0.32	3.90	2.36	1.39	2.84	5.02	2.18	0.64	5.25	0.73	YEAR'S TOTAL 29.53
*Days with ·01 in. or more.	22	19	5	17	14	12	17	16	14	8	16	10	140
*Days with ·04 in. or more.	13	16	2	15	9	9	12	15	10	3	12	4	120

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) J. Lanyford

[P.T.O.

340

Section A for the entry of Daily Observations. Station N=340. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gilridge. Eden Bridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level about 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr. (A) fog	0·09	—	0·33	—	0·08	Tr. (A)	0·08	0·18	Tr. (A)	—	Tr. (A) fog	1
2	0·16	0·04	—	0·26	0·03	—	—	0·33	0·48	0·01	Tr. (B)	0·09	2
3	0·09	Tr. (A) snow	0·10	0·15	0·76	—	Tr. (A)	—	0·64	—	0·05	0·22	3
4	—	0·02 snow	—	0·01	0·02	—	0·03	0·02	0·11	0·02	0·07	Tr. (A)	4
5	0·01 fog	Tr. (A)	—	0·26	—	0·61	0·07	0·08	0·04	Tr. (A)	Tr. (A)	0·23	5
6	0·01 fog	0·11 snow & rain	Tr. (B) snow	0·06	—	0·06	—	—	Tr. (A)	0·28	0·50	0·09	6
7	Tr. (A) snow	0·01 snow	Tr. (B) snow	Tr. (A)	0·06	0·04	—	0·18	0·09	Tr. (A)	0·33	—	7
8	0·01 snow	0·12	Tr. (A) snow	—	Tr. (A)	0·18	0·02	0·09	Tr. (A) dew	Tr. (B)	0·04	0·03	8
9	—	0·26	Tr. (B) snow	Tr. (A)	—	Tr. (A)	—	Tr. (A)	—	—	0·80	0·01	9
10	0·01	0·13	Tr. (A) snow	Tr. (A) dew	Tr. (B)	0·10	0·01	0·19	—	Tr. (A)	1·78	Tr. (A) fog	10
11	0·11	0·59	Tr. (A) snow	—	—	—	Tr. (B)	Tr. (B)	0·02	Tr. (A) fog	0·22	—	11
12	0·07	Tr. (A) snow	—	—	Tr. (A)	Tr. (A)	0·05	—	0·31	—	—	0·01	12
13	0·01	—	Tr. (A) sleet	—	Tr. (A)	Tr. (A) (dew)	0·01	0·52	—	—	Tr. (A) dew	Tr. (A)	13
14	0·01	0·11	—	—	0·09	0·02	0·63	0·62	—	—	Tr. (A)	—	14
15	0·02	0·09	—	0·13	0·13	—	0·10	0·84	Tr. (A) dew	—	Tr. (A) fog	0·02	15
16	—	0·06 rain & snow	—	0·19	0·32	0·02	—	0·07	0·08	Tr. (B)	—	—	16
17	0·04	0·06 snow	—	0·17	0·02	—	0·43	0·22	0·01	0·05	—	—	17
18	0·01	0·15	0·01	0·21 snow & rain	—	0·11	0·10	0·95	Tr. (A) dew	0·01	0·63	—	18
19	0·06	Tr. (A)	—	0·34	—	0·05	0·26	0·29	0·09	—	Tr. (A) dew	Tr. (A) fog	19
20	—	0·15	Tr. (A)	0·03 Tr. (A)	—	—	0·16	0·30	Tr. (A)	—	0·04	Tr. (A) sleet	20
21	0·01	Tr. (A)	Tr. (A)	Tr. (A)	0·49	—	—	Tr. (A)	Tr. (B)	Tr. (A) dew	Tr. (A) dew	—	21
22	0·38	Tr. (A)	0·17	Tr. (A)	Tr. (B)	—	—	Tr. (B)	0·10	Tr. (A) dew	0·01	—	22 5.05
23	0·52	0·03	0·03	—	0·15 12.30 p.m.	0·09	—	—	0·02	—	0·28	0·01	23 3
24	—	—	0·01	0·93	—	0·03	0·08	0·24	0·01	Tr. (A) dew	Tr. (A) dew	Tr. (A)	24
25	—	—	—	0·32	Tr. (A) dew (?)	—	0·44	—	Tr. (A)	Tr. (A)	0·02	Tr. (A) mist	25
26	—	0·06	—	0·35	—	—	0·31	—	—	0·01	0·44	—	26
27	0·15	0·32 snow & rain	—	0·11	0·18	—	0·02	Tr. (A) dew	—	—	0·03	—	27
28	0·09	0·26 snow	—	0·05	—	—	—	Tr. (A) dew	—	0·02	—	0·02 snow & rain	28
29	0·10	×	—	Tr. (A)	0·09	—	0·12	—	Tr. (A) dew	0·24	0·01	Tr. (A) snow	29
30	0·06 snow & rain	×	—	—	0·01	—	—	Tr. (A) dew	—	—	Tr. (A) fog	—	30
31	0·31	×	—	×	0·01	×	—	—	×	—	×	Tr. (A) sleet	31
TOTAL	2·24	2·66	0·32	3·90	2·36	1·39	2·84	5·02	2·18	0·64	5·25	0·73	YEAR'S TOTAL 29·53
*Days with ·01 in. or more.	22	19	5	17	14	12	17	16	14	8	16	10	140
*Days with ·04 in. or more.	13	16	2	15	9	9	12	15	10	3	12	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations. Station No 340. COPY FOR OFFICIAL USE. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Gilridge. Edenbridge

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level about 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.14	0.01	—	0.05	0.49	—	0.01	0.09	Tr: (B)	0.11	0.05	Tr: (A) fog	1
2	0.03	—	Tr: (A) dew	0.15	0.07	—	—	Tr: (A)	0.20	0.02	Tr: (A)	0.28	2
3	—	—	—	0.01	0.19	0.09	Tr: (A)	Tr: (A)	0.34	Tr: (A)	—	—	3
4	0.03	Tr: (A)	—	—	Tr: (B)	0.15	Tr: (A)	—	—	—	Tr: (A)	—	4
5	0.27	Tr: (A)	0.02	Tr: (B)	0.06	0.02	0.29	—	0.11	—	—	Tr: (A) fog	5
6	0.71	—	0.03	0.30	0.02	—	—	—	0.04	Tr: (A)	—	0.01	6
7	0.22	—	snow rain 0.08	0.02	—	—	0.27	—	0.08	0.11	Tr: (A)	fog 0.02	7
8	0.01 fog	Tr: (A)	0.19	0.06	0.26	—	—	Tr: (A) dew	0.21	0.53	—	—	8
9	0.53	0.10	Tr: (A) snow	0.22	0.88	—	—	Tr: (A) dew	Tr: (A) dew	Tr: (A) dew	0.01	Tr: (B) snow	9
10	1.05	snow rain 0.22	0.01 snow	0.30	0.09	Tr: (A)	Tr: (B)	—	Tr: (A)	0.07	0.04	—	10
11	0.21	0.03	Tr: (A) snow	0.01	0.02	Tr: (A)	—	—	0.01	0.12	0.02	0.01	11
12	0.47	snow 0.05 snow	—	rain & snow Tr: (B) snow	Tr: (B)	—	—	0.01	0.03	0.38	Tr: (A)	Tr: (A) fog	12
13	0.03	—	—	0.19	0.03	—	Tr: (B)	—	Tr: (A)	1.07	Tr: (B)	0.01	13
14	0.09	Tr: (A)	—	0.48	0.08	—	—	0.01	—	0.03	—	Tr: (A)	14
15	0.06	—	Tr: (A)	0.08	0.16	—	Tr: (B)	—	Tr: (A) dew	0.12	—	Tr: (A)	15
16	0.10	Tr: (A)	—	0.20	0.05	—	Tr: (A)	Tr: (A) dew	Tr: (A) dew	—	—	Tr: (A)	16
17	Tr: (A)	Tr: (A)	—	0.08	—	—	0.01	—	—	0.05	Tr: (A) fog	—	17
18	0.02	—	—	Tr: (A)	Tr: (A)	0.01	—	—	0.07	—	0.10	—	18
19	0.01	Tr: (A)	—	0.01	0.01	—	Tr: (A)	—	0.06	0.29	0.01	—	19
20	Tr: (A) dew	—	—	0.22	0.02	—	—	0.19	—	0.02	0.19	—	20
21	Tr: (A)	Tr: (A)	Tr: (A)	0.01	0.44	—	Tr: (B)	0.04	—	0.34	Tr: (B)	0.06	21
22	0.04	Tr: (A)	0.29	0.02	0.06	—	0.11	Tr: (A)	0.72	0.35	0.37	Tr: (A)	22
23	Tr: (A) fog	0.10	0.06	0.04	0.05	Tr: (B)	Tr: (B)	—	0.19	0.05	0.01	0.11	23
24	—	0.03	—	—	—	Tr: (B)	0.68	—	0.15	0.04	0.02	Tr: (A)	24
25	Tr: (A) fog	Tr: (A)	—	0.01	—	—	0.40	Tr: (A) dew	0.01	0.33	0.08	0.01	25
26	—	—	0.01	0.08	Tr: (A)	—	0.30	0.14	—	0.04	0.02	0.01	26
27	—	0.01	0.38	0.15	0.25	0.01	0.46	Tr: (A) dew	0.02	0.58	0.09	0.01	27
28	—	snow Tr: (B) snow	0.01	0.01	0.24	—	0.10	0.42	—	0.18	—	Tr: (A) fog	28
29	—	—	0.44	Tr: (B)	0.04	Tr: (A)	Tr: (A)	Tr: (A) dew	0.17	0.48	Tr: (A)	0.01	29
30	—	×	0.08	0.03	0.02	1.17	0.05	0.01	0.07	0.02	0.30	0.10	30
31	—	×	0.11	×	—	×	0.04	—	×	Tr: (A)	×	0.06	31
TOTAL	4.02	0.55	1.71	2.73	3.53	1.45	2.72	0.91	2.48	7.16	1.40	0.70	YEAR'S TOTAL 20.36
*Days with ·01 in. or more.	18	8	13	24	22	6	12	8	17	23	14	13	148
*Days with ·04 in. or more.	12	4	8	15	16	3	10	5	13	20	8	5	110

40-9999

(Signed) J. Maryfordate

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gilridge. Edenbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level about 400 ft.

file reference E4 G.697/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·08	0·39	0·20	Tr: (B)	—	—	—	—	—	0·04	0·02	—	1
2	0·43	—	0·59	—	0·09	—	—	—	—	—	Tr: (A)	—	2
3	0·12	0·17	0·40	—	—	—	—	—	—	—	0·01	—	3
4	0·25	0·03	0·01	—	0·29	—	—	—	—	—	Tr: (A) dew	—	4
5	0·10	Tr: (A)	0·41	—	—	—	—	—	—	Tr: (A) dew	—	—	5
6	Tr: (A) fog	0·15	0·05	—	0·56	—	—	—	—	0·05	0·10	Tr: (A)	6
7	0·30	0·05	0·02	—	0·17	—	—	—	—	0·18	—	0·02	7
8	0·09	Tr: (A)	—	—	0·07	—	0·21	—	—	0·07	—	Tr: (A) snow	8
9	0·01	0·05	—	Tr: (B)	0·13	—	0·14	Tr: (B)	—	0·13	0·17	Tr: (A) snow	9
10	Tr: (A)	0·40	—	—	Tr: (B)	0·05	0·01	Tr: (B)	—	0·22	—	Tr: (A)	10
11	0·12	—	—	—	0·02	0·05	0·04	0·11	0·06	—	0·01	—	11
12	Tr: (A) fog	—	—	Tr: (A)	0·01	0·20	0·17	—	1·45	—	—	Tr: (A) snow	12
13	0·06	—	—	—	0·08	—	0·42	0·08	0·14	0·05	0·16	Tr: (B) snow	13
14	Tr: (A)	—	—	—	0·01	—	0·03	Tr: (B)	—	0·41	0·25	—	14
15	0·39	Tr: (B) snow	0·22	—	—	—	0·33	0·25	—	0·02	Tr: (A) dew	—	15
16	0·02	—	0·97	—	Tr: (B)	0·20	0·24	—	—	—	0·01	—	16
17	—	0·04 snow	0·24	—	Tr: (B)	0·09	—	0·06	0·10	—	0·05	Tr: (A) fog	17
18	0·08	Tr: (A)	0·11	Tr: (B)	—	0·30	—	—	—	—	Tr: (A) fog	—	18
19	—	0·05	0·35	Tr: (B) snow	—	0·17	—	Tr: (A)	0·48	—	0·02	0·01 fog	19
20	—	0·01	0·10	0·02	—	—	—	Tr: (B)	0·19	—	Tr: (A)	Tr: (A) fog	20
21	—	0·03	—	—	Tr: (B)	0·09	—	0·20	0·25	0·01	0·01	Tr: (A) fog	21
22	—	Tr: (A)	—	—	0·79	0·02	0·06	0·19	0·03	0·15	0·01	—	22
23	Tr: (A) snow	Tr: (A)	—	0·24	0·29	0·05	—	—	0·29	Tr: (A)	Tr: (A)	—	23
24	Tr: (A)	0·60	—	0·11	0·01	0·02	—	—	0·51	Tr: (A)	0·01	—	24
25	—	0·16	—	0·27	Tr: (B)	Tr: (B)	Tr: (A)	—	0·06	0·01	0·06	0·13	25
26	—	0·51	—	0·06	—	0·06	—	—	0·02	0·08	0·03	0·12	26
27	—	0·01	—	—	0·10	0·03	Tr: (A)	—	Tr: (A)	0·14	—	0·15	27
28	—	—	—	—	Tr: (B)	—	0·31	—	Tr: (A) dew	0·30	—	0·17	28
29	0·06	×	Tr: (A)	Tr: (B)	0·19	—	Tr: (B)	—	—	0·07	—	Tr: (A) fog	29
30	0·09	×	0·04	0·08	Tr: (B)	—	0·06	—	0·15	0·02	—	0·07	30
31	0·13	×	Tr: (A)	×	Tr: (B)	×	—	0·08	×	Tr: (A)	×	—	31
TOTAL	2·33	2·65	3·71	0·78	2·81	1·35	2·02	0·97	3·73	1·95	0·92	0·67	YEAR'S TOTAL 23·89
*Days with ·01 in. or more.	16	15	14	6	15	13	12	7	13	17	15	7	150
*Days with ·04 in. or more.	14	11	12	5	11	9	10	7	11	13	6	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~340~~ 3A0

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gilridge. Edn Bridge
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level about 400 ft.

file reference 746.697/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.04	Tr. (B) snow	Tr. (A) fog	—	—	0.05	—	0.24	Tr. (B)	0.11	0.01	0.34		1
2	0.07	—	0.20	—	—	Tr. (B)	—	—	0.78	0.60	—	0.33		2
3	0.02	0.03	—	0.25	—	—	—	Tr. (B)	Tr. (A) dew	0.77	Tr. (A)	0.13		3
4	0.14	0.01	0.07	—	0.14	Tr. (B)	—	—	—	0.12	0.09	0.65		4
5	0.01 fog (?)	—	0.02	—	Tr. (A)	—	—	0.02	Tr. (A) dew	—	0.02	0.42		5
6	0.01	—	0.31	0.01	0.16	0.24	—	0.15	—	0.23	0.01	0.67		6
7	0.06	Tr. (A)	Tr. (B) snow	—	—	0.03	—	—	—	0.14	—	0.28		7
8	0.01 fog	—	—	—	0.11	—	—	0.03	0.02	—	1.02	0.01		8
9	0.01	—	0.02	Tr. (A) dew (?)	—	—	—	—	0.02	—	1.22	0.40		9
10	Tr. (A)	Tr. (A)	0.35	0.31	—	—	—	0.10	Tr. (A) dew	0.01	0.86	0.01		10
11	0.96	Tr. (A) fog	0.36	0.11	—	—	0.11	0.04	—	—	0.01	0.24		11
12	0.06	Tr. (A)	0.11	Tr. (A) dew	—	—	0.10	0.07	—	—	Tr. (A)	0.02		12
13	0.59	—	0.19	0.14	—	—	0.41	Tr. (A)	—	Tr. (A)	0.01	0.01		13
14	0.21	—	0.57	0.03	Tr. (B) rain & hail	Tr. (A)	Tr. (A)	—	—	0.03	0.68	0.58		14
15	Tr. (A)	Tr. (A) fog	Tr. (A)	—	0.09	Tr. (B)	—	—	Tr. (B)	0.01	0.14	0.34		15
16	0.22	Tr. (A) fog	0.30	0.08	0.20 rain & hail	—	—	—	—	0.07	Tr. (A)	Tr. (A) fog		16
17	0.09	—	0.12 rain hail & snow	0.07	0.04	—	—	—	Tr. (A)	0.08	Tr. (A)	0.23		17
18	0.13	Tr. (A) fog	0.09 snow & rain	0.49	—	—	0.18	—	Tr. (A)	—	Tr. (A)	0.61		18
19	—	—	0.27	0.01	—	0.04	—	0.02	0.33	0.06	0.01 fog	0.14		19
20	Tr. (A) fog	—	0.03	0.01	—	Tr. (B)	0.19	Tr. (B)	Tr. (A)	Tr. (A)	Tr. (A) fog	0.03		20
21	—	—	0.01	0.15	—	0.17	0.38	—	Tr. (A)	0.12	—	Tr. (A) fog		21
22	—	0.01 fog	—	—	—	—	0.26	0.08	0.22	0.02	Tr. (A) fog	0.18		22
23	Tr. (A) fog	Tr. (A) fog	—	0.40	—	1.13	—	0.01	0.01	0.01	—	0.05		23
24	—	0.02	0.02	0.25 hail & rain	—	0.13	0.50	Tr. (B)	0.15	Tr. (A)	—	—		24
25	0.20	Tr. (A) rain & snow	Tr. (A) fog (?)	0.17	0.01	—	—	—	—	0.04	—	0.50		25
26	0.02	Tr. (B) snow	—	0.13	—	0.10	—	Tr. (A) fog	0.09	Tr. (A)	—	0.09		26
27	0.01	0.01 snow	—	0.37	—	0.03	—	—	Tr. (A)	Tr. (B)	—	0.46		27
28	Tr. (A)	0.08 snow	—	0.07	—	0.02	0.01	0.63	—	Tr. (B)	—	0.25		28
29	—	×	—	—	—	—	0.02	0.03	0.10	—	—	—		29
30	0.09	×	—	—	—	—	Tr. (B)	0.09	0.02	—	—	0.47		30
31	0.01 snow	×	—	×	—	×	Tr. (B)	—	×	0.11 rain & snow	×	0.09		31
TOTAL	2.96	0.16	3.04	3.05	0.75	1.94	2.16	1.51	1.74	2.53	4.08	4.53	Year's Total 31.45	
*Days with ·01 in. or more.	21	6	17	18	7	10	10	13	10	17	12	27	168	
*Days with .04 in. or more.	13	1	12	14	6	7	8	8	6	12	6	22	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gilridge, Eden Bridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level about 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.21	0.04	0.03	0.02	0.01	0.07	0.07	—	0.28	0.16	0.18	Tr. (A		1
2	0.07	—	0.01	0.04	—	0.01	—	—	Tr. (A)	0.50	0.11	—		2
3	—	0.06	0.11	snow sleet rain 0.06	—	Tr. (B)	—	—	0.33	1.27	0.09	Tr. (A)		3
4	—	0.02	—	snow rain 0.31	—	0.44	—	—	0.05	0.22	0.01	0.15		4
5	Tr. (B)	0.42	0.07	0.09	—	0.03	—	Tr. (A dew	0.62	0.17	Tr. (A)	0.01		5
6	0.02	0.08	—	0.23	—	0.91	—	—	—	Tr. (A) dew	0.19	0.01		6
7	0.02 sleet	0.03 snow	—	0.27	—	0.01	—	—	—	0.01	1.17	fog 0.11		7
8	—	Tr. (A) snow	0.03 snow	0.35 rain hail	Tr. (B)	0.01	—	0.02	Tr. (A)	0.22	0.60	0.09		8
9	0.02	—	—	0.26	—	0.22	—	—	—	1.03	0.07	0.02		9
10	0.07	Tr. (A)	0.07	Tr. (A)	—	0.05	—	—	—	—	0.12	0.11		10
11	0.10	Tr. (A)	rain+snow Tr. (A)	0.17	—	0.09	0.29	—	—	Tr. (A)	0.56	—		11
12	—	0.07	rime Tr. (A)	—	—	0.25	—	0.60	0.07	Tr. (A) dew	1.18	—		12
13	0.09	0.19	—	0.12	0.04	0.04	—	—	Tr. (B)	—	0.07	0.03 sleet		13
14	—	—	—	0.05	0.11	0.36	—	—	0.06	Tr. (A)	0.04	0.10		14
15	—	0.20	—	0.42	hail+rain Tr. (A)	Tr. (A)	—	—	0.26	—	0.29	0.08		15
16	—	0.04	Tr. (B)	0.24	Tr. (B)	0.08	Tr. (B)	Tr. (B)	0.46	0.01 ~~Tr. (A)~~ dew ?	0.87	0.04		16
17	0.02	—	0.03	0.05	Tr. (B)	0.10	Tr. (A)	0.01	0.02	—	0.31	Tr. (A) fog		17
18	—	Tr. (A)	—	0.32	Tr. (B)	0.08	0.35	Tr. (B)	0.47	0.07	0.02	0.01 fog		18
19	—	0.01	—	0.06	0.59	0.03	0.37	—	0.07	Tr. (B)	0.09	Tr. (A) fog		19
20	Tr. (A)	0.72	—	0.13	Tr. (A)	0.08	0.41	—	0.03	Tr. (B)	0.18	—		20
21	0.02	0.59	—	0.01	—	—	—	—	0.08	0.15	0.03	—		21
22	Tr. (A)	0.08 hail sleet	Tr. (B)	Tr. (A)	—	—	—	0.24	0.04	Tr. (A) dew	Tr. (A) dew	—		22
23	—	—	0.03	—	Tr. (A)	—	—	0.84	Tr. (A)	Tr. (A)	0.01	0.09		23
24	0.06	1.07	—	—	0.52	—	—	1.02	0.75	—	Tr. (A)	0.23		24
25	0.13	0.20	—	0.09	0.12	0.25	—	Tr. (A) dew	—	0.07	0.01	0.31		25
26	0.01 snow	0.29 snow sleet	Tr. (A) dew	—	—	—	—	0.18	0.05	Tr. (A)	0.01 dew	0.43		26
27	0.03 snow	0.63	Tr. (A)	—	0.30	—	Tr. (A)	—	0.10	0.08	0.12	0.28		27
28	Tr. (A) snow	0.04	—	—	0.01	—	—	Tr. (A)	—	—	0.01	0.23		28
29	—	×	Tr. (B)	—	—	—	—	0.08	0.68	Tr. (A)	Tr. (A)	0.45		29
30	0.08	×	Tr. (B)	0.11	0.08	—	—	0.95	0.10	0.12	0.64	0.69		30
31	—	×	—	×	Tr. (A)	×	—	Tr. (A)	×	0.28	×	0.65		31
TOTAL	0.95	4.78	0.38	3.40	1.78	3.11	1.49	3.94	4.52	4.36	6.98	4.12	Year's Total 39.81	
*Days with ·01 in. or more.	15	19	8	21	9	19	5	9	19	15	26	21	186	
*Days with .04 in. or more.	8	16	3	19	4	14	5	4	17	13	19	16	143	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Mavrogordato

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Gilridge Eden Bridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level about 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·39	0·15	0·02 snow	0·39	—	0·26	0·45	0·27	—	—	0·05	0·08		1
2	Tr: (A) fog	0·11	—	0·01	—	0·38	0·11	0·10	—	—	0·03	—		2
3	Tr: (A) fog	Tr: (A) snow	—	0·68	Tr: (A)	0·02	0·03	—	0·19	—	0·25	Tr: (A)		3
4	0·07	—	0·12	—	—	0·08	Tr: (B)	—	0·33	—	0·13	0·10		4
5	0·23	—	0·02	Tr: (B) snow	—	—	—	0·05	0·18	0·07	0·08	0·05 snow		5
6	0·27	—	—	—	—	0·07	Tr: (A)	—	0·26	0·01	1·08	0·04		6
7	0·36	—	0·03	—	—	0·01	0·01	—	0·02	Tr: (A)	0·56	0·01		7
8	0·41	—	0·09	—	Tr: (B)	—	0·02	—	Tr: (B)	0·01	0·59	0·18		8
9	0·57	—	0·02	Tr: (B)	Tr: (A)	—	0·68	Tr: (A)	0·07	0·08	Tr: (A)	Tr: (A) fog		9
10	0·05	—	—	Tr: (B)	—	—	0·12	0·36	Tr: (A)	—	—	Tr: (A) fog		10
11	—	—	—	0·08 snow, hail etc	—	—	0·30	—	—	—	0·98	0·01 fog		11
12	—	—	—	0·02	Tr: (A)	0·24	0·29	Tr: (A)	0·20	Tr: (A)	0·26	0·16		12
13	Tr: (A) fog	—	—	Tr: (A)	—	0·05	0·01	—	Tr: (A dew	0·01	0·01	0·76		13
14	—	0·05	—	—	—	Tr: (A)	0·67	—	Tr: (A)	0·03	0·11	0·89		14
15	Tr: (A) sleet	0·09	—	Tr: (A)	—	—	Tr: (A)	—	—	—	0·04	0·37		15
16	0·19 rain & snow	0·07	—	—	0·24	—	0·07	—	Tr: (A)	—	0·20	0·18		16
17	0·13	0·74	—	—	0·20	0·19	Tr: (A)	0·03	Tr: (A)	0·02	0·26	0·61		17
18	0·12	0·17	—	—	—	0·02	0·21	—	Tr: (A) dew fog	0·01	0·19	0·16		18
19	0·37	0·03	Tr: (A)	0·06	—	0·04	0·05	0·11	Tr: (A) dew fog	0·04	0·04	Tr: (A)		19
20	0·38	0·04	0·01	0·32	Tr: (B)	—	0·01	—	0·50	—	—	—		20
21	—	0·10	—	0·36 snow & rain	Tr: (A)	0·33	0·30	—	0·03	—	Tr: (A) fog	—		21
22	0·12 sleet, snow & rain	0·28	0·14	Tr: (A)	0·14	0·10	0·20	—	Tr: (A) dew fog	0·07	Tr: (A)	0·05		22
23	0·01	0·17	0·07	0·08	—	—	0·46	—	—	0·29	—	Tr: (A) fog		23
24	0·04	0·05	—	Tr: (A) mist	—	—	0·05	—	0·02	0·13 (?)	—	0·01		24
25	0·18	Tr: (A)	0·18	0·23	Tr: (A)	0·09	0·01	—	0·31	0·17	0·04	0·01		25
26	Tr: (A)	0·17	0·16	0·03	—	0·04	Tr: (A)	Tr: (A) dew	0·03	0·18	Tr: (A) fog	0·01 fog		26
27	0·38	0·01	Tr: (B)	0·02	—	—	Tr: (B)	Tr: (A dew	0·34	0·25	---	—		27
28	0·63	Tr: (A) fog	0·18	—	—	0·19	0·40	—	0·02	—	Tr: (A fog	0·12		28
29	0·04	0·07	0·05	—	—	0·16	0·01	—	—	0·05	0·06	0·01		29
30	0·13	×	Tr: (A)	—	Tr: (A)	0·13	0·01	—	—	0·57	—	Tr: (A)		30
31	0·29	×	0·22	×	0·05	×	0·09	—	×	0·33	×	0·31		31
TOTAL	5·36	2·30	1·31	2·28	0·63	2·43	4·56	0·92	2·50	2·32	4·96	4·12	Year's Total. 33·69	✓
* Days with .01 in. or more.	22	16	14	12	4	18	24	16	14	18	19	21	188	✓
* Days with .04 in. or more.	21	14	9	8	4	15	16	5	9	12	17	15	145	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Gilridge. Eden Bridge

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level about 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·75	0·02	Tr. (A) snow	0·12	—	—	0·01	—	Tr. (A)	—	0·42	0·31		1
2	Tr. (A)	0·72	Tr. (A)	0·33	—	—	—	Tr. (A) dew	—	0·02	Tr. (A) fog	0·56		2
3	0·02	0·27	0·01	—	0·02	—	—	—	0·06	Tr. (A) fog	—	0·25		3
4	0·14	1·17	—	0·06	—	—	Tr. (B)	Tr. (B)	Tr. (A) dew	—	—	0·26		4
5	0·26	0·09	0·27	—	—	—	0·19	Tr. (A)	Tr. (A) dew	Tr. (A)	—	0·01 rime		5
6	0·03	Tr. (A)	0·75 rain + snow	Tr. (A)	0·22	—	Tr. (B)	—	—	0·07	0·01	—		6
7	—	0·66	0·04 snow	0·10	0·01	—	Tr. (B)	—	0·05	0·05	Tr. (A) fog	0·02		7
8	—	Tr. (A)	0·18	—	0·11	0·07	—	—	—	—	0·14	0·32		8
9	—	—	Tr. (A)	0·35	0·04	0·01	0·08	Tr. (B)	0·34	—	—	0·05 rain + snow		9
10	Tr. (A) fog	—	0·51	0·20	0·23	0·38	0·02	Tr. (B)	—	—	—	0·92		10
11	—	Tr. (A) sleet	0·41 snow + rain	Tr. (A)	0·08	Tr. (A)	0·06	—	Tr. (B)	Tr. (B)	—	0·06		11
12	0·38	0·23	0·13	0·03	0·27	0·58	0·01	0·29	0·23	—	Tr. (A) fog	0·27		12
13	0·18	0·06	0·52	0·04	Tr. (A)	0·16	—	0·01	0·13	—	Tr. (A) fog	0·45		13
14	0·02	0·04	0·04	—	0·10	0·04	—	1·42	0·12	—	—	Tr. (A) rain + snow		14
15	0·14	0·09	—	0·24	Tr. (A)	0·01	0·27	—	0·44	—	Tr. (A) fog	0·01 fog		15
16	0·01	0·20	0·37	0·29	—	0·14	—	0·37	0·26	—	Tr. (A) sleet	0·02		16
17	0·36	0·01	0·08	0·11	0·49	Tr. (B)	—	—	0·11	Tr. (A) dew or fog	—	—		17
18	0·62	0·11	0·09	Tr. (A)	0·01	0·74	—	—	Tr. (A)	Tr. (A) dew	0·11	0·09 rain + sleet		18
19	0·11	0·08	0·08	0·17	0·59	0·09	1·40	—	0·13	Tr. (A)	0·20	0·10		19
20	0·58	0·01	0·16	0·19	—	0·14	—	Tr. (B)	0·01	—	Tr. (A) fog	Tr. (A)		20
21	0·64	0·35	0·01 rain + snow	0·14	Tr. (B)	—	0·03	Tr. (A)	—	Tr. (A) dew	Tr. (A)	0·04		21
22	0·75	—	Tr. (A) snow	—	0·10	0·19	0·09	—	—	0·79	0·34	0·07		22
23	0·25	Tr. (A)	—	—	—	—	0·01	—	—	0·41	0·01	0·01		23
24	0·03	0·28	0·03	—	0·04	—	—	—	0·01	0·43	Tr. (A)	Tr. (A) fog		24
25	0·09	0·54	0·25 rain + snow	—	Tr. (B)	—	—	—	0·07	0·26	Tr. (A)	0·02		25
26	Tr. (A) fog	0·33	0·02 snow	—	Tr. (B)	—	—	—	—	0·04	Tr. (A) fog	Tr. (A)		26
27	Tr. (A) sleet	0·23	—	0·24	—	—	—	—	0·04	0·23	—	—		27
28	0·13 snow	0·10 snow	Tr. (B) snow	Tr. (A)	—	Tr. (A)	—	—	—	0·02	—	0·03		28
29	0·08	X	—	—	—	Tr. (B)	—	0·12	Tr. (A) fog	0·11	0·06	0·03		29
30	0·28	✕	—	—	—	0·09	—	0·22	—	0·12	0·09	—		30
31	0·16	✕	—	✕	—	✕	—	—	✕	0·33	✕	0·02		31
TOTAL	6·91	5·59	3·95	2·61	2·31	2·64	2·17	2·43	2·00	2·88	1·38	3·92	Year's Total 38·79	✓
* Days with .01 in. or more.	23	21	19	15	14	13	11	6	14	13	9	23	181	✓
* Days with .04 in. or more.	19	18	15	14	11	11	6	5	12	11	7	14	143	✓

3.9 3

82
31

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Gilridge Eden Bridge

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level about 400 ft.

file reference 946.699/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	—	0.03	—	0.12	0.17	Tr. (A)	—	0.18	0.06	Tr. (A) dew	0.09		1
2	0.07	—	—	0.05	0.17	—	0.45	—	—	0.31	—	0.01		2
3	Tr. (A) snow	Tr. (A)	—	Tr. (B)	0.10	—	Tr. (A)	—	Tr. (A)	0.64	0.05	Tr. (A) dew		3
4	0.04	—	Tr. (A fog	Tr. (B)	—	0.02	0.21	0.08	—	0.15	—	0.14		4
5	Tr. (A)	—	—	Tr. (B)	—	—	0.28	Tr. (A)	—	0.47	—	—		5
6	0.04	—	—	—	Tr. (A) fog	—	0.06	0.02	0.02	0.01	0.01	0.03		6
7	0.03	Tr. (A)	Tr. (A) fog	—	—	Tr. (A)	0.13	0.38	0.02	0.30	—	0.07		7
8	0.25	—	—	—	—	Tr. (A)	0.16	—	—	0.37	Tr. (A)	0.08		8
9	0.09	Tr. (A)	Tr. (A)	—	—	Tr. (A)	Tr. (A)	0.07	Tr. (B)	0.04	—	0.91		9
10	0.10	0.04	—	Tr. (A) dew	—	0.04	Tr. (B)	0.07	Tr. (A) fog	Tr. (A)	—	0.14		10
11	0.20	Tr. (B)	—	—	Tr. (A)	—	Tr. (B)	0.94	—	Tr. (A)	0.13	0.30		11
12	0.33	0.02	—	—	—	Tr. (B)	0.02	2.11	—	0.06	0.07	0.01		12
13	0.43	0.07 snow	—	—	Tr. (A)	—	Tr. (B)	—	Tr. (A) dew	0.10	0.28	0.22		13
14	0.36	0.08	Tr. (A) fog	—	0.36	—	—	—	0.01	—	0.01 fog	0.03		14
15	0.06	0.17	—	—	0.02	—	0.33	—	—	0.33	0.01	0.14		15
16	0.36	Tr. (A)	0.02	—	0.06	—	Tr. (B)	0.02	—	0.02	0.08	0.32		16
17	—	0.11	Tr. (A)	—	0.18	—	0.01	—	0.03	0.20	0.06	—		17
18	0.08	—	Tr. (A)	Tr. (B)	0.03	—	Tr. (A)	—	0.19	—	0.50	Tr. (A) snow		18
19	Tr. (A)	Tr. (A)	—	Tr. (A) dew	Tr. (B)	—	Tr. (A)	0.08	0.17	—	0.38	0.21 snow		19
20	Tr. (A)	—	—	—	0.12	—	—	—	0.10	Tr. (A) dew	0.46	0.02		20
21	0.05	—	Tr. (A) fog	Tr. (A)	—	—	—	0.03	0.12	Tr. (A) dew	0.05	0.10		21
22	0.01	Tr. (B) snow	Tr. (A)	Tr. (A)	Tr. (A) dew	0.02	—	0.03	Tr. (A) dew	0.01	0.28	0.13 sleet+snow		22
23	Tr. (A)	Tr. (A) dew	Tr. (A)	Tr. (A)	Tr. (A)	—	—	—	—	Tr. (A) dew	Tr. (A)	Tr. (A) snow		23
24	Tr. (A)	Tr. (A)	0.19	0.01	Tr. (A)	—	—	0.06	0.33	Tr. (A)	0.39	Tr. (A)		24
25	0.12	Tr. (A)	0.25	0.03	0.14	—	0.02	—	0.03	0.04	0.60	0.04		25
26	0.42	0.20	0.03	Tr. (A)	—	—	Tr. (A) dew	0.14	0.31	0.34	Tr. (A) dew	0.35		26
27	0.07	0.07	—	—	0.22	0.22	0.35	—	0.68	Tr. (A)	0.37	Tr. (A)		27
28	0.05	0.06	—	Tr. (B)	0.33	0.11	—	0.25	0.18	—	—	0.01		28
29	0.15	✕	—	Tr. (A)	0.23	Tr. (A)	Tr. (B)	Tr. (A) dew	Tr. (A) dew	0.06	0.17	0.22		29
30	0.07	✕	—	0.35	0.18	—	—	—	0.13	—	0.32	Tr. (A)		30
31	0.20	✕	—	✕	0.11	✕	—	—	✕	0.22	✕	0.34		31
TOTAL	3.60	0.82	0.52	0.44	2.37	0.58	2.02	4.28	~~1.94~~ 2.44	3.73	4.31	3.91	Year's Total 29.11 ✓	
* Days with .01 in. or more.	24	9	5	4	15	6	11	14	15	19	19	23	164 ✓	
* Days with .04 in. or more.	21	8	2	2	13	4	8	10	10	16	16	17	127 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Edenbridge Eden Bridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level about 400 ft.

File reference 246.097/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.01	—	0.07	0.16	0.33	—	Tr. (B)	Tr. (B)	0.26	—	—	0.03		1
2	0.02 rain sleet snow	Tr. (A) fog	—	0.04	0.01	—	0.03	0.32	0.08	0.08	0.01	—		2
3	0.40 snow rain	Tr. (A)	—	0.36	—	—	Tr. (B)	0.15	—	—	0.33	0.44		3
4	0.09	Tr. (A)	0.31	0.15	—	—	0.07	0.90	—	0.69	0.08	0.02		4
5	—	0.01	0.01	0.11	0.02	—	0.22	0.02	—	0.14	0.64	0.03		5
6	0.35	0.01	0.02	—	0.03	—	0.20	0.02	—	Tr. (A) dew	0.14	0.01 fog		6
7	0.03	0.05	—	Tr. (A) fog	—	—	0.01	0.07	—	0.01	0.16	0.22		7
8	0.01	0.12	0.17	—	—	—	Tr. (A)	—	Tr. (A) dew	0.69	0.60	0.48		8
9	0.07	0.04	—	—	—	—	—	0.15	Tr. (A)	0.38	0.52	0.34		9
10	0.18	—	—	—	—	0.22	—	0.16	0.05	0.05	0.03	Tr. (A)		10
11	Tr. (A)	0.01	0.23	—	Tr. (A)	0.05	—	—	Tr. (A)	1.30	Tr. (A) fog	0.01		11
12	Tr. (A)	—	Tr. (A)	—	Tr. (B)	Tr. (B)	—	—	Tr. (B)	Tr. (A)	0.01	0.02		12
13	0.01	Tr. (B)	0.02	0.02	—	Tr. (A)	0.02	—	Tr. (A)	1.83	0.01	0.05		13
14	0.67	—	0.01	0.05	0.02	0.01	0.05	—	0.02	0.32	0.61	0.02		14
15	0.75	—	Tr. (A) mist	Tr. (B)	0.03	0.01	0.11	—	0.08	0.67	0.23	—		15
16	0.18	—	0.11	0.06	0.05	0.10	0.09	—	0.14	Tr. (A) dew	0.34	Tr. (B) snow		16
17	0.33	0.11	0.03 snow	Tr. (A) hail	0.01	—	Tr. (A)	—	Tr. (B)	—	0.06	—		17
18	0.37	Tr. (A)	Tr. (A)	—	0.24	0.04	0.39	—	0.02	0.36	0.35	—		18
19	0.22	—	Tr. (A)	—	—	—	0.20	—	Tr. (A)	0.70	—	0.03		19
20	0.35	Tr. (A) fog	Tr. (B)	Tr. (B) hail	—	Tr. (A)	0.35	0.02	0.08	—	—	0.06		20
21	0.05	0.02	0.12	—	—	0.12	0.19	—	0.16	0.01	Tr. (A) fog	—		21
22	0.30	0.25	0.12 snow rain	0.01	—	0.30	0.05	—	Tr. (B)	Tr. (A) dew	0.08	—		22
23	0.01	—	0.03 hail & rain	0.13	—	—	0.02	0.01	—	0.10	0.61	Tr. (A) fog		23
24	0.22 rain & snow	0.06	0.03 sleet	0.07	—	Tr. (A)	0.07	Tr. (A)	—	0.15	—	0.02 fog (?)		24
25	0.85 snow	0.22	0.05	0.04	—	0.02	0.30	0.03	—	0.02	0.77	Tr. (A) fog		25
26	0.05	—	—	0.11	—	Tr. (B)	—	—	0.01	0.04	0.31	0.04		26
27	Tr. (A) snow	0.20	0.04	0.05	—	0.03	Tr. (A)	Tr. (A) fog	Tr. (B)	0.11	0.38	—		27
28	0.01	0.36	0.05	Tr. (B)	—	0.02	—	—	—	0.14	0.09	0.11 snow		28
29	—	×	—	0.36	—	—	Tr. (B)	—	—	Tr. (A)	0.04	—		29
30	—	×	—	0.46	—	—	Tr. (B)	0.02	—	0.01	0.19	Tr. (A) snow		30
31	Tr. (A) fog	×	—	×	×	×	0.14	0.63	×	0.02	×	Tr. (A)		31
TOTAL	5.53	1.46	1.42	2.18	1.64	0.92	2.51	2.50	0.90	7.91	6.59	1.93	Year's Total 35.40	
* Days with .01 in. or more.	24	13	17	16	9	11	18	13	10	22	24	17	194	
* Days with .04 in. or more.	17	9	10	14	4	6	14	7	7	17	20	8	133	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Gilridge. Eden Bridge.
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge, above Ground 1 ft. – in.
,, Ground ,, Sea Level about 400 ft.

file reference 746.697/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	tr. (A)	—	tr. (B)	—	—	—	—	—	—	0.02	0.01		1
2	—	snow 0.06	—	0.15	—	—	—	—	—	0.14	0.59	rime 0.02		2
3	—	0.31	—	0.12	—	—	tr. (A)	tr. (A)	—	0.10	1.23	0.08		3
4	—	0.12	—	0.06	—	—	tr. (A)	fog —	—	0.20	0.04	0.06		4
5	0.01	tr. (A)	—	—	tr. (A)	—	0.10	—	—	0.02	0.99	0.22		5
6	fog 0.17	fog 0.12	tr. (A)	tr. (A)	tr. (B)	—	0.22	—	tr. (A)	0.64	—	tr. (B)		6
7	0.20	0.16	—	tr. (A)	—	—	0.68	tr. (B)	dew —	tr. (A)	tr. (A)	snow tr. (A)		7
8	—	tr. (A)	—	tr. (A)	—	—	tr. (A)	—	0.10	0.48	dew tr. (A)	" 0.30		8
9	—	—	—	0.01	—	—	—	0.03	tr. (A)	0.11	0.37	0.19		9
10	—	—	tr. (B)	—	—	—	0.48	0.06	tr. (A)	0.19	0.06	tr. (A)		10
11	—	tr. (A)	tr. (B)	0.05	—	—	0.11	—	—	tr. (A)	1.30	tr. (A)		11
12	—	snow 0.03	0.18	tr. (A)	—	tr. (B)	0.14	—	0.22	dew. 0.01	tr. (A)	tr. (A)		12
13	—	" 0.01	0.82	tr. (A)	tr. (A)	tr. (A)	tr. (B)	tr. (B)	0.07	—	1.86	rime —		13
14	—	" tr. (B)	[illegible] 0.13	0.07	dew —	—	0.01	tr. (B)	—	0.04	—	0.36		14
15	tr. (A)	" —	snow 0.01	tr. (B)	0.12	—	1.13	—	0.07	0.06	0.49	0.01		15
16	snow 0.02	0.26	0.31	snow tr. (A)	—	0.05	0.13	—	0.19	0.79	0.71	0.05		16
17	" tr. (B)	snow —	0.22	" —	—	tr. (B)	0.01	—	—	0.01	0.13	0.01		17
18	" 0.02	0.24	0.27	0.45	—	—	0.21	0.02	0.16	fog 0.32	0.22	fog 0.16		18
19	" —	0.19	0.16	0.01	—	—	0.06	—	0.44	—	0.41	0.06		19
20	—	0.02	hail [illegible] 0.03	0.02	—	tr. (A)	tr. (A)	0.02	0.06	0.11	0.05	—		20
21	0.05	tr. (A)	tr. (A)	—	0.86	—	0.35	tr. (A)	0.02	0.02	0.46	—		21
22	snow 0.01	tr. (A)	0.03	tr. (A)	0.08	0.16	tr. (A)	tr. (B)	0.12	—	—	—		22
23	" —	0.08	0.08	0.31	tr. (B)	—	tr. (A)	tr. (A)	—	tr. (B)	0.03	0.01		23
24	—	—	tr. (A)	0.31	—	—	0.17	—	—	0.01	0.01	snow 0.02		24
25	—	tr. (A)	0.68	—	0.01	tr. (A)	0.01	—	tr. (A)	0.07	fog —	" —		25
26	0.88	fog 0.28	0.16	tr. (A)	0.75	dew tr. (B)	0.01	—	dew tr. (A)	tr. (B)	tr. (A)	—		26
27	0.35	0.41	—	0.02	0.13	—	0.02	—	—	—	—	tr. (A)		27
28	snow 0.22	0.03	tr. (B)	0.02	0.09	—	—	—	—	—	—	—		28
29	" 0.17	0.22	snow 0.17	—	0.43	—	—	—	tr. (A)	—	—	0.27		29
30	" 0.09	snow ✕	—	0.22	—	—	tr. (B)	—	—	0.19	—	0.03		30
31	0.02	✕	—	✕	—	✕	—	—	✕	0.03	✕	0.12		31
TOTAL	2.30	2.54	3.25	1.82	2.47	0.21	3.84	0.13	1.45	4.44	8.97	1.98	Year's Total 33.40	✓
* Days with .01 in. or more.	13	16	14	14	8	2	17	4	10	20	18	18	154	✓
* Days with .04 in. or more.	8	12	11	9	7	2	12	1	9	15	15	11	112	✓

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

[P.T.O.

CHIDDINGSTONE CA

340/5

CHIDDINGSTONE CASTLE

1938 - 1939

0636100003

780107

Section **A** for the e
AIR M

Station No. 340/5
RAINFALL ORGANIZATION

FORM 1090
RE
1938

Penshurst
Kept at (CHIDDINGST
in the County of ....KEN
Diameter of Funnel of Gau
Height of top of Gauge ab
,, Ground ,,

gβ 14/10/39

3·728/28

THE MORNING ME ... EVIOUS DAY

An observer who does not co ... st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	·02	—	·38	·25	·01	—	·19	·02	·04	·10		1
2		—	—	·04	·03	—	·24	—	—	·34	—	·02		2
3		—	—	—	·33	—	·01	—	Trace	·78	·03	—		3
4		—	—	—	—	·03	·15	·07	—	·06	—	·11		4
5		—	—	—	—	—	·27	Trace	—	·47	—	—		5
6		—	—	—	—	—	·09	—	—	Trace	—	·03		6
7		—	—	—	—	—	·08	—	—	·30	—	·06		7
8		Trace	—	—	—	Trace	·18	·70	·01	·26	—	·06		8
9		—	—	—	—	—	Trace	Trace	—	·06	—	·66		9
10		·08	—	—	—	Trace	—	·07	—	—	—	·15		10
11		—	—	—	—	—	—	·07	—	—	·09	·26		11
12		·05	—	—	—	—	—	1·01	—	·06	·07	·01		12
13		SNOW ·02	—	—	—	—	—	—	—	·07	·22	·11		13
14		SNOW ·11	—	—	·39	—	—	—	·02	—	·01	·05		14
15		SNOW ·12	—	—	·01	—	·17	—	—	·30	—	·10		15
16		·13	—	—	Trace	—	—	·01	—	·04	·05	·33		16
17		·10	—	—	·32	—	·05	—	·01	·18	·04	—		17
18		—	—	—	·02	—	·02	—	·15	—	·50	—		18
19		—	—	—	—	—	—	·05	·15	—	·37	SNOW ·16		19
20		—	—	—	·17	—	—	—	·09	—	·37	SNOW ·16		20
21		—	April Trace	March —	—	—	—	·03	·14	—	·03	SNOW ·16		21
22		—	Trace	—	—	·04	—	·01	—	—	·23	SNOW ·16		22
23		—	Trace	—	—	—	—	—	—	—	—	SNOW ·16		23
24		—	Trace	·10	Trace	—	—	—	·22	—	·43	—		24
25		—	·05	·33	·26	—	·03	—	·08	·04	·53	—		25
26		·19	·01	·09	·13	—	—	·20	·28	·01	—	—		26
27		·06	—	—	—	·20	·33	—	·60	—	·32	—		27
28		·04	—	—	·47	·09	—	·20	·19	—	—	·01		28
29			·02	—	·20	—	—	—	—	—	·05	·22		29
30		✕	·18	—	·21	—	—	—	·14	·05	·15	·01		30 14/3
31		✕		✕	·08	✕	—	—	✕	·15	✕	·29	"d"	31 P[illegible]
TOTAL	(3·40)	·90	·54	·30	3·0	·61	1·63	2·42	2.27. ~~2·26~~	3·19	3·53 ~~3·97~~	3·38 ~~3·37~~	Year's Total ~~22·19~~	(25·59)
* Days with .01 in. or more.	(24)	9	4	5	14	5	12	11	14	17	18	23	(156)	
* Days with .04 in. or more.	(19)	9	3	4	11	4	9	8	11	15	15	including Snow 18	(126)	

Reverse March & April from 21-End

MISS D. FEILING

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

CHIDDINGSTONE CASTLE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 340/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Penshurst

Kept at (CHIDDINGSTONE CASTLE)

in the County of KENT / 4

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ......300.....ft.

Jan total est'd from neighbouring sta. GB 14/3/39

f72 728/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	·02	—	·38	·25	·01	—	·19	·02	·04	·10		1
2		—	—	·04	·03	—	·24	—	—	·34	—	·02		2
3		—	—	—	·33	—	·01	—	Trace	·78	·03	—		3
4		—	—	—	—	·03	·15	·07	—	·06	—	·11		4
5		—	—	—	—	—	·27	Trace	—	·47	—	—		5
6		—	—	—	—	—	·09	—	—	Trace	—	·03		6
7		—	—	—	—	—	·08	—	—	·30	—	·06		7
8		Trace	—	—	—	Trace	·18	·70	·01	·26	—	·06		8
9		—	—	—	—	—	Trace	Trace	—	·06	—	·66		9
10		·08	—	—	—	Trace	—	·07	—	—	—	·15		10
11		—	—	—	—	—	—	·07	—	—	·09	·26		11
12		·05	—	—	—	—	—	1·01	—	·06	·07	·01		12
13		SNOW ·02	—	—	—	—	—	—	—	·07	·22	·11		13
14		SNOW ·11	—	—	·34	—	—	—	·02	—	·01	·05		14
15		SNOW ·12	—	—	·01	—	·17	—	—	·30	—	·10		15
16		·13	—	—	Trace	—	—	·01	—	·04	·05	·33		16
17		·10	—	—	·32	—	·05	—	·01	·18	·04	—		17
18		—	—	—	·02	—	·02	—	·15	—	·50	—		18
19		—	—	—	—	—	—	·05	·15	—	·37	SNOW ·16		19
20		—	—	—	·17	—	—	—	·09	—	·37	SNOW ·16		20
21		—	April Trace	March —	—	—	—	·03	·14	—	·03	SNOW ·16		21
22		—	Trace	—	—	·04	—	·01	—	—	·23	SNOW ·16		22
23		—	Trace	—	—	—	—	—	—	—	—	SNOW ·16		23
24		—	Trace	·10	Trace	—	—	—	·22	—	·43	—		24
25		—	·05	·33	·26	—	·03	—	·08	·04	·53	—		25
26		·19	·01	·09	·13	—	—	·20	·28	·01	—	—		26
27		·06	—	—	—	·20	·33	—	·60	—	·32	—		27
28		·04	—	—	·47	·09	—	·20	·19	—	—	·01		28
29			·02	—	·20	—	—	—	—	—	·05	·22		29
30		✕	·18	—	·21	—	—	—	·14	·05	·15	·01		30 14/3
31		✕		✕	·08	✕	—	—	✕	·15	✕	·29	"d"	31
TOTAL	(3·40)	·90	·54	·30	3·0	·61	1·63	2·42	2.27. ~~2·26~~	3·19	3·53 ~~3·97~~	3·38 ~~3·37~~	Year's Total ~~22·19~~	(25·59)
* Days with .01 in. or more.	(24)	9	4	5	14	5	12	11	14	17	18	23	(186)	
* Days with .04 in. or more.	(19)	9	3	4	11	4	9	8	11	15	15	including Snow 18	(126)	

Reverse March & April from 21–End

MISS D. FEILING

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 340/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CHIDDINGSTONE CASTLE

in the County of KENT.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·04	·11	–	–	·08	–	·28	–	–	–		1
2	·02	–	–	·10	·29	–	·04	·21	·05	–	–	–		2
3	·29	TR.	TR.	·40	·01	–	–	·36	–	·18	·23	·44		3
4	·20	–	·28	·18	–	–	·03	·66	–	·60	·06	–		4
5	–	–	·01	·14	·02	–	·16	·21	–	·16	·43	·05		5
6	·32	–	·03	·01	–	–	·16	·02	–	–	·16	·08		6
7	·05	·07	–	–	–	–	·05	·04	–	·05	·17	·51		7
8	·04	·10	·50	–	–	–	–	TR.	–	·46	·15	·27		8
9	·15	·05	–	–	–	–	–	·06	–	·61	·85	–		9
10	·01	–	–	–	–	·17	–	·15	·02	·06	·03	–		10
11	–	–	·25	–	–	·11	–	–	–	1·65	–	–		11
12	–	–	–	–	–	–	–	–	TR.	·01	TR.	·02		12
13	–	–	·01	TR.	–	–	–	–	–	1·35	–	–		13
14	·70	–	TR.	·06	·03	TR.	·04	–	–	·30	·57	–		14
15	·55	–	–	–	·66	·03	·09	–	·17	·62	·14	–		15
16	·30	–	·13	·05	·23	·10	·10	–	–	–	·49	–		16
17	·34	·13	·03	·11	·01	–	TR	–	TR.	–	·07	–		17
18	·40	·01	–	–	·02	·05	·15	–	–	·15	·29	–		18
19	·21	–	–	–	–	–	·20	–	–	·93	–	·08		19
20	·90	–	TR.	–	–	–	·21	TR.	·08	–	–	·06		20
21	·11	–	·14	–	–	–	·28	–	·16	–	–	–		21
22	·22	·17	SNOW ·10	–	–	·34	·07	–	TR.	–	·03	–		22
23	·04	–	–	·14	–	TR	·02	·02	–	·12	·55	–		23
24	SNOW 1·09	·08	·07	·08	–	TR	·01	–	–	·15	–	–		24
25	SNOW 1·00	·21	·05	–	–	–	·16	·08	–	–	·59	–		25
26	·04	–	–	·06	–	–	·04	–	TR.	·08	·22	–		26
27	TR.	·13	·04	·09	–	TR.	–	–	–	·14	·36	–		27
28	–	·47	·04	–	–	·05	–	–	–	·20	·09	SNOW ·03		28
29	–	–	–	·24	–	–	TR.	–	–	·03	–	–		29
30	–	✕	–	·58	–	–	–	–	–	TR.	·19	–		30
31	–	✕	–	✕	–	✕	·22	·25	✕	TR.	✕	–		31
TOTAL	~~5·99~~ 6·99	1·42	~~1·62~~ 1·72	2·35	1·27	·85	~~2·17~~ 2·11	2·06	·76	7·85	5·67	1·54	Year's Total 33·55	✓
* Days with .01 in. or more.	22	10	15	15	8	7	19	11	6	20	20	9	162	✓
* Days with .04 in. or more.	19	9	11	14	3	6	16	9	5	18	18	7	135	✓

† Spare column, no entries required.

(*Signed*) Dorothy T. Fairling [P.T.O.

* See Instruction 3 (f) on other side.

341

Section **A** for the entry
AIR MINIST
ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS 31.

341

HEVER CASTLE GARDENS

1931- 1940

063610002 780107

Kept at HEVER CAS

in the County of KE

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS DAY.

An observer who does not conform *the following*
year in the space on the right of

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	·06	·03	·27		·10		·09	·09			Trace	1
2	·20	·04		·26	·05	Trace			·55	Trace	Trace	·02	2
3	·35	·01	·09	·20	·75			·43	·60		·04	·22	3
4		Trace	Trace	·01	·02	·53		·03	·04	Trace	·05	Trace	4
5		Trace		·25		·03	Trace	·03	·04	Trace	Trace	·20	5
6	Trace	·08		·05		·03	·06		Trace	·24	·75	·06	6
7	·32	·33		·01	·05			·15	Trace	·02	·24	Trace	7
8		·10			·02	·21	·06	·07	Trace		·35	·02	8
9		·13		Trace		·01			Trace		·60	·01	9
10		·20	Trace	Trace		·07		·19		Trace	1·76	Trace	10
11	·01	·54	Trace			Trace		·01	·02	Trace	·20	Trace	11
12	·08	Trace							·55		Trace	Trace	12
13	·09		Trace					·39			Trace	Trace	13
14	·02	·04				·02	·63	·54			Trace		14
15	·01	·11		·10	·15		·08	·64			Trace	·03	15
16	·33	·05		·20	·27	Trace		·34			Trace	Trace	16
17	·34	·05		·20	Trace	·01	·36	·29	·07	·13	·54		17
18	·07	·20	·03	·27	Trace	·13	·08	·74		Trace			18
19	·02			·40		·02	·20	·39	·07			Trace	19
20	·04	·13		·05			·21	·26	·02		·01	Trace	20
21	Trace	Trace			·45				Trace		·33	Trace	21
22	·01		·16	·01					·06		·31		22
23	·20	Trace	·02		·18	·09		·23	·03		·22	·01	23
24	·02		Trace	·85	Trace	·06	·05		·01		Trace	Trace	24
25	Trace			·50	·02		·45				·01	Trace	25
26	·14			·44			·24		Trace		·40		26
27	·14	·38		·09	·22		·32				·03		27
28	·39	·21		·08	Trace		·07			·33	Trace	·01	28
29	·09			Trace	·38					·26	·01	Trace	29
30	·06	×			·02		Trace	Trace			Trace		30
31	·22	×		×		×		Trace	×		×		31
TOTAL	~~2·41~~ 2·25	2·41	·33	4·26	2·28	1·31	2·53	4·82	2·17	·58	5·02	·58	YEAR'S TOTAL 28·40
*Days with ·01 in. or more.	21	17	5	19	13	13	13	17	13	5	17	9	162
*Days with ·04 in. or more.	14	14	2	12	9	4	12	14	9	3	10	3	112

40-9999

(Signed) A. McCutcheon [P.T.O.

*See Instruction 2 (*f*) on other side.

341

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

Kept at HEVER CASTLE GARDENS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

Station No 341

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	·06	·03	·27		·10		·09	·09			Trace	1
2	·20	·04		·26	·05	Trace			·55	Trace	Trace	·02	2
3	·35	·01	·04	·20	·75			·43	·60		·04	·22	3
4		Trace	Trace	·01	·02	·53		·03	·04	Trace	·05	Trace	4
5		Trace		·25		·03	Trace	·03	·04	Trace	Trace	·20	5
6	Trace	·38		·05		·03	·06		Trace	·24	·75	·06	6
7	·32	·33		·01	·05			·15	Trace	·02	·24	Trace	7
8		·10			·02	·21	·06	·07	Trace		·03	·02	8
9		·13		Trace		·01			Trace		·60	·01	9
10		·20	Trace	Trace		·07		·19		Trace	1·70	Trace	10
11	·01	·59	Trace			Trace		·01	·02	Trace	·20	Trace	11
12	·08	Trace							·55		Trace	Trace	12
13	·09		Trace					·39			Trace	Trace	13
14	·02	·04				·02	·03	·54			Trace		14
15	·01	·11		·10	·15		·08	·64			Trace	·03	15
16	·33	·05		·20	·27	Trace		·34			Trace	Trace	16
17	·34	·05		·20	Trace	·01	·36	·29	·07	·03	·57		17
18	·07	·20	·03	·29	Trace	·13	·08	·74		Trace			18
19	·02			·40		·02	·20	·39	·09			Trace	19
20	·04	·13		·05			·21	·26	·02		·01	Trace	20
21	Trace	Trace			·45				Trace		·33	Trace	21
22	·01		·15	·01					·36		·01		22
23	·20	Trace	·02		·18	·09		·23	·03		·22	·01	23
24	·02		Trace	·85	Trace	·06	·05		·01		Trace	Trace	24
25	Trace			·50	·02		·45				·01	Trace	25
26	·14			·24			·24		Trace		·40		26
27	·14	·38		·09	·22		·02				·03		27
28	·09	·21		·08	Trace		·07			·03	Trace	·01	28
29	·09			Trace	·08					·26	·01	Trace	29
30	·06	×			·02		Trace	Trace			Trace		30
31	·22	×		×		×		Trace	×		×		31
TOTAL	2·25 ~~2·11~~	2·41	·33	4·26	2·28	1·31	2·53	4·82	2·17	·58	5·02	·58	YEAR'S TOTAL 28·40
*Days with ·01 in. or more.	21	17	5	19	13	13	13	17	13	5	17	9	162
*Days with ·04 in. or more.	14	14	2	16	9	4	12	14	9	2	10	3	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. McCutcheon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Gardens Hever Castle

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	tr	–	·03	·54	–	tr	·04	–	·12	·01	–	1
2	·02	–	–	·12	·05	–	–	tr	·06	·01	·02	·19	2
3	–	–	–	·02	·16	·24	–	–	·45	–	–	–	3
4	·02	tr	–	–	–	·14	–	–	–	–	–	–	4
5	·21	tr	·01	–	·04	tr	·33	–	·06	–	–	–	5
6	·69	–	·02	·28	·03	–	–	–	·02	tr	–	–	6
7	·24	–	·04	·03	–	–	·23	–	·03	·05	–	·03	7
8	tr	–	·20	·06	·20	–	–	–	·14	·51	tr	–	8
9	·43	tr	tr	·11	·71	–	–	–	–	–	–	–	9
10	·84	·30	–	·28	·09	–	–	–	tr	·05	·01	–	10
11	·22	·08	–	·08	·01	–	–	–	tr	·13	tr	tr	11
12	·36	·03	–	–	–	–	–	–	tr	·32	tr	tr	12
13	·08	–	–	·13	·03	–	–	–	tr	·98	–	·01	13
14	·04	tr	–	·58	·08	–	–	·02	–	·01	–	tr	14
15	·03	–	–	·10	·03	–	–	–	–	·10	–	tr	15
16	·08	–	–	·17	·09	–	–	–	–	–	–	–	16
17	tr	–	–	·09	–	–	tr	–	–	·08	–	–	17
18	tr	–	–	–	–	–	tr	–	·15	–	·10	–	18
19	tr	–	–	tr	·01	–	–	–	·05	·26	·02	–	19
20	tr	–	–	·17	·02	–	·11	·11	–	·77	·18	tr	20
21	tr	–	tr	tr	·34	–	–	·05	–	·30	tr	·05	21
22	·02	tr	·30	tr	·05	–	·10	–	·51	·23	·33	tr	22
23	tr	·09	·09	·05	·05	–	–	–	·10	·84	·04	·10	23
24	–	·02	–	–	–	–	·36	–	·18	·06	·02	tr	24
25	–	–	–	tr	–	–	·51	–	·08	·27	·04	·01	25
26	–	–	·03	·05	tr	–	·23	·15	–	·08	·02	–	26
27	–	tr	·28	·10	·22	–	·22	–	·02	·41	·08	tr	27
28	–	–	tr	·03	·16	–	·08	–	–	·23	tr	tr	28
29	–	–	·45	–	·04	–	–	·33	·12	·47	tr	tr	29
30	–	×	·03	·01	·09	1·04	tr	·02	·06	tr	·29	·08	30
31	–	×	·11	×	–	×	·03	–	×	tr	×	·05	31
TOTAL	3·44	·52	1·59	2·49	3·10	1·45	2·20	·72	2·03	6·31	1·16	·52	YEAR'S TOTAL 25·53
*Days with ·01 in. or more.	15	5	11	20	22	3	10	7	15	22	13	8	151
*Days with .04 in. or more.	11	3	7	15	16	3	9	5	12	20	7	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alex McCutcheon

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hever Castle Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.37	.17							.01	.03			1
2	.38		.51		.09					Trace				2
3	.13	.20	.44								.04			3
4	.13		.01		.08					Trace				4
5	.19		.45		.23					Trace				5
6		.13	.10		.45					.05	.07	Trace		6
7	.28	.06	.04		.26					.17	Trace	.02		7
8	.10	Trace			.05		.25			.05				8
9	Trace				.07		.08	Trace		.11	.14			9
10	Trace	.30			Trace		.03			.20				10
11	.10				.04	.12	.04	.14	.05	.05	Trace			11
12				.01	.07	.26	.23		1.29		Trace			12
13	.04					Trace	.36	.05	.35	.03	.16			13
14	Trace		Trace		Trace		.02			.39	.25	Trace		14
15	.33		.13				.20	.21		.01	Trace			15
16	.03		.95			.18	.11							16
17	Trace	.02	.26			.07		.04	.09		.03			17
18	.04		.15			.45								18
19	.02	.02	.32	Trace		.13			.32		.01	Trace		19
20		.01	.10	.02		.15			.13		Trace	Trace		20
21		.06				.02	Trace	.18	.23	.01	Trace	Trace		21
22					.85	.02	.02	.18		.08	Trace			22
23		.01		.13	.30	.04			.33	Trace	Trace			23
24		.57		.20	Trace	.05			.22	Trace	.01			24
25		.17		.25		Trace			.03	.01	.08	.08		25
26		.52		.03	.02	.03			.02	.04	.04	.16		26
27		.01		Trace	.08	Trace			.01		Trace	.13		27
28							.22			.50		.17		28
29	.05	X			.34		.10			.06				29
30	.09	X	.04				.07		.14	.05		.07		30
31	.10	X		X		X		.06	X	Trace	X	Trace		31
TOTAL	2.06	2.45	3.64	.64	2.93	1.52	1.73	.86	3.21	1.82	.86	.63	Year's Total 22.38	
*Days with .01 in. or more.	16	14	14	6	14	12	13	4	13	17	11	6	143	
*Days with .04 in. or more.	14	9	13	3	13	9	10	4	10	12	7	5	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Cutcheon.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HEVER CASTLE GARDENS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	—	·05	—	·25	—	·09	—	·25		1
2	·06	—	·19	—	—	Tr	—	—	·70	·65	—	·36		2
3	·02	·03	—	·30	—	—	—	—	—	·77	—	·05		3
4	·11	Tr	·04	—	·01	—	—	—	—	·14	·04	·62		4
5	—	—	·02	—	·08	—	—	·02	—	—	·02	·34		5
6	Tr	—	·32	·01	·16	—	—	·04	—	·19	Tr	·54		6
7	·05	—	—	—	—	·01	—	·04	Tr	·11	—	·24		7
8	—	—	—	—	·12	—	—	·03	·03	—	·96	Tr		8
9	Tr	—	·01	—	—	—	—	Tr	·01	—	·94	·31		9
10	—	Tr	·30	·22	—	—	—	·04	—	Tr	·92	·01		10
11	1·0	—	·34	·09	—	—	Tr	·03	—	—	·01	·19		11
12	·12	Tr	·15	—	—	—	·28	·04	—	—	·01	·02		12
13	·52	—	·15	·09	—	—	·35	·02	—	Tr	·48	·04		13
14	·21	Tr	·53	·04	—	—	—	—	—	·06	—	·58		14
15	Tr	—	—	—	·03	—	Tr	—	Tr	·03	·10	·44		15
16	·16	—	·24	·02	·19	—	—	—	—	·04	·01	Tr		16
17	·06	—	·11	—	·02	—	—	—	—	·06	—	·26		17
18	·19	—	·02	·45	—	—	·28	—	—	Tr	Tr	·59		18
19	—	—	·30	·08	—	·02	—	—	·32	·04	—	·19		19
20	—	—	·03	Tr	—	—	·10	Tr	Tr	—	—	·02		20
21	—	—	·01	·12	—	·14	·05	—	—	·09	—	—		21
22	—	Tr	—	—	—	—	·15	·06	·18	Tr	—	·15		22
23	—	Tr	—	·37	—	1·12	—	—	—	Tr	Tr	·06		23
24	—	·01	·01	·36	—	·14	·38	—	·12	Tr	—	—		24
25	·16	—	—	·14	—	—	—	—	—	·03	—	·46		25
26	·04	—	—	·12	—	·08	—	—	·06	Tr	—	·06		26
27	·02	—	—	·24	—	·01	—	—	—	Tr	—	·35		27
28	Tr	·03	—	·06	—	—	·01	·54	—	Tr	—	·26		28
29	—	*	—	—	—	—	·24	·05	·11	—	Tr	Tr		29
30	·08	×	—	—	—	—	—	·08	—	—	—	·30		30
31	Tr	×	—	×	—	×	—	Tr	×	·09	×	·10		31
TOTAL	2·81	·07	2·80	2·71	·61	1·60	1·84	1·36	1·53	2·39	3·55	6·85	Year's Total 28·15	
*Days with ·01 in. or more.	16	3	17	16	4	8	9	13	8	14	10	26	147	
*Days with .04 in. or more.	13	—	11	14	4	5	8	9	6	12	6	23	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Mc CUTCHEON.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HEVER CASTLE GARDENS

in the County of KENT

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

Query sent re. entry for 20th July .50 inch proposed

Value for 20/7 amended in response to reply to query

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	·04	·03	·02	–	·04	·03	–	·44	·12	·08	–		1
2	·10	–	·01	·04	–	Tr	–	–	–	·43	·15	–		2
3	–	Tr	·10	·02	–	–	–	–	·08	1·23	·13	–		3
4	–	·05	–	·33	–	·24	–	–	·33	·40	·01	·10		4
5	–	·40	·04	·04	–	·20	–	–	·65	·15	·01	Tr		5
6	·03	·10	·01	·24	–	·71	–	–	–	–	·15	·02		6
7	·03	·03	–	·25	–	·16	–	–	–	–	·92	·12		7
8	–	–	–	·34	–	·02	–	Tr	–	·24	·64	·12		8
9	Tr	–	–	·23	–	·18	–	–	–	1·04	·17	·03		9
10	·05	Tr	·05	Tr	–	·04	–	–	–	Tr	·13	·13		10
11	·09	–	–	·14	–	·08	·06	Tr	–	–	·48	Tr		11
12	–	·02	–	–	–	·23	·05	·55	·03	–	1·21	–		12
13	·08	·19	–	·11	·01	·01	–	–	–	–	·08	·02		13
14	–	Tr	–	·19	·14	·15	–	–	–	–	·02	·10		14
15	–	·18	–	·44	–	Tr	–	–	·32	–	·39	·04		15
16	–	·06	–	·24	–	·14	–	–	·41	–	·92	·02		16
17	·01	–	·10	·04	–	·20	·03	–	·04	–	·40	Tr		17
18	–	–	–	·24	–	·05	·20	–	·41	·06	·02	Tr		18
19	–	–	–	·04	·55	·02	·13	–	·06	–	·06	–		19
20	–	·76	–	·10	·01	·04	·56	–	·04	–	·12	–		20
21	·01	·53	–	–	–	–	–	–	·04	·14	·03	–		21
22	Tr	·11	Tr	–	–	–	–	·25	·04	–	Tr	–		22
23	–	Tr	·03	–	–	–	–	·65	–	–	–	·06		23
24	·04	1·0	–	–	·24	–	–	1·22	·64	·04	–	·24		24
25	·21	·23	–	·08	·59	·14	–	–	–	–	·01	·33		25
26	·01	·22	–	–	–	–	–	·16	·08	·06	·01	·36		26
27	Tr	·64	–	–	–	–	–	–	·08	Tr	·10	·26		27
28	–	·03	–	–	·11	–	–	–	·03	·08	·01	·24		28
29	–	–	–	–	–	–	–	·06	·54	Tr	–	·34		29
30	·09	×	–	·12	·09	–	–	·85	·11	·08	·62	·54		30
31	Tr	×	–	×	·02	×	–	Tr	×	·26	×	·65		31
TOTAL	·98	4·62	·34	3·43	1·82	2·74	~~·50~~ 1·06	3·74	4·43	4·36	6·84	3·84	Year's Total. ~~37·73~~	38·29
* Days with .01 in. or more.	13	17	8	20	9	18	~~6~~7	4	19	14	26	19	17~~6~~7	
* Days with .04 in. or more.	8	14	4	18	6	15	~~4~~5	7	17	14	18	15	148	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. H. Cutcheon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Totals.

Kept at HEVER CASTLE GARDENS

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·15	~~·01~~	·30		·16	·36	·28			·06	·11		1
2	Tr	·10		·01		·47	·07	·11			·01			2
3				·58		·03	·02		·02		·31	Tr		3
4	·01		·12			·08			·40		Tr	·07		4
5	·29		·01					·03	·13	·07	·20	·07		5
6	·25					·04	Tr	·02	·22	·01	1·02	·07		6
7	·48		·02			·04			·02		·55	·01		7
8	·33		·07						Tr	·01	·55	·17		8
9	·64		·02				·34	·03	·09	·07	Tr	Tr		9
10	·07						·24	·55	Tr					10
11				·17			·21				·92			11
12				·05		·14	·21	·01	·20		·34	·14		12
13				Tr		·15	·03				Tr	·65		13
14		·04				·05	·64		Tr	·04	·09	·74		14
15		·10				Tr	Tr				·03	·31		15
16	·17	·07			·19		·05				·21	·13		16
17	·18	·59			·07	·14		·01	Tr	Tr	·25	·51		17
18	·10	·12					·15			·02	·22	·16		18
19	·34	·05				·02	·02	·09		·05	·01	Tr		19
20	·41	·05	Tr	·38					·52					20
21		·04		·36		·34	·15		·01					21
22	·10	·34	·10	·01	·09	·22	·09					·04		22
23	·02	·18	·03	·07			·45			·05				23
24	·03	·05					·08		·02	·28		Tr		24
25	·18	Tr	·15	·22		·10	·01		·19	·05	·04	Tr		25
26	Tr	·16	·19	·07		·09			·09	·19				26
27	·34	·01	·01						·22	·17				27
28	·66		·05			·25	·62		·02			·11		28
29	·02	·06	·13			·16	·06			·03	·07	Tr		29
30	·13	✕			Tr	·16	Tr			·25		Tr		30
31	·28	✕	·21	✕	·02	✕	·08		✕	·60	✕	·20		31
TOTAL	5·35	2·11	1·12	2·22	·37	2·64	3·88	1·13	2·15	1·89	4·88	3·49	Year's Total 31·23	
* Days with .01 in. or more.	22	16	14	11	4	18	20	9	14	15	17	16	176	
* Days with .04 in. or more.	18	15	8	9	3	16	16	4	9	11	14	15	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Au Cutcheon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hever Castle Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 200 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·80	·01	Tr	·10	–	–	·02	–	–	–	·53	·20		1
2	Tr	·60	–	·35	–	–	–	–	·03	·01	–	·65		2
3	·01	·25	·01	·02	Tr	–	–	–	·06	·01	Tr	·32		3
4	·13	1·03	–	–	–	–	–	–	–	–	–	·27		4
5	·27	·10	·23	–	–	–	·17	Tr	–	Tr	–	–		5
6	·03	Tr	·76	Tr	·29	–	–	–	–	·06	·01	–		6
7	–	·63	·03	·06	·04	–	–	–	·01	·05	Tr	·02		7
8	–	·01	·15	Tr	·04	·05	–	–	–	–	·14	·41		8
9	–	–	–	·38	·11	Tr	·04	–	·33	–	–	·05		9
10	–	–	·51	·20	·25	·33	·01	Tr	–	–	–	·84		10
11	–	–	·41	Tr	·13	–	·04	–	–	–	–	·11		11
12	·29	·31	·14	·03	·40	·36	·01	·40	·17	–	–	·19		12
13	·16	·06	·50	·02	Tr	·38	–	·09	·16	–	–	·53		13
14	·01	·01	·02	–	·14	·02	–	1·37	·09	–	–	–		14
15	·14	·07	–	·19	·09	·01	·25	–	·44	–	–	–		15
16	·06	·19	·30	·48	–	·16	–	·28	·21	–	–	·04		16
17	·25	·02	·08	·13	–	Tr	–	–	·14	–	Tr	–		17
18	·69	·05	·10	–	·53	·70	–	–	–	–	·28	–		18
19	·08	·10	·05	·14	·03	·11	·85	–	·12	–	–	·14		19
20	·56	·01	·19	·27	·47	·10	–	·02	·02	–	–	–		20
21	·54	·34	·03	·11	Tr	–	·02	·18	Tr	–	–	·03		21
22	·66	·01	–	–	·07	·18	·03	–	–	·64	·36	·04		22
23	·25	–	–	–	–	–	·11	–	–	·40	Tr	·01		23
24	·86	·29	·10	–	·06	–	–	–	·01	·38	–	–		24
25	·13	·49	·23	–	Tr	–	–	–	·06	·32	–	·02		25
26	Tr	·37	·01	–	·02	–	–	–	–	·04	–	–		26
27	·01	·19	–	·23	–	–	–	–	·04	·25	–	–		27
28	·12	·11	–	Tr	–	–	–	–	–	·01	–	·03		28
29	·06	–	–	–	–	Tr	–	·06	–	·09	·03	·02		29
30	·36	✕	–	–	–	·05	–	·60	–	·04	·08	–		30
31	·17	✕	–	✕	–	✕	–	–	✕	·43	✕	·02		31
TOTAL	6·64	5·25	3·85	2·71	2·67	2·45	1·55	3·00	1·89	2·73	1·43	3·97	Year's Total 38·14	✓ ✓
* Days with .01 in. or more.	24	23	19	15	15	12	11	8	15	14	7	20	183	✓ ✓
* Days with .04 in. or more.	20	17	14	12	13	10	6	7	11	11	5	13	139	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) aa c Cutcheon [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HEVER CASTLE GARDENS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02		·02		·25	·22	·02		·17	·06	·03	·10		1
2	·09			·04	·09		·20			·28		·01		2
3					·26		·05			·73	·03			3
4	·05					·01	·14	·04		·12		·11		4
5	Tr						·29	·01		·39		·02		5
6	·03						·09				·01	·01		6
7	·09						·05	·74		·30		·06		7
8	·23						·16		·02	·29		·05		8
9	·10							·04		·05		·72		9
10	·09	·09						·04				·11		10
11	·19										·09	·26		11
12	·33	·03					·02	1·63		·05	·04	·01		12
13	·41	·10								·04	·24	·12		13
14	·32	·15			·37							·05		14
15	·02	·28			·01		·21			·30	·02	·12		15
16	·43	·01						·01		·03	·04	·34		16
17		·10			·27				·02	·14	·04			17
18	·04				·02		Tr		·15	·01	·53			18
19								·04	·14		·36	·24		19
20					·10				·09		·43	·12		20
21	·03			Tr				·02	·13		·04	·15		21
22				Tr				·01			·23	·23		22
23														23
24	·01		·14		·01				·22		·42	·02		24
25	·14		·26		·18		·02	·01	·08	·03	·52	·01		25
26	·32	·19	·04	·05				·18	·30	·29		·32		26
27	·04	·05			·19	·20	·31		·63		·31			27
28	·06	·04			·38	·08		·21	·21			·01		28
29	·20				·19						·04	·22		29
30	·06	×		·25	·24				·10	·05	·35	·01		30
31	·21	×		×	·08	×			×	·11	×	·28		31
TOTAL	3·54	1·04	·49	·34	2·64	·51	1·56	3·04	2·26	3·33	3·86	3·73	Year's Total 26·40	✓
* Days with .01 in. or more.	24	10	4	3	15	4	12	13	13	18	19	26	161	✓
* Days with .04 in. or more.	19	8	3	3	12	3	9	8	11	15	15	18	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. McCutcheon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hever Castle Gardens

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions** Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·04	·18	·31		·03	Tr	·25			·01		1
2	·02			·01	·01		·02	·22	·04	·08		Tr		2
3	·30		·01	·32				·32			·26	·43		3
4	·11		·28	·17			·03	·64		·50	·04	·02		4
5			Tr	·12	·01		·16	·26		·18	1·46	·03		5
6	·34		·02				·17	·02		·01	·11			6
7	·04	·05					·01	·05		·03	·16	·10		7
8	·02	·10	·16							·54	·11	·53		8
9	·06	·05						·04		·55	·93	·28		9
10	·15	Tr				·19		·14	·05	·06	·04			10
11	Tr		·23			·11				1·58		·01		11
12	Tr									·01	Tr	·02		12
13	Tr		·01	·04						1·40	Tr	·05		13
14	·62		Tr	·02	Tr		·06			·30	·59	·02		14
15	·69				·70	·02	·06		·04	·66	·14			15
16	·18		·09	·05	·21	·09	·09		·18	Tr	·50			16
17	·31	·11	·02		·02						·04			17
18	·39				·01	·02	·12		Tr	·23	·29			18
19	·23						·20			·92	Tr	·03		19
20	29						·21	·01	·04			·06		20
21	·06		·11			·02	·26		·14	·02				21
22	·24	·20	·09			·32	·06				·06			22
23	·02			·14			·01	·01		·11	·55			23
24	·08	·04	·04	·08			·02			·15				24
25	·78	·20	·06	·03		·01	·17	·08			·58			25
26			·03	·06			·02		·01	·08	·29	·03		26
27	·03	·14		·04						·15	·30			27
28		·43	·03			·03				·18	·10	·11		28
29				·24							·03			29
30		✕		·62				·02		·03	·16			30
31		✕		✕		✕	·22	·24	✕	·02	✕			31
TOTAL	4·99	1·35	1·25	2·15	1·27	·81	1·92	2·11	·84	7·79	6·80	1·73	Year's Total 33·01	
* Days with .01 in. or more.	22	9	15	15	7	9	19	13	8	23	21	15	176	
* Days with .04 in. or more.	16	9	9	12	3	4	12	9	7	17	20	7	125	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alexr MacCutcheon [P.T.O.

~~COPY FOR OFFICIAL USE~~

Section A for the entry of Daily Observations

Station No. 341

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HEVER CASTLE GARDENS

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	·01	—		1
2	—	·04	—	·04	—	—	—	—	—	·13	·39	tr		2
3	—	·25	—	·08	—	—	—	—	—	·15	1·23	·06		3
4	—	·15	—	·04	—	—	—	—	—	·18	·05	·11		4
5	tr	tr	—	—	—	—	·08	—	—	—	·90	·20		5
6	·16	·08	—	—	—	—	·27	—	—	·56	tr	—		6
7	·29	·14	—	—	—	—	·41	—	—	—	—	—		7
8	·01	tr	—	—	—	—	·19	—	·13	·39	—	·28		8
9	—	—	—	tr	—	—	—	—	—	·04	·32	·14		9
10	—	—	—	—	—	—	·53	·04	—	·20	·50	—		10
11	—	—	—	·03	—	—	·01	—	—	—	1·15	—		11
12	—	·06	·12	·01	—	—	·32	—	—	—	·03	—		12
13	—	·02	·68	—	—	—	—	—	·18	—	1·68	—		13
14	—	—	·33	·10	—	—	—	—	·08	·03	tr	·32		14
15	—	—	·03	—	·12	—	1·04	—	·03	·06	·35	·01		15
16	·05	·23	·20	—	—	·03	·13	—	·21	·64	·58	·03		16
17	—	—	·21	—	—	—	·04	—	·01	—	·20	—		17
18	·02	·22	·32	·38	—	—	·24	—	·12	·26	·25	·15		18
19	—	·20	·20	—	—	—	·04	—	·44	—	·14	·04		19
20	—	·04	·04	·03	—	—	·05	·04	·14	·03	·25	—		20
21	·05	—	—	—	·39	—	·45	—	·01	·20	·34	—		21
22	·04	·01	·03	—	·34	·12	—	—	·11	—	tr	—		22
23	—	—	—	·22	—	—	—	—	—	—	·02	·02		23
24	—	—	·05	·39	—	—	·14	—	—	—	·01	·03		24
25	—	—	·40	—	—	—	·01	—	—	·11	—	—		25
26	·89	·25	·23	tr	·74	—	·02	—	—	—	—	tr		26
27	·38	·34	·13	—	—	—	·01	—	—	—	—	—		27
28	·26	·05	—	·03	·14	—	—	—	—	—	—	—		28
29	·21	·19	—	—	·82	—	—	—	—	—	—	·24		29
30	·10	✕	—	·29	—	—	—	—	—	·15	—	·01		30
31	·02	✕	—	✕	—	✕	—	—	✕	·84	✕	·10		31
TOTAL	2·48	2·30	2·97	1·64	2·61	·15	4·01	·08	1·49	4·06	8·43	1·80	Year's Total 32·05	✓
* Days with .01 in. or more.	13	16	14	12	6	2	18	2	11	16	19	15	144	✓
* Days with .04 in. or more.	10	14	12	8	6	1	14	2	8	14	15	10	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. McCutcheon

[P.T.O.

342

342

UPALONG . HEADCORN

1931-1940

063211002

78 01 07

Section **A** for the entry o
AIR MINISTR

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS 31.

Recd. 1/4/32

Kept at Upalong, HEAI
in the County of KEN

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS **AY.**

An observer who does not conform *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	Snow .02	.06	-	tr	-	-	-	-	-	-	1
2	.14	.08	-	.12	-	.31	-	.10	.01	-	-	-	2
3	.03	-	.04	.09	.42	-	-	-	.37	-	.01	-	3
4	-	.01	-	tr.	tr.	-	-	.25	.60	-	-	.13	4
5	-	-	-	.32	tr.	-	.03	-	.07	tr	.06	.09	5
6	-	Snow .09	-	.04	-	.65	.33	.22	.01	-	.01	-	6
7	Snow .10	.03	-	tr	.03	-	-	-	-	.13	.51	-	7
8	Snow .02	.04	Snow .07	-	-	.02	.05	-	.11	-	.22	-	8
9	-	.05	Snow .01	-	-	.10	-	.19	-	-	.13	.03	9
10	-	.12	Snow .01	-	-	.05	-	-	-	-	.75	tr.	10
11	.09	.47	-	-	-	.10	-	.13	-	-	1.42	.04	11
12	-	-	-	-	-	-	-	-	.01	-	.30	-	12
13	.25	Snow .08	-	-	.16	-	tr.	.09	.44	-	-	-	13
14	Snow .02	Snow .13	-	-	-	-	-	.03	-	tr.	-	tr.	14
15	.02	.02	tr	.21	-	.03	.44	.41	-	-	.01	-	15
16	-	.03	-	.15	.06	-	.22	.16	-	-	-	-	16
17	.03	.05	-	Snow .14	.28	-	-	.10	-	-	-	.02	17
18	.01	Snow .26	-	.31	-	-	.22	.23	.02	-	-	-	18
19	.02	-	-	.82	-	.01	.03	.16	-	tr.	.35	-	19
20	tr.	.02	-	.10	-	.05	.15	.36	.09	-	-	-	20
21	tr.	.14	tr	tr	-	-	.10	.36	-	.01	.01	-	21
22	.09	tr	.05	tr	.35	-	-	.02	.02	-	.02	-	22
23	.54	.07	.01	-	-	-	tr.	.02	.08	--	-	-	23
24	-	.01	.02(	.92	.12	-	-	.22	-	-	.12	tr.	24
25	.02	tr	-	(		.07	-	-	.01	-	-	tr.	25
26	-	.07	-	.38	-	-	.36	-	-	-	.01	-	26
27	.08	.27	-	.12	-	-	.20	-	-	.04	.17	-	27
28	.08	Snow .08	-	.02	.26	-	.01	-	-	-	-	-	28
29	-	X	-	.06	tr.	-	.04	-	-	.02	-	-	29
30	.02	X	-	-	.15	-	-	-	-	.27	-	Snow .03	30
31	.31	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.87	2.16	.23	3.86	1.83	1.39	2.18	3.05	1.84	.47	4.10	.34	YEAR'S TOTAL 23.32
*Days with ·01 in. or more.	18	22	8	17	9	10	13	17	13	5	16	6	154
*Days with ·04 in. or more.	9	16	3	16	8	7	10	14	7	3	10	3	106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

342

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Upalong, HEADCORN

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

" Ground " Sea Level 100 ft.

Station 342.

Recd. 1/1/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	Snow. .02	.06	-	tr	-	-	-	-	-	-	1
2	.14	.08	-	.12	-	.31	-	.10	.01	-	-	-	2
3	.03	-	.04	.09	.42	-	-	-	.37	-	.01	-	3
4	-	.01	-	tr.	tr.	-	-	.25	.60	-	-	.13	4
5	-	-	-	.32	tr.	-	.03	-	.07	tr	.06	.09	5
6	-	Snow. .09	-	.04	-	.65	.33	.22	.01	-	.01	-	6
7	Snow. .10	.03	-	tr	.03	-	-	-	-	.13	.51	-	7
8	Snow .02	.04	Snow .07	-	-	.02	.05	-	.11	-	.22	-	8
9	-	.05	Snow .01	-	-	.10	-	.19	-	-	.13	.03	9
10	-	.12	Snow .01	-	-	.05	-	-	-	-	.75	tr.	10
11	.09	.47	-	-	-	.10	-	.13	-	-	1.42	.04	11
12	-	-	-	-	-	-	-	-	.01	-	.30	-	12
13	.25	Snow .08	-	-	.16	-	tr.	.09	.44	-	-	-	13
14	Snow .02	Snow. .13	-	-	-	-	-	.03	-	tr.	-	tr.	14
15	.02	.02	tr	.21	-	.03	.44	.41	-	-	.01	-	15
16	-	.03	-	.15	.06	-	.22	.16	-	-	-	-	16
17	.03	.05	-	Snow. .14	.28	-	-	.10	-	-	-	.02	17
18	.01	Snow. .26	-	.31	-	-	.22	.23	.02	-	-	-	18
19	.02	-	-	.82	-	.01	.03	.16	-	tr.	.35	-	19
20	tr.	.02	-	.10	-	.05	.15	.36	.09	-	-	-	20
21	tr.	.14	tr	tr	-	-	.10	.36	-	.01	.01	-	21
22	.09	tr	.05	tr	.35	-	-	.02	.02	-	.02	-	22
23	.54	.07	.01	-	-	-	tr.	.02	.08	--	-	-	23
24	-	.01	.02 (	.92	.12	-	-	.22	-	-	.12	tr.	24
25	.02	tr	- (		-	.07	-	-	.01	-	-	tr.	25
26	-	.07	-	.38	-	-	.36	-	-	-	.01	-	26
27	.08	.27	-	.12	-	-	.20	-	-	.04	.17	-	27
28	.08	Snow .08	-	.02	.26	-	.01	-	-	-	-	-	28
29	-	X	-	.06	tr.	-	.04	-	-	.02	-	-	29
30	.02	X	-	-	.15	-	-	-	-	.27	-	Snow. .03	30
31	.31	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.87	2.16	.23	3.86	1.83	1.39	2.18	3.05	1.84	.47	4.10	.34	YEAR'S TOTAL 23.32
*Days with ·01 in. or more.	18	22	8	17	9	10	13	17	13	5	16	6	154
*Days with ·04 in. or more.	9	16	3	16	8	7	10	14	7	3	10	3	106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

342

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 342.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Upalong, Headcorn.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	X	-	-	-	.21	-	.44	.03	.01	.02	tr	.04	1
2	.03	.03	-	.10	.11	-	.08	.02	tr	-	.02	-	2
3	.02	-	-	.21	-	-	-	-	-	-	tr	.12	3
4	.01	-	-	.09	-	.27	-	-	.27	tr	-	-	4
5	-	-	-	-	-	.09	.10	-	-	-	-	-	5
6	.09	-	-	-	.05	.06	-	-	.05	-	-	-	6
7	.39	-	.03	.23	.09	-	-	-	.07	-	-	-	7
8	.02	-	.03	.01	-	-	-	-	tr	tr	-	.02	8
9	-	tr	.27	.04	.06	-	-	-	.05	1.14	-	-	9
10	.27	-	-	.04	.87	-	-	-	-	.04	-	-	10
11	.64	snow .13	-	.20	.09	-	-	-	tr	.04	-	-	11
12	.28	snow .14	-	.09	.01	-	tr	-	tr	.19	.01	-	12
13	.18	snow .07	-	-	-	-	-	-	-	.25	-	-	13
14	.11	-	-	.04	.02	-	-	-	.02	.77	-	-	14
15	.11	.01	-	.03	.04	-	-	-	-	.33	-	.08	15
16	tr	-	-	.08	.12	-	-	-	-	.11	-	.01	16
17	.05	-	-	.12	-	-	tr	-	-	tr	-	-	17
18	tr	-	tr	-	-	-	tr	-	-	.03	.09	-	18
19	tr	-	-	.01	-	-	-	-	.02	-	.10	-	19
20	tr	tr	-	-	-	-	-	-	-	.05	-	-	20
21	-	-	-	.02	.05	-	.10	.05	.01	.94	.27	-	21
22	tr	-	.01	-	.16	-	-	-	tr	.15	-	.03	22
23	.01	.04	.38	-	.02	-	.05	-	.98	.15	.19	-	23
24	-	.09	-	-	.01	-	-	-	.37	.67	.01	.05	24
25	-	.02	-	-	tr	-	.39	-	.20	.03	.01	-	25
26	-	.02	-	-	.02	-	.91	-	.15	.19	-	-	26
27	-	-	-	.21	-	-	.47	.09	-	.10	.03	.02	27
28	-	-	.17	.16	.13	.04	.21	tr	tr	.12	.02	.01	28
29	-	-	.24	-	.06	-	.19	tr	-	.16	-	-	29
30	-	X	.08	-	-	-	-	.38	.05	.32	-	.02	30
31	-	X	.01	X .21	-	X .44	.05 .03	.01 .01	X .02	.05	X .04	.05 .02	31 21.13
TOTAL	2.21	.55	1.22	1.89 ~~1.68~~	1.91 ~~2.12~~	.90 ~~.46~~	2.58 ~~2.99~~	.56 ~~.58~~	2.26 ~~2.25~~	5.83 ~~5.85~~	.79 ~~.75~~	.43 ~~.45~~	YEAR'S TOTAL ~~21.11~~
*Days with ·01 in. or more.	14	9	9	17	18	4	11	6	13	22	10	11	145 ~~144~~
*Days with .04 in. or more.	9	5	5	13	13	4	11	3	9	19	4	4	99

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 342

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 968100/29

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at UPALONG. HEADCORN

in the County of KENT.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level ~~27~~ 100 ft.

WP ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: tr

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	-	tr.	-	-	-	-	-	.01	tr.	-	-		1
2	-	.33	.07	-	-	-	-	-	-	tr.	.01	-		2
3	.14	-	.31	-	.05	-	-	-	-	.02	-	-		3
4	.05	.13	.24	-	-	-	-	-	-	.12	tr	.01		4
5	.02	-	-	-	-	-	-	-	-	-	tr	-		5
6	.38	-	.12	-	.05	-	-	-	-	tr	-	-		6
7	-	-	.12	-	.64	-	-	-	-	.03	.08	tr		7
8	.60	.02	-	-	.22	-	-	-	-	.25	-	.03		8
9	-	.07	-	-	.08	-	.59	-	-	-	-	-		9
10	-	-	.24	-	.08	-	.02	-	-	.02	.09	-		10
11	-	.21	-	-	-	.02	.07	.02	.10	.14	.03	-		11
12	.14	-	-	-	.09	.07	.04	-	.70	-	.01	-		12
13	-	-	-	.04	-	.30	.35	-	.57	-	-	-		13
14	.01	-	-	-	.10	tr	.18	-	-	.08	.15	-		14
15	-	-	-	-	tr	-	.04	.03	-	.21	.14	-		15
16	.22	-	-	-	-	-	.15	.30	-	-	.13	-		16
17	.10	.01	.81	-	-	.10	.05	-	-	.05	-	-		17
18	-	-	.37	-	-	.07	-	.02	.08	-	.01	-		18
19	.03	-	-	snow .01	-	.40	tr	-	-	-	-	-		19
20	-	-	.02	.06	-	.53	-	-	.25	-	tr	-		20
21	-	-	.04	-	-	.06	-	-	.03	.03	tr	-		21
22	-	snow .29	-	-	-	.11	-	.14	-	.02	-	-		22
23	-	snow .02	-	-	-	.01	-	.20	.61	tr	.05	-		23
24	-	snow .31	-	.32	.14	-	-	-	.72	-	-	-		24
25	-	.05	-	tr	.02	.13	-	-	.42	-	tr	-		25
26	-	-	-	.59	.02	.12	-	-	.05	-	snow .34	.07		26
27	-	.42	-	.02	.07	.03	tr	-	-	.01	.07	.10		27
28	-	.05	-	tr	.05	-	-	-	.01	.20	.06	.25		28
29	-	×	-	-	.23	-	-	-	-	.07	-	.03		29
30	-	×	tr	-	-	-	.26	-	-	.02	-	tr		30
31	-	×	.05	×	-	×	-	.08 .01	×	.05	×	.09		31
TOTAL	1.~~71~~ 69	1.91	2.39	1.04	1.84	1.95	1.75	.~~79~~ .80	3.5~~5~~ 4	1.32	1.17	.58	Year's Total ~~20.00~~ 19.98	
*Days with ·01 in. or more.	~~11~~ 10	12	11	6	14	13	10	~~7~~ 8	~~12~~ 11	16	13	7	13~~2~~1	
*Days with ·04 in. or more.	7	9	10	4	12	10	9	4	9	9	9	4	96	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

342

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** ~~342.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Upalong, Headcorn.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 100 ft.

WP
alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·30

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	-	.07	-	-	-	-	-	.10	-	.16	-		1
2	tr	.08	-	-	tr	tr	-	.17	-	.14	.03	.23		2
3	.05	-	.20	-	-	-	-	-	.35	.54	-	.14		3
4	.01	.02	-	tr.	-	-	-	-	tr	.36	tr	.08		4
5	.12	.01	-	-	.07	-	-	-	-	.12	-	.73		5
6	-	-	-	-	.06	-	-	-	-	.02	.01	.19		6
7	tr	.01	.31	.06	.09	.16	-	.04	-	.26	-	.34		7
8	-	-	-	-	-	-	-	-	-	.04	-	.14		8
9	tr	-	-	.19	.17	-	-	-	-	-	1.33	.04		9
10	-	-	.02	-	.01	-	-	.11	-	-	.58	.18		10
11	.01	-	.32	.20	-	-	-	.10	-	.03	.14	.01		11
12	.70	-	.37	.07	-	-	.16	tr	-	-	-	.21		12
13	.25	-	.19	-	-	-	.12	.12	-	-	.03	.19		13
14	.50	-	.12	-	-	-	.02	.35	-	-	-	.15		14
15	.30	-	.44	.09	.03	-	-	-	-	-	.21	.19		15
16	.01	-	.02	-	.01	-	-	-	-	-	.08	.43		16
17	.08	-	.24	.02	.19	-	-	-	-	-	tr	.06		17
18	.05	-	.47	.03	.04	-	-	-	-	tr	tr	.25		18
19	.09	-	.02	.31	-	-	.07	-	tr	.06	.34	.17		19
20	.02	-	.32	tr	-	tr	-	tr	.16	.05	.01	.15		20
21	-	-	.11	-	-	-	.14	-	-	-	-	-		21
22	-	-	-	.10	-	.04	-	-	-	-	.01	-		22
23	-	.02	-	.01	-	-	.11	.17	.12	-	-	-		23
24	-	-	-	.19	-	.26	-	-	-	.04	-	.23		24
25	-	.01	-	.08	-	.10	.78	.39	.10	tr	-	-		25
26	.04	-	-	.07	-	-	-	-	-	.06	-	.34		26
27	.10	-	-	.16	-	-	tr	-	-	-	-	tr		27
28	.02	.04	-	.45	-	.08	-	-	-	-	-	.13		28
29	.01		-	.17	-	.12	.01	.31	-	-	-	.17		29
30	.03	×	-	-	-	-	-	-	.20	-	-	.03		30
31	.08	×	-	×	-	×	-	.04	×	-	×	.12		31
TOTAL	2.47	·04 ~~.19~~ ·26	~~3.22~~ 3·15	2.20	.67	.76	1.41	·10 ~~1.80~~ 1·90	~~1.03~~ ·93	·16 ~~1.72~~ 1·88	2·93 ~~2.63~~ 2·44	·30 ~~4.90~~ 5·20	Year's Total ~~23.00~~	23·60
*Days with ·01 in. or more.	19	~~7~~ 8	~~15~~ 14	16	9	6	8	11 ~~10~~	5 ~~6~~	13 ~~12~~	~~12~~ 11	~~25~~ 26	145	146
*Days with .04 in. or more.	12	~~2~~ 3	~~18~~ 11	13	6	6	6	11 ~~10~~	5 ~~6~~	11 ~~10~~	~~7~~ 6	~~23~~ 24	113	114

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

968100/29

Section **A** **COPY FOR OFFICIAL USE** for the entry of Daily Observations.

Station No. 342

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File 968100/29

Kept at UPALONG, HEADCORN.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 100 ft.

few omissions

Missing values supplied by obsr. corrd. for

WD

written 7/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1936. ·58

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.30	-	-	-	.11	.30	-	-	-	.04	tr.	.32		1
2	.28	tr.	.04	.01	-	-	.04	-	.04 ~~.94~~	.10	.04	-		2
3	.23	-	.02	.04	-	tr.	-	-	.02	.34	.16	-		3
4	.02	.07	.08	fst. .04	-	-	-	-	.25	.32	-	-		4
5	-	-	-	fst. .20	-	.03	-	-	.28	.38	-	.05		5
6	-	.55	.03	fst. .06	-	.06	-	-	.70	.22	.04	.15		6
7	-	.05	-	.22	-	.31	-	-	tr.	.04	.42	-		7
8	.11 -	-	snow .01	.15	-	-	-	-	-	.12	.82	.04		8
9	-	-	-	.36	-	-	-	.20	-	.29	.41	.08		9
10	-	tr.	-	.04	-	.35	-	-	-	.34	.23	.04		10
11	.08 -	.02	-	.02	-	.01	-	-	-	.01	.11	.22		11
12	.12 -	-	-	.15	-	.06	.04	-	-	-	.29	tr.		12
13	-	.03 -	-	-	-	.08	-	.29	-	tr.	.46	.01		13
14	.03 -	.21	-	.13	-	tr.	-	-	tr.	-	.12	.18		14
15	-	-	-	.22	snow .39	.07	-	-	-	-	.01	-		15
16	-	.16	-	.43	.05	.05	-	-	.38	tr.	.20	-		16
17	.02 -	-	-	.17	fst. -	.04	-	-	.39	.02	.89	-		17
18	.04	-	.02	.03	tr.	.19	.04	-	.12	-	.45	tr.		18
19	-	.33	.06	.18	.04	.08	.19	-	.27	.03	tr.	-		19
20	-	tr.	-	.01	.53	.01	.02	-	.02	-	-	.01		20
21	-	.65	-	.18	-	-	.10	-	-	-	-	-		21
22	.04	.27	-	.02	-	-	-	-	tr.	-	.05	-		22
23	-	-	-	-	-	-	-	.22	.07	-	.07	-		23
24	.06	-	-	-	-	-	-	.24	-	tr.	tr.	-		24
25	.11	.48 -	-	-	.08	-	-	.62	.54	.10	.16	.49		25
26	-	.11	-	.06	.30	.08	-	.02	.03	.10	.11	.41		26
27	-	.07	-	-	.02	-	-	.05	.04	tr.	.03	.38		27
28	snow .26	.51	-	-	.07	-	-	.11	tr.	tr.	.01	.20		28
29	snow .01	X	-	-	tr.	-	-	.01	.03	-	tr.	.21		29
30	tr.	X	-	-	.04	-	-	.01	.27	.01	.01	.50		30
31	.10	X	-	X .11	.06 ~~.30~~	X	-	.90 -	X .04	.12	X .82	.25 .58		31
TOTAL	1.51 ~~1.45~~	3.51 ~~3.00~~	.26	2.83 ~~2.72~~	1.88 ~~1.69~~	4 1.72	.43	2.67 ~~1.77~~	3.49 ~~4.35~~	4 2.58	41 5.09	3.80 ~~3.54~~	Year's Total ~~28.60~~	29.75
* Days with .01 in. or more.	15 ~~11~~	14 ~~12~~	7 ✓	22 ~~21~~	11 ✓	14 ~~15~~	6 ✓	11 ~~10~~	17 ~~16~~	16 ~~17~~	23 ~~22~~	17 ✓	~~165~~	171
* Days with .04 in. or more.	11 ~~9~~	12 ~~11~~	3 ✓	17 ~~16~~	10 ✓	11 ~~12~~	5 ✓	8 ~~7~~	13 ~~12~~	12 ~~13~~	19 ~~18~~	15 ✓	~~131~~	136

Print All

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 342

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at HEADCORN

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·78	·01	·12		·15	·09	·06			·05	·10		1
2	tr	·08	·04	·03		·13	·02	·05			tr	·02		2
3	·03			·37	tr	·02					·87			3
4	tr					·08		·02	·19					4
5	·18		·07	·01				·02	·41	·07	·04	tr		5
6	·17		·05			tr			·14	·05	·80			6
7	·51		tr			·08			tr	·17	·48			7
8	·27		·07				·03	tr		tr	·56	·31		8
9	·43		·08				·36	·31	·02	·03	·11			9
10	·20						·28	·78	·65	·20	·02			10
11	·04			·22			·22	·03			·87			11
12	tr			·01		·11	·09	tr	·08		·17	·14		12
13						x ·45	·05			tr	·03	34		13
14		·03				4	·74		·01	·03	·14	·50		14
15		·01			·02		·01			tr		·21		15
16	SNOW. ·24	·10					tr				·13	·24		16
17	·12	·71				·09					·24	·29		17
18	·10	·13				·28	·20	tr	·04	tr	·41	·05		18
19	·17	tr				·05		·07		·02	·01			19
20	·16	·18		FST ·32		·05	·01		·47					20
21				FST ·37	·02	·55	·04		·04					21
22	·03	·30	·11	FST ·05		·56	·02		·01			·04		22
23	tr	·08		·04			·29			·07				23
24	·06	·15	·01			·02			tr	·12				24
25	·44		·15	·14		·31			·28	·02				25
26		·07	·23	·01					·24	·11		·03		26
27	·11	·01	tr				·29		·02	·17	tr			27
28	·73		·11			·34	·56		·11	tr		·03		28
29	·03	SNOW. ·06	·07			·25	·02		·02			·01		29
30	·07	✕			·04	·12	tr			·09	·14			30
31	·06	✕	·19	✕	·01	✕	·08		✕	·80	✕	·05		31
TOTAL	4·35	2·19	1·19	1·69	·09	2·84	3·40	1·34	2·73	1·95	4·47	2·36	Year's Total 28·60	✓
* Days with .01 in. or more.	22	14	13	12	4	19 ✓	19	8	16	14	17	15	173	✓
* Days with .04 in. or more.	19	11	11	8	1	17 ✓	13	5	11	10	14	11	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 342

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at UPALONG HEADCORN - KENT

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·75	·11	·01	·12				tr			·41	·18		1
2	·02	·13	·05	·38	tr			tr		tr	·02	1·16		2
3		·11	·06	tr					tr		tr	·41		3
4	·15	·63										·22		4
5	·07	·10	·31				·13			·44				5
6	·05		·38	tr	·13		·05			·04	tr			6
7		·68	·09	·03	·01					·01				7
8		·01	·24		·02	·05			tr	tr	·05	·33		8
9		·09	·01	·38	·14		·07		·29			·05		9
10			·32	·16	·19	·65	·02	tr				·53		10
11			·48	·05	·12		·06	tr				·13		11
12	·18	·26	·31	tr	·28	·03	·03	·19	·33			·01		12
13	·23	·03	·49	·01	·02	·39		·28	·15			·87		13
14	·02	tr	·01	tr	·17	·02		·31	·05			tr		14
15	·12			·10	·01	·22	·46	·39	·03					15
16	·04	·08	·16	·30	tr	·02			·35			·01		16
17	·36	·01	·02	·10		·06			·37					17
18	·47	·03		·01	·28	·57			·35		·32			18
19	·02	·04	·08	·08	·56	·12	·12		·03		·20	·03		19
20	·49	tr	·75	·20	·79	·04			·09					20
21	·34	·22	·02	·03	·02		·01	·07	tr		·07	·02		21
22	·32	·09	·02		·03	·02	·01			·83	·63	·04		22
23	·14	tr		tr			·06			·47	·01	tr		23
24	·72	·15	·14						·05	·18		tr		24
25	·17	·27	·25						·07	·35		·01		25
26		·34	·06		tr					·45				26
27		·25	·02	·26					·04	·09	tr			27
28	·10	·12		·03		tr				·01		·07		28
29	·08	×	tr			·02	tr			·27	·02	·02		29
30	·19	×						·04		·35	·09	·04		30
31	·21	×		×		×			×	·04	×	·09		31
TOTAL	5·24	3·75	4·28	2·24	2·77 ~~2·27~~	2·21	1·02	1·28	2·20	3·53	1·82	4·22	Year's Total 34·06	✓ 34·06
* Days with .01 in. or more.	23	21	23	16	15	13	11	6	13	13	10	19	183	✓ ✓
* Days with .04 in. or more.	20	17	16	11	9	8	7	6	11	11	7	13	136	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 342

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Headcorn

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 100 ft.

Snow ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05		·02		·14	·47	·07		·32	·05	·03	·05		1
2	·02	·01		·05	·04		·12			·33		·01		2
3	tr				·34		·04			·85	·01			3
4	·05					·03	·06	·08	tr	·03		·05		4
5	tr			tr			·64	·09		·41				5
6	·02						·03	·04	·01					6
7	·08					tr	·16	·37		·21				7
8	·18						·09	tr	·13	·14		·05		8
9	·14	tr						·11	tr	·03		·51		9
10	·11	·06				·06		·08				·35		10
11	·16	·01			tr	·01	tr	·20				·12		11
12	·21	·02			tr		tr	1·06		·03	·08	tr		12
13	·35	·15								·03	·04	·02		13
14	·22	·07			·59				·03		·05			14
15	·01	·20			tr		·25			·21	tr	·03		15
16	·24	·02	tr				tr			·04	·02	·33		16
17			tr		·45		·05			·44	·02			17
18				tr	·03	·03	·05		·05	·06	·40			18
19	·05			tr	·03			tr	·02		·04	·09 x		19
20				·05	·04				·25		·42	x		20
21	·01			·01				·10	·13		·04	x		21
22	tr			·01		·06		·02	tr		·22	x		22
23				·04	·06						·01	✓		23
24			·08		·31				·03		·03	1·56		24
25	·04		·33	·01	tr	tr	·01		·13	·02	·85	4		25
26	·49	·19	·08					·02	·24	·24				26
27	·04	·04			·13	·11	·29		·67	·26	·29			27
28	·06	·02			·37	·01		·34	·04			✓		28
29	·16	x		·02	·17						tr	x	✓	29
30	·04	✕		·38	·22	tr				·02	·31	·02		30
31	·26	✕		✕	·04	✕			✕	·12	✕	·16		31
TOTAL	2·99	·79	·51	·57	2·96	·78	1·86	2·51	2·05	3·52	2·86	3·35	Year's Total 24·75	
* Days with .01 in. or more.	23	11	4	8	15	8	13	12	13	19	17	~~18~~ 21	~~161~~	164
* Days with .04 in. or more.	19	6	3	4	13	4	11	10	9	13	11	14	117	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 342

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HEADCORN

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	^x^Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01			·16	·38		·14		·04	·01	·56			1
2	·03			tr			tr	·42	–	·07	·07			2
3	·47		·34	·21	·02				–	tr		·31		3
4			tr	·08				·42	–	·53				4
5				·30				·03	–	·31	·69	·26		5
6	·28		·08					·02	–	·11	·17			6
7	·17	·15						·17	–	·02	·37	·05		7
8		·07	·19		tr			✗	–	·10		·36		8
9		·03			tr			·24 ✗	–	·58	·58	·13		9
10		tr				·48		✗	✗	·09	·05			10
11	·13		·34		·03	·28			·44	1·18	·03			11
12					·04	tr			–	·02	·02	·04		12
13		tr	·01			·05			✓	1·04		·09		13
14	·58		·01	·02	·04	·02			–	·31	·40			14
15	·78		·01		·64	·04			✗	·73	·05			15
16	·21		·05	·03	·33		·10		–		·48	·01		16
17	·11	·11	·06	·03			·03		–		·08			17
18	·28		·05			·03	·12		–	·12	·30			18
19	·20		·02				·34		✗	·84				19
20			·01			·09	·15	·44	✗					20
21	·05		·17			·01	·02		✗					21
22	·16	·18	·12			·25	·04				tr			22
23		·02	tr			tr	·03	·04		·03	·37			23
24		·02	·07	·22		·02	·05	tr		·15				24
25		·16	·15	·29				tr			·58			25
26	x 1·69		·17	·01			tr			·07	·13			26
27	·04	·03	·16							·62	·25			27
28	·26	·50	·03	tr		·02	tr			·03	·11	·15 snow		28
29		✕		·35		tr	tr			·07		tr		29
30		✕		·53		·02					·10			30
31		✕		✕		✕	·15	·02	✕		✕			31
TOTAL	5·45	1·27	2·04	2·23	1·48	1·31	1·17	1·80	·48	7·03	4·89	1·40	Year's Total 30·55	30.55
* Days with .01 in. or more.	17	10	19	12	7	12	11	11	7	22	20	9	157	"d"
* Days with .04 in. or more.	15	6	13	8	5	6	8	8	6	17	18	8	118	

·x· Heaviest recorded since 1926

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

Section **A**

FORM 1090.

Kept at HEA

in the County

Diameter of Funn

Height of top of Ga

,, Ground

THE MOR

An observer who do
year in the space o

Change station no. after end of May.

to 063212001

FOR OFFICIAL USE.
ORGANIZATION.

0· 341

owing

Jan. 1, following.

Date	**Jan.**										**Nov.**	**Dec.**	*Date*
	in.										in.	in.	
1	–										–	–	1
2	–										·31	–	2
3	–										·02	·05	3
4	–										·10	·04	4
5	–										·89	·11	5
6	·09										TR	–	6
7	·31										TR	–	7
8	–										–	·24	8
9	–										·26	·10	9
10	–										·04	–	10
11	–										·53	–	11
12	–										05	–	12
13	–										88	–	13
14	–										–	·39	14
15	–										32	·01	15
16	–	·2									67	–	16
17	·42 SN.										06	·03	17
18	–	·25 SN	·21	·39		–	·04	–	–	·20	·20	·15	18
19	·06 SN	–	·05	–		–	–	–	·77	–	–	·23	19
20	–	–	–	–		TR	–	·01	–	–	·13	–	20
21	–	–	·08	–		–	·65	TR	·03	·30	·18	–	21
22	·16 SN	–	TR.	–	·33	·06	–	–	·04	·01	–	–	22
23	–	·42	–	·12		–	TR	TR	–	–	·01	–	23
24	·08 SN	–	–	·44		–	·10	–	–	–	–	TR	24
25		–	·45	–		–	·15	–	–	·35	TR	·01	25
26	·38	–	·22	·10	·07	·23	·06	–	–	·40	–	–	26
27	·74 SN	·23	–	·01		–	·07	TR	–	–	–	·02	27
28	–	·12	–	–	·09	–	–	–	–	–	–	–	28
29	·28	–	–	–		–	–	–	·02	–	–	·16	29
30	–	×	–	·11		–	–	–	–	·05	–	–	30
31	·23	×	–	×		×	–		×	·42	×	·11	31
TOTAL	2·75	1·81	2·59	1·50	·70	·54	2·56	·02	1·14	3·65	5·65	1·65	YEAR'S TOTAL 24·56
Days with ·01 in. or more.	10	10	11	11	4	5	16	2	9	16	16	14	124
Days with ·04 in. or more.	10	9	11	9	4	4	13	–	4	13	15	10	102.

40-9999

† Station formerly called Headcorn (Upalong)

(Signed) .... [P.T.O.

Section **A** FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

ER OF RAINFALL IN 1940.

341

Totals

Kept at HEADCORN (Ringles)+

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–			–	–	–	–	–	–	1
2	–	–	–	·11			–	–	–	·18	·31	–	2
3	–	·19	–	·07			·07	–	–	·18	1·02	·05	3
4	–	·15	–	·07			·01	–	–	·05	·10	·04	4
5	–	·02	–	–			·01	–	–	–	·89	·11	5
6	·09	·04	–	–			·16	–	–	·32	TR	–	6
7	·31	–	–	TR			·20	–	–	·01	TR	–	7
8	–	–	–	–			–	–	·03	·62	–	·24	8
9	–	–	–	–			·23	–	–	–	·26	·10	9
10	–	–	–	–			–	·01	·01	·08	·04	–	10
11	–	–	–	TR			–	–	–	·01	·53	–	11
12	–	·15^{SN}	·20	·03			·28	–	·01	–	·05	–	12
13	–	–	·53	–		·08	·03	–	·16	–	·88	–	13
14	–	–	·42	–			–	–	–	–	–	·39	14
15	–	–	·06	·05		·02	·22	–	–	–	·32	·01	15
16	–	·24^{SN}	·14	–	·21	·15	·28	–	·07	·47	·67	–	16
17	·42$^{SN.}$	–	·23	–		–	·07	–	–	–	·06	·03	17
18	–	·25^{SN}	·21	·39		–	·04	–	–	·20	·20	·15	18
19	·06^{SN}	–	·05	–		–	–	–	·77	–	–	·23	19
20	–	–	–	–		TR	–	·01	–	–	·13	–	20
21	–	–	·08	–		–	·65	TR	·03	·30	·18	–	21
22	·16^{SN}	–	TR.	–	·33	·06	–	–	·04	·01	–	–	22
23	–	·42	–	·12		–	TR	TR	–	–	·01	–	23
24	·08^{SN}	–	–	·44		–	·10	–	–	–	–	TR	24
25	–	–	·45	–		–	·15	–	–	·35	TR	·01	25
26	·38	–	·22	·10	·07	·23	·06	–	–	·40	–	–	26
27	·74^{SN}	·23	–	·01		–	·07	TR	–	–	–	·02	27
28	–	·12	–	–	·09	–	–	–	–	–	–	–	28
29	·28	–	–	–		–	–	–	·02	–	–	·16	29
30	–	×	–	·11		–	–	–	–	·05	–	–	30
31	·23	×	–	×		×	–		×	·42	×	·11	31
TOTAL	2·75	1·81	2·59	1·50	·70	·54	2·56	·02	1·14	3·65	5·65	1·65	YEAR'S TOTAL 24·56
Days with ·01 in. or more.	10	10	11	11	4	5	16	2	9	16	16	14	124
Days with ·04 in. or more.	10	9	11	9	4	4	13	–	4	13	15	10	102

40-9999

+ Station formerly called Headcorn (Upalong)

(Signed) .... [P.T.O.

343.

Section **A** for the entry
AIR MINIST

FORM 1090.

343

PLUCKLEY

THE BRICKWORKS

1931 - 1940

063213002 780107

FOR OFFICIAL USE.
FALL ORGANIZATION.

REGIS 31 .

Kept at The Brickwor

in the County of KE

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS AY.

An observer who does not conform t he following year in the space on the right of t

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	·01	·11	—	·01	—	·12	·01	—	·01	·02	1
2	·14	·07	trace		·	—	trace	—	·33	·01	·01	—	2
3	·04	·18	·07		·34	—	—	·14	·78	—	trace	·08	3
4	—	·08	—		—	—	—	·02	·08	·01	·04	—	4
5	—	trace.	—	·49	·05	·29	·05	·51	·02	·01	·01	·09	5
6	·01	·04	—	·05	—	—	—	·01	—	·12	·24	—	6
7	·05		—	·01	·01	·06	trace	·13	·04	—		—	7
8	trace.	·07	·10	—	·04	·13	·02	·06	trace	trace	·32	·04	8
9	·01	·06	·01	trace	—	·02	trace	—	trace	—	·57	·03	9
10	—	·12	·01	trace	—	·07	trace	·19	—	—	1·66	·05	10
11	·11	·34	—	—	—	—	—	·01	·03	·02	·48	·02	11
12	·12	·03	trace	—	trace	·01	—	·07	·43	trace	·01		12
13	·06	·03	—	—	·12	—	·09	·13	—	·01	·01	trace	13
14	·03		trace	—	—	·03	·39	·13	—	—	·02	—	14
15	·02	·14		·27	·04	—	·30	·43	trace	—	—	·01	15
16	·02	·06	—	·15	·15	trace	·02	·08	·01	—	·01	—	16
17	—	·15	—	·21	—	—	·27	·23	·02		—	trace	17
18	·04	·27	trace	·38	—	·03		·17	—	—	·43	·02	18
19	·03	trace.	—	·63	—	·02	·31	·34	·12	—	·04	—	19
20	·01	·07	—	·08	·02	trace	·27	·24	—	·02	trace	·02	20
21	trace.	·14	—	—	·38	—	—	·02	·03	·01		—	21
22	·10	—	·07	·01	—	—	—	·12	·07	trace	·02	—	22
23	·28	—	·08	—		·05	—	—	·03	—	·08	trace	23
24		·02	·02	·39	·05	·05	·06	·31	trace	—	·02	—	24
25	·05	—	trace		—	—	·62	—	trace	·03	·01	·01	25
26	—	·06	trace	·65	—	—		trace	—	·03	·20	—	26
27	·09	·23	—	·04	·27		—	—	—	—	·05	—	27
28	·11	·11		·03	trace	—	—	—	—	·03	·02	·02	28
29	·09	×	—	·03	·09	—	·06	—	·01	·26	—	·03	29
30	·08	×	—	trace		—	·03	—	—	trace	—	—	30
31	·28	×	—	×	·02	×		—	×	—	×	—	31
TOTAL	1·77	2·30	·37	3·53	1·58	·77	2·49	3·46	2·01	·56	4·26	·44	YEAR'S TOTAL 23·54"
*Days with ·01 in. or more.	22	21	8	16	13	12	13	21	15	12	22	13	188
*Days with ·04 in. or more.	15	17	4	12	10	6	10	17	7	2	11	4	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations. 847342/28 343 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Brickworks Pluckley

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	·01	·11	—	·01	—	·12	·01	—	·01	·02	1
2	·14	·07	trace			—	trace	—	·33	·01	·01	—	2
3	·04	·18	·07		·34	—	—	·14	·78	—	trace	·08	3
4	—	·08	—		—	—	—	·02	·08	·01	·04	—	4
5	—	trace.	—	·49	·05	·29	·05	·51	·02	·01	·01	·09	5
6	·01	·04	—	·05	—	—	—	·01	—	·12	·24	—	6
7	·05		—	·01	·01	·06	trace	·13	·04	—		—	7
8	trace.	·07	·10	—	·04	·13	·02	·06	trace	trace	·32	·04	8
9	·01	·06	·01	trace	—	·02	trace	—	trace	—	·57	·03	9
10	—	·12	·01	trace	—	·07	trace	·19	—	—	1·66	·05	10
11	·11	·34	—	—	—	—	—	·01	·03	·02	·48	·02	11
12	·12	·03	trace	—	trace	·01	—	·07	·43	trace	·01		12
13	·06	·03	—	—	·12	—	·09	·13	—	·01	·01	trace	13
14	·03		trace	—	—	·03	·39	·13	—	—	·02	—	14
15	·02	·14		·27	·04	—	·30	·43	trace	—	—	·01	15
16	·02	·06	—	·15	·15	trace	·02	·08	·01	—	·01	—	16
17	—	·15	—	·21	—	—	·27	·23	·02		—	trace	17
18	·04	·27	trace	·38	—	·03		·17	—	—	·43	·02	18
19	·03	trace.	—	·63	—	·02	·31	·34	·12	—	·04	—	19
20	·01	·07	—	·08	·02	trace	·27	·24	—	·02	trace	·02	20
21	trace.	·14	—	—	·38	—	—	·02	·03	·01		—	21
22	·10	—	·07	·01	—	—	—	·12	·07	trace	·02	—	22
23	·28	—	·08	—		·05	—	—	·03	—	·08	trace	23
24		·02	·02	·39	·05	·05	·06	·31	trace	—	·02	—	24
25	·05	—	trace		—	—	·62	—	trace	·03	·01	·01	25
26	—	·06	trace	·65	—	—		trace	—	·03	·20	—	26
27	·09	·23	—	·04	·27		—	—	—	—	·05	—	27
28	·11	·11		·03	trace	—	—	—	—	·03	·02	·02	28
29	·09	×	—	·03	·09	—	·06	—	·01	·26	—	·03	29
30	·08	×	—	trace		—	·03	—	—	trace	—	—	30
31	·28	×	—	×	·02	×		—	×	—	×	—	31
TOTAL	1·77	2·30	·37	3·53	1·68	·77	2·49	3·46	2·01	·56	4·26	·44	YEAR'S TOTAL 23·54"
*Days with ·01 in. or more.	22	21	8	16	13	12	13	21	15	12	22	13	188
*Days with ·04 in. or more.	15	17	4	12	10	6	10	17	7	2	11	4	115

40-9999

(Signed) P.T.O.

*See Instruction 2 (*f*) on other side.

847342/28 343

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 343.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Brickworks, Pluckley

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·05	—	·04	·27	—	·02	·01	·02	·03	·04	·04	1
2	·03	trace	trace		·04	—	trace	·11	trace	—	·01	·11	2
3	—	—	—	·45	·22	·06	—	—	·19	·01	trace	—	3
4	·02	trace	—	—	trace		—	—	trace	trace	trace	—	4
5	·10	·02	—	—	·03	·09	·09	trace	·06	—		·02	5
6	·33	—	·03	·16	—	—	—		·07	trace	trace	·05	6
7	·01	—	·08	·02		—	trace	trace	trace	·02	—	·10	7
8	—	·06	·18	·04	·31	—	—	trace	·05		—	trace	8
9	·19	·03	·01		·50	—		·01	—	1·43	trace	—	9
10	·53	trace	trace	·20	·09	—	—	—	·04	·06	trace	—	10
11	·44	·21	·01	·15	·02	·08	—	—	·01	·16	trace	·02	11
12	·14	trace	trace	trace	—	—	—	trace	—	·25		trace	12
13	·02	—	—	·04	·03	—	—	—	·03	1·10	trace	·01	13
14	·12	·02	·01	·08	·08	—	—	·01	·02	·07	—	·01	14
15	·02	·03	trace	·05	·27	—	—	—	trace	·10	—	·02	15
16	·08	trace	—		·11	—	trace	trace	·01	trace	—	·01	16
17	—	—	—	·12	trace	—		trace	—	trace	—		17
18	·02	trace	trace	—	—	—	—	—	·07	·01	·11	·01	18
19	·02	trace	—	trace	·02	—	—	—	·03	·16		trace	19
20	—	·01	—	·03	·23	—	·06	·03	—	·76	·39	trace	20
21	·02	—	trace	·02		—	—	—	—	·14	trace	·03	21
22	·01	·06	·38	·02	·17	·06	·05	·03	1·45		·17	·01	22
23		·08	·02	·14	·03	—	—	—	·17	·84	·03	·05	23
24	trace	·03	—	—	·01	—	·57	—	·18	·04	·03	—	24
25	·02	·04	—	—	·02		1·03	—		·20	·04		25
26	—	—		·08	—	·01	·28	·07	·01	·10			26
27	—	—	·19	·13	·10	—	·15	—	·02	·24	·07	·04	27
28	—	—	·01	·01		—	·14	trace	—	·07	—	trace	28
29	—	—	·23	·08	·05	—	trace	·25	·05		·01	·03	29
30	—	×	·09	·09	·01	·56	—	trace	·03	·46	·05	·03	30 (d)
31	—	×	·03	×	—	×	·07	·03	×	·03	×	·05	31
TOTAL	2·16	·64	1·27	1·95	2·61	·86	2·40	·55	2·51	6·28	·95	·64	YEAR'S TOTAL 22.82"
*Days with ·01 in. or more.	19	12	13	20	21	6	10	9	19	22	11	18	(180)
*Days with .04 in. or more.	9	6	6	15	13	5	9	3	10	17	7	7	(107)

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

84/342/28. 343

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. ~~343~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Brickworks, Pluckley,
in the County of KENT.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·13	·14	—	—	—	—	—	—	·02	·01	—		1
2	·08	—	·35	—	·19	—	—	—	—	·10	·03	—		2
3	·06	·12	·11	trace	trace	—	—	—	—	·06	trace	—		3
4	·02			trace	·01	—	—	—	—	·01	—	—		4
5	·28	trace	·11	—	·10	—	—	—	—	trace	·02	—		5
6	—	·06	·10	—	·45	—	—	—	—	·03	·09	·01		6
7	·45	·02	·02	—	·23	—	—	—	—		·01	·02		7
8	·13	·02	—	—	·03	—	·14	—	—	·19	—	—		8
9	—	trace	trace	—	·15	—	·02	—	—	·06	·12	—		9
10	·02	·54	—	·01	trace		·05	—	—	·16	·02	—		10
11	·10	·01		—	·04	·05	—	·10	·17	·03	—	—		11
12	—	—	·01	·08	—	·20	·19	—	·79	·02	·03	trace		12
13	·02	—	—	—	·16	·02	·20	·01	·42	·11	·16	—		13
14	—	trace	trace	—	·01	—		trace	—		·24	·01		14
15	·16	—	·05	—	—	—	·30	·41	—	·20	·07	·45		15
16	·15	·01	·55	—	—	·12		—	—	·05	·01	—		16
17	—	—	·31	—	—		—	·02	·09	·02	·02	—		17
18	·18			·05	—	·31	—	—	—	—	—	—		18
19	·01	·05	·08	·24	—	·36	—		·03	—	·02	trace		19
20	—	·03	·05	·39	—	·09	trace	·02	·04	—	·01	trace		20
21	—	·16	·01	·04	—	trace	—	·21	·57	·04	trace	·01		21
22	—	·03	—	—	—	·11		·22	·14		·02	—		22
23	—	trace	—	·12	·13	·03	·01	—			·01	—		23
24	—	·11	—	·15	·03	·15	trace	trace	1·38	—	·09	—		24
25	—		—	·38	·05	·10	·01	—	·08	—				25
26	—	·36	trace	·02	—	·02	—	—	trace	·03	·56	·12		26
27	—	·03	trace	trace		trace	—	—	trace	·02	·02	·12		27
28	—	·01	trace	trace	·11	·01	·12	—	trace		trace	·12		28
29	·03	×	trace	—	·16	—		—	—	·30	—	·01		29
30	·07	×	·05	·02	—	—	·24	—	·03	·05	—			30
31	·04	×	—	×	—	×	—	·09	×	—	×	·06		31
TOTAL	1·82	1·69	1·94	1·50	1·85	1·57	1·28	1·08	3·74	1·50	1·56	·93	Year's Total 20·46	inches.
*Days with ·01 in. or more.	17	16	14	11	15	13	10	8	11	19	20	10	(164)	
*Days with .04 in. or more.	11	8	11	8	11	9	7	5	9	11	7	5	(102)	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Guy S. Davis

[P.T.O.

847342/28.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** ~~343~~ 343

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Brickworks, Pluckley,

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

X

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	trace	—	trace	—	trace	·23	—	·23	·01			1
2	·07	—	·18	·01	—	—	—	—	·40	·57	—	·40		2
3	·02		—	·03	·04	—	—	·04	·01	·36		·16		3
4	·12	·05	·01	trace	trace	trace	—	—	trace	·04	·08	·67		4
5	trace	trace	·02	—		·01	—		—	trace	·01	·25		5
6	—	—	·27	·09	·23	·27	—	·07	—		·01	·43		6
7	·04	—	trace		—	·01	—	trace	—	·25	—	·16		7
8	—	·02	—	·19	·17	—	—	·03	trace	·01	1·42			8
9	·02	trace	·03	·01	·01	—	—	—	—	trace	·36	·16		9
10	—	·01		·21	—	—	—	·02	—	·03	·13	·01		10
11	·64	—	·55	·08	—	—	·15		—	—	—	·47		11
12	·11	trace	·15	trace	—	—	·09	·40	—	—	·15	·08		12
13		—	·15	·03	—	—	·01	·13	—		·01	·02		13
14	·68	trace	·42	·05	·03	—	trace	trace	—	·04	·36	·28		14
15	·01	—	·01	—	·01	—	—	—		·01	·14			15
16	·08	·01	·28	·03	·12	—	—	trace	·01	·02	·01	·47		16
17	·06	—	·30	·01	—	—	—	—	·87	·06		·20		17
18	·08	—	·05	·29	—	—	·03	—	·02	·01	·12	·26		18
19	·01	—	·28	·01	—	trace	—	—	·14	trace	·01	·15		19
20	—	·01	·13	trace	—	—	·18	—	trace	—	·01	·01		20
21	—	trace	·01	·06	—	·07		·05	—	·01	trace	·01		21
22	—	·01	·01	—	—	—	·56	·13	·12	trace	·01	—		22
23	—	·01	trace	·25	—	·23		trace	—	·01	·01	·31		23
24	—		—	·08	—	·30	·73	·11	·10	—		—		24
25	·05	·01	—	·17	·01	—	—	—	—	·01	trace	·41		25
26	·12	—	—	·15	—	·10	—	—	·01	—	—	·02		26
27	·02	·02	—	·24	—	·04	—	—	trace		—	·17		27
28	—	·01	—	·09	—	·01	·01	·37	—	·01	·01	·12		28
29	—	+	—	—	—	—	—	·08	·22	trace	trace	·01		29
30	·13	×	—	—	—	—	~~trace~~	·01	—	trace	trace	·23		30
31	·02	×	—	×	—	×	trace	trace	×	·05	×	·19		31
TOTAL	2·29	·17	2·85	2·08	·62	1·04	1·76	1·67	1·90	1·72	2·86	5·65	Year's Total. 24·61	
* Days with .01 in. or more.	19	11	17	20	8	9	8	13	10	17	18	26	(176)	
* Days with .04 in. or more.	12	1	11	13	4	6	5	10	6	8	8	20	(104)	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

847342/28.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 343.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Brickworks, Pluckley

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 112 ft.

Total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·03	·01	·01	—	·13	·05	—	·06	·08	·07	—		1
2	·27	—	—	·02	—	—	·01	—	·01	·29	✓	trace		2
3	·02	·03	·22	·10	—	·01	—	—	·21	·49	× ·09	·01		3
4	—	·02	·01	·17	—	·13	—	—	·27	·55	·01	·14		4
5	—	·54	·03	·09	—	·08	—	—	·64	×	·01	trace		5
6	·04	·07	·01	×	—	·16	—	—	—	✓ ·28	·13	·09		6
7	·10	·03	trace	× ·43	—	·24	—	—	—	·01	·89	×		7
8	—	—	—	·30	—	—	—	·40	—	·20	·23	× ·16		8
9	trace	—		·06	—	·17	—	—	—	·50	×	·02		9
10	·06	·03	trace	—	—	·13	—	—	—	·01	× ·38	·23		10
11	·13	·01	—	·11	—	·04	·05	—	trace	trace	·28	trace		11
12	—	·01	—	·01	—	·19	—	·37	—		·33	trace		12
13	·04	·11	trace	×	·01	trace	—	—	—	trace	·15	·22		13
14	·01	trace	trace	× ·22	·45	·08	—	—	—	—	trace	·06		14
15	·01	·07	—	·57	·01	·09	—	—	·42	—	·27	·06		15
16	·01	·06	—	·17	—	·05	—	trace	·58	·01	·85	·01		16
17	·05	—	·04	·02	trace	·19	—	·04	—	—	·56	·01		17
18	trace	—	·01	×	×	·04	·25	trace	·17	·04	trace	·01		18
19	—	—	trace	× ·17	× ·63	·03	·09	—	·03	—	·09	·04		19
20	trace	·50	trace	×	·05	·09	·14	—	·02	·01	·05	·01		20
21	·03	·28	—	✓ ·06	—	—	—	—	×	·11	·04	✓		21
22	trace	·13	trace	—	—	—	—	·04	✓ ·08	·01	·03	·01		22
23	trace	—	✓	—	trace	—	—	·19	·01	—	·01	·08		23
24	·06	·63	·01	—	·12	—	—	·54	·57	·13	—	×		24
25	·12	·12	·01	·11	×	·15	—	—	trace	·02	·04	×		25
26	·06	·04	trace	—	·07	·01	—	·06	·03	×	·01	× 1·16		26
27	·15	·39	·01	—	·11	trace	—	·17	·09	·13	·04	·16		27
28	—	·08	—	—	·17	—	—	trace		·05	trace	×		28
29	—	×	—	—	—	—	—	·02	× ·34	trace	trace	× ·58		29
30	·09		—	·06	·13	—	—	·99	·05	·17	·54	·25		30
31	trace		—		·01		—	·02		·19		·40		31 „ "
TOTAL	1·45	3·18	·36	2·62	1·76	2·01	·59	2·84	3·58	3·28	5·10	3·71	Year's Total 30·48"	d
* Days with .01 in. or more.	18	20	10 ✓	~~18~~ 22	~~11~~ 12	19	6	11	~~17~~ 19	~~20~~ 21	~~28~~ 25	~~21~~ 25	~~194~~	(208)
* Days with .04 in. or more.	13	13	2 ✓	~~14~~ 17	~~8~~ 9	16	5	9	12 ✓	14 ✓	~~18~~ 19	~~14~~ 18	~~128~~	(147)

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

× Observations not always taken daily.

847342/28.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 343.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at The Brickworks, Pluckley

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 112 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·17	·04	·14	—	·18	·11		—	—	·08	·17		1
2	·01	·06	·02	·01	—	·12	·05	·12	trace	·02	·01	·02		2
3	·01	·01	trace	·26	·02	·11	—	—	·04	—	·26	—		3
4	—	—	·08	—	—	·07	trace	·01	·13	trace	·04	·03		4
5	·19	trace	·03	·01	—	—	—	·04	✗	·08	·04	✓		5
6	·34	—	·01	—	—	✓	trace	·03	✗ ·46	·30	·53	✓ ·04		6
7	·23	—	·05	—	—	✓ ·06	·04	—	·02	·04	·35	—		7
8	·23	—	·03	—	—	—	·03	·01	—	trace	·68	·24		8
9	·34	—	·01	—	—	—	·47	✓	trace	—	·17	·01		9
10	·02	—	—	—	trace	trace	·29	·57	·23	·31	·01	—		10
11	—	—	—	✗	—	—	·17	·01	—	—	·81	·01		11
12	—	—	—	✓	—	✗	·14	·01	—	·02	·23	—		12
13	—	—	—	·70	·01	✗ ·76	·06	—	trace	·01	·02	·32		13
14	·01	·03		—	·01	—	·75	·01	·02	·03	✗	·25		14
15	·01	✓	trace	trace	—	—	·03	trace	·07	·01	✗ ·14	·24		15
16	·23	✗ ·10	trace	—	—	—	—	—	·01	trace	·13	·14		16
17	·11	·59	trace	—	—	·09	—	—	trace	—	·29	·23		17
18	✗	·15	—	—	—	trace	·22	·02	·02	✓ ·02	·38	·05		18
19	✓ ·23	·04	—	—	—	·03	—	·04	—	·04	·01	—		19
20	·18	·16	·01	·34	—	·50	—	—	1·36	—	—	—		20
21	trace	·01	—	·32	trace	1·22	·07	—	·04	—	—	—		21
22	·01	✗	·04	·08	·02	·02	·07	—	·01	—	·01	·05		22
23	·07	✗ ·28	·01	·05	—	—	·19	trace	trace	·01	trace	·01		23
24	·06	·18	—	—	—	—	·01	—	·03	✗	trace	—		24
25	37	·02	·18	✗	·04	·21	·02	—	·42	✗ ·13	·01	—		25
26	—	·05	·19	✓ ·11	trace	·01	—	—	✗	·10	·01	·03		26
27	·12	·08	trace	·02	—	—	·52	trace	✓ ·26	·16	·01	—		27
28	·49	trace	✗	trace	—	·17	—	trace	·10	·01	—	·03		28
29	·02	·05	✗ ·21	—	—	·12	·21	—	·01	·03	·10	·01		29
30	·06	✕	—	—	✗	·19	trace	—	·01	·10	·01	·01		30
31	·19	✕	·15	✕	✓ ·11	✕	·08	—	✕	·73	✕	·07		31
TOTAL	3·71	1·98	1·06	1·44	·21	3·26	3·53	·81	3·24	2·15	4·33	1·96	Year's Total 27·68"	
* Days with .01 in. or more.	25 ✓	~~18~~ 19	16 ✓	14 ✓	4 ✓	18 ✓	~~21~~ 20	11 ✓	20 ✓	~~21~~ 20	25 ✓	21 ✓	~~217~~ 216	
* Days with .04 in. or more.	18	13	9	8	2	13	16	4 ✓	11	11	16	10	131	

unable to say, records not always taken daily.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Guy F. Davis [P.T.O.

847342/28

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 343

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Brickworks, Pluckley

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 112 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·75	·02	trace	·07	–	–	trace	–	–	–	·45	·16		1
2	–	·17	·08	·41	–	–	–	✓ ·01	–	✓	·01	·71		2
3	–	·06	·02	–	trace	–	–	–	–	– ·02	·01	·38		3
4	·08	·65	trace	·01	trace	–	–	–	–	trace	·01	·23		4
5	·14	·04	·33	–	–	–	·20	trace	trace	·10	–	·04		5
6	·05	–	✗	–	·11	–	·02	–	–	·02	trace	trace		6
7	trace	·66	✗ ·44	·04	trace	–	–	–	–	·01	–	·06		7
8	·01	·01	·08	–	✓	·07	–	–	–	·01	·05	·44		8
9	–	·09	·01	·41	✗ ·14	·06	·08	–	·25	trace	trace	·14		9
10	trace	–	·35	·14	·17	·85	✓	trace	–	–	–	·35		10
11	–	–	·60	·08	✗	–	✗ ·11	trace	–	–	trace	·15		11
12	·21	·28	·62	·01	✗ ·45	–	·06	·25	·34	–	–	·06		12
13	·25	✓	·45	·01	·02	·38	trace	·01	·14	trace	–	·78		13
14	·04	– ·03	·01	–	·26	·03	–	·38	·04	–	·01	·04		14
15	·11	·06	trace	·12	–	·07	·39	–	·03	trace	–	·01		15
16	–	·04	·19	·31	–	·02	–	·41	·04	–	·01	trace		16
17	·35	·02	·01	✗	–	·18	–	–	·85	✓ ·01	·45	–		17
18	·35	·04	trace	✓ ·08	·17	·17	–	–	·45	trace	·09	–		18
19	·12	·08	·10	·09	·02	·14	·02	–	·07	trace	·01	·03		19
20	·36	–	·62	·24	·94	·03	–	–	·01	·01	trace	–		20
21	·33	✗ ·30	·09	·07	trace	–	trace	·07	–	·01	·01	trace		21
22	·29	·04	·02	–	·03	trace	·02	trace	trace	1·18	·14	·04		22
23	·05	·01	trace	–	–	–	·07	·01	trace	·46	·01	·01		23
24	·50	·16	·14	–		–	–	–	·08	·18	·01	–		24
25	·21	·37	·22	–	–	–	–	–	·07	·46	–	✓		25
26	·01	·38	·09	trace	trace	–	–	–	–	·39	·01	–		26
27	·01	·16	–	·35	trace	–	–	–	·01	·09	–	– ·01		27
28	·05	·05	–	·01	–	·02	–	–	trace	·01	trace	·09		28
29	·09		·04	–	–	·02	–	·01	·01	·24	·02	·01		29
30	·25	✕	–	–	–	trace	–	·01	trace	·20	·13	·07		30
31	·23	✕	trace	✕	–	✕	·05	–	✕	·01	✕	·05		31
													Year's Total	
TOTAL	4·84	3·72	4·51	2·45	2·31	2·04	1·02	1·15	2·39	3·41	1·43	3·86	33·13	
* Days with .01 in. or more.	24	~~25~~ 23	22 ✓	18 ✓	12 ✓	13	11 ✓	8 ✓	14 ✓	18	17	22 ✓	(202)	
* Days with .04 in. or more.	21	~~19~~ 18	17 ✓	13 ✓	8	8	7	4 ✓	10 ✓	9 ✓	6	17 ✓	(138)	

unable to shew as not always taken daily.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Guy S. Davies [P.T.O.

1/1/38

847342/28.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 343

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Brickworks Pluckley
in the County of KENT.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 112 ft.

Acc
Days

21/2/39 notified W.J.H.
corr for Dec. 19-27 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		-			·52	·37		-	·29	-	·02	·08		1
2	·07	-			·08	-		-	-	·23	trace	trace		2
3	trace	-	·02	·03	·29	-	·19	-	-	·53	trace	✓		3
4	·03	-	trace	-	-		·35	·08	-	·13	-	— ·03		4
5	trace	-	-	-	-		·44	·24	-	·38	-	-		5
6	·04	-	-	-	-	·02	·03		trace	-	trace	trace		6
7	·05	trace	trace	-	-	-	trace	·43	·	·22	-	·07		7
8		trace	-	-	-	-	·07	-	·08		trace	-		8
9	·40	·01	-	-	-	-	-	·15	·02	·15		·39		9
10	·07	·06	-	-	-	·25	trace	·09	-	trace	trace	✓		10
11	·16		-	-	-	-	-	-	-	-	·08	·42		11
12	·18			trace	-	-	-	·12	-	·03		trace		12
13	·37	·24	trace	-	-	-	-	-	trace	·02	·07	·05		13
14	·17	·01	-	-		-	-	·02	·06	-	trace	·03		14
15	·21	·10	-	-	·43	-	·11	-	-		trace	·03		15
16		·01	-	-	·02	-		-	-	·20	trace	·27		16
17	trace	·09	trace	-	·53	-	·03	-	-	·32	trace	-	18" Snow	17
18	·03	-	-	-	·22	-	·04	-	·05	·03	·39	-		18
19	-	-	-	-	·01	-	-	-	·07	trace		* 4		19
20	-	-	-	trace	·07	-	-	-	·32	-	·54	* 4		20
21	·05	-	-	-	-	-	-	·04	·16	-	·11	* 14		21
22		-	-	·02	-	·08	-	·02	-	7	·15	* 4	Approximately	22
23	·01	trace	-	-	-	-	-	-	-	-	·02	* (1·30)		23
24	-	trace	·10	·01	·02	-	-	-		-	·25	* 4		24
25	·06	-	·28	·17	·33	-	·02	-	·12	·03	·35	*		25
26	·55		·12	-	-	-	·06	-	·26	·22		* 4		26
27	·07	·16	-	-	·18	·08	·26		·36	·29	·29	* ✓		27
28	·04	·02	-	·07	-	·05	trace	·56	·18	trace	·	trace		28
29	·19	-	-	-	·58	-	-	-	·03		·02	·29		29
30	-	✕	-	-	·32	-	-	-	·04	·02	·21	trace		30
31	·21	✕	-	✕	·05	✕	-	-	✕	·09	✕	·12		31 "d"
TOTAL	2·96	·70	·52	·30	3·65	·85	1·60	1·75	2·04	2·89	2·50	(3·08) ~~1·78~~	Year's Total 22·84 ~~21·54~~	* Unable to measure snow
* Days with .01 in. or more.	20	9	4	5	15	6	11	10	14	16	13	19 ~~11~~	№ 142 measured	Gauge has.
* Days with .04 in. or more.	17	5	3	2	12	5	8	8	12	11	10	15 ~~8~~	Daily 108	No. Snow Rim

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Guy [illegible] Weeks

[P.T.O.

COPY FOR OFFICIAL USE 847342/28.

Section **A** for the entry of Daily Observations

Station No. 343.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at The Brickworks Pluckley

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 112 ft.

Daily 5-

✓ W.A.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	-	·03	✗	·33	-	✗	trace	trace	·01	·12	·02		1
2	-	-	-	·16	·03	-	·13	·48	-	·31	-	-		2
3	·35	trace	-	·15	-	-	-	·13	trace	-	·19	·23		3
4	·14	-	✗	·06	-	-	✗	·50	trace	·67	✓	·01		4
5	-	trace	✓ ·33	·26	trace	-	·10	-	-	·40	✗ ·58	·23		5
6	·43	-	·06	trace	-	-	·02	-	-	·24	·28	-		6
7	·10	·07	-	trace	-	-	·01	✓ ·02	-	-	·22	·07		7
8	trace	·08	·18	-	-	-	-	·01	trace	·23	-	·41		8
9	trace	·04	trace	-	-	-	-	trace	-	·75	·42	✗		9
10	·14	-	-	-	-	·38	-	·18	·04	·18	·18	·11		10
11	·01	-	·30	-	·08	·19	-	-	-	·89	-	·01		11
12	-	-	-	-	-	·02	-	-	-	trace	-	·01		12
13	-	trace	·02	trace	-	·08	-	-	trace	1·25	-	·07		13
14	✗	-	·05	trace	·06	-	·11	-	trace	✗	·38	·01		14
15	✗ ·90	-	trace	-	·86	trace	-	-	·24	✗ ·60	·26	trace		15
16	·19	-	·06	·04	·38	·28	·10	-	-	-	·39	-		16
17	·15	·08	·05	trace	·06	-	·04	-	-	-	·08	-		17
18	·20	-	✗	trace	-	✓ ·02	·13	-	trace	·23	✗	-		18
19	·20	trace	✓ ·10	-	-	-	·36	-	·29	·73	·29	trace		19
20	·24	-	trace	-	-	·12	·15	·45	·06	-	-	·03		20
21	✗	-	·14	-	-	-	-	-	·09	✓	-	-		21
22	✗ ·15	·23	·16	-	trace	·31	✓	-	-	·03	·03	-		22
23	·01	trace	·03	·06	-	-	✗ ·14	·08	-	·04	·34	-		23
24	·14	trace	·01	·28	-	-	·17	-	trace	·14	·01	-		24
25	1·71	·12	✗	·14	-	-	·48	trace	-	-	✗	-		25
26	·24	-	✗ ·35	trace	-	-	·04	-	trace	·26	✗ ·59	·01		26
27	·16	·13	·20	trace	-	-	-	trace	-	·80	·23	-		27
28	trace	·30	·03	-	-	·03	-	-	-	·20	·12	·11		28
29	-		·03	·43	-	trace	-	-	-	·05	·02	-		29
30	-	✕	-	·48	-	·04	-	-	-	trace	·06	-		30
31	-	✕	-	✕	-	✕	·06	trace	✕	·03	✕	-		31
TOTAL	5·56	1·05	2·13	206	1·80	1·47	2·04	1·85	·72	8·04	4·79	1·33	Year's Total 32·84	
* Days with .01 in. or more.	21 ~~19~~	8	21 ~~18~~	10	7	10	16 ~~15~~	8	5	22 ~~21~~	22 ~~20~~	14	Not Measured Daily	164 "d"
* Days with .04 in. or more.	19 ~~17~~	8	13 ~~12~~	10	6	7	13	6	5	19 ~~18~~	18 ~~17~~	7		131

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE 84/342/28

Section **A** for the entry of Daily Observations

Station No. 343

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at The Brickworks Pluckley

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 112 ft.

Acds

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·02	trace	–	–	–	–	–	·01	–		1
2	–	trace	–	·07	–	–	–	–	–	·25	4	·02		2
3	trace	4	–	·10	–	–	trace	–	–	·15	1·41 4	·06		3
4	–	·28 4	–	·02	–	–	trace	–	–	·09	·03	·08		4
5	–	·02	–	–	–	–	trace	–	–	– ·30	·93	·13		5
6	4	·09	–	–	trace	–	·32	–	–	4	–	–		6
7	·35 4	·07	–	–	·01	–	–	–	–	–	trace	–		7
8	–	–	–	·04	–	–	–	–	·22 4	·30	–	·29		8
9	–	–	–	–	–	–	–	–	·01	·05	4	·12		9
10	–	–	–	trace	–	–	·21	trace	·04	·58	·39 4	–		10
11	–	trace	–	trace	–	–	–	–	–	–	·65	·01		11
12	–	·03	·15	·04	–	–	·28	–	·08	trace	·07	–		12
13	–	·20	·43	–	–	·28	–	–	·15	–	·92	trace		13
14	–	trace	·24	·04	–	–	–	–	–	·01	–	–		14
15	–	–	·02	–	·23	·20	·20	–	–	– –	·44	·41		15
16	·30	·22	–	–	–	–	·25	–	·08	·43 4	4	·03		16
17	·01	–	·42	–	–	–	·10	–	–	trace	·74 4	·01		17
18	·36	·30 ✗	·36	·38	–	–	·03	–	trace	·23	–	·19		18
19	–	·15	·08	–	–	–	trace	–	·94	·09 –	·21	·22		19
20	–	·01	·08	–	–	–	–	·02	·04	4	·10	–		20
21	·39	·01 ✓	–	–	·17	·01	·91	–	·06	·01	·15	–		21
22	·03	–	·04	–	·18	–	–	–	trace	–	–	–		22
23	–	·05 4	–	·18	–	·11	·01	trace	trace	–	✓	·03		23
24	–	– –	–	·19	–	–	·14	–	trace	·19	·02 –	–		24
25	–	– –	·34	trace	–	–	·17	–	trace	·07	–	–		25
26	·87	·15	·28	–	·03	·11	–	–	trace	·25 4	–	·02		26
27	4	·11	–	–	trace	–	·09	·01	–	–	–	–		27
28	·49 4	·03	–	trace	trace	–	–	trace	–	–	–	–		28
29	·28	·01	·06	–	·05	–	–	–	·08 4	–	–	·20		29
30	·11	✕	–	28	–	–	–	–	–	·05	–	trace		30
31	trace	✕	–	✕	–	✕	–	–	✕	·40	✕	·12		31
TOTAL	3·19	1·74	2·50	1·36	·67	·71	2·71	·03	1·70	3·45	6·07	1·94	Year's Total 26·07	
* Days with .01 in. or more.	~~10~~ 12	~~17~~ 18	12	11	6	5	12	2	10	17	17	16	Not Measured	138
* Days with .04 in. or more.	~~8~~ 10	~~10~~ 11	11	9	4	2	10	–	9	15	14	10	Daily	105

J"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Guy T. Davis

[P.T.O.

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METEO

FORM 1090.

REGISTER

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" Ground " Sea Level 12

THE MORNING MEASUREMENT I

An observer who does not conform to this rule shoul
year in the space on the right of this paragraph.

Please read

344 — 294415

PENSHURST PLACE

1931 — 1940

063400001

780107

344

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

193[illegible]. 1931

S DAY.

of the following

f.

Jan. 1, following

Date	Jan.	Feb.	March	April	May					Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.					in.	in.	in.	
1	—	·04	Tr.	·21	—					Tr.	·01	—	1
2	·18	·07.	—	·27.	·02					Tr.	Tr.	Tr.	2
3	·12	·01	·11	·18	·97					—	·04	·25	3
4	—	·01	—	·02	·03	—	·03	·01.	·08.	·01	·03	—	4
5	—	Tr.	Tr.	·23	—	·66	·05.	·87	·04	Tr.	·01	—	5
6	—	·09	Tr.	·05	—	·02	Tr.	·06.	—	·20	·47.	·12.	6
7	Tr.	·01	Tr.	—	·07	·07.	Tr.	·15.	—	·01	·29	·02	7
8	Tr.	·13	Tr.	—	·03	·02	·04	·04	—	—	·04	·03	8
9	—	·17.	Tr.	·01	·01	·15	Tr.	·02	—	—	·61	·02	9
10	—	·20	·02	[illegible]	—	·07	·01	·18	—	Tr.	2·06	—	10
11	·10	·57	—	Tr.	—	—	Tr.	Tr.	·03	·01	·27.	—	11
12	·09	·01.	—	Tr.	—	—	·01	·04	·40	Tr.	Tr.	—	12
13	·04	Tr.	·01	—	·12	—	·01.	·01	—	—	·02.	—	13
14	·01	·10	Tr.	—	Tr.	·03	·47.	·72	—	Tr.	—	—	14
15	·02.	·05	·02	·12	·08	Tr.	·20	·51	—	—	·02	·03	15
16	Tr.	·13.	—	·19.	·27.	·02	Tr.	·08	·05	Tr.	·01.	—	16
17	·17.	·05	Tr.	·23	·01	·02	·39	·14	·02	·04	—	—	17
18	·02	·21	·03	·35	Tr.	·17.	·13	·80	Tr.	·01.	·49	—	18
19	·06.	Tr.	—	·36.	—	Tr.	·19	·35	·14	—	·02	—	19
20	—	·11	Tr.	·07	—	·01	·05	·25	Tr.	Tr.	Tr.	—	20
21	·02	·04	Tr.	—	·41	·01	Tr.	Tr.	·01	—	·03	·01	21
22	·25	—	·15	·01.	Tr.	—	—	—	·05	—	·02.	—	22
23	·67	Tr.	Tr.	—	·28	·12	—	—	·01.	—	·23	·03	23
24	—	Tr.	·01	·90	·02	·07	·03	·29.	·02	—	—	Tr.	24
25	—	—	—	·41	—	—	·43	—	Tr.	Tr.	·01	Tr.	25
26	Tr.	·07.	Tr.	·30	Tr.	—	·25	—	Tr.	Tr.	·30	—	26
27	·17	·32	—	·08	·23	—	·02	Tr.	—	—	·02	—	27
28	·10	·38	—	·08	·01	—	Tr.	—	—	·05	·01	·02	28
29	·09		—	—	·12	—	—	—	·01	·29	·01.	·02	29
30	·07	×	—	—	·04	—	Tr.	—	—	—	—	—	30
31	·25	×	—	× 4·07	·03	×	—	Tr.	×	—	×	—	31
TOTAL	2.43	2·77	·35	4·09	2.7.5	1·61	2·31	4·99	2·39	·62	5·02	·55	YEAR'S TOTAL 29·86
*Days with ·01 in. or more.	18	21	7	19	18	15	16	20	15	8	23	10	190
*Days with ·04 in. or more.	14	17	2	16	10	8	10	17.	9	4	10	2	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. Stacey pp. Lord De Lisle & Dudley [P.T.O.

3444

Section **A** for the entry of Daily Observ

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193. 1931.

Kept at Penshurst Place
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	Tr.	·21	—	·17	—	·21	·19.	Tr.	·01	—	1
2	·18	·07.	—	·27.	·02	Tr.	—	·20	·49.	Tr	Tr.	Tr.	2
3	·12	·01	·11	·18	·97.	—	Tr.	·06	·85	—	·04	·25	3
4	—	·01	—	·02	·03	—	·03	·01.	·08.	·01	·03	—	4
5	—	Tr.	Tr	·23	—	·66	·05.	·87	·04	Tr.	·01	—	5
6	—	·09	Tr	·05	—	·02	Tr	·06.	—	·20	·47.	·12.	6
7	Tr	·01	Tr	—	·07	·07.	Tr	·15.	—	·01	·29	·02	7
8	Tr.	·13	Tr.	—	·03	·02	·04	·04	—	—	·04	·03	8
9	—	·17.	Tr.	·01	·01	·15	Tr.	·02	—	—	·61	·02	9
10	—	·20	·02	[illegible]	—	·07	·01.	·18	—	Tr.	2·06	—	10
11	·10	·57	—	Tr	—	—	Tr.	Tr.	·03	·01	·27.	—	11
12	·09	·01.	—	Tr.	—	—	·01	·04	·40	Tr.	Tr.	—	12
13	·04	Tr.	·01	—	·12	—	·01.	·01	—	—	·02.	—	13
14	·01	·10	Tr.	—	Tr.	·03	·47.	·72	—	Tr	—	—	14
15	·02.	·05	·02	·12	·08	Tr.	·20	·51	—	—	·02	·03	15
16	Tr.	·13.	—	·19.	·27.	·02	Tr.	·08	·05	Tr.	·01.	—	16
17	·17.	·05	Tr.	·23	·01	·02	·39	·14	·02	·04	—	—	17
18	·02	·21	·03	·35	Tr	·17.	·13	·80	Tr.	·01.	·49	—	18
19	·06.	Tr.	—	·36.	—	Tr.	·19	·35	·14	—	·02	—	19
20	—	·11	Tr.	·07	—	·01	·05	·25	Tr	Tr.	Tr.	—	20
21	·02	·04	Tr.	—	·41	·01	Tr	Tr.	·01	—	·03	·01	21
22	·25	—	·15	·01.	Tr.	—	—	—	·05	—	·02.	—	22
23	·67	Tr.	Tr.	—	·28	·12	—	—	·01.	—	·23	·03	23
24	—	Tr.	·01	·90	·02	·07	·03	·29.	·02	—	—	Tr	24
25	—	—	—	·41	—	—	·43	—	Tr.	Tr	·01	Tr.	25
26	Tr.	·07.	Tr.	·30	Tr.	—	·25	—	Tr	Tr.	·30	—	26
27	·17	·32	—	·08	·23	—	·02	Tr.	—	—	·02	—	27
28	·10	·38	—	·08	·01	—	Tr.	—	—	·05	·01	·02	28
29	·09		—	—	·12	—	—	—	·01	·29	·01.	·02	29
30	·07	×	—	—	·04	—	Tr.	—	—	—	—	—	30
31	·25	×	—	×	·03	×	—	Tr.	×	—	×	—	31
TOTAL	2·43	2·77	·35	4·07 4·09	2·75	1·61	2·31	4·99	2·39	·62	5·02	·55	YEAR'S TOTAL 29·86
Days with ·01 in. or more.	18	21	7	19	18	15	16	20	15	8	23	10	190
Days with ·04 in. or more.	14	17	2	16	10	8	10	17.	9	4	10	2	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. Slacey p.p. Lord De Lisle & Dudley [P.T.O.

344

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Penshurst Place
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·02	—	·04	·53	Tr.	·01	·05	Tr.	·12	·03	—	1
2	·03	—	—	·16	·04	Tr.	—	·01	·07	·03	Tr.	·28	2
3	Tr.	—	—	·04	·18	·08	—	Tr.	·44	·01	·01	·02	3
4	·02	·02	—	—	Tr.	·15	—	·02	Tr.	Tr.	Tr.	—	4
5	·24	Tr.	—	—	·05	·01	·27	—	·07	—	—	—	5
6	·87	—	·05	·27	—	—	—	—	·01	·05	—	—	6
7	·23	·01	·08	·06	—	—	·10	—	·05	·47	—	Tr.	7
8	—	·01	·21	·04	·21	—	—	—	·13	·01	—	—	8
9	·26	·18	—	·16	·59	—	—	—	Tr.	·07	—	—	9
10	·97	·12	—	·28	·10	Tr.	—	—	Tr.	·14	·05	—	10
11	·21	·07	·02	·14	·02	·01	Tr.	—	·02	·24	·01	Tr.	11
12	·40	·01	Tr.	·01	Tr.	Tr.	—	·02	Tr.	1·16	·01	·06	12
13	·09	·03	—	·13	·05	—	—	—	Tr.	·03	—	·01	13
14	·10	Tr.	·01	·27	·09	—	—	Tr.	—	·10	—	Tr.	14
15	·03	—	—	·11	·06	—	—	—	—	—	—	—	15
16	·09	—	—	·23	·07	—	·01	—	—	~~[illegible]~~	Tr.	—	16
17	Tr.	—	—	·10	—	—	Tr.	—	—	·04	Tr.	—	17
18	·01	—	—	—	Tr.	—	—	—	·06	Tr.	·12	—	18
19	Tr.	—	—	·02	Tr.	—	—	—	·05	·29	·03	Tr.	19
20	·01	—	—	·17	Tr.	—	·03	·02	—	·92	·20	Tr.	20
21	·01	Tr.	Tr.	·01	·31	—	—	·08	—	·32	—	·08	21
22	·03	Tr.	·33	·01	·03	Tr.	·09	Tr.	·62	·19	·40	Tr.	22
23	Tr.	·07	·23	·03	·02	Tr.	—	—	·17	·97	·04	·10	23
24	—	·03	·02	Tr.	Tr.	—	·50	—	·29	·06	·03	·02	24
25	·02	—	—	·02	Tr.	—	·65	—	·21	·30	·07	·02	25
26	—	—	·01	·07	·01	—	·37	·22	·02	·06	·03	Tr.	26
27	—	Tr.	·31	·11	·22	Tr.	·39	—	·02	·34	·07	·02	27
28	Tr.	Tr.	·01	·02	·08	—	·12	—	—	·31	—	Tr.	28
29	—	Tr.	·53	Tr.	·04	Tr.	·01	·32	·13	·49	·01	·01	29
30	—	×	·02	·06	·38	·92	Tr.	·03	·08	·02	·29	·08	30
31	—	×	·02	×	Tr.	×	·07	·02	×	·01	×	·05	31
TOTAL	3·77	·57	1·85	2·56	3·08	1·17	2·62	·79	2·44	6·75	1·40	·75	YEAR'S TOTAL 27·75
*Days with ·01 in. or more.	19	11	14	25	20	5	13	10	17	26	16	12	188
*Days with .04 in. or more.	11	4	7	18	16	3	9	4	13	20	8	6	119

40-9999
*See Instruction 2 (*f*) on other side,

(Signed) P.P. Lord De Lisle & Dudley
S. Stacey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

" Ground " Sea Level 120 ft.

Total + Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·45	·14	—	—	—	—	—	—	·02	·04	—		1
2	·43	—	·58	Tr.	·13	—	—	—	—	·02	Tr.	—		2
3	·10	·20	·44	—	—	—	—	—	—	—	·03	—		3
4	·18	·05	·01	—	·15	—	—	—	—	—	·01	—		4
5	·22	Tr.	·40	—	·23	—	—	—	—	·01	Tr.	—		5
6	—	·12	·11	—	·53	—	—	—	—	·08	·09	—		6
7	·31	·08	·03	—	·26	—	—	—	—	·38	—	—		7
8	·08	·01	—	—	·05	—	·40	—	—	·02	·01	Tr.		8
9	—	—	—	Tr.	·05	—	·09	Tr.	—	·03	·15	—		9
10	·01	·20	—	—	·03	·24	·02	Tr.	—	·20	·03	—		10
11	·08	·01	—	—	·05	·04	·03	·15	·15	·02	Tr.	—		11
12	—	—	—	·03	·01	·14	·21	—	1·57	·01	Tr.	Tr.		12
13	·05	—	—	Tr.	·08	Tr.	·24	·03	·31	·05	·17	—		13
14	·01	—	·02	—	Tr.	—	·02	Tr.	—	·44	·36	Tr.		14
15	·08	Tr.	·15	—	—	—	·14	·20	—	·03	·02	·03		15
16	·05	Tr.	1·10	—	Tr.	·16	·07	—	—	Tr.	Tr.	—		16
17	·01	·01	·35	—	—	·07	—	·05	·12	Tr.	·06	—		17
18	·05	Tr.	·07	·02	—	·51	—	—	—	Tr.	·01	—		18
19	—	·02	·34	·02	—	·24	—	Tr.	·53	—	·01	Tr.		19
20	—	·02	·09	·07	—	·25	—	Tr.	·15	—	·01	Tr.		20
21	—	·07	—	—	—	·01	—	·25	·30	·01	—	—		21
22	—	Tr.	Tr.	—	·06	·01	·01	·23	Tr.	·02	·02	Tr.		22
23	—	·03	—	·18	·35	·03	—	—	·41	·05	—	—		23
24	Tr.	·59	—	·13	·03	·05	—	—	·19	·02	Tr.	—		24
25	—	·19	—	·26	·01	Tr.	—	—	·02	Tr.	·09	·08		25
26	—	·59	—	·03	·03	·03	—	—	·06	·04	·06	·15		26
27	—	·01	—	—	·06	Tr.	Tr.	—	·01	·21	—	·14		27
28	Tr.	·02	—	—	Tr.	Tr.	·30	—	·01	·42	—	·17		28
29	·04	—	·03	—	·48	—	·03	—	—	·04	—	Tr.		29
30	·09	×	·09	—	Tr.	—	·05	—	·14	·04	×	·08		30
31	·12	×	Tr.	×	—	×	Tr.	·10	×	·01	×	Tr.		31
TOTAL	1·96	2·67	3·95	·74	2·59	~~1·78~~ 1·98	1·61	1·01	3·97	2·17	1·17	·65	Year's Total 24·~~8~~27	
*Days with ·01 in. or more.	18	18	16	8	18	13	13	7	14	23	18	6	172	
*Days with ·04 in. or more.	15	10	12	4	13	9	8	6	11	11	8	5	112	

40-9999 ①

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Lord De L'Isle + Dudley 67/5 [P.T.O.

P.P. S. Slater.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Penshurst Place

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

Sent.

Circ. F/M.O.7. 30.4.'35.

Amendment to annual total confirmed by Observer. 3/5/35 E.T.S.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	Tr.	Tr.	—	—	·07	—	·30	—	·12	·01	·25		1
2	·08	—	·19	—	—	—	—	—	·74	·62	Tr.	·36		2
3	·02	·03	Tr.	·16	—	Tr.	—	—	—	·42	·02	·07		3
4	·17	·03	·05	·01	·05	Tr.	—	—	—	·36.	·06.	·63		4
5	—	—	·02	—	·05	—	—	·04	—	·01.	·01	·43		5
6	·02	—	·32	Tr.	·19.	·16.	—	·11	—	·24	·01	·56		6
7	·04	Tr.	Tr.	—	Tr.	·02	—	Tr.	—	·09.	Tr.	·21		7
8	—	—	Tr.	·01.	·17.	—	—	·04	·02	Tr.	·93	·01		8
9	·03	·01.	·03	—	Tr.	—	—	—	·01	—	1·29	·26		9
10	—	Tr.	·32	·23	—	—	—	·08	—	·01	·53	·03		10
11	·99.	—	·38.	·06.	—	—	·20	·04	—	—	·03	·19		11
12	·12.	—	·12	—	—	—	·19.	·07	Tr.	—	·01	·11		12
13	·60.	Tr.	·19.	·09.	—	—	·41.	·03	—	Tr.	·02	·03		13
14	·25.	·01	·65	·05	Tr.	Tr.	—	—	—	·06.	·57	·54		14
15	·01	—	Tr.	—	·06	—	—	—	·01	·01	·11	·46		15
16	·18.	·01	·32	·03	·28	—	—	—	Tr.	·07	—	·06		16
17	·09.	—	·25	·05	·07.	—	—	—	—	·06	Tr.	·28		17
18	·19	—	·03	·45	Tr.	—	·41	—	—	—	—	·49		18
19	—	Tr.	·38	·03	Tr.	·07.	—	Tr.	·31	·03	·01	·11		19
20	—	—	·06	Tr.	—	—	·08.	·02	—	Tr.	—	·02		20
21	—	·01	·01	·15	—	·11	Tr.	Tr.	·01	·07.	·01	·01		21
22	—	·01	·01	Tr.	—	—	·12	·05	·21	·01	·01	·13		22
23	—	Tr.	—	·38.	—	1·03	—	—	·01	·04	—	·06		23
24	—	·02.	·01	·34	—	·43	·42	—	·12	Tr.	—	—		24
25	·20	Tr.	—	·21.	·02	Tr.	Tr.	—	Tr.	·02	—	·45		25
26	·09.	Tr.	Tr.	·17.	—	·10	—	—	·08.	Tr.	—	·05		26
27	·03	·01	—	·21	—	Tr.	—	—	—	·02	—	·35		27
28	—	·07.	—	·38	—	·08	·02	·65	Tr.	Tr.	—	·26		28
29	—		—	—	—	—	·12	·03	·16.	Tr.	—	·01		29
30	·09	×	—	—	—	—	—	·13	Tr.	·02	—	·50		30
31	Tr.	×	—	×	—	×	—	·02	×	·09	×	·09	31·01	31
TOTAL	3·22	·21	3·34	3·01	·89.	2·07	1·97	1·61	1·68	2·37	3·63	7·01	Year's Total. ~~30·21~~	
* Days with .01 in. or more.	19	10	18	18	8	9	9	14	11	20	16	30	182	
* Days with .04 in. or more.	13	1	12	14	7	8	8	10	6	12	6	24	121	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) S. Stacey P.P. Lord De Lisle & Dudley

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·03	·01	·03	Tr.	·13	·06	—	1·10	·17	·08	Tr.		1
2	·11	—	·01	·09	—	·03	—	—	—	·36	·10	—		2
3	Tr.	·03	·13	·03	—	Tr.	—	—	·25	1·50	·16	Tr.		3
4	—	·03	·01	·34	—	·34	—	—	·13	·22	Tr.	·12		4
5	—	·54	·05	·10	—	·08	—	—	·68	·17	·02	·01		5
6	·04	·09	·01	·26	—	·28	—	—	·02	·03	·15	·02		6
7	~~·07~~	·03	·01	·31	—	·08	—	—	Tr.	Tr.	1·19	·14		7
8	—	—	·04	·35	Tr.	·01	—	·05	—	·28	·53	·11		8
9	·02	—	Tr.	·20	—	·15	—	—	—	·99	·17	·02		9
10	·07	·01	·04	Tr.	—	·04	—	—	—	—	·48	·17		10
11	·08	—	Tr	·21	—	·08	·03	—	—	—	·38	·01		11
12	—	·02	—	·01	—	·22	—	1·26	·05	Tr.	1·03	—		12
13	·12	·21	·01	·11	·02	·02	—	—	—	—	·12	·03		13
14	—	—	—	·17	·17	·10	—	Tr.	—	—	·03	·12		14
15	Tr	·20	—	·47	·02	Tr.	—	—	·31	—	·45	·07		15
16	Tr.	·04	Tr.	·43	—	·08	—	—	·53	·02	1·01	·02		16
17	·01	Tr.	·11	·07	—	·22	·03	Tr	·03	—	·48	·01 ~~·07~~		17
18	Tr	Tr	Tr	·29	—	·04	·26	—	·43	·07	·03	—		18
19	—	Tr.	—	·07	·72	·02	·28	—	·04	—	·05	—		19
20	Tr.	·86	—	·06	·04	·07	·39	—	·05	—	·13	—		20
21	·02	·53	—	—	—	—	—	—	·03	·15	·04	—		21
22	—	·10	—	—	—	—	—	·25	·07	—	Tr.	—		22
23	—	Tr.	·03	—	Tr.	—	—	·86	·02	·01	·01	·10		23
24	·06	1·26	—	—	·56	—	—	1·24	·66	·03	—	·23		24
25	·25	·28	—	·11	·36	·19	—	—	—	—	·02	·43		25
26	·03	·26	—	—	—	—	—	·17	·04	·08	·02	·43		26
27	·02	·73	—	—	·12	—	·01	—	·08	—	·11	·23		27
28	—	·04	—	—	·03	—	Tr.	·03	·03	·07	Tr.	·23		28
29	Tr.		Tr.	—	—	—	—	·04	·73	Tr.	—	·50		29
30	11	✕	Tr.	·09	·08	—	—	1·12	·25	·10	·65	·50		30
31	—	✕	—	✕	·01	✕	—	·01	✕	·37	✕	·66		31
TOTAL	1·22	5·29	·46	3·80	2·13	2·68	1;06	5·03	5·53	4·62	7·44	4·16	Year's Total 43·42	
* Days with .01 in. or more.	14	19	12	21	11	19	7	10	21	17	25	22	198	
* Days with .04 in. or more.	9	13	5	18	7	15	4	8	16	13	19	15	142	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ~~For Lord De Lisle & Dudley~~ [P.T.O.

S. Slacey

Kent 4

COPY FOR OFFICIAL USE File No. 69799

Section **A** for the entry of Daily Observations

Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	·18	·01	·40	—	·12	·36	·16	—	—	·07	·10		1
2	—	·02	—	·01	—	·33	·06	·10	—	—	·02	—		2
3	—	—	—	·65	—	—	·02	—	·16	—	·28	—		3
4	·02	—	·15	—	—	·07	Tr.	—	·35	—	—	·05		4
5	·29	—	·01	—	—	—	—	·04	—	·05	·14	·06		5
6	·46	—	—	—	—	·05	·02	·03	·19	·08	1·30	·07		6
7	·55	—	·03	—	—	·05	Tr.	—	·03	·01	·63	·01		7
8	·42	—	·08	—	—	—	·02	—	—	·01	·77	·21		8
9	·63	—	·02	—	—	—	·37	·15	·09	·19	—	Tr.		9
10	·05	—	Tr.	Tr.	—	Tr.	·20	1·52	·02	Tr.	—	—		10
11	—	—	—	·17	—	—	31	—	—	—	·85	Tr.		11
12	—	—	—	·08	—	·21	·24	—	·37	Tr.	·29	·16		12
13	—	—	—	·02	—	·11	·01	—	Tr.	Tr.	·01	·63		13
14	—	·06	—	—	—	·05	·70	—	Tr.	·03	·09	·62		14
15	—	·09	—	—	—	·01	Tr.	—	Tr.	—	·02	·35		15
16	·26	·05	—	—	·18	—	·01	—	·01	—	·19	·14		16
17	·17	·56	—	—	·05	·14	—	·01	·01	·02	·24	·49		17
18	·10	·10	—	—	—	·03	·12	—	·01	·01	·21	·14		18
19	·30	·05	·01	·01	—	·18	·02	·09	—	·07	·02	—		19
20	·37	·07	—	·40	Tr.	—	·01	—	·46	—	—	—		20
21	—	·07	—	·41	—	·36	·18	—	·01	—	—	—		21
22	·14	·37	·10	·01	·05	·09	·09	—	—	—	·01	·04		22
23	·03	·23	·05	·07	Tr.	Tr.	·36	—	—	·04	—	—		23
24	·02	·05	—	—	—	·33	·08	—	·02	·23	—	Tr.		24
25	·16	—	·20	·20	—	·21	·02	—	·23	·08	·05	Tr.		25
26	·61	·23	·20	·08	—	·07	·03	—	·05	·14	—	·01		26
27	·35	·01	·01	—	Tr.	—	·01	—	·33	·20	—	—		27
28	·70	—	·07	Tr.	Tr.	·25	·15	—	·03	—	—	·07		28
29	·04	·08	·11	—	—	·57	·04	—	—	·04	·06	·01		29
30	·15	✕	—	—	·02	·16	·01	—	—	·33	—	Tr.		30
31	·33	✕	·22	✕	·01	✕	·08	—	✕	·53	✕	·20		31 * ‡
TOTAL	5·94	2·22	1·27	2·51	·31	3·39	3·52	2·10	2·32	2·06	5·25	3·36	Year's Total 34·25	
* Days with .01 in. or more.	23	16	15	13	5	20	26	8	17	17	19	18	197	
* Days with .04 in. or more.	19	14	9	9	3	18	15	6	9	12	14	15	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. Lord De L'isle + Dudley

[P.T.O.

New Gauge Started on 16th May 1936

‡ * new gauge [illegible] 1936

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·78	·03	·01	·07	Tr.	—	Tr.	—	—	—	·53	·23		1
2	Tr.	·53	—	·32	—	—	—	—	·16	·01	Tr.	·75		2
3	Tr.	·18.	—	—	—	—	—	—	·02	·01	—	·27.		3
4	·13	·97	—	·05	—	Tr.	—	—	—	—	—	·25		4
5	·25	·10	·30	—	—	—	·17	+	Tr	·01	—	—		5
6	·03	·01	·78	Tr.	·23	—	—	—	—	·06	·01	—		6
7	—	·58	·07.	·06	Tr.	—	Tr.	—	·02	·07	—	·02		7
8	—	·01	·18	—	·05	·05	—	—	—	—	·15	·61		8
9	—	Tr.	—	·30	·09	·01	·05	Tr	·31	—	—	·07.		9
10	—	—	·52	·30	·27	·32	·05	Tr	—	—	—	·62		10
11	—	—	·48	—	·06.	—	·03	Tr.	—	Tr.	—	·11		11
12	·27.	·26.	·14	·02	·25	·29.	Tr.	·52	·19.	—	—	·25		12
13	·19.	·04	·59	·01	Tr.	·24	—	·03	·15	—	—	·51		13
14	·02.	·02.	·16	—	·12	·02	—	1·17.	·10	—	—	—		14
15	·18.	·07.	Tr.	·16	—	·01	·33	—	·45	—	—	—		15
16	·01	·18.	·30	·51	—	·10	—	·26.	·36.	—	—	·02		16
17	·35	Tr.	·09.	·10	—	Tr.	—	—	·13	Tr.	·14	—		17
18	·54	·05	·09.	—	·80	·72	—	—	·01	—	·11	·02		18
19	·07.	·10	·02	·14	—	·11	1·29	—	·17.	—	—	·12		19
20	·53	·02.	·22	·24	·46	·08	—	—	·06	—	—	—		20
21	·50	·38.	·03	·10	Tr.	—	·02	·07.	·01	—	—	·02		21
22	·57.	·02	·01	Tr.	·07.	·13	·07	—	—	·73	·35	·05		22
23	·20	Tr.	—	—	—	—	·01	—	—	·47	—	·01		23
24	·88	·23	·12	—	·02	—	—	—	Tr.	·32	—	—		24
25	·16.	·50	·24	—	Tr.	—	—	—	·05	·33	—	·01		25
26	Tr.	·33	·01	—	·09.	—	—	—	—	·05	—	—		26
27	·01	·09.	—	·24	—	—	—	—	·03	·21	—	—		27
28	·12.	·07.	—	·01	—	Tr.	—	—	—	·02	—	·01.		28
29	·07.		—	—	—	Tr.	—	·04	·01	·15	·04	·01		29
30	·26		—	—	—	·03	Tr.	·21	—	·04	·07.	—		30
31	·16.		—		—		Tr.	—		·72		·01		31
TOTAL	6·28	4·77	4·36	2·63	2·51	2·11	2·02	2·30	2·23	3·20	1·40	3·97	Year's Total 37·78	✓ ✓
* Days with .01 in. or more.	23	23	20	16	12	13	9	7	17	15	8	21	184	✓ ✓
* Days with .04 in. or more.	19	17	15	13	11	9.	6	6	11	11	7	12	137	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rt Hon Lord De Lisle & Dudley.

P.P. S. Stacey

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	01	—	·29	·43	·04	—	·21	·03	·01	·08		1
2	·04	—	—	—	·15	Tr.	·22	—	—	·30	—	·01		2
3	—	—	—	—	·21	—	·05	—	Tr.	·21	·03	—		3
4	02	—	—	Tr.	Tr.	·02	·16	·08	—	·12	—	·12		4
5	—	—	—	Tr.	—	Tr.	·25	Tr.	—	·38	—	—		5
6	03	—	—	—	—	—	·02	·01	—	·01	Tr.	—		6
7	·06	—	—	—	—	Tr.	·09	·53	Tr.	·30	—	·05		7
8	·21	—	—	—	—	—	·21	·01	·01	·26	—	·03		8
9	·11	Tr.	Tr.	—	—	·02	Tr.	·06	—	·04	—	·64		9
10	·09	·09	—	—	—	—	—	·06.	—	—	—	·17		10
11	·18	Tr.	—	—	—	—	—	—	—	—	·07	·25		11
12	·31	·02	—	—	Tr.	—	·03	·37	—	·04	·05	·01		12
13	·37	·06	—	—	—	—	—	—	Tr.	06.	·17	·06.		13
14	·27	·13	—	—	·39	—	—	—	·01	—	Tr.	·05		14
15	·04	·20	—	—	·01	—	·14	—	—	·27	·01	·07		15
16	·44	—	·02	—	·03	—	—	·02	—	·03	·01	·23		16
17	—	·11	—	—	·20	—	Tr.	—	Tr.	·20	·03	—		17
18	·06	—	—	—	·01	Tr.	—	—	·06	—	·48	Tr.		18
19	—	—	—	—	Tr.	—	Tr.	·04	·08	—	·28	·24		19
20	Tr.	—	—	·02	·04	—	—	—	·07	—	·32	·09		20
21	·03	—	—	·01	—	—	—	·02	·15	·01	·04	·14		21
22	·01	—	—	Tr.	—	·01	—	·02	—	—	·20	·14		22
23	Tr.	—	—	—	—	—	—	—	—	—	·01	—		23
24	—	Tr.	·15	—	·02	—	—	·01	·17	—	·35	·03		24
25	·11	—	·26	·15	·15	—	·03	—	·07	·04	·49	·02		25
26	·37	·18	·08	·02	—	Tr.	—	·13	·21	·30	—	·33		26
27	·06	·05	—	—	·24	·17	·33	—	·84	Tr.	·30	—		27
28	·06	·04	—	—	·37	·07	—	·18	·17	—	—	·01		28
29	·24		—	·01	·19	·02	—	—	·01	—	·07	·19		29
30	·06	✕	—	·24	·23	Tr.	—	—	·11	·04	·34	—		30
31	·20	✕	—	✕	·05	✕	—	—	✕	·18	✕	·27		31
TOTAL	3·39	·88	·52	·45	2·58	·74	1·57	1·54	2·17	3·32	3·27	3·23	Year's Total 23·66	✓
* Days with .01 in. or more.	24	9	5	6	16	7	12	14	14	19	19	23	168	✓
* Days with .04 in. or more.	19	8	3	2	12	3	9	8	11	15	13	17	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

PP3.2 (Signed) The Rt. Hon. Lord De Lisle & Dudley

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 120 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·03	·14	·29	—	·02	Tr.	·14	—	—	·02		1
2	Tr.	—	—	·05	·02	—	·04	·28	·06	·06	·01	—		2
3	·30	—	—	·38	—	—	—	·20	—	—	·16	·30		3
4	·11	—	·28	·15	—	—	·07	1·05	—	·68	·11	·02		4
5	—	—	Tr.	·14	—	—	·16	Tr.	—	·11	·45	·04		5
6	·31	—	·02	Tr.	—	—	·14	·12	—	Tr.	·30	Tr.		6
7	·03	·06	—	—	—	—	·03	·02	—	·08	·13	·10		7
8	Tr.	·09	·14	—	—	—	—	—	—	·56	·32	·45		8
9	·03	·05	—	—	—	—	—	·08	—	·38	·54	·23		9
10	·10	—	—	—	—	·26	—	·13	·05	·08	·03	Tr.		10
11	—	—	·23	—	·07	·11	—	—	—	1·51	—	·01		11
12	—	—	—	—	Tr.	Tr.	—	—	—	·01	·01	·04		12
13	—	—	Tr.	Tr.	—	—	—	—	—	1·36	—	·06		13
14	·58	—	·01	·01	Tr.	·01	·03	—	Tr.	·29	·51	—		14
15	·50	—	—	—	·78	·02	Tr.	—	·11	·90	·13	—		15
16	·27	—	·14	·05	·13	·11	·13	—	·22	—	·39	—		16
17	·24	·10	·03	·02	Tr.	—	·01	—	—	—	·05	—		17
18	·36	Tr.	·01	—	·05	·08	·06	—	·01	·21	·29	—		18
19	·20	—	Tr.	—	—	—	·15	—	·05	·58	—	·02		19
20	·27	—	Tr.	—	—	—	·34	·02	Tr.	—	—	·01		20
21	·03	—	·11	—	—	·02	·45	—	·19	·03	—	—		21
22	·20	·18	·09	Tr.	—	·33	·05	—	Tr.	—	·04	—		22
23	·03	—	—	·10	—	—	·07	·02	—	·10	·53	—		23
24	·17	·08	·06	·08	—	Tr.	·05	Tr.	—	·13	—	—		24
25	·97	·18	·07	·08	—	·01	·22	·22	—	Tr.	·59	·05		25
26	·05	—	Tr.	·02	—	·02	Tr.	—	·01	·09	·34	Tr.		26
27	·01	·20	·04	·14	—	·01	Tr.	Tr.	—	·12	·23	—		27
28	—	·52	·63	Tr.	—	·02	—	—	—	·10	·08	·11		28
29	—	—	—	·29	—	—	—	—	—	·02	·03	—		29
30	—	✕	—	·56	—	Tr.	Tr.	·02	—	·01	·14	—		30
31	—	✕	—	✕	—	✕	·16	·11	✕	·02	✕	—		31
TOTAL	4·78	1·46	1·29	2·21	1·34	1·00	2·18	2·27	·84	7·43	5·41	1·51	Year's Total 31·72	
* Days with .01 in. or more.	21	9	15	15	6	12	18	12	9	23	23	14	177	
* Days with .04 in. or more.	15	9	9	12	5	5	14	8	7	18	19	9	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rt. Hon. Lord De Lisle & Dudley
pp S Stacey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 344

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Penshurst Place

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 120 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Tr.	—	—	Tr.	—	—	Tr.	—	—	·02	—		1
2	—	·05	—	·08	—	—	—	—	—	·12	·39	·01		2
3	—	·26	—	·08	—	—	—	—	—	·16	1·21	·06		3
4	—	·10	—	·03	—	—	Tr.	—	—	·16	·08	·09		4
5	—	·01	—	—	Tr.	—	·05	—	—	·01	·80	·17		5
6	·18	·09	Tr.	—	Tr.	—	·30	—	—	·45	Tr.	Tr.		6
7	·29	·10	—	—	Tr.	—	·17	Tr.	—	Tr.	—	·27		7
8	—	—	—	—	—	—	·14	Tr.	·08	·39	—	·13		8
9	—	—	—	—	—	—	Tr.	·01	·01	·10	·28	—		9
10	—	—	—	—	—	—	·57	·03	—	·15	·07	—		10
11	—	Tr.	—	·04	—	—	·02	—	—	—	1·06	—		11
12	—	·05	·19	—	—	—	·09	—	·17	·01	·03	—		12
13	—	·02	·75	—	—	Tr.	Tr.	—	·09	Tr.	1·38	Tr.		13
14	—	—	·20	·10	—	Tr.	Tr.	—	—	·02	—	·26		14
15	Tr.	—	·04	Tr.	·17	—	1·14	—	·02	·05	·48	·02		15
16	·06	·23	·24	·01	—	·04	·10	—	·18	·62	·65	·02		16
17	—	—	·22	Tr.	—	—	·09	—	—	·01	·08	Tr.		17
18	·03	·22	·22	·36	—	—	·24	Tr.	·09	·31	·18	·13		18
19	—	·21	·18	·01	—	—	·02	—	·43	Tr.	·25	·08		19
20	—	·02	·03	·02	—	—	Tr.	·02	·06	·15	·10	—		20
21	·02	·01	—	—	·57	—	·44	·01	·01	·02	·38	—		21
22	·06	Tr.	·03	—	·16	·10	Tr.	Tr.	·10	Tr.	·01	—		22
23	—	·06	·03	·25	·01	—	Tr.	Tr.	—	—	·01	·02		23
24	—	—	—	·41	—	—	·16	—	—	·01	Tr.	Tr.		24
25	—	—	·52	—	—	Tr.	·02	—	—	·05	—	Tr.		25
26	·88	·22	·14	Tr.	·53	—	·04	—	—	Tr.	—	—		26
27	·40	·29	—	·07	·02	—	·17	Tr.	—	—	—	Tr.		27
28	·24	·03	—	·01	·07	—	—	·01	—	—	—	Tr.		28
29	·21	·24	·13	Tr.	·45	—	—	—	Tr.	—	—	·25		29
30	·11	×	Tr.	·27	Tr.	—	—	—	—	·15	—	·01		30
31	·02	×	—	×	—	×	—	—	×	·72	×	·11		31
TOTAL	2·50	2·21	2·92	1·74	1·98	·14	3·76	·08	1·24	3·66	7·46	1·63	Year's Total 29·32	
* Days with .01 in. or more.	12	18	14	14	8	2	17	5	11	20	19	15	155	
* Days with .04 in. or more.	9	13	11	9	6	2	14	—	8	14	15	10	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rt Hn Lord De Lisle + Dudley

P.P. S Stacey

P.T.O.

345

Section **A** for the entry
AIR MINIS

FORM 1090.

REG

345

PENSHURST
PARKHOLT
1931 - 1934

063600001

780107

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

931 .

Kept at Parkholt.
in the County of Ken

Diameter of Funnel of Gauge.
Height of top of Gauge above
,, Ground ,,

have been cut out
Read irregularly.

THE MORNING MI **DAY.**

An observer who does not confo *of the following year in the space on the right of this paragraph.*

Jan. 1, following
·14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·14	·2		·14			·09				1
2		·04		·26				·09	·61				2
3	·21	·01	·09	·18	·77			·32	·8			·23	3
4					·01			·03	·19		·09		4
5				·24		·58		·05	·05			·22	5
6		·03		·06			·02	·13		·24	·15	·06	6
7						·06					·28		7
8		·18			·05	·19	·05	·12			·02	·02	8
9		·08									·55		9
10		·22	·02			·09		·2			1·85		10
11	·07	·51							·02		·23		11
12	·04							·04					12
13	·06				·06		·04	·27	·37				13
14		·02				·02	·37	·39					14
15		·11		·15	·1		·24	·38					15
16	·02	·12		·15	·27			·29					16
17	·14	·06		·11	·01		·37	·27	·07			·02	17
18	·01	·15	·03	·35		·03	·08	·54		·05	·48		18
19	·04			·44		·08	·18	·55	·13				19
20		·04		·07			·03	·29					20
21		·05			·4				·03		·02		21
22			·14						·05		·03		22
23	·8				·26				·03		·2		23
24			·02	·6		·15		·23					24
25				·64			·4						25
26		·07		·35			·25				·31		26
27	·15	·27		·08	·18		·01				·01		27
28	·09	·1		·07						·04			28
29	·08				·1		·08			·28		·05	29
30	·06	×			·03		·04						30
31	·19	×		×		×			×		×		31
TOTAL	1·96	2·1	·44	3·95	2·24	1·34	2·16	4·19	2·44	·61	4·22	·6	YEAR'S TOTAL 26·25
*Days with ·01 in. or more.	~~14~~	~~15~~	~~6~~	~~16~~	[illegible]	~~9~~	~~14~~	[illegible]	~~12~~	~~4~~	~~13~~	~~6~~	~~147~~
*Days with ·04 in. or more.	12	15	3	16	9	7	11	16	9	4	9	4	115

40-9999

(Signed) John M Sturgess [P.T.O.

*See Instruction 2 (*f*) on other side.

345

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Parkholt. Penshurst.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 265 ft.

Rain days should have been cut out in previous years. Read irregularly.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·14	·2		·14			·09				1
2		·04		·26				·09	·61				2
3	·21	·01	·09	·18	·77			·32	·8			·23	3
4					·01			·03	·19		·09		4
5				·24		·58		·05	·05			·22	5
6		·03		·06			·02	·13		·24	·15	·06	6
7						·06					·28		7
8		·18			·05	·19	·05	·12			·02	·02	8
9		·08									·55		9
10		·22	·02			·09		·2			1·85		10
11	·07	·51							·02		·23		11
12	·04							·04					12
13	·06				·06		·04	·27	·37				13
14		·02				·02	·37	·39					14
15		·11		·15	·1		·24	·38					15
16	·02	·12		·15	·27			·29					16
17	·14	·06		·11	·01		·37	·27	·07			·02	17
18	·01	·15	·03	·35		·03	·08	·54		·05	·48		18
19	·04			·44		·08	·18	·55	·13				19
20		·24		·07			·03	·29					20
21		·05			·4				·03		·02		21
22			·14						·05		·03		22
23	·8				·26				·03		·2		23
24			·02	·6		·15		·23					24
25				·64			·4						25
26		·07		·35			·25				·31		26
27	·15	·27		·08	·18		·01				·01		27
28	·09	·1		·07						·04			28
29	·08				·1		·08			·28		·05	29
30	·06	×			·03		·04						30
31	·19	×		×		×			×		×		31
TOTAL	1·96	2·1	·44	3·95	2·24	1·34	2·16	4·19	2·44	·61	4·22	·6	YEAR'S TOTAL 26·25
*Days with ·01 in. or more.	~~14~~	~~18~~	~~6~~	~~16~~	~~12~~	~~9~~	~~14~~	~~17~~	~~12~~	~~4~~	~~13~~	~~6~~	~~141~~
*Days with ·04 in. or more.	12	15	3	16	9	7	11	16	9	4	9	4	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John M. Sturgess

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 345

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Parkholt Penshurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 265 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14			·04	·54			·06		·09	·05		1
2	·02			·12	·04					·02		·24	2
3					·16	·05			·47				3
4	·02					·14					·05		4
5	·19				·05		·35		·07				5
6	·69			·32					·01				6
7	·19		·08	·13			·07		·03			·04	7
8			·2	·03	·18				·1	·47			8
9	·38	·15		·14	·41								9
10	·77	·28		·27	·08					·04			10
11	·19			·11	·01				·02	·1			11
12	·22	·09		·01						·24			12
13	·16			·07	·04				·01	·65			13
14	·08			·36	·08					·32			14
15				·1	·04					·11			15
16	·11			·22	·09								16
17				·08						·08			17
18							·01		·05		·12		18
19										·27	·02		19
20				·17			·09			·77	·18		20
21					·33			·09	·05	·3		·07	21
22			·34		·05		·1		·42	·24	·37		22
23		·08	·15		·03				·17	·84	·02	·1	23
24		·02					·35		·26	·04	·02		24
25							·57		·12	·25	·01		25
26			·01	·15			·31	·2		·05	·07		26
27			·25	·07	·23		·24			·28	·08		27
28			·03	·03	·1		·1			·26			28
29			·43		·06			·26	·12	·45			29
30		×	·01	·05	·29	·74		·05	·06	·03	·24	·09	30
31		×	·14	×		×	·1		×		×	·05	31
TOTAL	3·16	·62	1·64	2·47	2·81	·93	2·29	·66	1·96	5·9	1·23	·59	YEAR'S TOTAL 24·26
*Days with ·01 in. or more.	~~13~~	~~5~~	10	19	19	3	~~11~~	~~5~~	~~15~~	~~22~~	~~12~~	~~6~~	~~140~~
*Days with .04 in. or more.	11	4	7	16	17	3	10	5	11	20	8	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John M Sturgess

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 345

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

July misplotted as 147
Value O.K.

Kept at Parkholt Penshurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 265 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·47	·14							·01	·05			1
2	·37		·45		·17					·02				2
3	·08	·18	·5											3
4	·09	·02	·03											4
5	·25		·33		·32									5
6		·12	·12		·42					·08	·1			6
7	·25	·07	·03		·42					·32				7
8	·1				·07		·3							8
9					·13		·02			·09	·11			9
10		·2			·02		·08			·2	·03			10
11	·09				·05	·18	·03	·16	·1	·07				11
12				·01		·1	·12		1·04					12
13	·05				·09		·31		·56	·03	·16			13
14								·03		·38	·27			14
15	·23		·07				·17	·18			·02			15
16	·04		1·1			·18	·04			·02				16
17			·47			·08		·02	·11		·04			17
18			·08			·4								18
19		·02	·32			·29			·17					19
20			·09	·04		·14			·42					20
21		·07				·42		·23	·22	·01				21
22					·12	·08		·18		·02				22
23				·08	·43	·03			·33	·06				23
24		·55		·26	·02	·1			·18		·03			24
25		·19		·23	·01				·01	·01	·04	·09		25
26		·52							·06		·05	·12		26
27					·05					·22		·1		27
28										·39		·13		28
29	·03				·39		·33			·04		·07		29
30	·12	×	·05						·1	·05				30
31		×		×		×	·07	·05	×		×			31
TOTAL	1·75	2·41	3·78	·62	2·71	2·	1·47	·85	3·3	2·02	·9	·51	Year's Total 22·32	
*Days with ·01 in. or more.	13	11	14	5	15	11	10	7	12	18	11	5	132	
*Days with ·04 in. or more.	12	9	12	4	12	10	8	5	11	11	8	5	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John M. Sturgess

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 345

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Parkholt Penshurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 265 ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·47	·14							·01	·05			1
2	·37		·45		·17					·02				2
3	·08	·18	·5											3
4	·09	·02	·03											4
5	·25		·33		·32									5
6		·12	·12		·42					·08	·1			6
7	·25	·07	·03		·42					·32				7
8	·1				·07		·3							8
9					·13		·02			·09	·11			9
10		·2			·02		·08			·2	·03			10
11	·09				·05	·18	·03	·16	·10	·07				11
12				·01		·1	·12		1·04					12
13	·05				·09		·31		·56	·03	·16			13
14								·03		·38	·27			14
15	·23		·07				·17	·18			·02			15
16	·04		1·10			·18	·04			·02				16
17			·47			·08		·02	·11		·04			17
18			·08			·4								18
19		·02	·32			·29			·17					19
20			·09	·04		·14			·42					20
21		·07				·42		·23	·22	·01				21
22					·12	·08		·18		·02				22
23				·08	·43	·03			·33	·06				23
24		·55		·26	·02	·1			·18		·03			24
25		·19		·23	·01				·01	·01	·04	·09		25
26		·52							·06		·05	·12		26
27					·05					·22		·1		27
28										·39		·13		28
29	·03				·39		·33			·04		·07		29
30	·12	×	·05						·1	·05				30
31		×		×		×	·07	·05	×		×			31
TOTAL	1·75	2·41	3·78	·62	2·71	2·	1·47	·85	3·3	2·02	·9	·51	Year's Total 22·32	
*Days with ·01 in. or more.	13	11	14	5	15	11	10	7	12	18	11	5	132	
*Days with ·04 in. or more.	12	9	12	4	12	10	8	5	11	11	8	5	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John M. Sturgess

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 345

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

935
137

Kept at Parkholt. Penshurst.
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 265 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·08		·23		·1		·27		1
2	·07 0·7		·18					·02	·38	·54		·33		2
3		·03		·17						·5		·04		3
4	·15		·04							·22	·08	·64		4
5			·03		·09			·01				·34		5
6			·28		·17	·17		·02		·2	·02	·52		6
7	·05					·03		·08		·12		·22		7
8					·14			·01	·03		·77			8
9			·03					·01	·05		1·02	·24		9
10			·3	·2				·03			·62			10
11	·83		·34	·1				·07				·19		11
12	·2		·12				·26	·12				·1		12
13	·57		·13				·29	·04			·03	·03		13
14	·22		·59	·18							·44	·52		14
15											·08	·5		15
16	·19		·26	·02	·19					·13				16
17	·1		·13	·06	·02					·05		·28		17
18	·12		·01	·4								·38		18
19			·3	·06			·28		·33			·16		19
20			·06				·08		·01			·01		20
21			·01	·14		·14		·01		·09				21
22							·18	·05	·18	·03				22
23				·36		·94	·09					·16		23
24				·24		·39	·35		·14					24
25	·09			·16	·02							·44		25
26	·13			·05		·06			·08			·02		26
27				·4		·03						·22		27
28		·13		·15		·04	·01	·57				·38		28
29							·2	·03	·13			·02		29
30	·08	×						·08				·2		30
31		×		×		×		·15	×	·12	×	·14		31
TOTAL	2·80	·16	2·81	2·69	·63	1·88	1·74	1·53	1·33	2·1	3·06	6·35	Year's Total. 27·08	
* Days with .01 in. or more.	13	2	16	15	6	9	9	17	9	11	8	25	140	
* Days with .04 in. or more.	13	1	12	14	4	7	8	9	7	10	6	21	112	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

345/5
SKEYNES
EDENBRIDGE
1935-1939
06 3630 002
780107

Section **A** for the entry
AIR MINIST

Station No. 345/5
ALL ORGANIZATION.

FORM 1090. X

REGI 1935.

43465/36

Kept at X Edenbr
in the County of Ke

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEASU

An observer who does not conform
the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·05	·03		·07	·10	·09	—	·21	·15	·06	—		1
2	·10	—	·06	·12	—	—	—	—	—	·26	·21	—		2
3	—	—	·11	·04	—	·23	—	—	·20	1·29	·10	—		3
4	—	—	—	·35	—	·10	—	—	·48	·52	—	·16		4
5	—	·35	·06	·08	—	—	—	—	·73	—	—	—		5
6	·04	·09	—	·23	—	·69	—	—	—	—	·15	·03		6
7	—	—	—	·22	—	·21	—	—	—	—	1·13	·13		7
8	—	—	—	·30	—	·08	—	·03	—	·40	·60	·10		8
9	·05	—	—	·21	—	·47	—	—	—	·88	·25	—		9
10	·05	—	·09	·12	—	·04	—	—	—	·10	·15	·12		10
11	·12	—	—	·20	—	·04	·12	—	—	—	·68	·01		11
12	—	·05	—	—	—	·23	·07	·71	·02	—	·85	—		12
13	·10	·18	—	·11	—	·06	—	—	—	—	·15	·11		13
14	—	—	—	·17	·19	·15	—	—	—	—	·07	—		14
15	—	·20	—	·43	—	—	—	—	·19	—	·24	·08		15
16	·02	·03	—	·15	—	·11	—	—	·37	—	·96	·05		16
17	·03	—	·05	·08	—	·19	·04	—	·17	—	·38	—		17
18	—	—	—	·27	—	·10	·27	—	·32	·07	·03	—		18
19	—	—	—	·03	·55	·04	·07	—	—	—	·08	—		19
20	·03	·53	—	·12	·03	·10	·38	—	·14	—	·20	—		20
21	—	·54	—	·03	—	—	—	—	·03	·15	·05	—		21
22	—	·09	—	—	—	—	—	·13	·06	—	·03	—		22
23	—	—	·04	—	—	—	—	·35	—	—	—	·11		23
24	·04	·82	—	—	·22	—	—	1·44	—	·03	—	·19		24
25	·20	·33	—	·08	·61	·28	—	—	·37	—	—	·27		25
26	·04	—	—	—	—	—	—	·16	·04	·06	—	·45		26
27	—	·87	—	—	—	—	—	—	·08	—	·13	·30		27
28	—	·03	—	—	·09	—	—	—	·04	·08	·03	·40		28
29	—	—	—	—	—	—	—	—	·34	—	—	·42		29
30	·06	X	—	·06	·10	—	—	·77	·07	·07	·60	·58		30
31	—	X	—	X	·02	X	—	—	X	·32	X	·75		31
TOTAL	1·08	4·16	0·44	3·40	1·88	3·22	1·04	3·59	3·86	4·38	7·13	4·26	Year's Total. 38·44	
* Days with .01 in. or more.	14	14	7	21	9	18	7	7	18	14	23	18	170	
* Days with .04 in. or more.	11	12	6	19	7	18	7	6	16	13	20	16	151	

V. Q. record [illegible]

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X B. WALMSLEY, ESQ X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 345/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

499465/36

Kept at X Edenbridge (Skeynes) X

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·05	·03		·07	·10	·09	—	·21	·15	·06	—		1
2	·10	—	·06	·12	—	—	—	—	—	·26	·21	—		2
3	—	—	·11	·04	—	·23	—	—	·20	1·29	·10	—		3
4	—	—	—	·35	—	·10	—	—	·48	·53	—	·16		4
5	—	·35	·06	·08	—	—	—	—	·73	—	—	—		5
6	·04	·09	—	·23	—	·69	—	—	—	—	·15	·03		6
7	—	—	—	·22	—	·21	—	—	—	—	1·13	·13		7
8	—	—	—	·30	—	·08	—	·03	—	·40	·60	·10		8
9	·05	—	—	·21	—	·47	—	—	—	·88	·25	—		9
10	·05	—	·09	·12	—	·04	—	—	—	·10	·15	·12		10
11	·12	—	—	·20	—	·04	·12	—	—	—	·68	·01		11
12	—	·05	—	—	—	·23	·07	·71	·02	—	·85	—		12
13	·10	·18	—	·11	—	·06	—	—	—	—	·15	·11		13
14	—	—	—	·17	·19	·15	—	—	—	—	·07	—		14
15	—	·20	—	·43	—	—	—	—	·19	—	·24	·08		15
16	·02	·03	—	·15	—	·11	—	—	·37	—	·96	·05		16
17	·03	—	·05	·08	—	·19	·04	—	·17	—	·38	—		17
18	—	—	—	·27	—	·10	·27	—	·32	·07	·03	—		18
19	—	—	—	·03	·55	·04	·07	—	—	—	·08	—		19
20	·03	·53	—	·12	·03	·10	·38	—	·14	—	·20	—		20
21	—	·54	—	·03	—	—	—	—	·03	·15	·05	—		21
22	—	·09	—	—	—	—	—	·13	·06	—	·03	—		22
23	—	—	·04	—	—	—	—	·35	—	—	—	·11		23
24	·04	·82	—	—	·22	—	—	1·44	—	·03	—	·19		24
25	·20	·33	—	·08	·61	·28	—	—	·37	—	—	·27		25
26	·04	—	—	—	—	—	—	·16	·04	·06	—	·45		26
27	—	·87	—	—	—	—	—	—	·08	—	·13	·30		27
28	—	·03	—	—	·09	—	—	—	·04	·08	·03	·40		28
29	—	—	—	—	—	—	—	—	·34	—	—	·42		29
30	·06	✕	—	·06	·10	—	—	·77	·07	·07	·60	·58		30
31	—	✕	—	✕	·02	✕	—	—	✕	·32	✕	·75		31
TOTAL	1·08	4·16	0·44	3·40	1·88	3·22	1·04	3·59	3·86	4·38	7·13	4·26	Year's Total. 38·44	
* Days with .01 in. or more.	14	14	7	21	9	18	7	7	18	14	23	18	170	
* Days with .04 in. or more.	11	12	6	19	7	18	7	6	16	13	20	16	151	

V.G. record [illegible]

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X B. WALMSLEY, Esq X

P.T.O.

Cu R.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 345/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at EDENBRIDGE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 200 ft.

22nd February 1937

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							.39	.16	-	-	.08	.07		1
2							.21	.11	-	-	-	-		2
3							-	-	.03	-	.33	-		3
4							.02	-	.27	-	-	.05		4
5							-	.03	.53	.05	.14	.10		5
6							.02	.04	.21	-	.78	-		6
7							-	-	-	-	.52	-		7
8							-	-	.04	-	.39	-		8
9							.64	-	.10	.08	.10	-		9
10							.41	.14	.01	-	-	.08		10
11							.15	.02	-	-	.98	.02		11
12							.13	-	.08	-	.39	.41		12
13							.09	-	-	.07	.09	.66		13
14							.62	-	-	-	.04	.74		14
15							.02	-	-	-	-	.21		15
16							.05	-	-	-	.27	.14		16
17							-	.03	-	-	.25	.27		17
18							.13	-	-	-	.26	.24		18
19							-	.08	-	.10	.03	-		19
20							-	-	.78	-	-	-		20
21							-	-	-	-	-	-		21
22							.12	-	-	-	-	.06		22
23							.40	-	-	.07	-	-		23
24							.05	-	-	.50	-	-		24
25							.19	-	.11	.09	.05	.03		25
26							-	-	.16	.30	-	.02		26
27							-	-	.31	-	-	-		27
28							.43	-	.04	-	-	.07		28
29							.09	-	-	.06	.09	.02		29
30		X					-	-	-	-	-	-		30
31		X		X		X	.08	-	X	.73	X	.12	d	31
TOTAL	5.41	2.03	1.50	2.24	0.58	2.87	4.24	.61	2.67	2.05	4.79	3.31	Year's Total. 32.30	✓
* Days with .01 in. or more.							20	8	13	10	17	18	--	
* Days with .04 in. or more.							17	5	11	10	16	14	--	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 3282/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1952

Kept at LEEDS ~~(NORTH)~~ (Chapel Allerton)

in the County of YORKSHIRE

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. — in.

,, ground ,, sea level 425 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·02	—	TR	—	·18	·48	·23	—	·22	·05	—		1
2	·01	·13	·01	—	TR	—	—	·23	·06	·16	·21	—		2
3	—	—	·05	—	·10	—	—	·17	TR	TR	—	·01		3
4	·29	—	·20	—	—	·01	—	TR	·15	—	·53	—		4
5	—	—	TR	·38	·01	·19	—	TR	—	TR	·04	—		5
6	—	TR	·45	·04	·32	—	·11	TR	TR	TR	·11	TR		6
7	·01	·03	·44	TR	·04	·02	—	·49	—	·01	—	TR		7
8	·15	—	—	—	·65	—	TR	·23	·15	TR	—	·01		8
9	·28	—	—	·05	TR	—	—	·27	·27	TR	TR	—		9
10	·21	·10	—	TR	·12	—	TR	·15	·01	—	·08	TR		10
11	·01	—	—	—	·03	—	·07	·34	·05	—	—	·24		11
12	—	—	—	—	TR	—	TR	TR	·06	·06	—	·06		12
13	·29	·06	—	—	—	·64	·02	—	·04	·88	—	·01		13
14	—	·01	—	·24	—	·10	—	—	·01	TR	·07	—		14
15	·21	TR	TR	—	—	TR	—	·09	·04	TR	·01	·01		15
16	·24	·08	·15	—	—	—	·01	—	·01	—	·08	·51		16
17	·01	·04	—	—	—	·14	·04	—	TR	—	·07	·12		17
18	—	TR	—	—	TR	·08	TR	—	—	—	·06	·29		18
19	·01	TR	·05	·02	—	TR	—	·03	TR	·26	·14	·12		19
20	·02	—	—	·11	—	·01	—	TR	·28	—	·19	·05		20
21	·01	—	·12	—	—	·30	—	—	·01	—	—	·05		21
22	—	—	TR	—	—	TR	TR	—	—	·20	TR	·23		22
23	·03	—	·10	TR	—	—	—	—	—	·14	—	·06		23
24	TR	—	·07	—	—	·01	—	—	·24	·03	—	·01		24
25	·01	—	·03	TR	—	—	TR	—	·39	·13	TR	·09		25
26	—	—	·02	TR	—	—	—	TR	TR	·06	—	—		26
27	—	—	·02	·05	—	—	·24	TR	·02	·89	—	·06		27
28	·21	—	·01	—	·01	—	—	—	·91	·28	—	·02		28
29	·04	·04	TR	—	TR	—	—	—	·06	·06	—	·02		29
30	·17	✕	TR	·03	·01	—	—	—	·18	·08	—	TR		30
31	·10	✕	—	✕	·31	✕	·08	—	✕	·18	✕	·14		31
TOTAL	2·66	·51	1·72	·92	1·60	1·68	1·05	2·23	2·94	3·64	1·64	2·11	Year's Total 22·70	
* Days with ·01 in. or more.	~~21~~	~~9~~	~~14~~	~~8~~	~~10~~	~~11~~	~~8~~	~~10~~	~~19~~	~~16~~	~~13~~	~~20~~	159	
* Days with ·04 in. or more.	~~12~~	~~5~~	~~9~~	~~6~~	~~6~~	~~7~~	~~6~~	~~9~~	~~14~~	~~14~~	~~12~~	~~13~~	113	

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) G. Gibbs Esq.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 345/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at EDENBRIDGE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

JANUARY 14th 1938

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.			*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.80	.02	.02	.13			.03				.83	.26			1
2	.02	.36		.48								.80			2
3		.15	.03						.04			.40			3
4	.12	1.01										.29			4
5	.29	.19	.20	.08			.18								5
6	.04		.42		.24					.05					6
7	.01	.67	.15	.09	.02				.03	.08		.03			7
8		.03	.17		.06	.06					.26	.27			8
9				.28	.13		.05		.34			.07			9
10			.61	.17	.05	.34	.03					.76			10
11			.34	.04	.27		.06								11
12	.25	.29	.12	.04	.38	.18	.02	.12	.21			.21			12
13	.19	.07	.47	.03		.38		.26	.71			.57			13
14		.02	.12		.05	.02		.50	.07			.17			14
15	.21	.07		.15			.27		.09						15
16		.13	.41	.54		.15		.26	.33			.03			16
17	.37	.02	.08	.20					.19						17
18	.63	.07	.07		.40	.78					.33				18
19	.13	.11		.14	.02	.06			.04			.18			19
20	.66		.16	.26	.56	.20	.78		.02						20
21	.46	.35		.17			.04					.07			21
22	.63	.02			.12	.16				.62	.34	.03			22
23	.36						.08			.72					23
24	.85	.34	.15		'04					.40					24
25	.11	.49	.22						.10	.32					25
26	.03	.37								.04					26
27		.28		.26					.03	.23					27
28	.12	.12										.07			28
29	.09							.03		.08	.07	.05			29
30	.34	✕						1.15		.06	.09				30
31	.20	✕		✕		✕			✕	.10	✕	.03			31
													Year's Total		
TOTAL	6.91	5.18	3.74	3.06	2.34	2.33	1.54	2.32	2.20	2.70	1.92	4.29	38.53	✓ ✓	
* Days with .01 in. or more.	23	22~~8~~	17~~8~~	16	~~2~~13	10	10~~8~~	~~5~~6	13	11	6	18 ~~4~~	165	✓ ✓	
* Days with .04 in. or more.	20	17~~16~~	15	15	~~10~~11	9	7	5	10	11	6	14	140	✓ ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ben Walmsley

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 345/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at EDENBRIDGE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 200 ft.

Totals

✓ WER

Snow ans

JANUARY 16th 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04		.06		.59	.14			.18	.02		.09		1
2	.01			.06	.02		.16			.49				2
3					.31		.02			.38	.02	.19		3
4	.04					.02	.20	.07		.48				4
5							.19			.55		.09		5
6	.11						.02		.01					6
7	.06						.19	.61		.19	.07	.05		7
8	.27						.29		.04	.27		.12		8
9	.10							.07				.77		9
10	.06	.06				.07		.09				.16		10
11	.22						.02	.24				.38		11
12	.31							2.37		.10	.19	.02		12
13	.42	.07								.12	.23	.17		13
14	.30	.24			.55			.02	.02			.07		14
15	.02	.10			.03		.32			.27	.01	.11		15
16	.33	.34								.07	.07	.28		16
17		.09			.40		.01			.17	.03	.17		17
18	.07				.05				.11		.50			18
19									.07		.14			19
20								.01	.10		.83	✓		20
21	.07								.15			x		21
22						.04					.23	x		22
23												.87		23
24			.10		.05				.52		.45			24
25	.15		.29		.17		.04	.02	.14	.06	.12	Snow ~~.84~~ ✓		25
26	.36	.22	.09				.32	.03	.25	.29		~~.03~~ x		26
27	.10	.08			.08	.27			.64		.21			27
28		.07			.51	.11		.34	.13		.29	.04		28
29	.27			.03	.20						.36	.18		29
30	.06	✕		.08	.19					.19	.31	.28		30
31	.16	✕		✕	.14	✕			✕	.06	✕			31
TOTAL	3.53	1.27	0.54	0.17	3.29	0.65	1.78	3.87	2.36	3.71	4.06	4.04	Year's Total 29.27	✓
* Days with .01 in. or more.	22	9	4	3	14	6	12	11	13	16	17	~~19~~ 22	~~146~~	✓ 149
* Days with .04 in. or more.	20	9	4	2	12	5	8	7	11	15	14	~~17~~ 19	~~124~~	✓ 126

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 34575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at EDENBRIDGE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

AUGUST 17th 1939

f 499465/36 Jnc Letter

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.05	.15	.39	—								1
2	0.03	—	—	—	.03	—								2
3	0.17	—	—	.31	—	—								3
4	0.14	—	.32	.17	—	—								4
5	—	—	—	.13	.02	—								5
6	0.23	—	.04	—	—	—								6
7	0.20	.15	~~.15~~	—	—	—								7
8	.03	.08	.20	—	—	—								8
9	—	.05	—	—	—	—								9
10	.25	—	—	—	—	.17								10
11	—	—	.22	—	—	.06								11
12	—	—	—	—	—	—								12
13	—	—	—	—	—	—								13
14	.58	—	.03	.07	.03	—								14
15	.53	—	—	—	.76	—								15
16	.48	—	.10	—	.36	—								16
17	.16	.12	—	—	.06	.07								17
18	.40	—	.05	—	—	.16								18
19	.12	—	—	—	—	—								19
20	.39	—	.03	—	—	—								20
21	.02	—	.21	—	—	.03								21
22	.26	.30	.14	.05	—	.36								22
23	—	.08	—	.14	—	—								23
24	—	.12	.04	.17	—	—								24
25	1.53	.16	.05	—	—	—								25
26	—	—	.07	.18	—	.03								26
27	—	.17	.05	.13	—	.06								27
28	—	.39	—	—	—	—								28
29	—	✕	—	.22	—	—								29
30	—	✕	—	.69	~~.69~~	—								30
31	—	✕	—	✕	—	✕			✕		✕			31
TOTAL	5.52	1.62	1.60	2.41	1.65	.94							Year's Total ..	up imp
* Days with .01 in. or more.	17	10	15	12	7 ~~8~~	8							..	
* Days with .04 in. or more.	14	10	13	12	4 ~~5~~	6							..	

Moved [illegible]

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Walmsley [P.T.O.

346

Section **A** for the entry of

AIR MINISTRY-

COPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

346

TONBRIDGE

MABLEDON

1931 -1940

063400008

780107

Kept at Mabledon Ton

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

„ Ground „ Sea Le

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of this *following*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·03	·11		·02		·10	·04				1
2	·17	·08		·27	·02			·02	·74			·01	2
3	·12			·23	·92			·19	·45		·03	·22	3
4		·02			·01			·03	·20		·05		4
5				·27		·52	·02	·13	·06		·01	·22	5
6		·08		·05				·02		·23	·61	·05	6
7					·04	·06		·11			·33		7
8		·20			·02	·17		·15			·03	·05	8
9		·11		·01		·02					·54	·01	9
10		·17	·12			·09	·01	·15			1·53		10
11	·06	·54							·02		·24		11
12	·09	·01					·01	·04	·41				12
13	·03		·01		·20			·25					13
14		·12				·15	·50	·43			·01		14
15	·02	·03		·18	·08		·28	·17			·01	·05	15
16	·01	·12		·17	·37	·02		·19					16
17	·07	·02		·30	·01	·01	·36	·29	·04	·05			17
18	·02	·15	·01	·31		·11	·12	·51		·02	·47		18
19	·03			·51		·06	·14	·37	13				19
20		·12		·07			·01	·19			·01		20
21	·01	·02			·52			·01	·02				21
22	·23		·12						·05		·05		22
23	·59				·15	·10			·02		·17	·01	23
24			·01	·65	·01	·05	·11	·30	·01				24
25				·59			·41				·01		25
26				·25			·23				·28		26
27	·14	·27		·05	·23		·01				·02		27
28	·09	·29		·04						·02			28
29	·06				·15		·09			·34		·01	29
30	·08	×			·02		·02						30
31	·25	×		×		×		·09	×		×		31
TOTAL	2·07	2·42	·30	4·06	2·75	1·28	2·22	3·74	2·19	·66	4·40	·63	YEAR'S TOTAL 26·72
*Days with ·01 in. or more.	18	18	6	17	15	13	15	21	13	5	18	9	168
*Days with ·04 in. or more.	12	13	2	16	9	9	8	17	9	3	10	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. F. W. Deacon

P.T.O.

346

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Hableden Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5in in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·03	·11		·02		·10	·04				1
2	·17	·08		·27	·02			·02	·74			·01	2
3	·12			·23	·92			·19	·45		·03	·22	3
4		·02			·01			·03	·20		·05		4
5				·27		·52	·02	·13	·06		·01	·22	5
6		·08		·05				·02		·23	·61	·05	6
7					·04	·06		·11			·33		7
8		·20			·02	·17		·15			·03	·05	8
9		·11		·01		·02					·54	·01	9
10		·17	·12			·09	·01	·15			1·53		10
11	·06	·54							·02		·24		11
12	·09	·01					·01	·04	·41				12
13	·03		·01		·20			·25					13
14		·12				·05	·50	·43			·01		14
15	·02	·03		·18	·08		·28	·17			·01	·05	15
16	·01	·12		·17	·37	·02		·19					16
17	·07	·02		·30	·01	·01	·36	·29	·04	·05			17
18	·02	·15	·01	·31		·11	·12	·51		·02	·47		18
19	·03			·51		·06	·14	·37	13				19
20		·12		·07			·01	·19			·01		20
21	·01	·02			·52			·01	·02				21
22	·23		·12						·05		·05		22
23	·59				·15	·10			·02		·17	·01	23
24			·01	·65	·01	·05	·01	·30	·01				24
25				·59			·41				·01		25
26				·25			·23				·28		26
27	·14	·27		·05	·23		·01				·02		27
28	·09	·29		·04						·02			28
29	·06				·15		·09			·34		·01	29
30	·08	×			·02		·02						30
31	·25	×		×		×		·09	×		×		31
TOTAL	2·07	2·42	·30	4·06	2·75	1·28	2·22	3·74	2·19	·66	4·40	·63	YEAR'S TOTAL 26·72
*Days with ·01 in. or more.	18	18	6	17	15	13	15	21	13	5	18	9	168
*Days with ·04 in. or more.	12	13	2	16	9	9	8	17	9	3	10	5	113

40-9999

(*Signed*) F. W. Deacon

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Mabledon Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·02		·03	·64		·01	·03		·14	·04	·02	1
2	·01			·14	·05				·02	·01	·01	·20	2
3				·03	·19	·18	·20		·55	·05			3
4	·02				·01	·14					·01		4
5	·20				·02	·01			·06				5
6	·64		·01	·24	·01				·03				6
7	·19		·07	·14			·03		·05	·02		·01	7
8			·20	·04	·20				·11	·52			8
9	·33	·24		·10	·44								9
10	·82	·21		·27	·08					·04	·02		10
11	·16	·12	·05	·07	·01	·06				·13	·01		11
12	·26	·09		·01				·01		·19	·01	·01	12
13	·10	·01		·07	·04					·99		·01	13
14	·11			·14	·17					·10			14
15	·02	·01		·13	·04					·11			15
16	·06			·25	·07								16
17				·11						·03			17
18	·01			·01					·07		·07		18
19				·01					·03	·22	·03		19
20				·12	·03		·01			·96	·17		20
21	·01				·22					·30		·06	21
22	·01	·07	·35		·04		·06		·44	·29	·36		22
23		·04	·20	·02	·03				·14	·80	·02	·12	23
24							·41		·41	·10	·01		24
25							·55		·19	·30	·04		25
26				·06			·40	·23		·06	·03	·04	26
27			·27	·08	·19		·51			·33	·08		27
28				·02	·04		·13			·22		·01	28
29			·44		·05			·24	·11	·43			29
30		×	·02		·34	·78		·08	·10	·03	·18	·06	30
31		×	·08	×		×	·12		×		×		31
TOTAL	3·08	·81	1·69	2·09	2·91	1·17	2·43	·59	2·31	6·37	1·09	·54	YEAR'S TOTAL 25·08
*Days with ·01 in. or more.	17	9	10	22	22	5	11	5	14	24	16	10	165
*Days with .04 in. or more.	11	6	8	15	16	4	8	3	11	20	7	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) I. F. W. Deacon

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mabledon Park Tonbridge
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·36	·14							·02	·08			1
2	·31		·51		·11					·02				2
3	·10	·19	·40											3
4	·10	·02	·01		·02									4
5	·25	·01	·32		·28									5
6		·13	·09		·40					·06	·10			6
7	·28	·06	·02		·41					·38				7
8	·11	·01			·05		·39							8
9				·01	·08		·06			·01	·14			9
10		·16				·02	·06			·19	·02			10
11	·10				·18	·02	·05	·09	·09	·04	·01			11
12						·14	·23		1·33					12
13	·06				·08		·30		·30	·11	·15			13
14					·01		·04	·02		·33	·38			14
15	·29		·11				·31	·17		·03	·02			15
16	·10		·91			·17	·01			·01				16
17	·01		·36			·07		·03	·09		·06			17
18			·05			·42								18
19	·01	·01	·25	·01		·31			·39		·01			19
20			·05	·13		·17			·11		·01			20
21		·06						·25	·29					21
22								·19		·02				22
23				·10	·40				·42	·04				23
24		·41		·21	·02	·17			·25		·01			24
25		·20		·20							·15	·05		25
26		·57		·02		·02			·12	·03	·11	·09		26
27					·02					·15		·08		27
28							·15			·31		·21		28
29	·01				·11		·27			·05				29
30	·06	×		·02			·06		·15	·02		·07		30
31	·12	×		×		×		·04	×		×			31
TOTAL	1·99	2·19	3·22	·70	2·17	1·51	1·93	·79	3·54	1·82	1·25	·50	Year's Total 21·61 ✓	
*Days with ·01 in. or more.	16	13	13	8	14	10	12	7	11	18	14	5	141	
*Days with ·04 in. or more.	13	9	11	4	10	7	11	5	11	10	8	5	104	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) J. F. W. Deacon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mabledon Park Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01					·04		·14		·11		·23		1
2	·11		·17						·58	·58		·31		2
3	·01	·01		·12					·03	·41		·06		3
4	·15	·01	·03		·01					·29	·08	·69		4
5			·02		·07			·01			·01	·36		5
6	·01		·31		·18	·18		·08		·21	·01	·45		6
7	·04					·01		·02		·06		·21		7
8		·01		·06	·17			·02			·95	·		8
9			·02		·01				·03		1·36	·26		9
10	·01		·27	·23				·09			·43	·01		10
11	·83		·38	·04			·01	·02			·04	·15		11
12	·10		·20				·18	·07				·11		12
13	·54		·18	·05			·28	·13			·02	·01		13
14	·25		·49	·07						·07	·57	·44		14
15					·01						·09	·48		15
16	·15		·30	·04	·29					·04	·01	·04		16
17	·12		·24	·02	·10					·04	·01	·32		17
18	·19		·01	·40			·31					·36		18
19			·34	·05		·01			·29	·02		·15		19
20			·07				·05		·01	·01		·01		20
21				·13		·11	·09			·06				21
22							·03	·07	·19	·01		·09		22
23				·33		1·02	·04					·08		23
24		·01	·01	·26		·05	·34		·11					24
25	·11			·14	·02					·02		·42		25
26	·15			·21		·07			·01			·15		26
27				·24		·01						·26		27
28		·19		·14		·14	·01	·57		·01		·28		28
29							·28	·02	·17			·01		29
30	·09	×						·05				·36		30
31	·01	×		×		×		·15	×	·05	×	·12		31
TOTAL	2·88	·23	3·04	2·53	·86	1·64	1·62	1·44	1·42	1·99	3·58	6·42	Year's Total. 27·~~66~~65	
* Days with .01 in. or more.	18	5	16	17	9	10	11	14	9	16	12	28	165	
* Days with .04 in. or more.	13	1	11	16	5	7	8	9	5	11	7	24	117	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. F. W. Deacon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mabledon Park Tonbridge
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·03	·02	·02		·08	·02		·56	·13	·07			1
2	·14			·06						·43	·09			2
3			·18	·04		·18			·12	·92	·18			3
4		·06		·26		·18			·42	·29		·12		4
5		·49	·02	·08		·17			·64	·15	·02			5
6	·02	·07	·01	·25		·52				·03	·18	·02		6
7	·04	·01		·26		·12					1·37	·10		7
8			·04	·34				·04		·25	·55	·09		8
9				·15		·15				·93	·26			9
10	·04		·02	·01		·04				·03	·24	·19		10
11	·07			·20		·13					·37	·01		11
12		·01				·24		·27	·03		·91			12
13	·07	·17		·10		·03					·16	·01		13
14				·18	·16	·08			·01		·02	·08		14
15		·19		·46	·01	·01			·32		·39	·07		15
16		·04		·21		·12			·40	·03	1·01	·02		16
17	·02		·08	·07	·01	·21	·01		·02		·53			17
18				·24	·01	·03	·22		·41	·06	·02			18
19				·06	·58	·02	·18		·02		·07			19
20		·74		·01	·01	·07	·56		·02		·14			20
21	·01	·45								·14	·04			21
22		·10						·39	·05					22
23			·02					·62	·01			·02		23
24	·04	1·07			·40			·98	·62	·02		·29		24
25	·20	·22		·09	·62	·09						·41		25
26	·02	·10						·21	·03	·05	·01	·39		26
27	·01	·58							·09		·08	·25		27
28		·04			·20				·02	·06	·01	·17		28
29								·11	·45			·47		29
30	·08	✕		·07	·08			1·10	·15	·10	·61	·44		30
31		✕		✕	·02	✕		·14	✕	·29	✕	·61		31
TOTAL	·98	4·37	·39	3·16	2·10	2·47	·99	3·86	4·39	3·91	7·33	3·76	Year's Total 37·71	
* Days with .01 in. or more.	14	17	8	21	11	19	5	9	20	17	24	19	184	
* Days with .04 in. or more.	9	14	3	18	6	15	3	9	12	13	19	14	135	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. F. W. Deacon [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Mabledon Park, Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	·16		·25		·12	·26	·13			·08	·13		1
2		·02		·02		·21	·05	·11						2
3		·01		·75		·01	·02		·03		·29			3
4	·01		·13			·08			·44			·04		4
5	·23		·01					·04	·38	·04	·15	·04		5
6	·37					·03		·04	·22	·11	1·29	·08		6
7	·63		·04			·04	·01		·04	·01	·80	·02		7
8	·34		·31				·02		·01	·01	·75	·22		8
9	·58		·03				·25	·23	·09	·17	·07			9
10	·05					·01	·56	·37	·03					10
11				·06			·36	·01			·76			11
12				·06		·17	·20		·42	·02	·42	·15		12
13						·16	·02				·01	·64		13
14		·04				·05	·69			·05	·13	·62		14
15		·10				·01	·01		·01		·05	·38		15
16	·31	·05			·08		·01				·18	·15		16
17	·14	·64			·02	·08			·01	·03	·21	·46		17
18	·11	·15				·08	·13	·01		·01	·27	·16		18
19	·25	·04				·53	·02	·11		·05	·03			19
20	·17	·06		·39			·03		·59					20
21		·01		·33	·01	·36	·12		·05					21
22	·11	·41	·11		·04	·11	·08					·05		22
23	·02	·25	·02	·06			·36							23
24	·04	·04				·98	·01		·04	·20				24
25	·13	·01	·21	·15		·24	·31		·23	·06	·04			25
26	·01	·15	·20	·07		·07	·02		·04	·19				26
27	·29	·01	·08				·04		·24	·16				27
28	·62	·04	·03			·16	·15		·09			·06		28
29	·04	·03	·17			·54	·02			·04	·07	·02		29
30	·10	✕				·28				·17		·01		30
31	·31	✕	·18	✕	·02	✕	·08		✕	·78	✕	·15		31
TOTAL	5·32	2·22	1·52	2·14	·17	4·32	3·83	1·05	2·96	2.10 ~~2·15~~	5·60	3·38	Year's Total 34·66	✓
* Days with .01 in. or more.	23	19	13	10	5	22	26	9	18	17	18	18	198	✓
* Days with .04 in. or more.	20	12	9	9	2	18	15	7	13	12	16	15	148	–

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. F. W. Deacon

[P.T.O.

H.M. STATIONERY OFFICE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Mabledon Park

in the County of Tonbridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·65	·01		·06			·03				·58	·35		1
2	·01	·45		·26						·01		·88		2
3		·12							·24	·02		·36		3
4	·15	·86		·08								·25		4
5	·37	·13	·12				·18			·02				5
6	·03	·01	·18		·19					·06	·02			6
7		·66		·06						·05				7
8		·01	·04		·04	·09			·02		·17	·62		8
9				·36	·12	·02	·05		·30			·04		9
10			·45	·25	·36	·37	·10	·02				·62		10
11			·46		·14		·03					·16		11
12	·25	·28	·17	·02	·22	·29	·01	·21	·28			·15		12
13	·20	·04	·55	·03		·40		·27	·13			·74		13
14	·02	·01	·17		·15	·02		·76	·10					14
15	·18	·09		·15	·01	·02	·18		·28			·01		15
16	·02	·09	·32	·59		·07		·29	·16			·01		16
17	·42		·08	·11		·08			·55		·24			17
18	·59	·05	·01	·02	·64	·73			·05		·11			18
19	·09	·10	·04	·14	·02	·09	1·34		·24			·13		19
20	·61		·28	·27	·54	·08			·03					20
21	·51	·35	·04	·10	·04		·03	·01				·02		21
22	·58	·05	·01		·09	·09	·03			·79	·27	·05		22
23	·19						·06			·54		·01		23
24	·76	·20	·14		·02					·31				24
25	·14	·61	·23		·02				·11	·41				25
26	·01	·34	·04							·11				26
27		·18		·27					·01	·21				27
28	·11	·05		·02						·03		·03		28
29	·09									·19	·03	·03		29
30	·36	✗								·01	·09			30
31	·19	✗		✗		✗			✗	·16	✗	·02		31
TOTAL	6·53	4·69	3·33	2·79	2·60	2·35	2·04	1·56	2·50	2·92	1·51 ~~1·29~~ ~~1·02~~	4·48	Year's Total 37·3	✓
* Days with .01 in. or more.	24	22	18	17	15	13	11	6	14	15	8	19	182	✓
* Days with .04 in. or more.	19	18	16	13	11	10	6	4	11	10	6	12	136	✓

† Spare column, no entries required.

(Signed) J. F. W. Deacon [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Mabledon Park Tonbridge
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03				·35	·17			·21	·04	·04	·12		1
2	·03				·17		·21			·39		·02		2
3	·01				·35		·03			·75	·03			3
4	·02						·15	·10		·13		·09		4
5	·02						·32		·01	·37		·01		5
6	·04								·03					6
7	·08						·04	·58		·26		·08		7
8	·24					·01	·28		·01	·21		·04		8
9	·12							·06		·06		·61		9
10	·11	·07				·02		·07				·21		10
11	·19	·01									·11	·30		11
12	·36	·02					·02	·24		·05	·10	·01		12
13	·29	·07								·08	·14	·08		13
14	·04	·19			·43				·02			·38		14
15	·41	·20			·01		·32			·30	·03	·04		15
16								·02		·06	·02	·24		16
17	·05	·10			·28		·01		·01	·24	·06			17
18			·02		·02		·03		·06	·01	·42			18
19								·03	·07		·21	·17		19
20					·13				·10		·39	·15		20
21	·02								·13		·06	·10		21
22				·01		·02		·02			·20	·14		22
23				·04							·01			23
24			·12	·					·10		·35	·07		24
25	·10		·31	·29	·28		·03		·15	·06	·47	·02		25
26	·38	·19	·09	·02				·04	·17	·30		·34		26
27	·07	·04			·15	·16	·31		1·63	·01	·29			27
28	·09	·05			·41	·09		·18	·08					28
29	·26	–		·04	·22	·05			·05		·06	·19		29
30	·07	✕		·32	·17	·06			·05	·04	·37			30
31	·22	✕		✕	·09	✕			✕	·16	✕	·23		31
TOTAL	3·25	·94	·54	·72	3·06	·58	1·75	1·34	2·88	3·52	3·36	3·64	Year's Total 25·58	✓
* Days with .01 in. or more.	24	10	4	6	14	8	12	10	17	19	19	23	166	✓
* Days with .04 in. or more.	18	8	3	4	12	5	7	7	12	17	15	19	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. F. W. Deacon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Mabledon Park Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·03	·14	·31				·18			·03		**1**
2	·02			·04	·02		·02	·27	·14	·11	·02	~~·03~~		**2**
3	·24			·36			·07	·30		·01	·18	·35		**3**
4	·11		·28	·20			·12	·87		·53	·07	·02		**4**
5			·02	·17	·02		·13	·14		·15	·44	·04		**5**
6	·31		·05	·02				·08		·02	·19			**6**
7	·05	·08					·04	·04		·11	·14	·07		**7**
8	·01	·08	·15				·02			·52	·07	·41		**8**
9	·03	·04						·05		·56	·64	·18		**9**
10	·12					·27		·10	·05	·14	·03	·01		**10**
11			·25		·01	·15			·01	1·33		·02		**11**
12					·05				·01	·02	·01	·05		**12**
13			·01	·01					·03	1·55	·01	·16		**13**
14	·53		·02	·02	·01		·02		·01	·32	·47	·01		**14**
15	·56				·61	·05	·02		·11	·83	·08			**15**
16	·26		·13	·05	·23	·17	·08		·03		·42			**16**
17	·25	·11	·04	·02	·01						·07			**17**
18	·32		·02			·08	·10		·02	·11	·31			**18**
19	·23	·01	·01				·18		·01	·57		·05		**19**
20	·26						·22	·08	·05			·06		**20**
21	·05		·11			·01	·59		·14	·01				**21**
22	·21	·19	·06			·34	·05		·01	·01	·05			**22**
23	·07			·09		·01	·12	·03		·14	·55			**23**
24	·12	·12	·04	·08		·02	·07	·01		·13	·01			**24**
25	1·06	·18	·08	·13			·36	·01			·64	·02		**25**
26	·02			·01		·02	·05		·02	·13	·30			**26**
27		·19	·08	·10		·01				·15	·28			**27**
28	·01	·58	·04			·03				·10	·08	·11		**28**
29				·31						·06	·04			**29**
30		✕		·73						·02	·16			**30**
31		✕		✕		✕	·13	·15	✕	·02	✕			**31**
TOTAL	4·86	1·58	1·42	2·48	1·27	1·16	2·39	2·13	·82	7·65	5·26 ~~5·25~~	1·59	Year's Total 32·60	✓
* Days with .01 in. or more.	23	10	18	17	9	12	19	13	15	26	25	16	203	✓
* Days with .04 in. or more.	17	9	12	12	4	6	15	10	6	19	20	10	140	✓

† Spare column, no entries required.

(*Signed*) G. F. W. Deacon

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 346

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Mabledon Park Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01									·03			1
2		·04		·15						·17	·38			2
3		·20		·08			·03			·20	1·37	·08		3
4		·17		·04						·18	·09	·06		4
5							·10			·01	·83	·15		5
6	·11	·07			·01		·28			·51				6
7	·29	·10					·08							7
8							·01			·41				8
9									·17	·08	·38	·11		9
10							·35	·03		·24	·06			10
11				·02			·14				1·11 ✓			11
12		·06	·11	·01			·08		·08		·10			12
13		·05	·72			·01			·16		1·23			13
14			·36	·05						·04		·25		14
15			·03		·25		·91		·01	·06	·49	·02		15
16	·08	·27	·20			·07	·15		·18	·83	·86	·03		16
17			·24				·07		·03		·07			17
18	·03	·28	·32	·43					·15	·30	·18	·13		18
19		·25	·12						·52		·11	·16		19
20		·02	·05	·05				·03	·06		·21	·04		20
21	·06				·49		·56		·02	·09	·29			21
22	·08		·03		·21	·17			·11		·02			22
23		·13		·20	·01					·01	·01			23
24				·42			·16			·02				24
25			·62				·06			·06				25
26	·98	·17	·21		·42	·02	·01			·03				26
27	·47	·35		·38	·02		·66	·01						27
28	·20	·03			·04									28
29	·17	·20	·11		·11							·25		29
30	·09	✕		·48						·18		·01		30
31	·01	✕		✕		✕			✕	·73	✕	·13		31
TOTAL	2·57	2·40	3·12	2·31	1·56	·27	3·65	·07	1·49	4·15	7·82	1·42	Year's Total 30·83	
* Days with .01 in. or more.	12	17	13	12	9	4	16	3	11	19	19	13	148	
* Days with .04 in. or more.	10	14	11	10	6	2	13	0	8	15	16	10	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. F. W. Deacon

P.T.O.

346/5

Kent/4.

Section **A** for the entry of

AIR MINISTR

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at Ingleside, Ton

in the County of Kent

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

THE MORNING MEAS **AY.**

An observer who does not conform to *e following year in the space on the right of this paragraph.*

Jan. 1, following

346/5

TONBRIDGE

INGLESIDE

1931 - 1936

063400007

780107

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.09	-	0.12	-	0.05	-	0.11	0.15	-	-	-	1
2	0.15	0.07	-	0.24	0.02	-	-	-	0.57	0.01	0.01	-	2
3	0.14	-	0.10	0.19	0.86	-	-	0.25	0.58	-	0.04	0.21	3
4	-	0.02	-	0.01	0.01	-	-	0.03	0.08	-	0.05	-	4
5	-	-	-	0.25	-	0.48	0.03	0.13	0.06	0.01	-	0.22	5
6	-	0.10	-	0.04	-	0.01	-	0.01	-	0.23	0.45	0.05	6
7	0.01	-	-	-	0.04	0.05	-	0.19	-	0.01	0.32	-	7
8	0.01	0.09	-	-	0.01	0.17	0.09	0.06	-	-	0.05	0.04	8
9	-	0.11	-	0.01	-	0.01	-	-	-	-	0.54	0.02	9
10	-	0.17	⊙ 0.08	-	-	0.08	-	0.17	-	-	1.17	-	10
11	0.07	0.56	-	-	-	-	-	0.01	0.02	-	0.29	-	11
12	0.10	0.02	-	-	-	-	-	0.05	0.41	0.01	-	-	12
13	0.05	-	-	-	0.18	-	-	0.18	-	-	-	0.01	13
14	-	⊙ 0.11	-	-	-	0.06	0.47	0.42	-	-	-	-	14
15	0.02	0.03	-	0.18	0.09	-	0.27	0.15	-	-	0.02	0.04	15
16	0.01	0.16	-	0.19	0.25	0.01	-	0.15	0.02	-	-	-	16
17	0.04	0.04	-	⊙ 0.37	-	-	0.33	0.20	0.03	0.05	-	-	17
18	0.02	0.14	0.02	0.25	-	0.10	0.13	0.71	-	0.01	0.45	-	18
19	0.03	-	-	0.46	-	0.05	0.13	0.30	0.15	-	-	0.02	19
20	-	0.12	-	0.07	-	-	-	0.17	-	-	-	-	20
21	0.01	0.02	-	-	0.55	-	-	0.01	0.02	-	0.03	-	21
22	0.22	-	0.12	0.01	-	-	-	-	0.08	-	0.02	-	22
23	0.56	-	-	-	0.17	0.11	-	-	0.02	-	0.16	0.01	23
24	-	-	0.01	0.87	0.01	0.04	0.02	0.22	0.01	-	-	-	24
25	0.01	-	-	0.38	-	-	0.36	-	-	-	0.01	-	25
26	-	0.06	-	0.31	-	-	0.21	-	-	-	0.31	-	26
27	0.13	0.27	-	0.03	0.20	-	0.01	-	-	-	0.01	-	27
28	0.09	⊙ 0.24	-	0.02	-	-	-	-	-	0.04	-	-	28
29	0.07	X	-	-	0.19	-	0.10	-	-	0.34	0.01	0.02	29
30	0.05	X	-	-	0.01	-	0.02	-	-	-	-	-	30
31	0.21	X	-	X	0.01	X	-	0.12	X	-	X	-	31
TOTAL	2.00	2.42	0.33	4.00	2.60	1.22	2.17	3.64	2.20	0.71	3.94	0.64	YEAR'S TOTAL 25.87
*Days with ·01 in. or more.	~~8~~ 21	~~4~~ 19	~~2~~ 5	~~5~~ 19	~~5~~ 15	~~3~~ 13	~~4~~ 13	~~4~~ 21	~~8~~ 14	~~5~~ 9	~~7~~ 18	~~5~~ 10	177 ~~59~~
*Days with ·04 in. or more.	13	15	3	14	9	10	9	17	8	4	11	5	118

40-9999

⊙ Snow -

N

*See Instruction 2 (*f*) on other side.

(Signed) A.H. NEVE ~~ESQ~~

[P.T.O.

346/5

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kent/4.

Kept at Ingleside, Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 160 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.09	-	0.12	-	0.05	-	0.11	0.15	-	-	-	1
2	0.15	0.07	-	0.24	0.02	-	-	-	0.57	0.01	0.01	-	2
3	0.14	-	0.10	0.19	0.86	-	-	0.25	0.58	-	0.04	0.21	3
4	-	0.02	-	0.01	0.01	-	-	0.03	0.08	-	0.05	-	4
5	-	-	-	0.25	-	0.48	0.03	0.13	0.06	0.01	-	0.22	5
6	-	0.10	-	0.04	-	0.01	-	0.01	-	0.23	0.45	0.05	6
7	0.01	-	-	-	0.04	0.05	-	0.19	-	0.01	0.32	-	7
8	0.01	0.09	-	-	0.01	0.17	0.09	0.06	-	-	0.05	0.04	8
9	-	0.11	-	0.01	-	0.01	-	-	-	-	0.54	0.02	9
10	-	0.17	⊙ 0.08	-	-	0.08	-	0.17	-	-	1.17	-	10
11	0.07	0.56	-	-	-	-	-	0.01	0.02	-	0.29	-	11
12	0.10	0.02	-	-	-	-	-	0.05	0.41	0.01	-	-	12
13	0.05	-	-	-	0.18	-	-	0.18	-	-	-	0.01	13
14	-	⊙ 0.11	-	-	-	0.06	0.47	0.42	-	-	-	-	14
15	0.02	0.03	-	0.18	0.09	-	0.27	0.15	-	-	0.02	0.04	15
16	0.01	0.16	-	0.19	0.25	0.01	-	0.15	0.02	-	-	-	16
17	0.04	0.04	-	⊙ 0.37	-	-	0.33	0.20	0.03	0.05	-	-	17
18	0.02	0.14	0.02	0.25	-	0.10	0.13	0.71	-	0.01	0.45	-	18
19	0.03	-	-	0.46	-	0.05	0.13	0.30	0.15	-	-	0.02	19
20	-	0.12	-	0.07	-	-	-	0.17	-	-	-	-	20
21	0.01	0.02	-	-	0.55	-	-	0.01	0.02	-	0.03	-	21
22	0.22	-	0.12	0.01	-	-	-	-	0.08	-	0.02	-	22
23	0.56	-	-	-	0.17	0.11	-	-	0.02	-	0.16	0.01	23
24	-	-	0.01	0.87	0.01	0.04	0.02	0.22	0.01	-	-	-	24
25	0.01	-	-	0.38	-	-	0.36	-	-	-	0.01	-	25
26	-	0.06	-	0.31	-	-	0.21	-	-	-	0.31	-	26
27	0.13	0.27	-	0.03	0.20	-	0.01	-	-	-	0.01	-	27
28	0.09	⊙ 0.24	-	0.02	-	-	-	-	-	0.04	-	-	28
29	0.07	X	-	-	0.19	-	0.10	-	-	0.34	0.01	0.02	29
30	0.05	X	-	-	0.01	-	0.02	-	-	-	-	-	30
31	0.21	X	-	X	0.01	X	-	0.12	X	-	X	-	31
TOTAL	2.00	2.42	0.33	4.00	2.60	1.22	2.17	3.64	2.20	0.71	3.94	0.64	YEAR'S TOTAL 25.87
*Days with ·01 in. or more.	~~8~~ 21	~~4~~ 19	~~8~~ 5	~~5~~ 19	~~8~~ 15	~~3~~ 13	~~4~~ 13	~~4~~ 21	~~8~~ 14	~~5~~ 9	~~7~~ 18	~~5~~ 10	177 ~~59~~
*Days with ·04 in. or more.	13	15	3	14	9	10	9	17	8	4	11	5	118

40-9999

⊙ Snow-

N

*See Instruction 2 (*f*) on other side.

(*Signed*) Arthur H. Neve

A.H. NEVE ~~ESQ~~

[P.T.O.

85

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 346/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tonbridge ("Ingleside")
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.02	-	0.04	0.61	-	0.01	0.04	Trace	0.01	0.05	Trace	1
2	0.02	-	-	0.12	0.06	-	-	0.01	0.07	-	0.01	0.20	2
3	-	-	-	0.02	0.19	0.06	-	-	0.45	0.04	-	-	3
4	0.03	Trace	-	-	-	0.12	-	-	-	-	Trace	-	4
5	0.19	0.01	0.02	-	0.03	-	0.17	-	0.05	-	-	-	5
6	0.72	-	0.01	0.25	0.01	-	-	-	0.04	-	-	-	6
7	0.20	-	0.08	0.15	-	-	Trace	-	0.06	0.03	-	0.04	7
8	-	-	0.20	0.05	0.22	-	-	-	0.11	0.53	-	-	8
9	0.28	0.22	-	0.10	0.46	-	-	-	-	0.01	-	-	9
10	0.80	0.24 Snow	-	0.26	0.09	-	-	-	-	0.04	0.02	-	10
11	0.15	0.34	0.02 Snow	0.08	0.01	0.12	-	-	Trace	0.13	0.01	0.01	11
12	0.25	0.08	-	0.01	-	-	-	-	-	0.17	0.01	-	12
13	0.11	-	-	0.09	0.05	-	-	-	0.01	1.01	-	0.01	13
14	0.10	-	-	0.11	0.18	-	-	-	-	0.08	-	-	14
15	0.02	Trace	-	0.12	0.09	-	-	-	-	0.12	-	-	15
16	0.06	-	-	0.21	0.06	-	-	-	-	-	-	-	16
17	-	-	-	0.09	-	-	0.01	-	-	0.08	-	-	17
18	0.02	-	-	-	-	-	Trace	-	0.06	-	0.09	-	18
19	Trace	-	-	0.01	Trace	-	-	-	0.05	0.21	0.04	-	19
20	0.01	-	-	0.13	0.05	-	0.04	0.03	-	0.89	0.19	-	20
21	0.01	-	-	Trace	0.17	-	-	-	-	0.28	-	0.07	21
22	0.01	Trace	0.36	-	0.05	-	0.07	-	0.41	0.22	0.33	-	22
23	-	0.07	0.19	0.03	0.03	-	-	-	0.14	0.92	0.01	0.13	23
24	Trace	0.05	-	-	-	-	0.46	-	0.37	0.05	0.02	-	24
25	-	-	-	-	-	-	0.51	-	0.20	0.27	0.05	0.01	25
26	-	-	0.01	0.06	Trace	-	0.43	0.21	-	0.07	0.05	0.01	26
27	-	-	0.25	0.10	0.20	-	0.35	-	-	0.34	0.10	0.03	27
28	-	-	Trace	Trace	0.05	-	0.11	-	-	0.23	-	0.01	28
29	-	-	0.45	-	0.02	-	-	0.31	0.10	0.38	0.01	-	29
30	-	×	0.03	0.02	0.44	0.81	-	0.03	0.09	0.03	0.16	0.06	30
31	-	×	0.08	×	-	×	0.10	-	×	-	×	0.05	31
TOTAL	3.11	1.03	1.70	2.05	3.07	1.11	2.26	0.63	2.21	6.14	1.15	0.63	YEAR'S TOTAL 25.09
*Days with ·01 in. or more.	18	8	12	21	21	4	11	6	15	24	16	12	168
*Days with .04 in. or more.	11	6	7	16	16	4	9	3	14	19	9	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

346/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~3[illegible]6/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Ingleside", 21 The Drive, Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.03	0.35	0.13	—	—	—	—	—	—	0.03	0.15	—		1
2	0.31	—	0.52	—	0.08	—	—	—	—	0.01	—	—		2
3	0.07	0.18	0.38	—	—	—	—	—	—	—	—	—		3
4	0.10	0.02	0.01	—	0.17	—	—	—	—	—	—	—		4
5	0.24	—	0.39	—	0.16	—	—	—	—	—	—	—		5
6	—	0.13	0.07	—	0.40	—	—	—	—	0.08	0.09	—		6
7	0.29	0.05	0.02	—	0.55	—	—	—	—	0.44	—	—		7
8	0.11	0.01	—	—	0.08	—	0.40	—	—	—	—	—		8
9	—	—	—	—	0.10	—	0.08	—	—	0.04	0.12	—		9
10	0.01	0.16	—	—	—	0.04	0.03	—	—	0.20	Trace	—		10
11	0.08	—	—	—	0.17	—	0.06	0.11	0.08	0.05	0.01	—		11
12	—	—	—	0.01	Trace	0.17	0.24	—	1.26	—	—	—		12
13	0.05	—	—	—	0.10	—	0.26	0.03	0.28	0.11	0.16	—		13
14	—	—	—	—	0.01	—	0.04	—	—	0.30	0.32	—		14
15	0.25	—	0.12	—	—	—	0.23	0.15	—	0.04	0.02	—		15
16	0.06	—	0.89	—	—	0.16	0.03	—	—	0.01	—	—		16
17	0.01	0.01	0.34	—	—	0.09	—	0.04	0.11	—	0.06	—		17
18	0.01	—	0.05	—	—	0.42	—	—	—	—	0.01	—		18
19	0.03	0.01	0.27	0.02	—	0.41	—	—	0.40	Trace	0.01	0.01		19
20	—	0.04	0.05	0.16	—	0.15	—	—	0.11	—	Trace	—		20
21	—	0.09	—	—	—	—	—	0.29	0.24	0.01	—	—		21
22	—	—	—	—	—	Trace	—	0.17	—	0.04	0.01	—		22
23	—	0.01	—	0.16	0.43	0.01	—	—	0.38	0.03	—	—		23
24	—	0.48	—	0.17	—	0.14	—	—	0.30	—	0.01	—		24
25	—	0.22	—	0.21	0.04	—	—	—	0.01	—	0.15	0.07		25
26	—	0.58	—	0.03	—	0.03	—	—	0.12	0.04	0.11	0.14		26
27	—	—	—	—	0.03	—	—	—	—	0.19	Trace	0.14		27
28	—	Trace	—	—	—	—	0.24	—	—	0.25	—	0.21		28
29	0.04	×	—	—	0.18	—	0.17	—	—	0.04	—	—		29
30	0.08	×	0.15	0.01	—	—	0.08	—	0.15	0.04	—	0.07		30
31	0.01	×	—	×	—	×	—	0.06	×	Trace	×	—		31
TOTAL	1.78	2.34	3.39	0.77	2.50	1.62	1.86	0.85	3.44	1.95	1.23	0.64	Year's Total 22.37	
*Days with ·01 in. or more.	18	15	14	8	14	10	12	7	12	19	14	6	149	
*Days with .04 in. or more.	12	10	12	4	12	8	10	6	11	14	8	5	112	

40-9999

*See Instruction 2 (*f*) on other side.

9

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 346/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Ingleside", 21 The Drive, TONBRIDGE

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	-	-	-	-	0.09	-	0.15	-	0.11	Tr.	0.21		1
2	0.07	-	0.17	-	-	-	-	-	0.55	0.49	-	0.31		2
3	0.01	0.02	-	0.10	-	-	-	-	-	0.33	0.01	0.06		3
4	0.15	Tr.	0.04	-	0.03	-	-	-	-	0.26	0.08	0.73		4
5	-	-	0.01	-	0.05	-	-	0.01	-	-	0.01	0.39		5
6	0.01	-	0.30	-	0.17	0.21	-	0.11	-	0.19	Tr.	0.40		6
7	0.05	-	-	-	-	0.01	-	-	-	0.07	-	0.20		7
8	-	0.01	-	0.11	0.16	-	-	0.02	Tr.	-	0.94	-		8
9	0.02	-	0.03	-	Tr.	-	-	-	0.02	-	1.24	0.24		9
10	-	Tr.	0.26	0.22	-	-	-	0.08	-	-	0.39	Tr.		10
11	0.79	-	0.39	0.04	-	-	0.01	0.02	-	-	0.05	0.15		11
12	0.10	-	0.19	-	-	-	0.09	0.15	-	-	-	0.11		12
13	0.57	-	0.17	0.05	-	-	0.26	0.17	-	0.01	0.03	0.03		13
14	0.27	-	0.52	0.07	-	-	-	-	-	0.10	0.44	0.46		14
15	0.01	-	-	-	0.04	-	-	-	-	-	0.08	0.56		15
16	0.15	-	0.31	0.05	0.21	-	-	-	Tr.	0.04	0.01	0.03		16
17	0.08	0.03	0.24	0.03	0.09	-	-	-	-	0.06	-	0.32		17
18	0.21	-	0.03	0.39	-	-	0.28	-	-	-	-	0.33		18
19	-	-	0.31	0.05	-	0.01	-	-	0.27	0.01	-	0.16		19
20	-	-	0.07	-	-	-	0.04	-	-	0.01	Tr.	0.01		20
21	-	-	Tr.	0.12	-	0.10	0.02	-	-	0.06	-	Tr.		21
22	-	0.01	--	-	-	-	0.16	0.06	0.17	0.01	0.01	0.09		22
23	-	-	-	0.34	-	1.18	-	-	Tr.	0.01	-	0.09		23
24	-	0.02	Tr.	0.16	-	0.07	0.29	Tr.	0.11	-	-	-		24
25	0.11	Tr.	--	0.16	-	-	-	-	-	0.02	-	0.39		25
26	0.13	-	-	0.18	-	0.08	-	-	0.06	-	-	0.14		26
27	Tr.	-	-	0.23	-	0.01	-	-	-	0.01	-	0.38		27
28	-	0.20	-	0.23	-	0.08	0.02	0.53	-	0.01	Tr.	0.25		28
29	-	X	-	-	-	-	0.13	0.03	0.18	-	-	0.01		29
30	0.10	X	-	-	-	-	-	0.04	-	-	-	0.36		30
31	0.02	X	-	X	-	X	-	0.30	X	0.07	X	0.10		31
TOTAL	2.87	0.29	3.04	2.53	0.75	1.84	1.30	1.67	1.36	1.87	3.29	6.51	Year's Total. 27.32	
* Days with .01 in. or more.	19	6	15	17	7	10	10	13	7	19	12	27	162	
* Days with .04 in. or more.	13	1	12	16	6	7	7	9	6	11	7	23	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 346/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Ingleside", 21, The Drive, TONBRIDGE,

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 160 ft.

File No 159385/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	·05	·01	-	-	·09	·02	-	·38	·17	·08	-		1
2	·14	-	-	·08	-	·07	-	-	-	·43	·08	-		2
3	-	·02	·18	·07	-	·11	-	-	·08	·82	·16	-		3
4	-	·03	-	·24	-	·25	-	-	·42	·21	·01	·15		4
5	-	·48	·03	·08	-	·08	-	-	·60	·12	·01	-		5
6	·04	·03	·01	·27	-	·57	-	-	-	·03	·17	·02		6
7	·04	·01	-	·25	-	·02	-	-	-	-	1·15	·12		7
8	-	-	·03	·40	-	tr.	-	·07	-	·25	·48	·13		8
9	·01	-	-	·16	-	·15	-	-	-	·83	·23	tr.		9
10	·05	·01	·03	-	-	·05	-	-	-	·01	·21	·18		10
11	·08	tr.	-	·22	-	·15	-	-	-	-	·35	·01		11
12	-	·01	-	-	-	·21	-	·51	·03	-	·89	-		12
13	·08	·17	-	·10	·03	·03	-	-	-	-	·15	·01		13
14	-	-	-	·29	·16	·09	-	-	·01	-	·01	·08		14
15	tr.	·19	-	·45	-	·01	-	-	·30	-	·33	·08		15
16	-	·07	-	·26	-	·13	-	-	·31	·02	·92	·02		16
17	·02	-	·10	·03	·01	·21	-	-	·03	-	·43	tr.		17
18	-	-	-	·25	·03	·05	tr.	-	·40	·07	·02	-		18
19	-	-	-	·07	·59	·02	·29	-	·03	-	·06	-		19
20	-	·74	-	·02	·02	·06	·44	-	·03	-	·12	-		20
21	·01	·44	-	·01	-	-	-	-	·02	·15	·03	-		21
22	-	·11	-	-	-	-	-	·45	·03	-	-	-		22
23	-	-	·03	-	-	-	-	·71	·01	-	-	·04		23
24	·05	1·12	-	-	·41	-	-	·78	·55	·02	-	·27		24
25	·20	·21	-	·09	·45	·09	-	-	-	-	·02	·33		25
26	·03	·19	-	-	-	-	-	·18	·03	·06	·01	·43		26
27	·01	·87	-	-	·18	-	-	-	·08	-	·09	·25		27
28	-	·05	-	-	·01	-	-	-	·02	·07	·01	·15		28
29	-	X	-	-	-	-	-	·06	·45	-	-	·41		29
30	·08	X	-	·08	·11	-	-	1·04	·13	·09	·56	·40		30
31	-	X	-	X	·02	X	-	·01	X	·27	X	·55		31
TOTAL	1·07	4·80	·42	3·42	2·02	2·44	·75	3·81	3·94	3·62	6·58	3·63	Year's Total 36·50	
* Days with .01 in. or more.	15	19	8	20	12	20	3	9	21	17	26	19	189	
* Days with .04 in. or more.	10	13	2	17	6	16	2	8	11	13	18	15	131	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 346/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at "Ingleside", 21, The Drive, TONBRIDGE,

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.36	0.16	-	0.23	-	0.13	0.24	0.11	-	-	0.07	0.14		1
2	-	0.02	0.01	0.01	-	0.17	0.04	0.11	-	-	Trace	-		2
3	-	-	-	0.58	Trace	-	0.01	-	0.05	-	0.29	-		3
4	Trace	-	0.01	-	-	0.09	-	-	0.41	-	-	0.05		4
5	0.23	-	0.01	-	-	-	-	0.05	0.44	0.04	0.14	0.04		5
6	0.37	-	-	-	-	0.02	-	0.03	0.20	0.11	1.14	-		6
7	0.61	-	0.03	-	-	0.05	-	Trace	0.04	Trace	0.80	snow 0.12		7
8	0.30	-	0.30	-	-	-	-	-	-	0.01	0.74	0.21		8
9	0.53	-	0.03	-	-	-	0.29	0.27	0.07	0.17	0.04	-		9
10	0.06	-	-	-	-	-	0.46	0.36	0.01	-	-	-		10
11	-	-	-	0.04	-	-	0.32	-	-	-	0.73	0.01		11
12	-	-	-	0.07	-	0.25	0.19	-	0.53	0.01	0.41	0.15		12
13	-	-	-	-	-	0.09	0.02	-	-	-	-	0.64		13
14	-	0.05	-	-	-	0.04	0.65	-	-	0.04	0.13	0.57		14
15	-	0.12	-	-	-	0.01	0.01	-	0.01	-	0.04	0.35		15
16	0.29	0.05	-	-	0.08	-	-	-	0.01	-	0.20	0.13		16
17	0.21	0.66	-	-	-	0.10	-	0.01	-	0.03	0.21	0.43		17
18	0.08	0.15	-	-	-	0.08	0.11	-	-	0.01	0.26	0.17		18
19	0.27	0.06	-	-	-	0.25	0.02	0.09	-	0.05	0.01	-		19
20	0.20	0.06	-	0.40	-	-	0.01	-	0.47	-	-	-		20
21	-	0.01	-	0.35	-	0.34	0.11	-	0.05	-	-	-		21
22	0.11	0.40	0.10	-	0.03	0.08	0.08	-	Trace	-	-	0.05		22
23	0.03	0.20	0.02	0.06	-	-	0.30	-	-	0.04	0.01	-		23
24	0.03	0.06	-	-	-	0.49	0.08	-	0.04	0.21	-	0.01		24
25	0.14	-	0.22	0.16	-	0.26	0.20	-	0.22	0.05	0.04	-		25
26	-	0.18	0.17	0.04	-	0.08	0.02	-	0.03	0.17	-	-		26
27	0.29	-	0.06	-	-	-	0.04	-	0.22	0.16	-	-		27
28	0.61	-	0.02	-	-	0.15	0.08	-	0.05	-	0.01	0.06		28
29	0.04	0.07	0.14	-	-	0.48	0.03	-	-	0.04	0.08	0.01		29
30	0.11	✕	-	-	Trace	0.23	-	-	-	0.19	-	-		30
31	0.32	✕	0.19	✕	0.02	✕	0.07	-	✕	0.69	✕	0.17		31
TOTAL	5.19	2.25	1.31	1.94	0.13	3.39	3.38	1.03	2.85	2.02	5.35	3.31	Year's Total 32.15	✓
* Days with .01 in. or more.	21	15	14	10	3	20	23	8	17	17	19	18	185	✓
* Days with .04 in. or more.	19	13	7	9	1	18	16	6	13	13	16	15	146	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Marion I. Ware [P.T.O.

Secretary

to the late Arthur H. Neve.

X TONBRIDGE, JUDD

346/6

Section **A** for the entry o
AIR MINISTR

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS

32.

Kent/4

Kept at Judd School,
in the County of KEN

7819/32

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

notify Observer
Card sent 25/1/33
~~Rate of Stn~~ NO
15/3/33

346/6

TONBRIDE

JUDD SCHOOL

1932 - ONLY

0634000,09

780107

THE MORNING MEAS **DAY.**

An observer who does not conform *the following*
year in the space on the right of

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	—	·64	—	—	·01	tr	·10	·02	—	1
2	·14	·01	—	·06	·05	—	—	—	·02	tr	tr	—	2
3	·01	—	—	·10	·18	·05	—	—	·46	·03	—	—	3
4	—	—	—	—	tr	·13	—	—	tr	tr	—	—	4
5	·01	—	—	—	·03	tr	·20	—	·04	—	—	—	5
6	·14	—	—	·20	·04	—	·01	—	·02	—	—	—	6
·43 7	·4~~8~~3	—	·01	·09	—	—	tr	—	·07	·02	—	·02	7
8	·17	—	·09	tr	·20	—	—	—	·10	·50	—	—	8
9	—	—	·20	·04	·42	—	—	—	—	·01	—	tr	9
10	·18	·25	—	·22	·08	·09	—	—	—	·04	·02	tr	10
11	·11	·25	—	·07	·01	—	·12	—	—	·11	tr	—	11
12	·20	·04	·01	—	—	—	—	—	—	·19	—	tr	12
13	·10	—	—	·09	·04	—	—	—	—	·86	—	—	13
14	·06	—	—	·10	·16	—	—	—	—	·14	—	—	14
15	—	—	—	·13	·05	—	—	—	—	·09	—	—	15
16	·06	—	—	·20	·07	—	—	tr	—	tr	—	—	16
17	—	tr	—	·09	—	—	tr	tr	—	·05	—	—	17
18	·02	—	—	tr	—	—	tr	—	·03	tr	·07	—	18
19	·01	—	—	tr	tr	—	—	tr	·04	·15	·03	—	19
20	·01	—	—	·12	·04	—	·05	·02	·01	·76	·17	—	20
21	tr	—	—	·01	·17	—	—	tr	tr	·25	—	·05	21
22	tr	—	·33	—	·05	·06	·08	tr	·39	·19	·29	—	22
23	tr	—	·21	·03	·04	—	—	tr	·12	·80	·01	·10	23
24	tr	·03	—	—	tr	—	·37	—	·38	·05	tr	—	24
25	—	·03	—	tr	—	—	·50	—	·18	·25	·01	—	25
26	—	—	tr	·03	—	—	·46	·21	tr	·05	·07	—	26
27	—	—	·21	·07	·20	—	·30	—	—	·29	—	tr	27
28	—	—	—	tr	·05	—	·10	—	—	·28	—	tr	28
29	—	—	·40	—	·04	—	—	·32	·09	·35	—	—	29
30	—	×	·10	·01	·46	·70	—	·02	·10	·02	·12	·04	30
31	—	×	·08	×	—	×	·01	—	×	tr	×	·03	31
TOTAL	1·65	0·62	1·64	1·66	3·02	1·03	2·20	0·58	2·05	5·58	0·81	0·24	YEAR'S TOTAL 21·08
*Days with ·01 in. or more.	15	7	10	18	21	5	11	5	15	24	10	5	146
*Days with ·04 in. or more.	10	3	8	14	19	5	9	2	11	20	5	3	109

40-9999

*See Instruction 2 (*f*) on other side.

N.

(Signed) A. P. ~~Norton~~

X THE HEADMASTER X

P.T.O.

X TONBRIDGE JUDD

346/6

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Cint. Kent/4

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Judd School, Tonbridge

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 130 ft.

File No. 159819/32

Please notify Observer of Stn No

Card sent 25/1/33

C1932.

Letter sent re low total 15/3/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	—	·64	—	—	·01	tr	·10	·02	—	1
2	·14	·01	—	·06	·05	—	—	—	·02	tr	tr	—	2
3	·01	—	—	·10	·18	·05	—	—	·46	·03	—	—	3
4	—	—	—	—	tr	·13	—	—	tr	tr	—	—	4
5	·01	—	—	—	·03	tr	·20	—	·04	—	—	—	5
6	·14	—	—	·20	·04	—	·01	—	·02	—	—	—	6
·43 7	·43	—	·01	·09	—	—	tr	—	·07	·02	—	·02	7
8	·17	—	·09	tr	·20	—	—	—	·10	·50	—	—	8
9	—	—	·20	·04	·42	—	—	—	—	·01	—	tr	9
10	·18	·25	—	·22	·08	·09	—	—	—	·04	·02	tr	10
11	·11	·25	—	·07	·01	—	·12	—	—	·11	tr	—	11
12	·20	·04	·01	—	—	—	—	—	—	·19	—	tr	12
13	·10	—	—	·09	·04	—	—	—	—	·86	—	—	13
14	·06	—	—	·10	·16	—	—	—	—	·14	—	—	14
15	—	—	—	·13	·05	—	—	—	—	·09	—	—	15
16	·06	—	—	·20	·07	—	—	tr	—	tr	—	—	16
17	—	tr	—	·09	—	—	tr	tr	—	·05	—	—	17
18	·02	—	—	tr	—	—	tr	—	·03	tr	·07	—	18
19	·01	—	—	tr	tr	—	—	tr	·04	·15	·03	—	19
20	·01	—	—	·12	·04	—	·05	·02	·01	·76	·17	—	20
21	tr	—	—	·01	·17	—	—	tr	tr	·25	—	·05	21
22	tr	—	·33	—	·05	·06	·08	tr	·39	·19	·29	—	22
23	tr	—	·21	·03	·04	—	—	tr	·12	·80	·01	·10	23
24	tr	·03	—	—	tr	—	·37	—	·38	·05	tr	—	24
25	—	·03	—	tr	—	—	·50	—	·18	·25	·01	—	25
26	—	—	tr	·03	—	—	·46	·21	tr	·05	·07	—	26
27	—	—	·21	·07	·20	—	·30	—	—	·29	—	tr	27
28	—	—	—	tr	·05	—	·10	—	—	·28	—	tr	28
29	—	—	·40	—	·04	—	—	·32	·09	·35	—	—	29
30	—	×	·10	·01	·46	·70	—	·02	·10	·02	·12	·04	30
31	—	×	·08	×	—	×	·01	—	×	tr	×	·03	31
TOTAL	1·65	0·62	1·64	1·66	3·02	1·03	2·20	0·58	2·05	5·58	0·81	0·24	YEAR'S TOTAL 21·08
*Days with ·01 in. or more.	15	7	10	18	21	5	11	5	15	24	10	5	146
*Days with ·04 in. or more.	10	3	8	14	19	5	9	2	11	20	5	3	109

40-9999

*See Instruction 2 (*f*) on other side.

N.

(Signed) ~~A. P. Norton~~

X THE HEADMASTER X

[P.T.O.

TONBRIDGE (THORPE A

FORM 1090.

B Mo
Su

346/8

TONBRIDGE
THORPE AVE.
1932 - 1936

063302001

480104

3.46/8

Kent 14.

, The following register of mont
&c., is NOT required if daily
values are given on the other s

on and also the space for

is register should be sent:—
...ernee
...ge Kent

RAINFALL IN 193

Lamorna
At 11 Thorpe ave

...ch in Summer 8 o clock

In the County of Kent a To

...nce S.W. Direction from gauge
...nce S.W. Direction from gauge

Rain Gauge
Diameter of Funnel
Height of Top above Ground 1 *ft*
Height of Ground above Sea Level 150 *ft*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more*	·04 in. or more*
	Inches	Inches	Date.		
JAN.	2·54	0·67	7th	17 ~~16~~	11
FEB.	0·50	0·33	15th	4 ~~2~~	2
MAR.	1·58	0·45	30th	10 ~~8~~	7
APRIL	2·33	0·37	7th	22 ~~8~~	14
MAY	3·91	0·92	7th	17 ~~2~~	15
JUNE	0·18	0·12	6th	2 ~~—~~	2
JULY	2·42	0·69	1st	14 ~~4~~	10
AUG.	0·57	0·36	30th	11 ~~5~~	6
SEPT.	1·86	0·44	23rd	16 ~~7~~	9
OCT.	5·76	1·16	14th	22 ~~2~~	22
NOV.	0·88	0·32	28nd	12 ~~6~~	6
DEC.	0·65	0·20	3rd	8 ~~2~~	6
Total	23·43 2			155	110

Signature F. J. Reed

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge: Vegetation

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

OK

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

TONBRIDGE (THORPE AVENUE)

FORM 1090.

346/8

Kent 14.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

Lamorna

At 11 Thorpe avenue

In the County of Kent Tonbridge

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 ft — *in.*

Height of Ground above Sea Level 150 *ft*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·59	0·67	7th	17 ~~16~~	11
FEB.	0·50	0·33	15th	4 ~~2~~	2
MAR.	1·58	0·45	30th	10 ~~8~~	7
APRIL	2·33	0·37	7th	22 ~~8~~	14
MAY	3·91	0·92	7th	17 ~~2~~	15
JUNE	0·18	0·12	6th	2	2
JULY	2·42	0·69	1st	14 ~~4~~	10
AUG.	0·57	0·36	30th	11 ~~5~~	6
SEPT.	1·86	0·44	23rd	16 ~~7~~	9
OCT.	5·76	1·16	14th	22 ~~2~~	22
NOV.	0·88	0·32	23rd	17 ~~16~~	6
DEC.	0·65	0·20	3rd	8 ~~2~~	6
Total	23·43 2			155	110

Signature F. J. Reed

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
F. J. Reed 11 Thorpe avenue
Tonbridge Kent

Hour of observation by the clock—in Winter 9 o clock in Summer 8 o clock

Nearest Railway Station 1 mile Distance S.W. Direction from gauge

Nearest Parish Church at 1/2 mile Distance S.W. Direction from gauge

Nature of objects nearest to gauge	Vegetables			
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

OK print

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 346/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Arith checked

Kept at 11: Thorpe avenue: Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground above Sea Level 135 ft ft.

W.D. July–Dec.

906 sent 5/3/34 supplying amendments as below to Feb & October & pointing out W.D. in latter half of year.

Fletcher.

File No 250056/33

Feb 1st low.

Oct. 1st low

Observer concurs & sends actual figures Fletcher 2/3/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·32	·10						·07	·05			1
2	·25		·47		·11					trace	·25		2
3	·07	·18	·35							·05			3
4	·05					3				trace			4
5	·28	·02	·35		·29								5
6		·10			·42						trace		6
7	·43	·15	·04		·33					·07	·09		7
8		·01			·05					(·44) ✓			8
9					·02		·44			trace		·01	9
10		·16					·03			·01	·10		10
11	·06				·16	·03	·05			(·27) ✓	·04		11
12				·02		·17	·04	·12	·06	·04			12
13	·04				·03		·02		1·30		trace		13
14					·02		·25		·32	·05	·		14
15							·02	·05		(·29) ✓	·19		15
16	·22		·83			·21	·27	·16		·02	·29		16
17			·40			·07	·05						17
18			·17			·35		·04	·10		·07		18
19			·20	·03		·18							19
20	·07	·05	·04	·10		·16			trace		·01		20
21		·08							·54		trace		21
22						·02		·24	·24		trace		22
23		✓		·05	·36			·17		·01	trace		23
24		x		·33	·03	·13			·36	·01			24
25		x 1·26 x ✓		·17	·01				·27	·01	·01		25
26		~~·26~~		·02					·05				26
27		·01		·01	·03				·17		·21		27
28		·01			·16	·02			·01	·24	trace	·13	28
29		X	·04		·23					·33		·22	29
30	·11	×	·07				·33			·02		trace	30
31		×		×		×	·02	+·07	+·05 ×	·05	×	·09	31 20·56
TOTAL	1·60	2·35 ~~1·35~~	3·06	·73	2·25	1·34	1·52	·75 ~~·68~~	3·47 ~~3·49~~	1·81 ~~·9[illegible]~~	1·23	·45	YEAR'S TOTAL ~~18·66~~
*Days with ·01 in. or more.	11	12~~4~~ 15	12	8 ~~4~~	15~~6~~	10 ~~3~~	11 ~~4~~	7 ~~6~~	12	~~[illegible]~~ 16	10 ~~8~~	4	~~[illegible]~~ 131
*Days with ·04 in. or more.	10	~~8~~ 10	12	4	9	7	7	7 ~~6~~	11	~~8~~ 10	7	3	~~92~~ 97 ~~95~~

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) F. J. Reed

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 346/18

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File no 250056/33

Kept at 11 Thorpe Avenue Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground above Sea Level 135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06					·03		·12	·06	·08	·03	·30	1
2	·01		·17			tr		·02	·48	·52	tr	·25	2
3	·13			·06					·01	·36		·04	3
4			·03							·38	·08	·58	4
5					·06			·01		tr	·01	·31	5
6			·29		·18	·23		·04		·18		·42	6
7	·04							·08		·10	tr	·19	7
8				·15	·16			·02	tr		·75		8
9			·04	tr	tr				·01		1·11	·20	9
10		·02	·16	·18				·04		·01	·43		10
11	·73		·35	·05						tr	·03	·09	11
12	·13		·18				·05	·40			tr	·14	12
13	·51	·01	·16				·25	·35				·03	13
14	·24		·49	·08	tr		tr	tr		·11	·36	·36	14
15	·01				·01						·08	·87	15
16	·10		·28	·04	·16					·06		·01	16
17			·23	·02	·02					·07		·28	17
18			·06	·38			·33			tr	·01	·38	18
19			·25	·05					·25			·20	19
20			.10	tr			·04		tr		·01		20
21			·01							·02		·01	21
22				tr			·90	·05		tr		·12	22
23			·02	·27		1·14	·10		·15			·06	23
24		·01		·08		·07	·47		·08				24
25	·05			·11	·03		tr		tr	·01	tr	·36	25
26	·13			·12					·05			·06	26
27				·28					tr			·18	27
28		·20		·11				·52				·30	28
29		×		tr			·02	·02	·15			·01	29
30	·09	×						·04	tr			·29	30
31	·02	×		×		×		·18	×	·05	×		31
TOTAL	2·25	0·24	2·92	1·98	·62	1·47	2·16	1·80	1·24	1·95	2·90	6·04	YEAR'S TOTAL 25·57
*Days with ·01 in. or more.	14 18	4 8	16 8	15 X	7 8	4 X	8 X	14 4	9 8	13 8	11 5	26 4	~~33~~ 141
*Days with .04 in. or more.	11	1	13	14	4	3	7	10	7	10	6	22	108

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F J Reed

~~P.T.O.~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 346/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 11 Thorpe Avenue Tonbridge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground above Sea Level 135 ft.

File no
250056/33

Sum

Gauge
Total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in	in.	in	in.	in	in.	in		
1	·22	·05	·02	·02	·08	·09	·02		·41	·19	·05			1
2	·19			·09						·30	·11			2
3	·02		·14			·06			·07	·88	·16			3
4		·05		·30		·17			·35	·30	·02	·18		4
5		·42	·01	·06		·18			·62	·16	·01			5
6	·02	·08		·24		·36				·02	·15	·05		6
7	·08		·01	·25		·11					1·07	·11		7
8		·08		·39				·07		·23	·43	·17		8
9				·11		·19				·86	·20			9
10	·05		·06	·05		·03				·06	·22	·22		10
11	·12			·16		·15	·01				·34	·02		11
12		·03				·13		·43			·95	·01		12
13	·07	·18				·04					·66			13
14				·25	·19	·08			·03		·01	·09		14
15		·22		·41	·03	·02			·28	·02	·27	·08		15
16		·04		·20		·08			·25	·02	·98			16
17			·15	·28		·21	·03		·10		·46			17
18			·01	·20	·01	·13	·43		·32	·05	·02			18
19				·04		·03	·22				·06			19
20		·55		·01	·63	·05	·24		·03		·11			20
21		·40			·01				·04	·13	·04			21
22	tr	·08						·40	·05					22
23			·04					·86				x	Away from home Gauge	23
24	·05	·78						·73	·47	·06		x		24
25		·47			·78	·10		·01				tr		25
26	·12							·19	·03	·05		1·36		26
27		·93					·02		·10		·12	x		27
28					·02			·02	·03	·06	·02	x		28
29		·03						·01	·51			x		29
30	·13	×			·08			·92	·13	·05	·53	·38		30
31		×		×	·03	×		·11	×	·26	×	·34		31
TOTAL	1·22	4·39	·44	3·06	1·86	2·21	·97	3·75	3·82	3·69	6·39	2·98	Year's Total. 34·78	
* Days with .01 in. or more.	11 ~~2~~	16 ~~8~~	8 ~~4~~	17 ~~2~~	10 ~~5~~	19 ~~3~~	7 ~~4~~	11 ~~3~~	18 ~~4~~	18 ~~3~~	24 ~~5~~	18 ~~2~~	~~39~~	177
* Days with .04 in. or more.	9	14	4	15	5	16	3	8	14	15	19	16	132	138

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. J. Reed

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 346/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Tamora. 11 Shope avenue

in the County of Kent - Tonbridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground above Sea Level 135 ft.

Ref Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	*Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·16	·01	·18		·16	·21	·05			·11	·13		1
2		·02	·01	·01		·15	·04	·13			·01	·02		2
3				·47	·02	·01		·01	·02		·29			3
4			·12			·08		tr	·33			·07		4
5			·02			tr	tr	·03	x	·07	·15			5
6						·03		·02	51	·12	1·09	·11		6
7			·02			·03	tr		·02	·01	·75			7
8			·26				·01		·03		·51	·27		8
9	·46		·03				·37	·25	·03	·20	tr			9
10	·06		tr				·84	·87	·07					10
11	tr						·24	·04			·67	·01		11
12						·11	·16	tr	·43		·35	·14		12
13				·03		·23	·10				·01	·45		13
14		·06		·02		·03	·64	tr		·05	·12	·51		14
15						·10	·02		·01	tr	·02	·24		15
16	·24	·13			·08		tr		·01		·23	·17		16
17	·32	·64				·08					·22	·31		17
18	·05	·08				·08	x	tr	·01	·03	·32	·12		18
19	·23	·06				·41		·10		·06	·01	tr		19
20	·27	·07		x			✓16		·72					20
21				·81		·41	·15		tr	tr				21
22		·43	·10	tr	·05	·09	·09		·01			·07		22
23	·10	·23	·03	·06	tr		·24			·04				23
24	·03	·04				1·02	·01		·02	·43				24
25	·08	·02	·13	·16		·40	·21		·24		·04			25
26	·07	·19	·25	·11		·08				·22				26
27	·20	·03	·06				·03		·31	·13				27
28	·65					·02	·17		·01		·02	·05		28
29	·04	·06	·03			·96	·07			·05	·10	·01		29
30	·10	×				·18	tr		tr	·04	tr	tr		30
31	·30	×	·20	×	·03	×	·06		×	·84	×	·08		31
TOTAL	3·20	2·22	1·27	1·85	0·18	4·66	3·82	1·50	2·78	2·29	5·02	2·76	Year's Total. 31·55	
* Days with .01 in. or more.	16 X	9 15	7 14	8 10	3 4	5 21	21 4	3 9	10 18	2 14	5 19	17 3	~~48~~	178
* Days with .04 in. or more.	15	12	7	7	2	16	16	6	~~7~~ 8	12	14	14	128	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) F. J. Reed 1936

[P.T.O.

780107

347

GAILES, HILDENBORO

347 - 294630

0634O1005

1931-40

Section **A** for the
AIR M

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090. RE 931.

Kept at "GAILES" 0/26

in the County of K

Diameter of Funnel of Ga

Height of top of Gauge abo

,, Ground ,,

THE MORNING DAY.

An observer who does not co *the following*
year in the space on the ri

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·15	·01	·24	–	·22	–	·16	·06	–	–	T	1
2	·14	·05	–	·26	–	–	–	–	·64	·01	T	–	2
3	·12	·06	·07	·17	1·08	–	T	·23	·35	T	–	·16	3
4	–	·02	–	–	·05	–	–	·02	·19	·01	·05	T	4
5	–	–	–	·27	T	·50	·02	·06	·06	T	–	·16	5
6	–	·09	–	·03	–	·01	–	T	–	·21	·56	T	6
7	·01	}15	–	–	·03	·04	·16	·09	–	·04	·24	–	7
8	T		–	T	·04	·22	T	·15	–	T	T	·03	8
9	–	·07	–	·01	–	·01	–	–	–	T	·52	–	9
10	·02	·18	·09	T. fog	–	·06	T	·18	–	T	1·72	–	10
11	·06	·52	T	–	–	–	–	·02	}·43	–	·15	–	11
12	·10	·01	–	–	–	–	–	·07		–	–	·01	12
13	·09	T	T	–	}·11	–	T	·13	–	–	–	–	13
14	T	Snow ·10	–	–		·05	·42	·39	–	–	–	–	14
15	·01	·02	–	·25	–	–	·31	·40	–	–	–	·01	15
16	·02	·15	–	·19	·30	–	T	·18	–	–	·02	–	16
17	–	·05	–	·30	T	T	·31	·34	–	·03	–	–	17
18	·04	·18	·01	·43	–	·14	·13	·47	–	T	·38	–	18
19	·03	T	–	·51	–	·05	·24	·61	·13	–	T	–	19
20	T	·12	–	·11	–	–	·03	·23	–	–	T	–	20
21	·02	·02	–	–	·52	–	–	·01	·06	–	–	–	21
22	·15	–	·14	·01	T	–	–	–	·05	–	·05	–	22
23	·50	–	–	–	·21	·08	–	–	·05	–	·12	–	23
24	–	–	·01	·55	·01	·07	–	·13	·01	T	–	·01	24
25	·02	T	–	·58	–	–	·48	–	T	–	T	T	25
26	T	·07	–	·44	–	–	·25	–	–	–	·23	–	26
27	·17	·24	–	·02	·19	–	·05	–	–	–	·03	–	27
28	·07	·23	–	·01	–	–	–	–	–	·03	–	–	28
29	·15	–	–	–	·14	–	·10	–	T	·34	·01	·02	29
30	·05	×	–	–	–	–	–	·02	–	–	T	–	30
31	·23	×	–	×	·02	×	–	·05	×	–	×	–	31
TOTAL	2·00	2·48	0·33	4·38	2·70	1·42	2·50	3·94	2·03	0·67	4·08	0·40	YEAR'S TOTAL 26·93
*Days with ·01 in. or more.	20	20	6	18	13	12	12	21	12	7	13	7	161
*Days with ·04 in. or more.	12	16	3	13	9	10	10	17	11	3	10	2	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward E. Roper

[P.T.O.

Section **A** for the

3 4 7

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "GAILES" HILDENBOROUGH
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 159 ft.

File Ref 661440/26
Station No 347

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·15	·01	·24	–	·22	–	·16	·06	–	–	T	1
2	·14	·05	–	·26	–	–	–	–	·64	·01	T	–	2
3	·12	·06	·07	·17	1·08	–	T	·23	·35	T	–	·16	3
4	–	·02	–	–	·05	–	–	·02	·19	·01	·05	T	4
5	–	–	–	·27	T	·50	·02	·06	·06	T	–	·16	5
6	–	·09	–	·03	–	·01	–	T	–	·21	·56	T	6
7	·01	}15	–	–	·03	·04	·16	·09	–	·04	·24	–	7
8	T		–	T	·04	·22	T	·15	–	T	T	·03	8
9	–	·07	–	·01	–	·01	–	–	–	T	·52	–	9
10	·02	·18	·09	T. fog	–	·06	T	·18	–	T	1·72	–	10
11	·06	·52	T	–	–	–	–	·02	}·43	–	·15	–	11
12	·10	·01	–	–	–	–	–	·07		–	–	·01	12
13	·09	T	T	–	}·11	–	T	·13	–	–	–	–	13
14	T	Snow ·10	–	–		·05	·42	·39	–	–	–	–	14
15	·01	·02	–	·25	–	–	·31	·40	–	–	–	·01	15
16	·02	·15	–	·19	·30	–	T	·18	–	–	·02	–	16
17	–	·05	–	·30	T	T	·31	·34	–	·03	–	–	17
18	·04	·18	·01	·43	–	·11	·13	·47	–	T	·38	–	18
19	·03	T	–	·51	–	·05	·24	·61	·13	–	T	–	19
20	T	·12	–	·11	–	–	·03	·23	–	–	T	–	20
21	·02	·02	–	–	·52	–	–	·01	·06	–	–	–	21
22	·15	–	·14	·01	T	–	–	–	·05	–	·05	–	22
23	·50	–	–	–	·21	·08	–	–	·05	–	·12	–	23
24	–	–	·01	·55	·01	·07	–	·13	·01	T	–	·01	24
25	·02	T	–	·58	–	–	·48	–	T	–	T	T	25
26	T	·07	–	·44	–	–	·25	–	–	–	·23	–	26
27	·17	·24	–	·02	·19	–	·05	–	–	–	·03	–	27
28	·07	·23	–	·01	–	–	–	–	–	·03	–	–	28
29	·15	–	–	–	·14	–	·10	–	T	·34	·01	·02	29
30	·05	×	–	–	–	–	–	·02	–	–	T	–	30
31	·23	×	–	×	·02	×	–	·05	×	–	×	–	31
TOTAL	2·00	2·48	0·33	4·38	2·70	1·42	2·50	3·94	2·03	0·67	4·08	0·40	YEAR'S TOTAL 26·93
*Days with ·01 in. or more.	20	20	6	18	13	12	12	21	12	7	13	7	161
*Days with ·04 in. or more.	12	16	3	13	9	10	10	17	11	3	10	2	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward E. Roper

[P.T.O.

347

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Gailes" Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 159 ft.

File Ref: 661440/26

Station No 347.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·03	-	·04	·76	-	·05	·05	·01	·06	·05	-	1
2	·02	-	-	·10	·07	-	-	-	·04	·01	·03	·14	2
3	-	-	-	·02	·20	Tr	-	·03	·51	·05	-	Tr	3
4	·01	Tr	-	-	-	·13	-	-	Tr	-	Tr	-	4
5	·14	·01	·03	-	·05	01	-	-	Tr	-	-	-	5
6	·62	-	02	·27	Tr	-	·22	-	·03	-	-	·03	6
7	·15	-	}·26	·03	-	-	-	-	·08	Tr	-	-	7
8	-	-		·08	·17	-	-	-	Tr	·42	-	Tr	8
9	·22	·12	Tr	·08	·66	-	-	-	Tr	·02	-	-	9
10	·72	}·24	-	·22	·09	-	-	-	Tr	·05	·02	-	10
11	·20		·03	·14	·04	·10	-	-	·02	·08	Tr	-	11
12	·20	-	-	·02	-	-	-	·01	-	·25	-	·02	12
13	·08	-	-	·06	·17	-	-	-	-	·79	-	-	13
14	·08	Tr	Tr	·25	·04	-	-	-	-	·38	-	Tr	14
15	·01	-	-	·14	·02	-	-	-	-	·15	-	-	15
16	·07	-	-	·23	·09	-	-	-	-	·03	-	-	16
17	Tr	Tr	-	·04	-	-	-	-	-	·07	-	-	17
18	Tr	-	-	Tr	-	-	·03	-	·11	-	·10	-	18
19	Tr	-	-	·01	-	-	Tr	-	-	·20	·03	-	19
20	Tr	-	-	·17	-	-	·08	·03	·08	·69	·20	-	20
21	-	Tr	-	Tr	·26	-	-	-	-	·25	-	·07	21
22	·01	Tr	·40	·04	·45	-	·07	-	·42	·21	·29	-	22
23	-	·10	·35	·18	·09	-	-	-	·12	·75	-	·01	23
24	-	·02	-	-	-	-	·36	-	·28	·09	·03	·01	24
25	Tr	-	-	-	Tr	-	·47	-	·12	·28	-	Tr	25
26	-	-	·01	·04	-	-	·42	·22	Tr	·16	·03	-	26
27	-	-	·19	·08	·22	Tr	·31	-	-	·26	·12	-	27
28	-	-	·01	-	·07	-	·17	-	-	·34	Tr	·02	28
29	-	-	·30	7	·03	-	Tr	·25	·10	·43	·01	-	29
30	-	×	Tr	·01	·04	·65	-	·07	·05	·05	·12	·06	30
31	-	×	·22	×	-	×	·03	-	×	Tr	×	·03	31
TOTAL	2·64	0·52	1·82	2·25	3.52	0·89	2·21	0·66	1·97	6·07	1·03	0·39	YEAR'S TOTAL 23·97
*Days with ·01 in. or more.	15	7	12	22	19	4	11	7	14	25	12	9	157
*Days with .04 in. or more.	11	3	7	17	17	4	9	4	11	22	6	3	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E E Roper

P.T.O.

347

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~347~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Gailes" HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 159 ft.

File Ref 661440/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·32	·11	–	–	–	–	–	–	·01	·22	–		1
2	·25	–	·42	–	·11	–	–	–	–	·02	Tr	–		2
3	·09	·20	·35	–	–	–	–	–	–	–	Tr	–		3
4	·11	Tr	–	–	–	–	–	–	–	–	–	–		4
5	·25	–	·28	–	·32	–	–	–	–	·01	–	–		5
6	–	·09	·09	–	·43	–	–	–	–	·08	·10	Tr		6
7	·31	·04	·02	–	·38	–	–	–	–	·33	–	–		7
8	·09	·03	–	–	·06	–	·39	–	–	·02	Tr	–		8
9	–	–	–	–	·03	–	·04	–	–	·02	·12	–		9
10	·01	·18	–	–	·15	·01	·08	–	–	·15	·01	–		10
11	·06	–	–	–	Tr	·03	·03	·14	·11	–	·01	–		11
12	–	–	–	–	·07	·10	·06	–	·94	–	–	–		12
13	·04	–	–	–	·02	–	·25	Tr	·53	–	·22	–		13
14	Tr	–	–	–	–	–	·03	·06	Tr	·35	·36	–		14
15	·18	–	·03	–	–	–	·30	·18	–	–	·01	–		15
16	·06	–	·77	–	–	·20	·07	–	–	·03	–	–		16
17	–	Tr	·45	–	–	·12	–	·03	·13	–	·06	–		17
18	·03	Tr	·07	–	–	·47	–	–	–	–	–	–		18
19	–	–	·49	Tr	–	·16	–	–	·30	–	·02	Tr		19
20	–	·03	·05	·07	–	·17	–	–	·21	–	·01	Tr		20
21	–	·13	–	–	–	·18	–	·11	·27	·01	–	–		21
22	–	·02	–	–	–	·03	–	·18	–	·03	·02	–		22
23	–	·03	–	·09	·50	·04	–	–	·38	·03	–	–		23
24	–	·47	–	·28	Tr	·10	–	–	·38	–	·02	–		24
25	–	·15	–	·20	Tr	–	–	–	Tr	–	·08	·09		25
26	–	·50	–	·03	–	·04	–	–	·18	·04	·09	·17		26
27	–	·01	–	–	·08	–	–	–	–	·26	Tr	·15		27
28	–	–	–	–	·02	Tr	–	–	–	35	–	·09		28
29	·05	×	Tr	–	·06	–	·33	–	–	·05	–	Tr		29
30	·07	×	·04	Tr	–	–	·03	–	·05	·02	–	·12		30
31	·04	×	–	×	–	×	–	·07	×	·01	×	–		31
TOTAL	1·67	2·20	3·17	0·67	2·23	1·65	1·61	0·77	3·48	1·82	1·35	0·62	Year's Total 21·24 ✓	
*Days with ·01 in. or more.	16	14	13	5	13	13	11	7	11	19	15	5	142	
*Days with .04 in. or more.	13	9	11	4	10	9	8	6	11	8	8	5	102	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. E. Roper

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Gailes" Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 159 ft.

File Ref 661440/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	–	–	–	·04	–	·14	·08	·08	–	·24		1
2	·09	–	·19	–	–	–	–	–	·55	·55	–	–		2
3	·01	·02	–	·12	–	–	–	–	–	·42	–	·33		3
4	·13	Tr	·03	–	–	–	–	–	–	·22	·10	·62		4
5	–	–	·02	–	·07	–	–	·01	–	–	–	·30		5
6	·01	Tr	·31	–	–	·28	–	Tr	–	·18	·02	·42		6
7	·04	–	–	–	·20	·02	–	·11	–	·11	–	·18		7
8	–	–	–	·05	·17	–	–	·02	·01	–	·66	–		8
9	·02	–	–	–	·02	–	–	–	·01	–	1·05	·23		9
10	–	·01	·34	·17	–	–	–	·05	Tr	·02	·43	·31		10
11	·73	–	·32	·06	–	–	–	·06	–	–	–	·14		11
12	·15	–	·18	–	–	–	·09	·47	–	–	–	·10		12
13	·43	–	·17	·03	–	–	·27	·23	–	–	·02	·03		13
14	·26	–	·50	·06	·01	–	–	–	–	–	·31	·40		14
15	·02	–	–	–	·01	–	–	–	·06	·12	·08	·40		15
16	·12	–	·28	·03	·13	–	–	–	–	·05	–	·02		16
17	·06	–	·18	} ·41	·01	–	–	–	–	·07	·01	·22		17
18	·09	–	·01		–	–	·27	–	–	–	–	·30		18
19	–	–	·29	Tr	–	–	–	–	·30	–	–	·20		19
20	–	–	·09	–	–	–	·05	–	–	Tr	Tr	–		20
21	–	–	–	·15	–	·15	–	–	–	·06	Tr	Tr		21
22	–	·02	–	–	–	–	·36	·05	·17	–	–	·25 {		22
23	–	·01	–	·28	–	1·12	·02	–	–	·04	–			23
24	·01	·01	Tr	·09	–	·07	·45	–	·10	–	–	·35 {		24
25	·09	–	–	·08	·04	–	–	–	–	–	–			25
26	·11	–	–	·09	–	·10	–	–	·05	–	–	·05		26
27	Tr	–	–	·49	–	Tr	–	–	–	–	–	·15		27
28	·02	Snow ·18	–	·08	–	·03	·02	·53	–	·05	Tr	·28		28
29	·01	×	–	–	–	–	·02	·03	·17	–	–	Tr		29
30	·10	×	–	–	–	–	–	·03	–	–	–	·23		30
31	·01	×	–	×	–	×	–	·05	×	·12	×	·18		31
TOTAL	2·55	0·25	2·91	2·19	0·66	1·81	1·55	1·78	1·50	2·09	2·68	5·93	Year's Total 25·90	
*Days with ·01 in. or more.	22	6	14	16	9	8	9	13	10	14	9	26	156	
*Days with .04 in. or more.	14	1	11	13	5	6	6	9	8	13	6	24	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. E. Roper

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Gailes" Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 159 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: X

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	–	·01	·05	·01	·17	·03	–	·75	·09	–	–		1
2	·16	·05	–	·06	–	–	–	–	–	·30	·07	–		2
3	–	–	·15	✗ ·29	–	·03	–	–	·05	1·15	·18	–		3
4	–	Tr	–	✗	–	·22	–	–	·31	✗ ·33	–	·18		4
5	·01	·44	Tr	·06	–	·25	–	–	·65	✗	·03	·03		5
6	·06	·04	–	·24	–	·42	–	–	–	·03	·13	–		6
7	·10	Snow ·04	·04	·23	–	·11	–	–	–	–	1·00	·11		7
8	–	–	–	·40	–	·04	–	·05	–	·22	·47	·19		8
9	·01	–	·01	·13	–	·14	–	–	–	·82	✗ ·42	–		9
10	·04	–	–	✓	–	·01	–	–	–	·04	✗	·21		10
11	·15	–	–	·20 ✗	–	✗ ·28	–	–	–	–	·36	–		11
12	Tr	Tr	–	·08	–	✗	–	·65	·01	–	·86	–		12
13	–	·21	–	–	–	·05	–	–	–	–	·13	–		13
14	·08	–	–	·16	·21	·08	–	–	–	·01	–	·10		14
15	Tr	·24	–	·35	·02	·16	–	–	·24	–	·38	·10		15
16	–	–	–	·25	–	–	–	–	·40	–	·81	·02		16
17	–	–	·14	·21	–	·26	–	–	·07	–	–	–		17
18	·03	–	Tr fog	·20	·02	·15	·37	–	·34	·02	Tr	–		18
19	–	–	–	·03	·63	·21	·10	–	–	–	·08	–		19
20	–	·55	–	·02	–	·06	·50	–	–	–	·11	–		20
21	·01	·41	–	–	–	–	–	–	·04	·17	–	–		21
22	–	–	–	–	–	–	–	·28	·02	–	Tr	–		22
23	·03	–	·04	·02	–	–	–	·69	–	–	–	–		23
24	·04	·86	–	–	·27	–	–	·66	·44	·05	–	·25		24
25	·11	·33	–	·10	·50	–	–	–	–	–	–	·30		25
26	Snow ·05	–	–	–	–	–	–	·16	–	·05	–	·38		26
27	–	·77	–	–	–	–	·01	–	·10	–	·11	·25		27
28	–	–	–	–	·06	–	–	·02	–	·06	–	·23		28
29	Tr	–	–	–	–	–	–	·06	·66	–	·03	·39		29
30	·10	X	–	·07	·09	–	–	·97	·16	·05	·48	·35		30
31	–	X	–	X	·03	X	–	–	X	·28	X	·49		31
TOTAL	1·20	3·94	0·39	3·15	1·84	2·64	1·01	3·54	4·24	3·67	5·65	3·58	Year's Total. 34·85	
* Days with .01 in. or more.	16	11	6	~~23~~ 22	10	~~15~~ 18	5	9	15	17 ✓	18 ✓	16	~~165~~	163
* Days with .04 in. or more.	11	11	4	18 ✓	6	~~17~~ 16	3	8	13	~~14~~ 14 ✓	16 ✓	14	~~135~~	134

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. E. Roper

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at "GAILES" HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 159 ft.

File Reference 66/440/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·17	—	·19	—	·12	·30	·19	—	—	—	·13		1
2	—	·03	—	·03	—	·21	·04		—	—	·12	·01		2
3	·01	—	Tr	·25	·03	·02	Tr	—	·02	—	·30	—		3
4	—	—	·13	—	—	·08	—	—	·37	—	—	·04		4
5	·25	—	·02	—	—	—	—	Tr	·44	·11	·17	—		5
6	·24	—	—	—	—	·04	·01	·07	·13	—	1·08	—		6
7	·44	—	·03	—	—	—	—	—	·03	·02	·79	·13		7
8	·27	—	—	—	—	—	·01	Tr	·02	·05	·36	·29		8
9	·46	—	—	Tr	Tr	—	·39	·14	·04	·10	·11	—		9
10	·09	—	—	—	—	—	·45	1·11	·03	—	—	—		10
11	—	—	—	·13	—	·04	·22	·01	—	—	·79	—		11
12	—	—	—	·06	—	·11	·15	—	·36	—	·36	—		12
13	—	—	—	—	—	·20	·04	—	—	—	—	·50		13
14	—	—	—	—	—	·03	·63	Tr	Tr	·07	·12	·52		14
15	—	·15	—	—	—	·04	·01	—	Tr	—	·02	·25		15
16	·25	·66	—	·01	·07	Tr	·01	—	—	—	·26	·18		16
17	·22		—	—	·01	·07	—	—	—	·02	·25	·44		17
18	·04	·08	—	—	—	·16	·11	—	—	—	·34			18
19	·25	—	—	—	—	·13	—	·11	—	·01	—	—		19
20	·35	·12	—	·49	—	—	·01	—	·55	·06	—	—		20
21	—	—	—	·35	—	·41	·20	—	Tr	—	—	—		21
22	·08	·42	—	Tr	·07	·10	·10	—	—	—	—	—		22
23	·04	·24	·10	·06	—	—	·21	—	—	Tr	—	—		23
24	·03	·07	·01	—	—	·24	·04	—	·01	—	—	—		24
25	·14	Tr	·15	·19	—	·47	—	—	·23	·49	—	—		25
26	—	·20	·24	·18	—	·09	—	—	·06	·22	·05	·01		26
27	·19	—	·09	—	—	—	—	—	·23	·13	—	—		27
28	·73	—	·04	—	—	—	·06	—	—	·06	—	—		28
29	·03	·06	·09	—		·50	·10	—	·02	·02	·10	·04		29
30	·09	✕	—	—	·06	·21	—	—	—	·10	—	·01		30
31	·28	✕	·23	✕	·05	✕	·08	—	✕	·76	✕	·15		31
TOTAL	4·78	2·20	1·13	1·94	0·29	3·27	3·17	1·63	2·54	2·22	5·22	2·70	Year's Total 31·09	
* Days with .01 in. or more.	22	12	11	11	6	20	~~20~~ 21	7	15	15	16	14	~~171~~	170
* Days with .04 in. or more.	19	10	8	9	4	18	16	6	9	11	15	11	136	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) E. E. Roper

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 347.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "GAILES" HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 159 ft.

File Ref: 661440/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·74	·25	-	·07	-	-	·01	-	-	-	·60	·36		1
2	·02	·34	Tr	·30	-	-	-	-	·07	-	-	1·05		2
3	-	·14	-	-	-	-	-	-	·02	-	-	·37		3
4	-	·86	-	-	-	-	-	-	-	·02	-	·27		4
5	·37	·17	·26	-	-	-	·16	-	-	Tr	-	-		5
6	·07	-	·77	-	·20	-	-	-	-	·07	-	·20		6
7	-	·63	·07	·07	·01	-	-	-	·04	·05	-	·27		7
8	-	·06	·17	-	·08	·04	-	-	-	-	·21	·57		8
9	-	Tr	-	·36	·11	·06	·07	-	·29	-	-	·10		9
10	-	-	·25	·18	·27	·46	·01	-	-	-	-	·63		10
11	-	-	·45	-	·25	-	·04	-	-	-	-	-		11
12	·19	·26	}·61	-	·25	·18	-	·20	·13	-	-	·02		12
13	·18	·06		·05	-	·52	-	2·76	·04	-	-	·79		13
14	-	-	·21	Tr	·10	·05	-	·94	·06	-	-	-		14
15	-	-	-	·15	-	·04	·41	-	·27	-	-	-		15
16	·15	}·31	·28	·48	-	·06	-	·28	·40	-	-	-		16
17	·43		·08	·21	-	·17	-	-	·42	-	·17	-		17
18	·51	·10	·13	·01	·70	·63	-	-	·01	-	-	-		18
19	·09	·06	·02	·12	·05	·13	·25	-	·22	-	-	·14		19
20	·58	-	·33	·21	·61	·06	-	-	·02	-	-	-		20
21	·41	·34	·03	-	·05	·05	-	-	·01	-	-	·03		21
22	·49	·08	·07	-	·05	·13	·02	-	-	·66	·37	·04		22
23	·22	-	-	-	-	-	·04	·04	-	·47	-	·01		23
24	·73	·29	·05	-	-	-	-	-	·02	·27	-	-		24
25	·15	·50	·23	-	-	-	-	-	·09	·27	-	-		25
26	Tr	·29	·06	-	-	-	-	-	-	·09	-	-		26
27	-	·14	-	·28	-	-	-	-	·01	·19	-	-		27
28	·10	·06	-	·02	-	-	-	-	-	·05	-	Tr		28
29	·06	-	-	Tr	-	-	-	-	-	·20	·07	·05		29
30	·29	✕	-	-	-	-	-	·58	-	·05	·09	-		30
31	·15	✕	-	✕	-	✕	-	-	✕	·17	✕	·03		31
TOTAL	5·93	4·94	4·07	2·51	2·73	2·58	1·01	4·80	2·12	2·56	1·51	4·93	Year's Total 39·69	✓
* Days with .01 in. or more.	20	20	19	14	13	14	9	6	17	13	6	17	168	✓
* Days with .04 in. or more.	19	20	17	12	12	14	6	6	11	12	6	13	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. L. Roper

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "GAILES" HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 159 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	-	.03	-	.33	.31	-	-	.21	.02	.03	.13		1
2	.06	-	-	.06	.03	-	.25	-	-	.29	.02	.01		2
3	.03	-	-	-	.49	-	-	-	-	.58		-		3
4	-	-	-	-	-	.02	.20	.12	-	-		.05		4
5	.04	-	-	-	-	-	.27	-	Tr	.54		-		5
6		-	-	-	-	-	.02	-	.02	-		.04		6
7	.02	-	-	-	-	-	.24	1.12	Tr	.22		-		7
8	.24	-	-	-	-	-		Tr	-	.17		-		8
9	.26	.02	-	-	-	-	-	.11	-	.04		.50		9
10		.08	-	-	-	.06	-	.10	-	-	Tr	.19		10
11	-	-	-	-	-	-	-	.12	-	-	-	.27		11
12	.25	.04	-	-	-	-	-	-	-	.07	.12	.02		12
13	.41	.07^{s}	-	-	-	-	-	-	-	.06	.13	.07		13
14	.25	.17^{s}	-	-	.38	-	-	-	-	-	-	.03		14
15	.03	.25^{s}	-	-	.01	-	.20	-	.01	.25	.05	.04		15
16	.30	-	-	-	-	-	-	.03	-	.02	-	.17		16
17	-	.15	-	-	.24	-	.02	-	-	Tr	-	-		17
18	.06	-	-	-	-	-	-	-	Tr	-	.42	-		18
19	Tr	-	-	-	-	-	-	.03	.16	-	.26	.15^{s}		19
20	-	-	-	-	.10	-	-	-	.07	-	.31	.10^{s}		20
21	.04	-	-	Tr	-	-	-	.10	.18	-	.07	.22^{s}		21
22	.01	-	-	-	-	-	-	.01	-	-	.18	.18^{s}		22
23	-	-	-	.05	-	-	-	-	-	-	.01	-		23
24	-	-	.06	-	-	-	-	-	.14	-	.32	.05		24
25	.10	-	.36	.22	.34	-	-	-	.14	.04	.60	.04		25
26	.34	.14	.11	.03	-	-	-	.03	.18	.34	-	.34		26
27	.09	.04	.05	-	.12	.21	.28	-	1.57	-	.23	-		27
28	.05	.05	-	-	.41			.15	-	-	-	.10		28
29	.37	✕	-	.06	.05	-	-	-	.04	-	.03	.24		29
30	.09	✕	-	.10	.26	-	-	-	.06	.05	.30	-		30
31	.20	✕	-	✕	.06	✕	-	-	✕	.17	✕	.20		31
TOTAL	3.28	1.01	0.61	0.52	2.82	0.60	1.48	1.92	2.78	2.86	3.08	3.14	Year's Total 24.10	✓
* Days with .01 in. or more.	24	10	5	6	13	5	8	11	12	15	16	22	147	✓
* Days with .04 in. or more.	19	9	4	5	11	4	7	7	10	13	12	19	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Gailes" HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 159 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	·16	·33	–	–	·03	·23	–	–	–		1
2	·04	–	–	·02	–	–	–	·24	–	·04	–	–		2
3	·19	–	–	·31	–	–	–	·35	–	–	·19	–		3
4	·19	·04	·27	·17	–	–	·02	·50	–	·50	·08	·44 }		4
5	–	–	–	·13	–	–	·15	·68	–	·17	·31			5
6	·30	–	·10	·02	–	–	·21	·02	–	–	–	–		6
7	·04	} ·12 ✗	–	–	–	–	·02	·03	–	·03	·15	·07		7
8	·04	✗	·19	–	–	–	–	·01	–	·37	·33	·32		8
9	·05	–	–	–	Tr	–	–	·03	–	·72	·67	·14		9
10	·07	–	–	–	–	·22	–	·10	·06	·07	–	T		10
11	–	–	–	–	–	·12	–	–	–	1·37	·03	–		11
12	–	–	·23	–	–	–	–	–	–	–	–	·05		12
13	–	–	·02	–	·03	–	Tr	–	·05	1·29	–	·09		13
14	·49	–	–	–	·07	–	·03	–	·01	·40	·49	·01		14
15	·48	–	–	–	·51	·02	Tr	–	·19	·64	·09	–		15
16	·30	–	·18	·02	–	–	·08	–	·24	–	·51	–		16
17	·18	·13	–	·04	–	–	·07	–	–	–	·03	Tr		17
18	·28	–	·05	–	–	·22	·02	–	Tr	·11	·35	–		18
19	·22	–	Tr	–	–	–	·15	–	·06	·94	–	·03		19
20	·25	–	–	–	–	·18	·30	·13	·15	–	–	·06		20
21	·04	–	·14	–	–	·02	·53	–	–	·01	–	–		21
22	·18	·18	–	–	–	·27	·07	–	·19	–	·05	–		22
23	·13	–	–	·09	–	–	·04	·02	Tr	·07	·51	–		23
24	·08	·13	·11	·15	–	–	·05	–	–	·15	~~·57~~	–		24
25	1·02	–	·06	·04	–	–	·17	·01	–	–	·57 ~~·18~~ }	–		25
26	–	–	–	·01	–	·01	·08	–	–	·10	·18	–		26
27	–	·34	·08	·15	–	·02	–	–	–	·24	·35	–		27
28	–	·56	Tr	·04	–	·02	Tr	–	–	·14	·08	·12		28
29	–	✗	–	·43	–	–	–	–	–	·03	·05	–		29
30	–	✕	–	·63	–	–	–	–	–	·03	·21	–		30
31	–	✕	–	✕	–	✕	·36	·09	✕	–	✕	–		31
TOTAL	4·59 ✓	1·50 ✓	1·43 ✓	2·41 ✓	0·94 ✓	1·10 ✓	2·35 ✓	2·24 ✓	1·18 ✓	7·42 ✓	5·23 ✓	1·33 ✓	Year's Total 31·72 ✓	
* Days with .01 in. or more.	21	8	11	16	4	10	17	14	9	21	~~21~~ 20	11	~~163~~ 162 ✓	
* Days with .04 in. or more.	20	8	10	12	3	5	13	7	8	17	18	8	129 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. E. Roper

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at "GAILES" HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 159 ft.

File Ref 661440/26

Ags

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·05	-	-	-	-	-	-	-	-	·04	-		1
2	-	-	-	·06	-	-	-	-	-	·26	·40	-		2
3	-	·24	-	·11	-	-	-	-	-	·18	1·34	Tr		3
4	-	·13	-	·04	-	-	-	-	-	·15	·10	-		4
5	-	-	-	-	-	-	·20	-	-	-	·74	·32		5
6	·15	·05	-	-	·05	-	·23	-	-	·37	·01	-		6
7	·27	·07	-	-	-	-	·28	-	-	-	-	-		7
8	-	-	-	-	-	-	-	-	·24	·38	-	·43		8
9	-	-	-	Tr	·03	-	-	-	-	·06	·30	·13		9
10	-	-	-	-	-	-	·37	·07	-	·14	-	-		10
11	-	-	-	-	-	-	-	-	-	-	·94	-		11
12	-	-	·13	·05	·08	-	x }·22	-	-	Tr	·04	-		12
13	-	·09	·64	-	-	·03	x	-	·21	-	1·31	-		13
14	-	-	·44	-	-	-		-	-	-	-	·24		14
15	-	·28	·02	-	·23	-	1·29	-	·02	-	·35	-		15
16	Snow ·07	-	·18	-	-	·05	·12	-	·18	·80	80	·02		16
17	-	-	·19	36	-	-	·02	-	-	-	·06	-		17
18	Snow ·04	·25	·23	-	-	-	·25	-	x }·50	·30	·16	·19		18
19	-	·24	·14	-	-	-	Tr	-	x	·01	·04	-		19
20	-	·05	-	-	-	-	·06	-	·22	-	·24	-		20
21	Snow ·05	-	-	-	·41	-	·21	-	-	·11	·36	-		21
22	Snow ·07	Tr	·02	-	·38	·17	-	-	-	-	-	-		22
23	-	·05	-	·20	-	-	Tr	-	-	-	-	·14		23
24	-	-	-	·47	-	-	·17	-	-	-	-	-		24
25	-	-	·43	-	-	-	·04	-	-	·06	-	-		25
26	Snow 1·01	·15	·28	·01	·42	·08	-	-	-	-	-	·02		26
27	Snow ·37	·25	-	·57	-	-	·04	-	-	-	-	-		27
28	Snow ·22	-	-	-	·04	-	-	·03	-	-	-	-		28
29	Snow ·10	·20	·07	-	·07	-	-	-	-	-	-	·31		29
30	-	✕	-	·33	-	-	-	-	-	·12	-	-		30
31	·12	✕	-	✕	-	✕	-	-	✕	·67	✕	·13		31
TOTAL	2·47	2·10	2·77	2·20	1·71	0·33	3·50	0·10	1·37	3·61	7·23	1·93	Year's Total 29·32	
* Days with .01 in. or more.	11	14	12	10	9	4	15	2	7	14	17	10	125	
* Days with .04 in. or more.	11	14	10	9	8	3	14	1	6	13	16	8	113	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. E. Roper

P.T.O.

348

348

HILDENBOROUGH
HOLLANDEN HSE
1931 - 1940

063401004

Section **A** for the entr
AIR MINIS

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REG 1931.

Kept at Hollanden Ho
in the County of KE

Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, S

THE MORNING ME S DAY.

An observer who does not confo of the following year in the space on the right

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	×April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.04	Snow 0.01	0.26	—	0.15	—	0.13	0.23	—	—	0.01	1
2	0.15	0.06	—	0.30	Trace	—	—	Trace	0.43	0.02	0.01	—	2
3	0.11	0.03	0.07	0.13	0.78	—	—	0.20	0.61	—	0.05	0.16	3
4	—	Snow 0.01	—	0.01	0.08	—	—	0.02	0.10	0.01	0.04	—	4
5	—	—	—	0.27	—	0.50	0.03	0.05	0.05	—	—	0.18	5
6	—	Snow 0.04	—	0.05	—	0.01	Trace	—	—	0.23	0.64	—	6
7	Snow 0.02	0.09	—	—	0.06	0.08	0.14	0.19	—	0.07	0.23	0.02	7
8	—	0.14	—	—	0.02	0.23	—	0.11	—	0.01	0.03	0.03	8
9	Snow 0.01	0.07	Trace	0.01	—	0.01	0.01	0.01	—	—	0.55	0.02	9
10	0.01	0.15	Snow 0.07	—	—	0.06	0.01	0.22	—	—	1.50	[illegible]	10
11	0.05	~~0.50~~	—	—	—	—	—	0.02	0.02	—	0.22	—	11
12	0.09	Snow 0.02	0.01	—	—	—	0.01	0.07	0.43	—	0.01	—	12
13	0.02	—	—	—	0.10	0.03	—	0.15	—	—	—	0.01	13
14	Snow 0.01	Snow 0.12	—	—	—	—	0.43	0.78	—	—	0.01	0.01	14
15	0.02	0.06	—	0.28	0.17	—	0.34	0.43	—	—	0.03	—	15
16	0.03	0.12	—	0.20	—	0.01	—	0.17	0.04	—	—	—	16
17	0.04	Snow 0.06	—	0.31	—	—	0.34	0.52	0.03	0.01	—	—	17
18	0.03	0.08	0.01	0.30	—	0.13	0.08	0.89	—	Trace	0.41	—	18
19	0.03	—	—	0.20	—	0.02	0.15	0.25	0.03	—	0.01	—	19
20	0.01	0.13	Trace	0.04	—	—	0.01	0.31	—	—	0.01	0.02	20
21	0.01	0.01	—	—	0.54	—	—	0.03	0.01	—	0.04	—	21
22	0.23	—	0.18	0.01	—	—	—	—	0.05	—	0.04	—	22
23	0.47	—	0.01	—	0.26	0.09	—	—	0.04	—	0.14	0.02	23
24	—	0.01	0.01	0.69	0.02	0.04	0.01	0.17	0.02	—	—	—	24
25	0.04	—	—	0.44	—	—	0.49	—	—	—	0.01	0.01	25
26	—	0.08	—	0.44	—	—	0.31	—	—	—	0.24	—	26
27	0.19	0.30	—	0.04	0.25	—	0.03	—	—	—	0.03	—	27
28	0.08	Snow 0.20	—	0.04	—	—	—	—	—	~~0.08~~ 0.03	0.01	—	28
29	0.12	×	—	—	0.09	—	0.15	—	—	0.35	0.01	Snow 0.05	29
30	0.05	×	—	—	0.03	—	—	0.02	—	—	—	—	30
31	0.19	×	—	×	0.01	×	—	0.02	×	—	×	—	31
TOTAL	2.01	2.32	0.37	4.02	2.41	1.36	2.54	4.76	2.09	0.73	4.27	0.54	YEAR'S TOTAL 27.42
*Days with ·01 in. or more.	24	22	8	19	13	13	16	22	14	8	23	12	194
*Days with ·04 in. or more.	13	17	3	16	9	8	9	16	9	3	12	3	118

40-9999

(Signed) Charles H. Scotte

[P.T.O.

*See Instruction 2 (*f*) on other side.

348

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hollanden House Hildenborough
in the County of KENT
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. ~ in.
,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.04	snow 0.01	0.26	—	0.15	—	0.13	0.23	—	—	0.01	1
2	0.15	0.06	—	0.30	Trace	—	—	Trace	0.43	0.02	0.01	—	2
3	0.11	0.03	0.07	0.13	0.78	—	—	0.20	0.61	—	0.05	0.16	3
4	—	snow 0.01	—	0.01	0.08	—	—	0.02	0.10	0.01	0.04	—	4
5	—	—	—	0.27	—	0.50	0.03	0.05	0.05	—	—	0.18	5
6	—	snow 0.04	—	0.05	—	0.01	Trace	—	—	0.23	0.64	—	6
7	snow 0.02	0.09	—	—	0.06	0.08	0.14	0.19	—	0.07	0.23	0.02	7
8	—	0.14	—	—	0.02	0.23	—	0.11	—	0.01	0.03	0.03	8
9	snow 0.01	0.07	Trace	0.01	—	0.01	0.01	0.01	—	—	0.55	0.02	9
10	0.01	0.15	snow 0.07	—	—	0.06	0.01	0.22	—	—	1.50	[illegible]	10
11	0.05	0.50	—	—	—	—	—	0.02	0.02	—	0.22	—	11
12	0.09	snow 0.02	0.01	—	—	—	0.01	0.07	0.43	—	0.01	—	12
13	0.02	—	—	—	0.10	0.03	—	0.15	—	—	—	0.01	13
14	snow 0.01	snow 0.12	—	—	—	—	0.43	0.78	—	—	0.01	0.01	14
15	0.02	0.06	—	0.28	0.17	—	0.34	0.43	—	—	0.03	—	15
16	0.03	0.12	—	0.20	—	0.01	—	0.17	0.04	—	—	—	16
17	0.04	snow 0.06	—	0.31	—	—	0.34	0.52	0.03	0.01	—	—	17
18	0.03	0.08	0.01	0.30	—	0.13	0.08	1.89	—	Trace	0.41	—	18
19	0.03	—	—	0.20	—	0.02	0.15	0.25	0.03	—	0.01	—	19
20	0.01	0.13	Trace	0.04	—	—	0.01	0.31	—	—	0.01	0.02	20
21	0.01	0.01	—	—	0.54	—	—	0.03	0.01	—	0.04	—	21
22	0.23	—	0.18	0.01	—	—	—	—	0.05	—	0.04	—	22
23	0.47	—	0.01	—	0.26	0.09	—	—	0.04	—	0.14	0.02	23
24	—	0.01	0.01	0.69	0.02	0.04	0.01	0.17	0.02	—	—	—	24
25	0.04	—	—	0.44	—	—	0.49	—	—	—	0.01	0.01	25
26	—	0.08	—	0.44	—	—	0.31	—	—	—	0.24	—	26
27	0.19	0.30	—	0.04	0.25	—	0.03	—	—	—	0.03	—	27
28	0.08	snow 0.20	—	0.04	—	—	—	—	—	~~0.08~~ 0.03	0.01	—	28
29	0.12	×	—	—	0.09	—	0.15	—	—	0.35	0.01	0.05	29
30	0.05	×	—	—	0.03	—	—	0.02	—	—	—	—	30
31	0.19	×	—	×	0.01	×	—	0.02	×	—	×	—	31
TOTAL	2.01	2.32	0.37	4.02	2.41	1.36	2.54	4.76	2.09	0.73	4.27	0.54	YEAR'S TOTAL 2742
*Days with ·01 in. or more.	24	22	8	19	13	13	16	22	14	8	23	12	194
*Days with ·04 in. or more.	13	17	3	16	9	8	9	16	9	3	12	3	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Charles H Cotton

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hollanden House Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	0.02	—	0.04	0.81	—	0.03	0.04	—	0.04	0.05	—	1
2	0.03	—	—	0.11	0.09	—	—	0.01	0.11	0.01	0.01	0.12	2
3	0.01	—	—	0.03	0.13	—	—	0.05	0.57	0.05	—	0.02	3
4	0.01	—	—	—	—	0.12	—	—	—	—	—	—	4
5	0.14	0.01	0.03	—	0.03	0.01	0.24	—	0.07	—	—	—	5
6	0.58	—	0.03	0.27	—	—	—	—	0.03	—	—	—	6
7	0.16	—	0.09	0.04	—	—	—	—	0.05	0.03	—	—	7
8	—	—	0.18	0.09	0.18	—	—	—	0.09	0.40	—	—	8
9	0.26	—	—	0.05	0.65	—	—	—	—	0.01	—	—	9
10	0.67	Snow 0.18	—	0.22	0.09	—	—	—	—	0.05	0.02	—	10
11	0.18	Snow 0.09	Snow 0.01	0.11	0.01	0.03	—	—	—	0.10	0.01	—	11
12	0.24	Snow 0.02	—	0.03	—	—	—	0.01	—	0.36	—	0.03	12
13	0.06	0.01	—	0.09	0.04	—	—	—	0.03	0.85	—	0.01	13
14	0.07	0.01	—	0.32	0.14	—	—	—	—	0.08	—	Trace	14
15	0.02	—	—	0.11	0.05	—	—	—	—	0.17	—	0.01	15
16	0.07	—	—	0.16	0.09	—	—	—	—	—	—	0.01	16
17	—	—	—	0.01	—	—	0.01	—	—	0.05	—	0.01	17
18	0.01	—	—	0.01	—	—	Trace	—	0.09	—	0.08	Trace	18
19	0.01	—	—	—	—	—	—	—	0.05	0.22	0.02	0.01	19
20	0.01	—	—	0.25	0.05	—	0.11	0.01	—	0.70	0.23	—	20
21	0.01	—	—	0.01	0.28	—	—	0.01	—	0.25	—	0.06	21
22	0.01	0.01	0.44	—	0.39	—	0.09	—	0.48	0.20	0.30	—	22
23	—	0.11	0.30	0.09	0.22	—	—	—	0.09	0.76	0.04	0.10	23
24	—	0.02	—	—	—	—	0.48	—	0.08	0.10	0.02	0.01	24
25	—	—	—	—	—	—	0.48	—	0.15	0.31	0.02	0.01	25
26	—	—	0.02	0.05	0.01	—	0.43	0.20	—	0.18	0.10	0.01	26
27	—	Trace	0.20	0.09	0.22	—	0.30	—	0.02	0.30	—	0.01	27
28	—	—	0.01	Trace	0.08	—	0.20	—	—	0.42	0.01	Trace	28
29	—	—	0.37	—	0.05	—	—	0.30	0.09	0.06	—	0.01	29
30	0.01	×	0.02	0.01	0.03	0.72	—	0.01	—	0.05	0.14	0.06	30
31	—	×	0.25	×	—	×	0.08	—	×	—	×	0.04	31
TOTAL	2.67	0.48	1.95	2.19	3.64	0.83	2.45	0.64	2.00	5.75	1.05	0.52	YEAR'S TOTAL 24.22
*Days with ·01 in. or more.	21	10	13	22	21	4	11	9	15	25	14	17	182
*Days with .04 in. or more.	10	2	7	16	17	2	9	4	12	22	7	4	112

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Charlott Coote

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hollanden House Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.05	0.26	0.12	—	—	—	—	—	—	0.01	0.21	—		1
2	0.28	—	0.44	—	0.10	—	—	—	—	—	—	—		2
3	0.08	0.22	0.35	—	—	—	—	—	—	—	0.01	—		3
4	0.14	—	0.01	—	0.14	—	—	—	—	—	—	—		4
5	0.22	0.01	0.33	—	0.19	—	—	—	—	—	—	—		5
6	—	0.11	0.09	—	0.42	—	—	—	—	0.07	0.10	—		6
7	0.31	0.08	0.02	—	0.36	—	—	—	—	0.37	—	0.01		7
8	0.11	0.01	—	—	0.05	—	0.38	—	—	0.02	—	—		8
9	—	0.01	—	—	0.04	—	0.10	—	—	0.10	0.14	—		9
10	0.01	0.10	—	—	trace	0.04	0.01	—	—	0.20	—	—		10
11	0.06	—	—	—	0.18	0.01	0.04	0.10	0.13	0.01	0.01	—		11
12	—	—	—	0.04	0.01	0.10	0.06	—	0.62	—	—	—		12
13	—	—	—	—	0.06	0.01	0.32	0.05	0.59	0.04	0.26	—		13
14	0.19	—	—	—	0.03	—	0.03	—	—	0.43	0.33	—		14
15	—	—	0.09	—	—	—	0.35	0.16	—	0.05	0.01	trace snow		15
16	trace	—	0.76	—	—	0.27	0.10	—	—	—	0.01	—		16
17	—	snow trace	0.36	—	—	0.13	—	0.04	0.11	—	0.03	—		17
18	snow 0.01	snow trace	0.06	—	—	0.39	—	—	—	—	0.01	—		18
19	snow 0.06	—	0.35	—	—	0.09	—	0.01	0.40	—	0.01	fog trace		19
20	—	snow 0.03	0.05	0.07	—	0.56	—	—	—	—	0.01	—		20
21	—	snow 0.02	—	—	—	0.05	0.01	0.05	0.28	—	—	—		21
22	—	trace snow	—	—	—	0.04	—	0.20	—	0.04	0.01	—		22
23	—	snow 0.02	—	0.17	0.44	0.03	—	—	0.40	0.04	—	—		23
24	snow trace	snow 0.42	—	0.24	—	0.09	—	—	0.27	0.02	0.03	—		24
25	—	0.19	—	0.22	0.05	—	—	—	—	trace	0.04	0.10		25
26	—	0.51	—	0.03	—	0.05	—	—	0.15	0.05	0.05	0.15		26
27	—	0.01	—	—	0.09	—	—	—	0.01	0.25	—	0.10		27
28	—	0.01	—	—	0.01	—	0.30	—	—	0.40	—	0.16		28
29	0.05	×	—	—	0.11	—	0.05	—	—	0.08	—	—		29
30	0.10	×	0.05	trace	—	—	0.04	—	0.05	0.10	—	0.12		30
31	0.09	×	—	×	—	×	—	0.08	×	0.03	×	—		31
TOTAL	1.76	2.01	3.08	0.77	2.28	1.86	1.79	0.69	3.01	2.31	1.27	0.64	Year and total 21.47	
*Days with ·01 in. or more.	15	19	14	6	16	14	13	8	11	19	17	6	158	
*Days with .04 in. or more.	13	6	12	5	3	11	10	6	10	13	7	5	101	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Charles H [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~343~~ 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HOLLANDEN HOUSE, HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	—	—	—	—	0.03	—	0.24	—	0.09	—	0.25		1
2	0.10	—	0.19	—	—	—	—	—	0.66	0.55	—	0.37		2
3	0.01	0.03	—	0.10	—	—	—	—	—	0.52	—	0.05		3
4	0.14	0.01	0.04	—	0.05	—	—	—	—	0.20	0.10	0.65		4
5	—	—	0.01	—	0.06	—	—	0.02	—	—	0.04	0.34		5
6	0.01	—	0.30	0.01	0.23	0.26	—	0.11	—	0.22	—	0.43		6
7	0.05	—	—	—	0.01	0.02	—	—	—	0.10	—	0.21		7
8	—	—	—	0.03	0.16	—	—	0.02	—	—	0.74	0.01		8
9	0.01	—	TRACE	—	0.01	—	—	—	0.02	—	1.01	0.23		9
10	—	0.01	0.37	0.19	—	—	—	0.05	—	0.02	0.38	0.01		10
11	0.80	—	0.32	0.08	—	—	—	0.09	—	—	0.01	0.15		11
12	0.10	0.01	0.23	—	—	—	0.10	0.62	—	—	—	0.09		12
13	0.44	—	0.20	0.05	—	—	0.22	0.19	—	0.01	0.12	0.05		13
14	0.26	—	0.46	0.06	TRACE	—	—	—	—	0.10	0.28	0.53		14
15	0.01	—	—	—	0.08	—	—	—	0.03	—	0.08	0.33		15
16	0.12	0.01	0.28	0.03	0.26	—	—	—	—	0.07	0.01	0.03		16
17	0.04	—	0.15	0.08	—	—	—	—	—	0.08	0.01	0.22		17
18	0.15	—	0.03	0.40	—	—	0.18	—	—	—	0.01	0.34		18
19	—	—	0.26	0.05	—	—	—	TRACE	0.29	0.02	0.01	0.21		19
20	—	—	0.18	TRACE	—	0.01	0.05	—	—	0.02	0.01	0.01		20
21	—	—	0.01	0.15	—	0.16	—	—	—	0.08	—	FOG 0.01		21
22	—	—	—	—	—	—	0.09	0.06	0.19	0.01	—	0.08		22
23	—	—	FOG 0.91	0.33	—	1.00	—	—	0.02	0.01	—	0.10		23
24	—	0.03	0.01	0.09	—	0.22	0.48	—	0.14	0.01	—	—		24
25	0.10	0.02	—	0.18	0.05	—	—	—	—	0.05	—	0.40		25
26	0.10	—	—	0.10	—	0.12	—	—	0.03	—	—	0.10		26
27	0.01	—	—	0.40	—	0.01	—	—	—	0.03	—	0.23		27
28	0.01	SNOW 0.19	—	0.09	—	—	0.02	0.60	—	0.01	0.01	0.31		28
29	—	×	—	—	—	—	—	—	0.15	—	—	0.03		29
30	0.12	×	—	—	—	—	—	0.07	TRACE	—		0.22		30
31	0.01	×	—	×	—	×	—	0.03	×	0.15	×	0.11		31
TOTAL	2.64	0.31	2.67	2.42	0.91	1.83	1.14	2.10	1.53	2.35	2.82	6.10	Year's Total 26.82	
*Days with ·01 in. or more.	21	8	18	19	9	9	7	12	9	21	15	30	175	
*Days with .04 in. or more.	14	1	12	15	7	5	6	9	5	12	8	24	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Charles Hale

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 343

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hollanden House Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.21	0.07	0.02	0.04	0.01	0.16	0.03	—	1.00	0.09	0.05	—		1
2	0.14	—	—	0.03	—	—	—	—	—	0.26	0.08	—		2
3	—	0.02	0.14	0.03	—	0.01	—	—	0.16	1.33	0.18	0.01		3
4	—	0.02	—	0.23	—	0.34	—	—	0.14	0.17	0.02	0.18		4
5	—	0.06	0.05	0.10	—	0.09	—	—	0.63	0.15	0.02	—		5
6	0.08	0.09	0.01	0.24	—	0.60	—	—	—	0.03	0.15	0.03		6
7	0.08	Snow 0.01	—	0.26	—	0.03	—	—	—	—	0.90	0.11		7
8	Fog 0.01	Snow 0.02	Snow 0.02	0.38	—	0.06	—	0.04	—	0.20	0.44	0.19		8
9	0.02	—	—	0.20	—	0.10	—	—	trace	0.98	0.14	0.10		9
10	0.05	—	—	0.01	—	0.06	—	—	—	—	0.45	0.02		10
11	0.16	0.02	—	0.13	—	0.10	—	—	—	—	0.34	—		11
12	—	0.03	—	—	—	0.16	—	0.60	0.02	—	0.87	—		12
13	0.08	0.22	—	0.09	0.03	0.14	—	—	—	0.01	0.06	0.02		13
14	—	—	—	0.14	0.14	0.10	—	—	trace	—	0.02	0.10		14
15	Fog 0.01	0.29	—	0.33	0.01	0.03	—	—	0.27	—	0.41	0.10		15
16	—	0.01	—	0.33	—	0.12	—	—	0.44	Fog 0.01	0.73	0.01		16
17	0.01	—	0.16	0.07	—	0.25	trace	—	—	—	0.49	—		17
18	—	—	0.01	0.21	0.03	0.20	0.40	—	0.38	0.04	0.03	—		18
19	—	—	—	0.04	0.65	0.03	0.28	—	0.04	—	0.03	—		19
20	—	0.58	—	0.03	0.01	0.09	0.27	—	0.05	0.02	0.09	—		20
21	0.01	0.40	—	—	—	—	—	—	0.04	0.15	0.03	—		21
22	—	0.07	—	—	—	—	—	0.34	0.13	—	—	—		22
23	—	—	0.06	—	—	—	—	0.75	0.03	—	—	0.05		23
24	0.06	0.96	—	—	0.30	—	—	0.67	0.42	0.05	—	0.27		24
25	0.11	0.19	—	0.09	0.21	0.16	—	—	—	—	—	0.31		25
26	0.01	0.20	—	—	—	—	—	0.17	0.03	0.05	0.02	0.37		26
27	—	0.63	—	—	0.04	—	0.01	—	0.10	—	0.12	0.18		27
28	—	0.05	—	—	0.01	—	—	0.07	0.01	0.08	0.02	0.23		28
29	—	×	—	—	—	—	—	0.10	0.58	—	—	0.37		29
30	0.10	×	—	0.09	0.08	—	—	0.88	0.03	0.06	0.48	0.39		30
31	—	×	—	×	0.03	×	—	—	×	0.28	×	0.49		31
TOTAL	1.14	3.94	0.37	3.07	1.55	2.73	0.99	3.62	4.50	3.96	6.17	3.53	Year's Total 35.57	
* Days with .01 in. or more.	16	20	8	21	13	20	5	9	18	18	25	20	193	
* Days with .04 in. or more.	9	13	4	17	6	16	3	9	14	14	17	15	148	

40-9999

† Spare column, no entries required.

(*Signed*) Charles [illegible]

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR ~~OFFICIAL~~ USE.

Section **A** for the entry of Daily Observations. Station No. 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at HOLLANDEN, HOUSE, HILDENBOROUGH

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.30	0.17	0.01	0.24	—	0.14	0.36	0.08	—	—	0.15	0.12		1
2	0.01	0.04	—	0.01	—	0.32	0.05	0.16	—	—	0.02	—		2
3	—	0.01	—	0.18	0.01	0.01	0.01	—	0.08	—	0.30	0.01		3
4	0.01	—	0.12	—	—	0.06	—	—	0.45	—	—	0.04		4
5	0.21	—	0.02	—	—	—	—	0.02	0.32	0.10	0.19	0.07		5
6	0.21	—	—	—	—	0.04	0.04	0.05	0.15	0.01	0.99	0.09		6
7	0.39	—	0.03	—	—	0.04	0.01	—	0.06	0.01	0.63	snow 0.03		7
8	0.29	—	0.10	—	—	—	0.02	—	—	0.05	0.45	0.01		8
9	0.43	—	0.03	—	—	—	0.42	0.12	0.08	0.08	—	—		9
10	0.10	—	—	—	—	0.01	0.48	0.95	—	—	—	—		10
11	—	—	—	0.08	—	—	0.10	—	—	—	0.75	—		11
12	—	—	—	0.07	—	0.22	0.19	0.03	0.23	—	0.31	0.15		12
13	—	—	—	—	—	0.10	0.04	—	—	—	0.02	0.60		13
14	—	0.04	—	—	—	0.05	0.63	—	—	0.07	0.10	0.32		14
15	—	0.10	—	—	—	0.05	—	—	0.02	—	0.02	0.25		15
16	snow 0.21	0.05	—	—	0.09	—	0.02	—	0.05	—	0.30	0.11		16
17	0.20	0.58	—	—	—	0.07	—	0.01	—	0.01	0.20	0.24		17
18	snow 0.07	0.09	—	—	—	0.19	0.14	—	—	0.02	0.10	0.11		18
19	0.28	0.04	—	0.01	—	0.14	—	0.11	—	0.05	0.01	0.01		19
20	0.27	0.10	—	0.55	—	—	0.02	—	0.59	—	—	—		20
21	—	0.04	—	0.27	—	0.45	0.08	—	—	—	—	0.07		21
22	0.10	0.38	0.10	—	0.07	0.07	0.10	—	—	—	0.01	—		22
23	0.02	0.27	0.03	0.08	—	—	0.32	—	—	0.05	—	—		23
24	0.04	0.05	—	—	—	0.04	0.07	—	0.03	0.32	—	—		24
25	0.15	trace	0.20	0.20	—	0.50	0.05	—	0.23	0.05	0.04	0.03		25
26	—	0.16	0.19	0.22	—	0.08	—	—	0.03	0.24	fog 0.01	—		26
27	0.31	—	0.04	—	—	—	—	—	0.23	0.11	—	—		27
28	0.59	—	0.05	—	—	0.09	0.11	—	0.01	—	snow 0.01	0.06		28
29	0.03	snow 0.09	0.10	—	—	0.25	0.05	—	—	0.07	0.09	0.01		29
30	0.10	✕	—	—	0.03	0.18	trace	—	—	0.12	0.01	0.01		30
31	0.27	✕	0.21	✕	0.09	✕	0.10	—	✕	0.30	✕	0.14		31
TOTAL	4.59	2.21	1.23	1.91	0.29	3.10	3.41	1.53	2.62	1.66	4.71	2.98	Year's Total 3024	✓
* Days with .01 in. or more.	23	16	14	11	5	22	23	9	15	17	22	21	198	✓
* Days with .04 in. or more.	19	15	9	9	3	20	18	5	11	13	14	15	151	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles H [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HOLLANDEN HOUSE HILDENBOROUGH.

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.95	0.01	...	0.07	...	...	...	...	...	trace	0.55	0.30		1
2	0.01	0.31	...	0.42	...	...	...	...	0.04	0.01	fog 0.01	0.88		2
3	0.01	0.18	...	...	...	...	...	...	...	0.02	fog 0.01	0.36		3
4	0.08	0.86	...	0.02	...	...	...	...	...	...	...	0.30		4
5	0.20	0.14	0.23	...	...	...	0.15	trace	...	trace	...	...		5
6	0.06	...	snow 0.35	...	0.16	...	...	...	...	0.05	0.01	...		6
7	...	0.63	snow 0.16	0.04	0.02	...	...	...	0.03	0.03	...	0.02		7
8	...	0.02	snow 0.12	...	0.08	0.08	...	...	...	...	0.20	0.55		8
9	...	0.04	...	0.36	0.10	0.01	0.09	...	0.30	...	...	0.07		9
10	...	...	0.37	0.18	0.47	0.43	0.01	trace	...	...	...	0.67		10
11	...	...	0.44	...	0.03	...	0.04	...	...	...	...	0.14		11
12	0.20	0.30	0.11	0.03	0.29	0.30	0.03	0.37	~~trace~~ 0.16	trace	...	0.18		12
13	0.15	0.07	0.45	0.04	...	0.35	...	2.46	0.19	...	...	0.51		13
14	0.01	0.02	0.32	...	0.08	0.02	...	0.48	0.07	...	...	...		14
15	0.14	0.07	...	0.16	...	0.01	0.75	...	0.55	...	...	0.03		15
16	0.02	0.14	0.32	0.48	...	0.06	...	0.39	0.23	...	...	0.02		16
17	0.35	0.04	0.10	0.22	...	0.11	...	...	0.11	...	0.12	...		17
18	0.58	0.07	0.09	0.02	0.57	0.69	...	...	0.01	...	0.13	...		18
19	0.08	0.15	0.03	...	0.02	0.15	0.15	...	0.20	...	...	0.15		19
20	0.51	0.02	0.31	0.16	0.59	0.05	...	...	fog 0.04	fog 0.01	...	...		20
21	0.44	0.32	0.05	0.12	0.01	...	0.02	0.08	0.01	...	fog 0.01	0.02		21
22	0.55	0.04	0.01	0.01	0.05	0.12	0.08	...	...	0.80	0.35	0.05		22
23	0.19	trace	...	0.12	...	...	0.03	...	...	0.45	0.01	0.01		23
24	0.78	0.30	0.05	...	0.03	...	...	...	0.02	0.29	...	0.01		24
25	0.02	0.45	0.18	...	0.02	...	...	...	0.09	0.28	...	0.01		25
26	0.01	0.31	snow 0.05	...	0.02	...	...	...	...	0.05	...	...		26
27	...	0.18	...	0.30	...	...	...	...	0.04	0.15	0.01	0.01		27
28	snow 0.07	snow 0.06	...	...	...	...	...	...	...	...	...	0.03		28
29	snow 0.10	✕	...	...	...	...	...	...	...	0.14	0.05	...		29
30	0.26	✕	...	...	...	0.02	...	0.85	...	0.03	0.10	0.03		30
31	0.16	✕	...	✕	...	✕	...	...	✕	0.15	✕	0.03		31
TOTAL	5.93	4.73	3.74	2.75	2.54	2.40	1.35	4.63	2.09	2.46	1.56	4.38	Year's Total 38.56	✓ ✓
* Days with .01 in. or more.	25	24	19	17	16	14	10	6	16	14	13	23	197	✓ ✓
* Days with .04 in. or more.	19	19	17	13	9	10	6	6	12	9	7	12	~~129~~ 139	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hollanden House, Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 99 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	...	0.01	...	0.25	0.38	0.04	...	0.20	0.03	0.03	0.10		1
2	0.05	...	...	0.03	0.17	...	0.25	...	...	0.30	...	0.04		2
3	snow Trace	0.01	...	...	0.30	...	...	...	...	0.71	0.02	—		3
4	0.02	...	...	...	...	0.02	0.21	0.11	...	0.14	...	0.05		4
5	0.02	...	...	...	...	...	0.33	...	...	0.44	...	...		5
6	0.03	...	...	...	...	...	0.02	...	0.02	Trace	0.01	0.01		6
7	0.02	...	Sn 0.01	...	...	...	0.07	1.10	0.02	0.19	...	0.05		7
8	0.22	0.01	...	...	...	0.01	0.20	Trace	...	0.19	0.01	0.02		8
9	0.11	...	...	...	...	...	...	0.10	...	0.04	...	0.61		9
10	0.08	0.05	...	...	...	0.05	Trace	0.10	...	0.01	...	0.18		10
11	0.21	Trace	...	...	...	...	0.01	...	...	...	0.07	0.17		11
12	0.25	0.02	...	...	...	...	...	0.12	...	0.08	0.07	0.01		12
13	0.41	snow Trace	...	...	Trace	...	...	...	...	0.08	0.15	0.07		13
14	0.24	snow 0.08	...	...	0.36	...	...	...	...	...	0.01	0.04		14
15	0.01	snow 0.20	...	...	0.02	...	0.16	...	...	0.30	0.01	0.05		15
16	0.23	snow 0.04	Trace	...	0.01	...	Trace	0.04	...	0.04	0.04	0.28		16
17	...	snow 0.10	Trace	...	0.26	...	...	...	...	0.15	0.04	...		17
18	0.05	...	...	...	0.01	Trace	0.04	...	0.06	0.03	0.42	—		18
19	Trace	...	...	...	...	...	...	0.05	0.13	...	0.26	snow 0.17		19
20	Trace	0.01	...	...	0.04	...	...	...	0.09	—	0.30	frozen		20
21	0.04	...	—	0.02	...	...	...	0.04	0.14	...	0.08	snow 0.16		21
22	0.02	...	...	0.01	...	0.03	...	Trace	...	...	0.19	snow 0.12		22
23	...	...	...	0.04	...	Trace	...	...	...	...	0.01	...		23
24	...	...	0.13	...	Trace	...	...	...	0.13	...	0.47	snow 0.03		24
25	0.10	...	0.28	0.21	0.43	...	0.04	...	0.12	0.04	0.43	frozen		25
26	0.36	0.15	0.13	0.01	...	...	...	0.04	0.22	0.34	...	snow 0.44		26
27	0.12	0.05	0.03	...	0.27	0.15	0.32	...	1.15	0.03	0.24	0.01		27
28	0.05	0.06	...	Trace	0.30	0.05	...	0.15	0.15	...	...	...		28
29	0.31	✕	...	0.03	0.14	...	...	...	...	...	0.05	0.24		29
30	0.10	✕	...	0.20	0.15	...	...	...	0.08	0.05	0.32	...		30
31	0.13	✕	...	✕		✕	...	...	✕	0.16	✕	0.25	Year's Total	31
TOTAL	3.22	0.78	0.59	0.55	2.80	0.72	1.69	1.85	2.31	3.35	3.23	3.10	24.19	
* Days with .01 in. or more.	25	12	6	8	15	7	12	10	13	21	22	23	174	
* Days with .04 in. or more.	19	7	3	3	12	4	10	10	11	16	15	17	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Lawler H. Scott

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hollanden House Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 99 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	...	0.03	0.15	0.31	...	...	0.01	0.34	...	...	...		1
2	0.03	...	Trace	0.09	0.02	...	0.03	0.29	0.05	0.11	0.01	...		2
3	0.31	...	...	0.47	...	...	...	0.24	...	0.01	0.19	0.39		3
4	0.29	...	0.25	0.17	...	...	0.05	0.93	...	0.54	0.11	0.04		4
5	...	...	...	0.09	0.02	...	0.14	0.02	...	0.18	0.32	0.04		5
6	0.30	...	0.11	...	...	...	0.14	0.11	...	...	0.23	...		6
7	0.10	0.06	...	...	...	...	0.02	0.02	...	0.05	0.12	0.09		7
8	0.01	0.09	0.15	...	...	...	...	0.01	...	0.80	0.57	0.38		8
9	0.07	0.08	...	...	...	...	...	0.05	...	0.50	0.48	0.18		9
10	0.11	...	...	...	...	0.20	...	0.13	0.07	0.05	0.04	0.01		10
11	...	...	0.23	...	0.01	0.10	...	...	0.02	1.34	...	...		11
12	...	Trace	...	...	...	...	...	...	...	...	...	0.04		12
13	...	...	Trace	...	...	...	...	...	0.04	1.09	...	0.05		13
14	0.55	...	0.02	0.06	0.13	0.01	0.07	...	...	0.27	0.51	...		14
15	0.49	...	...	...	0.80	0.03	...	...	0.14	0.42	0.13	...		15
16	0.26	...	0.18	0.04	0.10	0.15	0.07	...	0.17	...	0.48	...		16
17	0.26	0.14	0.05	...	...	...	0.03	...	...	...	0.09	...		17
18	0.34	...	0.01	...	...	0.07	0.09	...	...	0.27	0.34	...		18
19	0.23	Trace	Trace	...	...	...	0.28	...	...	0.61	...	0.01		19
20	0.23	...	Trace	...	...	0.10	0.24	0.19	0.09	...	...	0.06		20
21	0.06	...	0.15	...	...	0.02	0.34	Trace	0.13	0.02	...	...		21
22	0.21	0.17	0.10	...	...	0.20	0.09	...	...	...	0.08	...		22
23	0.10	...	...	0.15	...	...	0.03	0.02	...	0.07	0.56	...		23
24	Snow 0.08	0.11	0.11	0.08	...	...	0.02	...	...	0.14	...	...		24
25	Snow 0.55	0.27	0.03	0.07	...	...	0.19	...	...	...	0.65	0.01		25
26	0.10	...	...	0.04	...	...	0.01	...	...	0.16	0.15	0.02		26
27	0.01	0.17	0.07	0.10	...	...	...	...	...	0.11	0.35	...		27
28	0.01	0.49	0.05	...	...	0.03	...	...	...	0.05	0.08	Snow 0.12		28
29	...	X	...	0.30	...	...	...	...	...	0.03	0.05	...		29
30	...		...	0.48	...	...	...	0.01	...	0.03	0.24	...		30
31	...		...		...		0.30	0.08		0.01		...		31
TOTAL	477	1.58	1.54	2.29	1.39	0.91	2.14	2.11	1.05	6.86	5.75	1.44	Year's Total 31.83	
* Days with .01 in. or more.	24	9	15	14	7	10	18	14	9	23	22	14	179	
* Days with .04 in. or more.	20	9	11	14	3	6	12	7	8	18	21	10	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles H Scott

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 348

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hollanden House Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 99 ft.

Gauge leaking

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	...	Snow trace	...	...	...	...	...	...	...	...	0.01	...		1
2	...	0.10	...	0.08	...	...	trace	...	...	0.13	0.70	0.02		2
3	...	0.24	...	0.11	...	...	trace	...	...	0.21	1.32	0.10		3
4	...	0.16	...	0.03	...	...	trace	...	...	0.18	0.06	0.08		4
5	...	0.13	...	...	0.02	...	0.09	...	...	0.01	0.73	0.18		5
6	...	0.06	...	...	trace	...	0.38	...	...	0.43	...	...		6
7	0.44	0.12	...	trace	0.01	...	0.26	...	...	0.34	...	...		7
8	...	...	...	trace	...	...	trace	...	0.04	0.05	...	0.45		8
9	...	...	...	...	...	...	...	0.02	trace	0.01	0.38	0.14		9
10	...	...	...	...	...	...	0.56	0.06	...	0.13	0.09	...		10
11	...	Snow trace	trace	0.03	...	...	trace	...	...	...	1.07	...		11
12	...	Snow 0.03	0.11	...	...	...	0.37	...	0.19	...	0.04	...		12
13	...	Snow 0.02	0.80	...	...	0.02	0.10	...	0.04	...	1.18	...		13
14	...	...	Snow 0.18	0.08	...	...	...	...	...	0.05	...	0.25		14
15	...	...	0.02	trace	0.25	0.01	1.55	...	0.03	0.07	0.50	0.01		15
16	Snow 0.03	Snow 0.27	0.21	...	...	0.05	0.18	...	0.23	1.06	0.62	0.05		16
17	...	...	0.27	...	...	...	0.01	...	...	0.01	0.06	0.01		17
18	Snow 0.05	0.25	0.45	0.41	...	...	0.32	...	0.08	0.34	0.24	0.20		18
19	...	0.35	0.10	0.01	...	...	0.05	...	0.50	...	0.23	0.05		19
20	...	0.06	0.02	0.05	...	...	0.01	0.03	0.21	0.10	0.09	...		20
21	Snow 0.08	0.01	...	...	0.83	...	0.32	...	0.01	0.05	0.34	...		21
22	Snow 0.05	...	0.05	...	0.15	0.18	trace	...	0.13	...	...	...		22
23	...	0.05	0.02	0.26	trace	...	trace	...	...	...	0.02	Snow 0.03		23
24	...	...	...	0.43	...	...	0.32	...	...	0.01	...	Snow 0.01		24
25	...	...	0.33	...	...	...	0.02	...	...	0.06	...	...		25
26	1.20	0.15	0.12	0.01	0.61	0.12	0.02	...	...	...	0.02	...		26
27	Snow 0.50	0.29	...	0.62	0.08	...	0.04	...	...	...	...	0.01		27
28	Snow X	0.02	...	0.91	0.07	...	...	...	...	...	...	0.01		28
29	0.36 X	0.15	0.08	...	0.10	...	...	...	...	...	...	0.26		29
30	0.14	✕	...	0.43	...	...	...	...	...	0.11	...	0.01		30
31	0.09	✕	...	✕	...	✕	...	...	✕	0.73	✕	0.15		31
TOTAL	2 ~~1~~.94	2.46	2.76	2.55	2.12	0.38	3.60	0.11	1.46	4.08	7.70	2.02	Year's Total ~~31.18~~	32.18
* Days with .01 in. or more.	11 ~~12~~	24	14	14	9	5	17	3	10	20	19	19	~~145~~	165.
* Days with .04 in. or more.	10 ~~8~~	14	11	7	7	3	13	1	8	16	16	11	~~116~~	117.

H.P. low
HR
5/44

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C. Lockhart Hill

[P.T.O.

HILDENBORO

[A] for the entry of Daily

AIR MINISTRY.

FORM 1090.

REGIS

34~~8~~/5

HILDENBOROUGH OLD SCHOOL COTT

1934-1940

063401003 780107

348/5

GANIZATION. 11/[illegible]/4

934.

Kept at Hildenborough

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

in gauge

ce H. sent 5/2/35. [illegible]

THE MORNING MEAS ... **S DAY.**

An observer who does not conform t ... *the following year in the space on the right of this paragraph.*

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03					·02		·17		·08		·30	1
2	08		·17					tr	·60	·52		·37	2
3	tr	·04		·11				tr		·47		·03	3
4	15	tr	·03							·16	·08	·56	4
5			·01		·08						·04	·33	5
6	tr		·31		·21	~~·25~~ ·29		·06		·21		·44	6
7	05		tr			·02		·06		·10		·18	7
8		tr		·01	·15			·02	·01		·65	–	8
9	01		tr								·95	·20	9
10	tr	·01	·36	16				·05	tr	·01	·47		10
11	·74		·30	·08				·10			·01	·12	11
12	·11		·20				·10	·74				·11	12
13	·44		·16	·02			·35	·19		tr			13
14	·26		·45	·06	·01			tr		·10	·30	·53	14
15	·01		–						·03		·11	·39	15
16	·13		·24		·16					·06	·01	tr	16
17	·06		·12	·01						·06	tr	·21	17
18	·09			·35			·12				tr	·34	18
19			·23	·07		tr			·29			·20	19
20			·11			·02		·01		·02	tr		20
21			·01	·15		·17	·05			·06	tr	tr	21
22			tr				·03	·05	·19	tr	tr	·12	22
23		·03		·32		·97		tr				·07	23
24			tr	·07		·36	·38		·13			tr	24
25	·06			·13	·06							·38	25
26	·09			·06					·02			·04	26
27	·01	·02		·26		·02						·19	27
28	tr	·13		·09		·02	·02	·59		·04		·32	28
29	13	X					tr	·07	·12			·01	29
30	·04	X										·21	30
31		X		X		X		·02	X	·21	X	·12	31
TOTAL	2·49	·23	2·70	1·95	·67	1·89	1·05	2·13	1·39	2·10	2·62	5·77	YEAR'S TOTAL 24·99
Days with ·01 in. or more.	18	5	14	16	6	9	7	13	8	14	9	24	143
Days with ·04 in. or more.	14	2	11	13	5	4	4	10	5	12	7	22	109

40-12-1-27
144w)

N

(Signed) ~~[illegible] Roper~~

X J.S. ROPER ESQ X

[P.T.O.

HILDENBORO

348/5

●ion **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hildenborough near Tonbridge

in the County of Kent

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground — ft. 14 in.

" Ground " Sea Level 270 ft.

tr = trace in gauge

cf 347
348 good agreement.

C 1934

Circ H. sent 5/2/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03					·02		·17		·08		·30	1
2	08		17					tr	·60	·52		·37	2
3	tr	·04		11				tr		·47		·03	3
4	15	tr	·03							·16	·08	·56	4
5			·01		·08						·04	·33	5
6	tr		·31		·21	~~·25~~ ·29		·06		·21		·44	6
7	05		tr			·02		·06		·10		·18	7
8		tr		·01	·15			·02	·01		·65	-	8
9	01		tr								·95	·20	9
10	tr	·01	·36	16				·05	tr	·01	·47		10
11	·74		·30	·08				·10			·01	·12	11
12	·11		·20				·10	·74				·11	12
13	·44		·16	·02			·35	·19		tr			13
14	·26		·45	·06	·01			tr		·10	·30	·53	14
15	·01		-						·03		·11	·39	15
16	·13		·24		·16					·06	·01	tr	16
17	·06		·12	·01						·06	tr	·21	17
18	·09			·35			·12				tr	·34	18
19			·23	·07		tr			·29			·20	19
20			11			·02		·01		·02	tr		20
21			·01	·15		·17	·05			·06	tr	tr	21
22			tr				·03	·05	·19	tr	tr	·12	22
23		·03		·32		·97		tr				·07	23
24			tr	·07		·36	·38		·13			tr	24
25	·06			·13	·06							·38	25
26	·09			·06					·02			·04	26
27	·01	·02		·26		·02						·19	27
28	tr	·13		·09		·02	·02	·59		·04		·32	28
29	13	X					tr	·07	·12			·01	29
30	·04	X										·21	30
31		X		X		X		·02	X	·21	X	·12	31
TOTAL	2·49	·23	2·70	1·95	·67	1·89	1·05	2·13	1·39	2·10	2·62	5·77	YEAR'S TOTAL 24·99
Days with ·01 in. or more.	~~18~~	~~5~~	~~14~~	~~16~~	~~6~~	~~9~~	~~7~~	~~13~~	~~8~~	~~14~~	~~9~~	~~24~~	~~143~~
Days with ·04 in. or more.	14	2	11	13	5	4	4	10	5	12	7	22	109

40-12-1-27
144w)

N

(Signed) ~~John S Roper~~

J S ROPER ESQ

[P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 348/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hildenborough

in the County of Kent

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·04	·01	·06	·01	·12	·03		1·07	·08	·05			1
2	·20		tr	·11					tr	·25	·09			2
3	tr	tr	·12	·04		·02	tr		·04	1·24	·20			3
4		·05		·24		·18			·26	·19	·02	·19		4
5		·36	·03	·09		·19			·66	·15	·01			5
6		·09	·02	·24		·47			tr		·15	·03		6
7	·10	·02		·25		·14					·88	·11		7
8	tr		·02	·35		·06		·03		·19	·46	·18		8
9	tr			·20		·11				1·03	·14	·05		9
10	·06			·04		·04					·41	·14		10
11	·15			·11		·07					·35	tr		11
12	tr	·03		-		·15		·83	·01		·91			12
13	·09	·23		·08		·02			tr		·02	·04		13
14				·18	·23	·10			tr	tr	·22	·10		14
15		·31		·31	·02	·02			·27		·81	·09		15
16		·02		·20		·07			·34	·01	·51	·02		16
17	·02		·16	·08		·24	·01		·05					17
18				·20	·02	·12	·49		·43	·06	·03			18
19		tr		·03	·63	·02	·07				·02	·01		19
20	·02	·63		·03	·01	·06	·37		·06	·02	·09			20
21		·39				tr				·14	·03			21
22		·08	tr					·32	·07		tr			22
23			·06					·58	·02					23
24	·04	·76			·32			·72	·40	·04		·30		24
25	·11	·29		·11	·38	·20			tr		·02	·32		25
26	·05	·08						·14	·02	·04		·32		26
27		·61					·01		·10		·13	·17		27
28		·04					tr	·11	·02	·06	·02	·23		28
29	tr	×						·01	·54	·01	tr	·30		29
30	·08	×	tr	·08	·10			·91	·07	·07	·50	·38		30
31		×		×	·02	×		tr	×	·22	×	·51		31
TOTAL	1·13	4·03	·42	~~3·08~~ 3·03	1·74	2·40	·98	3·65	~~4·53~~ 4·43	3·80	~~5·85~~ 6·07	3·49	Year's Total. 35·10	
* Days with .01 in. or more.	12	17	7	21	10	20	6	9	18	17	24	19	180	
* Days with .04 in. or more.	10	14	2	19	5	16	3	7	14	14	16	16	136	

40-9999

† Spare column, no entries required.

(*Signed*)

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 348/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hildenborough

in the County of Kent

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 275 ft.

ack

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✕

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·28	·18	·01	·23		·14	·35	✓				·12		1
2	tr	·04	tr	·01		·22	·07	✓ ·18			·14	·01		2
3		tr		·15	·01	·09	·02		·02		·28	tr		3
4	tr		·12	tr		·09		tr	·30		tr			4
5	·19		·03					·01	·29	·10	·18	·16		5
6	·21		tr			·03	·01	·06	·15	·02	·79			6
7	·39		·03			·05	tr	tr	·03	tr	·60			7
8	·21		·07				·01		·02	·02	·34	·32		8
9	·46		·01		·01		·34	·10	·05	·07	·03			9
10	·09		tr	·01		tr	·37	·69	·04	tr		tr		10
11				·08			·08	·01			·68			11
12				·09		·09	·15	·03	·29	tr	·30	·13		12
13						·22	·04	tr		tr	tr	·41		13
14						·06	·63			·07	·10	·56		14
15		·16				·03	·01		·03		·01	·17		15
16	·22	·08			·07		·02				·30	·22		16
17		·52			·01	·10	tr	tr	tr	·02	·27	·27		17
18	·29	·06				·08	·13		tr	·01	·30	·15		18
19	·29	·06		tr		·12	·01	·13		·08	tr			19
20	·35	·07		·54			·01	tr	·54		tr			20
21		tr		·29		·38	·04		tr					21
22	·11	·35	·08		·07	·07	·10		tr			·12		22
23	·02	·21	·03	·06			·30			·06				23
24	·03	·03				tr	tr		·02	·28				24
25	·15	tr	·14	·20		·49	·09		·21	·19	·04			25
26	tr	·14	·20	·20		·09	tr		·05	·27		·02		26
27	·22	·01	·02	·01			tr		·22	·12				27
28	·72	tr	·12			tr	·22		·04			·06		28
29	·03	·06	·02			·35	·07		tr	·08	·09	·01		29
30	·13	✕			·06	·14	tr		tr	·07				30
31	·27	✕	·21	✕	·65	✕	·09		✕	·54	✕	·09		31
TOTAL	4·66	2·02	1·09	1·87	·28	2·84	3·16	1·21	2·30	2·00	4·45	2·82	Year's Total 28·70	
* Days with .01 in. or more.	20	14	14	12	7	19	23	~~8~~ 9	16	16	17	16	~~181~~	183
* Days with .04 in. or more.	17	12	7	9	4	17	15	6	11	12	14	13	~~136~~	137

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John D Roper [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 348/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hilcenborough

in the County of Kent

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.79	t	t	.07		-	.01	·	t	-	.53	.24		1
2	.01	.34	·	.42		-	-	·	.03	.01	t	.95		2
3	t	.10	t	-		·	-	·	·	·	t	.47		3
4	.09	.92	-	.04		-	-	·	·	·	t	.30		4
5	.32	.22	.30	t		-	.14	·	·	.02	·	·		5
6	.07	-	.46	-	.19	-	t	·	·	.04	.02	·		6
7	·	.61	.05	.04	t	-	·	·	.05	.05	-	·		7
8	·	.02	.13	-	.07	.07	·	·	-	·	.18	.51		8
9	t	.05	-	.35	.11	-	.05	·	.30	·	t	.10		9
10	·	·	.34	.21	.26	.02	.01	·	·	·	-	.58		10
11	·	·	.40	.02	.25	.37	.04	·	·	·	t	.26		11
12	.19	.30	.14	.02	.26	.06	·	.02	.18	·	·	.09		12
13	.14	.06	.49	.02		.55	·	2.40	.27	·	·	.54		13
14	.02	.02	.39	t	.10	.02	·	.55	.07	·	·	-		14
15	.05	.07	t	.15			.41	t	.16	·	·	.02		15
16	.07	.14	.27	.44		.07	·	.30	.23	·	·	.03		16
17	.29	.02	.06	.25		.11	·	·	.22	·	.13	·		17
18	.58	.06	.12	.01	.68	.64	·	·	·	·	.13	.08		18
19	.09	.19	.02	.13	.06	.13	.25	·	.20	t	·	.07		19
20	.46	.01	.32	.23	.54	.06	·	·	.05	t	·	.04		20
21	.37	.32	.03	.11	.04	·	·	.13	.01	tr	t	.04		21
22	.57	.09	.03	t	.06	.12	.02	·	·	.58	.33	.04		22
23	.22	t	-	-		·	.04	·	·	.44	·	.01		23
24	.68	.30	.06	-	.05	·	·	·	.02	.28	·	.01		24
25	.12	.34	.23	-	.05	·	·	·	.09	.19	·	t		25
26	t	.32	.03	-	t	·	·	·	·	.07	·	·		26
27	·	.25	·	.28	·	·	·	·	.07	.18	·	·		27
28	.07	.08	·	.02	·	.01	·	·	-	.02	-	.05		28
29	.07		·		·	·	·	·	t	.08	.04	.03		29
30	.26	×	·		·	·	·	1.11	t	.01	.10	·		30
31	.15	×	·	×	·	×	·	·	×	.17	×	.07		31
TOTAL	5.60	4.83	3.87	2.81	2.72	2.23	.97	4.51	1.95	2.14	1.46	4.57	Year's Total 37.62	✓
*Days with .01 in. or more.	23	23	19	18	14	13	9	6	15	14	8	22	186	✓
*Days with .04 in. or more.	21	15	14	13	14	10	6	5	12	10	7	.17	148	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 348/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hildenborough

in the County of Kent

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		·01		·41	·42	·02		·19	·02	·04	·08		1
2	·07			·03	·03		·28			·30		·03		2
3	tr				·43					·58	·02			3
4	·06				tr	·02	·20	·12				·06		4
5	·03						·27		tr	·60	tr			5
6	·02						·06		·02		tr	·03		6
7	tr						·07	1·00	tr	·22		·04		7
8	·22						·18			·18				8
9	·10	tr						·10		·04		·55		9
10	·07	·08				·03		·09		tr		·18		10
11	·23									tr	·06	·24		11
12	·28	·03						·15		·07	·06	·02		12
13	·40	·05			tr					·09	·14	·04		13
14	·22	·15 s			·33						·01	·04		14
15	·03	·20 s			·01		·17			·34	tr	·03		15
16	·28		tr					·04		·02	·02	·31		16
17	tr	·13 s	tr		·26		·02			·14	·03			17
18	·06				·02	tr				tr	·45			18
19	-							·04	·10		·27			19
20	-				·04				·07		·27	·13 s		20
21	·04			·04				·03	·15		·06	·10 s		21
22	tr			·02		·02			tr		·19	·23 s		22
23	tr			·02							·01			23
24	-		·02		tr				·12		·35	·10 s		24
25	·12		·41	·18	·37		·05		·11	·04	·49	·08 s		25
26	·33	·11	·11		tr		·02	·03	·18	·32	-	·46 s		26
27	·08	·03	·03		·11	·22			1·02	·03	·25			27
28	·12	·07			·40	·07		·15	·12		·01			28
29	·36	×		·05	·15				·03		·04	·24		29
30	·12	×		·19	·11	·01			·07	·06	·33	-		30
31	·16	×		×	·09	×			×	·14	×	·19		31
TOTAL	3·47	·85	·58	·53	2·76	·79	1·34	1·75	2·18	3·19	3·10	3·18	Year's Total 23·72 ✓	
* Days with .01 in. or more.	23	9	5	7	14	7	11	10	12	17	20	21	156 ✓	
* Days with .04 in. or more.	20	7	2	4	11	3	8	8	10	14	14	17	118 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jm S Roper

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 348/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

file No 384352/35

Kept at Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02			·21	·33			tr	·35			·08		1
2	·03			tr	·03		·03	·24	·07	·12	·02			2
3	·20	·01		·33				·29	·01		·18	·34		3
4	·20		·24	·14				·91		·58	·12	·03		4
5	·28		·01	·09	·01		·17	·21		·19	·31	·05		5
6			·10	·01			·14	·16		tr	·12	tr		6
7	·09	·07					·04	·04		·08	·13	·07		7
8	·01	·08	·19					tr		·40	·13	·36		8
9	·07	·06						·04		·71	·98	·21		9
10	·10					·22		·12	·06	·07	·03			10
11			·26		·03	·12				1·46	tr	·02		11
12			tr						·02	tr		·02		12
13	tr		tr	tr					·03	1·26		·06		13
14	·51		·02	·06	·14		·05		·02	·43	·52			14
15	·47		tr	tr	·65	·02	tr		·13	·62	·05			15
16	·22		·24	·03	·30	·13	·07		·21		·58			16
17	·27	·13	·06	·01	·02		·02				·07			17
18	·31		tr			·06	·06		·01	·15	·37			18
19	·22		·02				·30		tr	1·04		·02		19
20	·18						·17	·25	·11			·06		20
21	·13		·14			·01	·28	·14	·21	·03				21
22	·21	·21	·08			·22	·08		tr		·05			22
23	·12		tr	·11			·01	·03		·07	·65			23
24	·05	·16	·15	·14			·03	tr	tr	·14				24
25	·71^{s}	·15	·06	·07			·09				·70			25
26	·08		tr	·06		·01	·09		·01	·14	·36			26
27	·07	·19	·09	·14						·20	·39			27
28		·54	·04			·03				·02	·08	·12^{s}		28
29	tr	×		·43						·01	·05			29
30	tr	×		·59						·03	·21			30
31		×		×		×	·46	·09	×		×			31
TOTAL	4.51	1.60	1.70	2.42	1.51	·82	2.09	2.52	1.24	7.75	6.10	1.44	Year's Total 33.70	
* Days with .01 in. or more.	23	10	15	15	8	9	17	12	13	21	22	13	180	
* Days with .04 in. or more.	19	9	12	12	4	5	13	11	7	17	19	9	137	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………………

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 348/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hildenborough

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 270 ft.

File No 384352/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04									·02			1
2				·06						·13	·40			2
3		·20		·11						·18	1·44	·09		3
4		·12		·04						·16	·11	·07		4
5		·02								·01	·73	·24		5
6	02	·05			·03		·06			·39	·02			6
7	·40	·15					·30							7
8	·01						·32		·02	·38		·41		8
9										·06	·30	·11		9
10							·48	·10		·18				10
11											·94			11
12		·09	·13	·05			·25		02		·04			12
13		tr	64				·06		·20		1·31			13
14			·445							·03		·21		14
15		·25	·05		·27		1·19			·05	·35			15
16	·10		·18			·09	·14		·18	·80	·80	·06		16
17			·19	·36					·02		·06			17
18		·23	·23				·26		·08	·31	·16	·17		18
19		·22	·14						·47		·04	·09		19
20		·04					·06	·03	·21		·21	·02		20
21	·05				·43		·22		·01	·08	·32			21
22	·07		·02		·30	·14			·11					22
23		·04		·19							tr			23
24				·38			·18			·02				24
25			·43		}		·04			·09				25
Thaw 26	·86	·14	·28	·02	·57 }	·14								26
27		·24		·48			·04					·07		27
28	·46				·12			tr						28
29	·20	·19	·07		·11							·37		29
30	·10	✕		·33						·11				30
31	·12	✕		✕		✕			✕	·70	✕	·12		31
TOTAL	2·39	= 2·02	2·80	2·02	1·83	·37	3·60	·13	1·32	3·68	7·25	2·03	Year's Total 29·44	
* Days with .01 in. or more.	11	15	12	10	7	3	14	2	10	17	17	13	131	
* Days with .04 in. or more.	9	14	11	9	6	3	14	1	6	14	15	13	115	

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

P.T.O.

349

349
EAST PECKHAM
WOODBINE
1931 - 1940

063304002 780107

Section A for the
AIR' M

FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

RE 1931.

Kept at Woodbine
in the County of K

Diameter of Funnel of Gau
Height of top of Gauge abov
,, Ground ,,

with near stations & found in
he move in July to ground level
xcellent agreement is found.
f 9226 19/29.
22/2/32.

THE MORNING M US DAY.

An observer who does not con t of the following
year in the space on the righ

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·17	—	·32	—		·03	—	—	—	1
2	·14	·06	—	·13	—	—	—	·17	·62	·01	—	—	2
3	—	·06	·07	·12	·87	—	—	·18	·48	—	—	·12	3
4	·12	·02	—	—	·04	—	—	·04	·17	—	—	—	4
5	—	—	—	·26	—	·51	·03	·19	·09	—	Trace	·16	5
6	—	·06	—	·03	—	—	—	·07	—	·18	0·38	—	6
7	—		—	—	·02	·05	·06	·09	—	—	·33	—	7
8	·03	·09	—	—	·02	·17	·04	·07	—	Trace	·08	·03	8
9	—	·06	—	·005	—	·01	—	—	—	—	·54	·02	9
10	—	·16	—	—	—	—	—	·16	—	—	1·58	—	10
11	—	·59	·02	—	—	—	—	—	·02	Trace	·24	—	11
12	·10	—	—	—	—	—	—	—	·50	·02	—	—	12
13	·08	—	—	—	·10	—	·04	·10	—	—	—	—	13
14	—	—	—	—	—	·11	·34	·46	—	—	—	—	14
15	·02	·13	—	·17	·09	—	·24		—	—	·04	·03	15
16	·03	·06	—	·14	·23	—	—	·24	—	—	—	—	16
17	—	·04	—	·21	Trace	—	·26	·20	·04		—	—	17
18	·02	·17	—		—	·02		·50	—	·05	·35	—	18
19	·02	—	—	·98	—	—	·39	·29	·11	—	—	—	19
20	—	·12	—	·12	—	—	·01	·24	—	Trace	Trace	—	20
21	—	—	—	—	·52	—	—	·03	Trace	—		·02	21
22	·21	—	·11	—	—	—	—	—	·08	—	0·05	—	22
23	·50	·02	—	—	·13	·09	·02	—	·04	Trace	·11	·01	23
24	—	—	—	·51	—	·03	—	·23	·01	—	—	—	24
25	·02	—	—	·62	—	—	·38	—	—	—	Trace	—	25
26	—	·05	—	·26	—	—	·23	—	—	Trace	·24	—	26
27	·10	·25	—	·01	·24	—	—	—	—	—	·03	—	27
28	·07	·13	—	·01	—	—	·05	—	—	·04	Trace	·02	28
29	·08	×	—	—	·10	—	·11	—	—	·28	—	—	29
30	·05	×	—	—	—	—	·04	—	—	—	—	—	30
31	·28	×	—	×	·01	×	—	·03	×	—	×	—	31
TOTAL	1·87	2·07	0·20	3·74	2·37	1·31	2·24	3·29	2·19	·58	3·97	0·41	YEAR'S TOTAL 24·24
*Days with ·01 in. or more.	~~17~~	~~17~~	~~3~~	~~15~~	~~12~~	~~9~~	~~15~~	~~18~~	~~12~~	~~6~~	~~12~~	~~8~~	~~144~~
*Days with ·04 in. or more.	11	15	2	12	9	6	12	16	9	4	11	2	109

40-9999

54
32

*See Instruction 2 (*f*) on other side.

(Signed) W H Pearson

P.T.O.

349

Section A for the entry of Daily Observations. 1129. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Woodbine". East Peckham
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ~~1 ft 0 in~~
,, Ground ,, Sea Level 47·8 ft.

Note Return examined with near stations & found in good accord. After the move in July to ground level as requested by us excellent agreement is found. see f 9226/29.
22/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·17	—	·32	—	(	·03	—	—	—	1
2	·14	·06	—	·13	—	—	—	·17)	·62	·01	—	—	2
3	— (	·06	·07	·12	·87	—	—	·18	·48	—	—	·12	3
4	·12)	·02	—	—	·04	—	—	·04	·17	—	—	—	4
5	—	—	—	·26	—	·51	·03	·19	·09	—	Trace	·16	5
6	—	·06	—	·03	—	—	—	·07	—	·18	0·38	—	6
7	—	}	—	—	·02	·05	·06	·09	—	—	·33	—	7
8	·03	·09 }	—	—	·02	·17	·04	·07	—	Trace	·08	·03	8
9	—	·06	—	~~·005~~	—	·01	—	—	—	—	·54	·02	9
10	—	·16	—	—	—	—	—	·16	—	—	1·58	—	10
11	—	·59	·02	—	—	—	—	—	·02	Trace	·24	—	11
12	·10	—	—	—	—	—	—	—	·50	·02	—	—	12
13	·08	—	—	—	·10	—	·04	·10	—	—	—	—	13
14	—	—	—	—	—	·11	·34	·46	—	—	—	—	14
15	·02	·13	—	·17	·09	—	·24	}	—	—	·04	·03	15
16	·03	·06	—	·14	·23	—	—	·24 }	—	—	—	—	16
17	—	·04	—	·21	Trace	—	·26	·20	·04	}	—	—	17
18	·02	·17	—	}	—	·02	}	·50	—	·05 }	·35	—	18
19	·02	—	—	·98 }	—	—	·39 }	·29	·11	—	—	—	19
20	—	·12	—	·12	—	—	·01	·24	—	Trace	Trace	—	20
21	—	—	—	—	·52	—	—	·03	Trace	—	}	·02	21
22	·21	—	·11	—	—	—	—	—	·08	—	0·05 }	—	22
23	·50	·02	—	—	·13	·09	·02	—	·04	Trace	·11	·01	23
24	—	—	—	·51	—	·03	—	·23	·01	—	—	—	24
25	·02	—	—	·62	—	—	·38	—	—	—	Trace	—	25
26	—	·05	—	·26	—	—	·23	—	—	Trace	·24	—	26
27	·10	·25	—	·01	·24	—	—	—	—	—	·03	—	27
28	·07	·13	—	·01	—	—	·05	—	—	·04	Trace	·02	28
29	·08	×	—	—	·10	—	·11	—	—	·28	—	—	29
30	·05	×	—	—	—	—	·04	—	—	—	—	—	30
31	·28	×	—	×	·01	×	—	·03	×	—	×	—	31
TOTAL	1·87	2·07	0·20	3·74	2·37	1·31	2·24	3·29	2·19	·58	3·97	0·41	YEAR'S TOTAL 24·24
*Days with ·01 in. or more.	~~17~~	~~17~~	~~3~~	~~15~~	~~12~~	~~9~~	~~15~~	~~18~~	~~12~~	~~6~~	~~12~~	~~8~~	~~144~~
*Days with ·04 in. or more.	11	15	2	12	9	6	12	16	9	4	11	2	109

40-9999

54
32/10

(Signed) W H Pearson

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.** COPY FOR OFFICIAL USE. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at East Peckham 349

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 47·7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·04	—	·06	·50	—	·02	·05	—	—	·04	—	1
2	·02	—	—	[·15	·05	—	—	·01	·05	}·13	·02	·13	2
3	—	—	—		·24	·07	—	—	·38		—	—	3
4	trace	—	—	—	—		—	—	—	—	—	—	4
5	·12	—	—	—	·05	}·10	·13	—	—	—	—	—	5
6	·67	trace	·04	·27	—		—	—	—	—	—	·06	6
7	·16	—	·11	·04	—	—	—	—	·09	—	—	—	7
8	—	·02	·15	·10	·21	—	—	—	·07	}·55	—	—	8
9	·23	·07	—	[·29	·55	—	—	—	—		—	—	9
10	·79	{·38	—		·10	—	—	—	—	04	·02	—	10
11	·33		—	·11	·02	·05	—	—	—	·13	·01	—	11
12	·16		·09	·03	—	—	—	—	·02	·20	—	—	12
13	·07	—	—	·06	·05	—	—	—	—	·98	—	·02	13
14	·11	—	—	·09	}·29	—	—	—	—	·04	—	—	14
15	·02	—	—	·17		—	—	—	—	}·15	—	—	15
16	04	—	—	{·19	·09	—	—	—	—		—	—	16
17	—	—	—		—	—	·02	—	—	·08	—	—	17
18	—	—	—	·02	—	—	—	—	·09	—	·11	—	18
19	·02	—	—	—	·02	—	—	Thunder	·05	·15	}·20	—	19
20	—	—	—	13	·11	—	·03	·21	—	·71		—	20
21	—	—	—	—	}·71	—	—	—	—	·20	—	·02	21
22	—	trace	·43	—		—	—	—	·39	}·96	·29	—	22
23	·02	·10	·03	·09	·08	—	Thundery ·09	—	·11		—	·10	23
24	—	·02	—	—	—	—	·36	—	—	·08	03	—	24
25	—	—	—	·01	—	—	·47	—	}·51	·22	·03	01	25
26	—	—	{·19	·05	·02	—	·43	·19		·20	}·06	—	26
27	—	—		·08	·19	—	·22	—	—	·30		·02	27
28	—	—	02	—	}·06	—	17	—	—	·27	—		28
29	—	—	·38	02		—	—	·36	·12	}·40	—	·02	29
30	—	×	·05	·15	·21	·57	—	·01	·06		·07	·02	30
31	—	×	·16	×	—	×	·05	—	×	—	×	03	31
TOTAL	2·84	0·63	1·65	2·11	3·55	·79	1·99	0·83	1·94	5·79	0·88	·43	YEAR'S TOTAL 23·43
*Days with ·01 in. or more.	~~15~~	~~6~~	~~11~~	~~20~~	~~19~~	~~4~~	~~11~~	~~6~~	~~12~~	~~19~~	~~11~~	~~10~~	~~144~~
*Days with ·04 in. or more.	11	4	9	16	16	4	8	4	11	19	6	2	110

40-9999

(Signed) W H Pearson.

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Woodbine" East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·24	·08	—	—	—	—	—	—	·02	·11	—		1
2	·18	—	·45	—	·18	—	—	—	—	·03	—	—		2
3	·08	·14	·27	—	—	—	—	—	—	—	·02	—		3
4	·07	—	—	—	—	—	—	—	—	—	—	—		4
5	·24	—	·24	—	·22	—	—	—	—	—	—	—		5
6	—	·10	·08	—	x	—	—	—	—	·05	·10	—		6
7	x	·03	·03	—	x ·70	—	—	—	—	·60	—	·01		7
8	x ·48	—	—	—	·08	—	·38	—	—	—	—	—		8
9	—	Trace	—	—	·05	—	·04	—	—	·11	·10	—		9
10	—	·17	—	—	Trace	·02	·03	—	—	·17	Trace	—		10
11	·08	—	—	—	·06	—	·04	·11	·07	·03	Trace	—		11
12	—	—	—	·08	—	·11	·02	—	·99	—	·01	—		12
13	·02	—	—	—	·08	—	·22	·04	·29	·10	·15	—		13
14		—	—	—	—	—	·02	—	—	·25	·22	—		14
15	·19	—	·10	—	—	—	·24	·13	—	·09	·02	—		15
16	·07	—	·76	—	—	·11	·23	—	—	·01	—	—		16
17	—	—	·32	—	—	·04	—	·03	·09	—	·06	—		17
18	·05	—		—	—	·42	—	—	—	—	Trace	—		18
19	—	·03	·30	·07	—	·16	—	—	·08	—	·02	—		19
20	—	·04	·07	·22	—	·21	—	—	·03	—	·01	—		20
21	—	·11	—	—	—	·02	—	·36	·25	Trace	—	—		21
22	—	—	—	—	—	·01	—	·16	·01	·02	—	—		22
23	—	—	—	·14	·64	—	—	—	·50	—	Trace	—		23
24	—	·41	—	·20	·04	·29	—	—	·30	—	·02	—		24
25	—		—	·23	·02	—	—	—	·04	—	·29	·06		25
26	—	·62	—	·02	—	·03	—	—	·15	·03	·19	·15		26
27	—	—	—	—		—	—	—	·01	·19	—	·13		27
28	—	—	—	—	·26	—	·15	—	—	·29	—	·18		28
29	·05	X	—	—	·56	—	·22	—	—	·07	—	—		29
30	·07	×	·10	·02	—	—	·04	—	·04	·04	—	·10		30
31	·06	×	—	×	—	×	—	·12	×	·02	×	—		31
TOTAL	1·66	1·89	2·80	0·98	2·89	1·42	1·63	0·95	2·85	2·12	1·32	0·63	Year's Total 21·14 ✓	
*Days with ·01 in. or more.	15 ~~14~~	10	13 ~~12~~	8	13 ~~12~~	11	12	7	14	18	14	6	141 ~~138~~	
*Days with ·04 in. or more.	13 ~~12~~	8	12 ~~11~~	6	12 ~~11~~	7	9	6	11	11	8	5	8 105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Pearson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woodbine East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	—	—	—	·05	—	·10	·04	·10	—	·20		1
2	·07	—	·17	—	—	—	—	—	·53	·50	—	·22		2
3	—	·03	—	Trace	—	—	—	·01	—	·38	—	·02		3
4	·13	Trace	·03	—	—	—	—	—	—	·22	·09	·69		4
5	—	—	—	—	·08	—	—	·01	—	—	·02	·34		5
6	Trace	—	·27	—	·20	·21	—	·10	—	·23	Trace	·34		6
7	·03	—	—	—	—	Trace	—	Trace	—	·04	—	·16		7
8	—	—	—	·15	·18	—	—	·03	—	—	·82	—		8
9	·01	—	·02	—	Trace	—	—	—	Trace	—	·95	·21		9
10	—	—	·23	·19	—	—	—	·08	—	·01	·19	Trace		10
11	·75	—	·42	·10	—	—	·04	·24	—	—	·05	·15		11
12	·08	·01	·19	—	—	—	·10	·45	—	—	·06	·11		12
13	·47	—	·17	·01	—	—	·15	·19	—	—	·01	·05		13
14	·27	—	·42	·04	·02	Trace	—	—	—	·08	·25	·46		14
15	Trace	—	—	—	·01	—	—	—	—	Trace	·08	·46		15
16	·09	—	·28	·01	·19	—	—	—	—	·05	—	·04		16
17	·04	—	·25	·02	·09	—	—	—	·01	·06	Trace	·28		17
18	·14	—	—	·48	—	—	·37	—	—	—	·02	·27		18
19	—	—	·29	·01	—	—	—	—	·16	—	—	·22		19
20	—	—	·15	—	—	—	·03	—	—	Trace	—	—		20
21	—	—	Trace	·13	—	·05	—	Trace	—	·03	—	—		21
22	—	—	—	—	—	—	·33	·08	·16	—	—	·10		22
23	—	—	—	·23	—	·99	·05	—	—	·02	—	·10		23
24	—	·01	·01	·08	—	·23	·65	·05	·09	—	—	—		24
25	·07	Trace	—	·10	·01	—	—	—	—	·01	—	·33		25
26	·11	Trace	—	·08	—	·07	—	—	·02	—	—	·05		26
27	Trace	Trace	—	·45	—	—	—	—	—	·02	—	·22		27
28	—	·24	—	·59	—	·03	·02	·45	—	—	Trace	·16		28
29	—	×	—	—	—	—	·16	·05	·18	—	—	·02		29
30	·12	×	—	—	—	—	—	·01	—	—	—	·25		30
31	·03	×	—	×	—	×	—	·08	×	·12	×	·10		31
													Year's Total	
TOTAL	2·46	0·29	2·90	2·67	·78	1·63	1·90	1·93	1·19	1·87	2·54	5·55	25·71	
*Days with ·01 in. or more.	16	4	14	16	8	7	10	15	8	15	18	26	150	
*Days with ·04 in. or more.	13	1	11	12	5	6	8	11	6	10	8	24	125	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W H Pearson

[P. T. O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 349.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Woodbine" East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·05	·01	·01	—	·11	·37	—	·44	·10	·13	—		1
2	·17	—	—	·08	—	—	—	—	·04	·23	·06	—		2
3	—	·03	·09	·07	—	·09	—	—	·04	·75	·11	—		3
4	—	·02	—	·24	—	·20	—	—	·56	·45	Trace	·17		4
5	~~[illegible]~~	·39	·03	·09	—	·22	Trace	—	·59	·11	—	Trace		5
6	·04	·06	—	·21	—	·30	—	—	—	·01	·15	·02		6
7	·03	·03	—	·22	—	·09	—	—	—	—	·79	·09		7
8	~~·01~~	—	·01	·35	—	Trace	—	·08	—	·19	·30	·18		8
9	·01 ·01	—	—	·09	—	·13	—	—	—	·70	·21	·02		9
10	·01 [illegible]	·01	—	Trace	—	·03	—	—	—	·03	·24	·26		10
11	·09	—	—	·16	—	·06	·03	—	—	·01	·37	—		11
12	—	·01	—	—	—	·14	—	·49	Trace	—	·67	—		12
13	·08	·15	—	·08	Trace	·02	—	—	—	—	·10	·01		13
14	—	—	—	·11	·28	·07	—	—	—	—	Trace	·06		14
15	—	·19	—	·40	Trace	·03	—	—	·35	—	·26	·08		15
16	—	·05	—	·19	—	·04	—	—	·18	·01	1·04	·02		16
17	·03	—	·09	·12	·01	·22	·02	—	·05	—	·49	—		17
18	—	—	—	·17	·05	·10	·34	—	·30	·02	Trace	—		18
19	—	—	—	·04	·50	—	·08	—	·01	—	·04	—		19
20	—	·73	—	·03	·01	—	·18	—	·03	—	·06	—		20
21	·03	·44	—	·02	—	·05	—	—	—	·10	·04	—		21
22	—	·07	—	Trace	—	—	—	·34	·03	—	—	—		22
23	—	—	·04	—	—	—	—	·15	·01	—	—	·09		23
24	·06	1·09	—	—	·29	—	—	·62	·41	·04	—	·21		24
25	·13	·18	—	·11	·22	·08	—	—	—	—	—	·35		25
26	Trace	·15	—	—	—	—	—	·15	·02	·05	Trace	·33		26
27	·02	·64	—	—	·01	—	Trace	—	·07	—	·07	·22		27
28	—	·04	—	—	·01	—	—	—	·02	·06	·01	·14		28
29	—	×	—	—	—	—	—	·01	·37	—	—	·31		29
30	·08	×	—	·10	·12	—	—	1·00	·12	·06	·47	·33		30
31	—	×	—	×	·04	×	—	—	×	·17	×	·43		31
TOTAL	~~1·03~~ 1·01	4·33	·27	2·89	1·54	1·98	1·02	2·84	3·64	3·09	5·61	3·32	Year's Total. 31·56	
* Days with .01 in. or more.	14	19	6	21	11	18	6	8	19	18	20	19	179	
* Days with .04 in. or more.	8	14	3	18	7	15	4	7	13	13	19	15	136	

69 %/107

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W H Pearson

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Woodbine" East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·19	Trace	·16	—	·22	·14	·18	—	—	·09	·13		1
2	·01	·02	·04	—	—	·13	·01	·10	—	—	—	—		2
3	—	—	—	·24	·02	·09	Trace	—	Trace	—	·31	—		3
4	—	—	·09	—	—	·09	—	—	·46	—	—	·04		4
5	·23	—	·03	—	—	—	—	·02	·25	·08	·18	·04		5
6	·25	—	—	—	—	·03	—	·01	·14	·09	·82	·04		6
7	·40	—	·03	—	—	·10	—	—	·03	·01	·74	·01		7
8	·22	—	·14	—	Trace	—	·02	—	Trace	·01	·68	·24		8
9	·44	—	·03	—	—	—	·42	·53	·01	·15	·02	—		9
10	·04	—	—	—	—	—	·62	·28	Trace	—	—	—		10
11	—	—	—	·05	—	—	·23	·03	—	—	·58	—		11
12	—	—	—	·03	—	·21	·11	·01	·38	—	·30	·13		12
13	—	—	—	—	—	·12	·05	—	—	—	Trace	·57		13
14	—	·06	—	—	—	·04	·64	—	—	·05	·11	·59		14
15	—	·08	—	—	—	·05	—	—	—	—	Trace	·29		15
16	·28	·05	—	—	·26	—	—	—	Trace	—	·20	·14		16
17	·21	·70	—	—	—	·14	—	Trace	—	·01	·17	·24		17
18	·07	·09	—	—	—	·17	·09	—	—	·01	·36	·10		18
19	·21	·02	—	Trace	—	·19	·02	·09	—	·06	Trace	—		19
20	·19	·06	—	·45	—	—	·02	—	·62	—	—	—		20
21	—	·03	—	·32	Trace	·37	·08	—	·05	—	—	—		21
22	·08	·32	·09	—	·05	·08	·08	—	—	—	—	·08		22
23	·03	·28	—	·04	—	—	·24	—	—	·02	—	—		23
24	·04	·06	—	—	—	·26	—	—	·03	·39	—	·01		24
25	·16	—	·19	·13	—	·30	·20	—	·20	·03	·03	—		25
26	—	·10	·23	·09	—	—	·02	—	·04	·16	—	—		26
27	·26	·01	·01	·01	—	·08	·16	—	·15	·10	—	—		27
28	·59	—	·04	—	—	·62	·07	—	·04	—	—	·04		28
29	·03	·07	·11	—	—	·43	·38	—	—	·01	·08	—		29
30	·09	✕	—	—	·03	·13	—	—	—	·06	—	—		30
31	·32	✕	·19	✕	—	✕	·04	—	✕	·66	✕	·09		31
TOTAL	4·51	2·14	1·22	1·52	·36	3·85	3·64	1·25	2·40	1·90	4·67	2·78	Year's Total 30·24	✓
* Days with .01 in. or more.	22	16	13	10	4	21	21	9	13	17	15	17	178	✓
* Days with .04 in. or more.	19	12	9	8	2	20	15	5	10	10	13	15	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W H Pearson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Woodbine" East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·67	Trace	·03	·08	—	—	—	—	—	—	·86	·23		1
2	—	·23	·02	·40	—	—	—	—	·06	—	—	1·33		2
3	—	·10	—	—	—	—	—	—	—	—	—	·51		3
4	·08	·62	—	·30	—	—	—	—	—	—	—	·26		4
5	·26	·08	·28	—	—	—	·17	—	—	·03	—	—		5
6	·05	—	·48	—	·16	—	—	—	—	·06	·01	—		6
7	—	·57	·08	·02	Trace	—	—	—	·02	·03	—	·02		7
8	—	—	·16	—	·04	·06	—	—	—	—	·22	·48		8
9	—	·09	—	·40	·13	·01	·03	—	·29	—	—	·05		9
10	—	—	·35	·10	·62	·49	·06	—	—	—	—	·48		10
11	—	—	·35	—	·04	—	·04	·09	—	—	—	·13		11
12	·17	·25	·20	·02	·27	·20	·01	·19	·21	—	—	·09		12
13	·17	·04	·38	·02	—	·31	—	·42	·04	—	—	·63		13
14	·02	—	·08	—	·08	·02	—	·22	·06	—	—	Trace		14
15	·16	·06	—	·11	·02	·05	·28	—	·19	—	—	·02		15
16	Trace	·04	·30	·37	—	·07	—	·24	·11	—	~~·30~~	—		16
17	·33	·01	·06	·10	—	·11	—	—	·31	—	·30	—		17
18	·57	·03	—	·01	·48	·70	—	—	·12	—	·05	—		18
19	·08	·10	·05	·09	·02	·10	·36	—	·39	—	—	·11		19
20	·55	·02	·29	·27	·65	·08	—	—	·04	—	—	—		20
21	·45	·38	·03	·07	—	—	·02	·03	Trace	—	—	·02		21
22	·44	·04	·01	—	·03	·06	·03	—	—	·95	·25	·02		22
23	·09	—	—	—	—	—	·05	—	—	·43	—	·01		23
24	·70	·22	·05	—	·02	—	—	—	·02	·31	—	—		24
25	·12	·41	·23	—	—	—	—	—	·09	·22	—	—		25
26	—	·29	·08	—	—	—	—	—	—	·13	—	—		26
27	—	·14	—	·31	—	—	—	—	~~Trace~~ ·05	·20	—	—		27
28	·12	·03	—	·01	—	·01	—	—	—	·01	—	·05		28
29	·08	×	—	—	—	·01	—	—	Trace	·54	·02	Trace		29
30	·33	×	—	—	—	Trace	—	·03	—	·03	·08	—		30
31	·16	×	—	×	—	×	—	—	×	·06	×	·02		31
TOTAL	5·60	3·75	3·51	2·68	2·56	2·28	1·05	1·22	2·00	3·00	1·79	4·46	Year's Total 33·90	✓ ✓
* Days with .01 in. or more.	21	21	20	17	13	15	10	7	14	13	8	18	177	✓ ✓
* Days with .04 in. or more.	20	17	16	12	9	11	6	5	13	9	6	12	136	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W H Pearson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Woodbine East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·05	—	·29	·19	·24	—	·22	·01	·02	·10		1
2	·07	—	—	·05	·11	—	·13	—	—	·34	—	·01		2
3	Trace	—	—	—	·34	—	Trace	—	—	·50	Trace	—		3
4	·02	—	—	—	—	·03	·26	·04	—	·11	—	·05		4
5	·01	—	—	—	—	—	·23	—	—	·39	—	·01		5
6	·02	—	—	—	—	—	—	—	Trace	—	—	—		6
7	·01	—	—	—	—	—	·08	·89	Trace	·11	—	·05		7
8	·22	—	—	—	—	Trace	·16	—	Trace	·12	—	—		8
9	·15	—	—	—	—	—	—	·11	—	·01	—	·51		9
10	·06	·08	—	—	—	Trace	—	·14	—	—	—	·25		10
11	·18	Trace	—	—	—	—	—	—	—	—	·14	·18		11
12	·20	·03	—	—	—	·28	Trace	·10	—	·04	·06	·01		12
13	·35	·08	—	—	Trace	—	—	—	—	·06	·05	·02		13
14	·17	·10	—	—	·40	—	—	—	·03	—	—	·03		14
15	·04	·25	—	—	·01	—	·25	—	—	·26	·02	·04		15
16	·19	—	Trace	—	—	—	—	·01	—	·04	—	·22		16
17	—	·12	—	—	·24	—	—	—	—	·22	·03	—		17
18	·02	—	—	—	·01	—	·04	—	·28	—	·36	—		18
19	—	—	—	—	—	—	—	—	·05	—	·16	·26		19
20	—	—	—	—	·13	—	—	—	·11	—	·47	?		20
21	Trace	—	—	·01	—	—	—	·04	·08	—	·06	·35		21
22	—	—	—	·01	—	·02	—	—	—	—	·16	·14		22
23	—	—	—	·02	—	—	—	—	—	—	—	·01		23
24	—	—	·08	—	·05	—	—	—	·02	—	·34	·15		24
25	·08	—	·32	·05	·40	—	·02	—	·20	·03	·43	·03		25
26	·33	·14	·07	·03	—	—	—	·03	·31	·25	—	·36		26
27	·07	·03	·05	—	·13	·09	·25	—	1·48	·03	·18	—		27
28	·06	·04	—	—	·29	·04	—	·17	·14	—	—	—		28
29	·32	X	—	·05	·16	—	—	—	Trace	—	·03	·19		29
30	·06	X	—	·33	·13	·02	—	—	·01	·02	·30	—		30
31	·16	X	—	X	·05	X	—	—	X	·13	X	·15		31
TOTAL	2·82	·87	·57	·55	2·74	·67	1·66	1·53	2·93	2·67	2·81	3·12	Year's Total 22·94 ✓	
* Days with .01 in. or more.	23	9	5	8	15	7	10	9	12	18	16	23	155 ✓	
* Days with .04 in. or more.	17	7	5	4	13	4	9	7	9	13	12	16	116	

* See Instruction 3 (f) on other side:

† Spare column, no entries required.

(*Signed*) W.H. Pearson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 349

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Woodbine" East Peckham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·01	·11	·32	—	·04	Trace	·24	—	—	·01		1
2	·02	—	—	·02	·03	—	·01	·53	·03	·25	·02	—		2
3	·18	·01	—	·24	—	—	—	·27	—	Trace	·20	·42		3
4	·10	—	·24	·22	—	—	·04	·70	—	·72	·12	·02		4
5	—	—	—	·12	Trace	—	·21	·48	—	·27	·31	·07		5
6	·28	Trace	·06	Trace	—	—	·05	·02	—	·03	·18	—		6
7	·08	·05	—	—	—	—	Trace	·03	—	·02	·15	·05		7
8	—	·06	·17	—	—	—	—	—	—	·37	·07	·30		8
9	·03	·04	—	—	—	—	—	·01	—	·70	·70	·10		9
10	·09	—	—	—	—	·23	—	·05	·04	·04	Trace	—		10
11	—	—	·23	—	·02	·17	—	—	—	1·43	—	·01		11
12	—	—	—	—	·01	—	—	—	·01	Trace	—	·06		12
13	—	—	—	Trace	—	·08	—	—	—	1·23	—	·14		13
14	·40	—	·02	Trace	·02	—	·09	—	—	·24	·45	—		14
15	·56	—	—	—	·63	·01	·05	—	·10	·75	·10	—		15
16	·26	—	·16	·03	·20	·20	·04	—	·01	—	·45	—		16
17	·21	·09	·03	·02	—	—	·01	—	—	—	·09	—		17
18	·26	—	·01	—	—	·02	·29	—	·01	·19	·26	—		18
19	·20	—	Trace	—	—	—	·23	—	—	·80	—	·05		19
20	·19	—	—	—	—	·01	·08	·19	·08	—	—	·03		20
21	·05	—	·11	—	—	Trace	·27	—	·15	—	—	—		21
22	·18	·17	·11	—	—	·30	·03	—	·02	—	·05	—		22
23	·09	—	Trace	·13	—	—	·15	·03	—	·06	·46	—		23
24	·12	·12	·16	·09	—	—	·02	·02	·01	·11	Trace	—		24
25	1·13	·18	·11	·13	—	—	·30	—	—	—	·45	—		25
26	·02	—	·02	—	—	·01	·05	—	·02	·17	·22	·03		26
27	·06	·16	·06	·19	—	·02	—	—	—	·25	·25	—		27
28	—	·44	·03	·01	—	·02	—	—	—	·07	·08	·11		28
29	—	X	—	·40	—	—	—	—	—	·04	·06	—		29
30	—	✕	—	·70	—	—	—	Trace	—	·02	·13	—		30
31	—	✕	—	✕	—	✕	·19	·56	✕	·02	✕	—		31
TOTAL	4·51	1·32	1·53	2·41	1·23	1·07	2·15	2·89	0·72	7·78	4·80	1·40	Year's Total 31·81	
* Days with .01 in. or more.	21	10	16	14	7	11	19	12	12	22	21	14	179	
* Days with .04 in. or more.	18	9	10	10	3	5	15	7	5	18	20	9	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. K. Pearson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 340

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~40

Kept at Woodbine: East Peckham
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 47 ft.

Adcs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01									2 days			1
2		·03	—	·17						·26	1·57			2
3				·10						·16		·10		3
4		·26		·04							·12			4
5		·01					·23				·76	·07		5
6	·41	·07			·01		·26			·29				6
7		·06			·01		·15			~~·33~~		·31		7
8									·07	·33				8
9				·02						13	·29	·10		9
10				—			·50	·04			·07	·04		10
11				·02			·15			·16	·73			11
12		·04	·10	·02			·03				·04			12
13		·02	·63				·05		·18		1·04			13
14			·38	·06								·23		14
15			·02		·34		·85			·01	·52	·05		15
16	·10	·26	·16	·02		·13	·14		·12		·75			16
17			·22						·14	·55	·02			17
18	·11	·27	·39	·32			16		·47	·30	·10	·12		18
19		·20	·13								·06	·15		19
20		·03	·01	trace					·15		·12			20
21	·06				·65		·62			·06	·18			21
22					·13	·21								22
23		·13		·19	·01					·01	·02	·04		23
24				·33			·14			·02				24
25			·67		·01					·10				25
26	·95	·10	·12		·22		·05							26
27		·22		·27	·04	·13	·15			·06				27
28	·52	·01												28
29	·11	·13	·07									·27		29
30	·09	✕		24						·07				30
31	·02	✕		✕		✕			✕	·42	✕	1·0		31
TOTAL	2·37	1·85	2·90	1·80	1·42	0·47	3·48	0·04	1·13	2·93	6·39	1·58	Year's Total 26·36	
* Days with .01 in. or more.	10 9	18 ~~17~~	12	13	9	3	14	1	6	16	18 ~~17~~	12	182 ~~179~~	
* Days with .04 in. or more.	9 8	12 ~~11~~	10	9	5	3	13	1	6	13	15	12	108 ~~100~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Pearson.

P.T.O.

BOUGHTON MONCHELSEA 228

Section A for the entry of Daily O

AIR MINISTRY.—METI

FORM 1090.

REGISTER

349/5

BOUGHTON MONCHELSEA

b3110004

1932 - 1934

480104

349/5

OFFICIAL USE.

ANIZATION.

Kent 4

Kept at Boughton Monchelse

in the County of KENT

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground 1

„ Ground „ Sea Level

tal 11/5/33

THE MORNING MEASUREME

An observer who does not conform to this rul

year in the space on the right of this paragraph.

ng

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·03	Tr	·20	·35	—	·02	Tr	—	·13	·07	·01	1
2	·01	—	Tr	·02	·03	—	Tr	·06	~~·05~~	·01	·01	·08	2
3	—	Tr	—	·05	·31	·08	—	—	·40	(dew) Tr	—	Tr	3
4	Tr	—	—	—	·02	·09	—	—	—	—	Tr	·01	4
5	·07	Tr	·01	Tr	·01	·01	·10	—	·04	—	—	Tr	5
6	·38	—	·02	·21	—	—	—	—	·02	Tr	—	·02	6
7	·18	—	·08	Tr	Tr	—	·04	(Fog) Tr	Tr	Tr	Tr	·05	7
8	·01	·03	·17	·04	·19	—	—	—	·01	·95	Tr	—	8
9	·18	·12	—	·03	·66	—	—	—	(dew) Tr	·05	—	—	9
10	·38	·03	Tr	·22	·12	—	—	—	Tr	·03	·08	·01	10
11	·20	(2½" snow) ·20	(snow) ·17	·10	·01	·02	Tr	—	·02	·38	·01	Tr	11
12	·11	·02	Tr	Tr	·03	—	Tr	Tr	Tr	·18	Tr	Tr	12
13	·03	—	Tr	·08	Tr	—	—	—	·02	·82	Tr	·01	13
14	·06	—	Tr	·06	·07	—	—	—	(Fog) Tr	·13	—	Tr	14
15	·01	Tr	Tr	·09	·11	—	—	(Fog) Tr	(Fog) Tr	·13	—	·01	15
16	·02	Tr	—	·24	·10	—	Tr	(Fog) Tr	(Fog) Tr	Tr	—	·01	16
17	—	—	—	·01	—	—	·01	—	—	·03	—	(dew) Tr	17
18	·01	Tr	Tr	—	—	—	·01	—	·06	—	·12	(dew) Tr	18
19	·03	—	—	Tr	Tr	—	—	—	·02	·13	·05	(dew) Tr	19
20	Tr	—	—	·08	·08	—	·10	—	·02	·72	·20	·01	20
21	Tr	Tr	—	—	·20	—	—	—	—	·15	·19	·03	21
22	·01	·02	·40	·03	·27	·01	·09	—	·53	·17	·01	Tr	22
23	Tr	·09	Tr	·09	·08	—	—	—	·26	·74	·06	·08	23
24	Tr	·04	—	Tr	—	Tr	·41	—	·11	·11	·02	Tr	24
25	Tr	Tr	—	Tr	—	—	·66	—	·12	·24	·01	Tr	25
26	—	—	·02	·05	·01	—	·38	·22	—	·03	·01	·01	26
27	—	—	·11	·10	·25	—	·17	—	Tr	·28	·03	·02	27
28	—	—	·01	Tr	·10	—	·18	—	·10	·19	—	Tr	28
29	Tr	—	·23	·03	—	—	—	·35	·05	·28	·01	·02	29
30	Tr	✕	·09	·01	Tr	·54	—	—	—	·07	·05	·03	30
31	—	✕	·02	✕	—	✕	·03	Tr	✕	·01	✕	·02	31
TOTAL	1·73	0·58	1·33	1·74	3·00	0·75	2·20	0·63	1·83	5·96	0·93	0·43	YEAR'S TOTAL 21·11
*Days with ·01 in. or more.	17	9	12	20	20	6	13	3	16	24	16	17	173
*Days with ·04 in. or more.	9	4	7	14	14	3	9	3	10	19	8	3	103

40-9999

N

(Signed) F. Plowright Esq [P.T.O.

*See Instruction 2 (*f*) on other side.

BOUGHTON MONCHELSEA 349/5

Section A for the entry of Daily Observations. OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kent/4

Kept at Boughton Monchelsea, Maidstone

in the County of KENT

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 358 ft.

Year 4" low

Letter sent re low total 11/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·03	Tr	·20	·35	—	·02	Tr	—	·13	·07	·01	1
2	·01	—	Tr	·02	·03	—	Tr	·06	·05	·01	·01	·08	2
3	—	Tr	—	·05	·31	·08	—	—	·40	(dew) Tr	—	Tr	3
4	Tr	—	—	—	·02	·09	—	—	—	—	Tr	·01	4
5	·07	Tr	·01	Tr	·01	·01	·10	—	·04	—	—	Tr	5
6	·38	—	·02	·21	—	—	—	—	·02	Tr	—	·02	6
7	·18	—	·08	Tr	Tr	—	·04	(Fog) Tr	Tr	Tr	Tr	·05	7
8	·01	·03	·17	·04	·19	—	—	—	·01	·95	Tr	—	8
9	·18	·12	—	·03	·66	—	—	—	(dew) Tr	·05	—	—	9
10	·38	·03	Tr	·22	·12	—	—	—	Tr	·03	·08	·01	10
11	·20	(2½" snow) ·20	(snow) ·17	·10	·01	·02	Tr	—	·02	·38	·01	Tr	11
12	·11	·02	Tr	Tr	·03	—	Tr	Tr	Tr	·18	Tr	Tr	12
13	·03	—	Tr	·08	Tr	—	—	—	·02	·82	Tr	·01	13
14	·06	—	Tr	·06	·07	—	—	—	(Fog) Tr	·13	—	Tr	14
15	·01	Tr	Tr	·09	·11	—	—	(Fog) Tr	(Fog) Tr	·13	—	·01	15
16	·02	Tr	—	·24	·10	—	Tr	(Fog) Tr	(Fog) Tr	Tr	—	·01	16
17	—	—	—	·01	—	—	·01	—	—	·03	—	(dew) Tr	17
18	·01	Tr	Tr	—	—	—	·01	—	·06	—	·12	(dew) Tr	18
19	·03	—	—	Tr	Tr	—	—	—	·02	·13	·05	(dew) Tr	19
20	Tr	—	—	·08	·08	—	·10	—	·02	·72	·20	·01	20
21	Tr	Tr	—	—	·20	—	—	—	—	·15	·19	·03	21
22	·01	·02	·40	·03	·27	·01	·09	—	·53	·17	·01	Tr	22
23	Tr	·09	Tr	·09	·08	—	—	—	·26	·74	·06	·08	23
24	Tr	·04	—	Tr	—	Tr	·41	—	·11	·11	·02	Tr	24
25	Tr	Tr	—	Tr	—	—	·66	—	·12	·24	·01	Tr	25
26	—	—	·02	·05	·01	—	·38	·22	—	·03	·01	·01	26
27	—	—	·11	·10	·25	—	·17	—	Tr	·28	·03	·02	27
28	—	—	·01	Tr	·10	—	·18	—	·10	·19	—	Tr	28
29	Tr	—	·23	·03	—	—	—	·35	·05	·28	·01	·02	29
30	Tr	✕	·09	·01	Tr	·54	—	—	—	·07	·05	·03	30
31	—	✕	·02	✕	—	✕	·03	Tr	✕	·01	✕	·02	31
TOTAL	1·73	0·58	1·33	1·74	3·00	0·75	2·20	0·63	1·83	5·96	0·93	0·43	YEAR'S TOTAL 21·11
*Days with ·01 in. or more.	17	9	12	20	20	6	13	3	16	24	16	17	173
*Days with ·04 in. or more.	9	4	7	14	14	3	9	3	10	19	8	3	103

40-9999

N

(Signed) F. Plowright Esq [P.T.O.

*See Instruction 2 (*f*) on other side.

F 2288 55/33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 349/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. Kent /4

Kept ~~*at*~~ Boughton Monchelsea ~~Ct School~~

in the County of KENT.

c 353
359.5
360
c 1932 low up

Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 358 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	·20	·05	tr	tr	—	—	—	—	·04	·01	—		1
2	·09	—	·30	—	·23	—	—	—	—	·03	·01	—		2
3	·05	·11	·19	—	—	—	—	tr	—	tr	·01	—		3
4	·06	tr	·01	—	·02	—	—	—	—	·01	·01	—		4
5	·26	—	·12	—	·12	—	—	—	—	—	tr	tr		5
6	·01	·08	·06	—	·58	—	—	—	—	·02	·10	tr		6
7	·39	·03	·03	—	·19	—	—	—	—	·35	·01	·03		7
8	·11	·02	—	—	·02	—	·48	—	—	·01	tr	—		8
9	tr	—	—	tr	·08	tr	·07	tr	—	·14	·14	—		9
10	—	·17	—	—	tr	·02	·02	tr	tr (dew)	·15	tr	—		10
11	·12	—	—	—	·03	·04	·02	·05	·15	·01	·02	—		11
12	tr (frost)	—	tr (frost)	·04	·01	·15	·13	—	·82	tr	·02	—		12
13	·01	tr	—	tr (fog)	·06	tr	·16	·01	·28	·19	·19	—		13
14	tr	tr	tr	—	·02	—	x ·35	—	—	·32	·14	—		14
15	·14	tr	·06	—	—	—	x	·18	—	·02	·03	·01		15
16	·09	—	·49	—	—	·15	·06	—	—	·01	tr	tr		16
17	tr (frost)	tr	·31	—	—	·04	tr	·06	·12	tr (frost)	·03	·01		17
18	·07	—	·07	—	—	·40	tr	—	tr	—	tr	tr		18
19	tr (fog)	·06	·12	·05	—	·31	—	—	·01	—	·01	·01		19
20	—	·04	·03	·09	—	·07	—	—	·01	—	·02	tr		20
21	—	·17	tr	—	—	tr	·01	·25	·30	·01	·01	tr		21
22	—	·01	—	—	—	—	—	·18	·19	·04	·02	—		22
23	—	tr	—	·15	·31	·03	tr (fog)	—	·41	tr	·01	—		23
24	—	·14	—	·15	—	·19	—	—	·39	·02	·04	—		24
25	—	·06	—	·35	·01	tr	tr (fog)	—	·01	·02	·30	·06		25
26	—	·34	—	·03	tr	tr	—	—	·01	·03	·21	·18		26
27	tr (frost)	·01	—	—	·12	—	tr	—	—	·17	·01	·15		27
28	—	tr	—	tr	·07	tr	·28	—	·01	·17	tr	·19		28
29	·03	×	tr	tr	·06	—	·17	—	tr	·05	tr	·01		29
30	·01	×	·12	—	—	—	·02	—	·02	·05	tr	·13		30
31	·04	×	—	×	—	×	—	—	×	·01	×	tr		31
TOTAL	1·48	1·44	1·96	·86	1·93	1·40	1·77	·73	2·73	1·87	1·35	·78	Year's Total 18·30	
*Days with ·01 in. or more.	15	14	14	7	16	10	13 ✓	6	14	23	22	10	164	
*Days with ·04 in. or more.	11	10	11	6	10	8	9 ✓	5	8	11	7	5	101	

40-9999

*See Instruction 2 (*f*) on other side.

D O

† Spare column, no entries required.

(*Signed*) J Plowright

X F. PLOWRIGHT ESQ X

P.T.O.

228855/33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 349/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Boughton Monchelsea Cl School

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 358 ft.

n.p. low in 1932 & 33

Black listed

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	tr	·01	tr	tr	·07	—	·12	—	·21	tr	·25		1
2	·06	tr	·17	tr	—	—	—	tr	·47	·42	—	·17		2
3	·01	·07	—	tr	—	—	—	—	—	·33	·01	·04		3
4	·16	·01	·02	tr	·01	—	—	—	—	·26	·08	·68		4
5	·01	tr	·02	—	·06	—	—	·01	—	·01	·01	·24		5
6	tr	tr	·27	·01	·14	·19	—	·09	—	·25	·01	·29		6
7	·04	—	tr	tr	—	·01	—	—	—	·06	tr	·13		7
8	·01	—	tr	·14	·19	—	—	·03	—	tr	·89	tr		8
9	·01	tr	·01	·01	·14	—	—	tr	·01	tr	·45	·15		9
10	tr	·02	·21	·15	·01	—	—	·06	tr	·04	·11	—		10
11	·55	·01	·47	·12	—	—	·07	·04	tr	—	·02	·16		11
12	·11	·01	·14	·01	—	—	·12	·32	—	—	·01	·14		12
13	·29	tr	·07	·02	—	—	·09	·15	—	tr	·01	·09		13
14	·21	—	·31	·05	·01	tr	tr	—	—	·04	·28	·56		14
15	·01	·01	—	—	·05	—	—	—	—	·01	·05	·51		15
16	·07	·01	·17	·01	·11	—	—	—	—	tr	tr	·06		16
17	·03	—	·43	·02	·09	—	—	—	·07	·05	·03	·27		17
18	·11	·01	tr	·28	—	—	·33	—	tr	tr	·05	·23		18
19	·01	tr	·23	·02	—	tr	—	—	·21	·01	·01	·12		19
20	tr	—	·13	tr	—	—	·07	tr	tr	·01	·01	·01		20
21	tr	tr	tr	·11	—	·05	—	·03	—	·03	tr	·01		21
22	—	·01	tr	·02	—	—	·07	·10	·17	·02	·01	·09		22
23	·01	·01	·01	·21	tr	·39	—	tr	tr	·04	tr	·13		23
24	—	tr	tr	·04	—	·12	·93	·23	·07	·01	tr	·01		24
25	·03	·01	tr	·14	—	—	—	—	tr	·03	—	·28		25
26	·08	tr	·01	·13	—	·08	—	—	—	tr	—	·03		26
27	·02	tr	—	·36	—	·01	—	—	·02	·02	—	·17		27
28	·01	·09	—	·15	—	·10	·03	·42	tr	tr	·01	·12		28
29	tr	×	—	—	—	—	·12	·05	·33	tr	—	·01		29
30	·14	×	—	tr	—	—	—	·03	tr	tr	tr	·26		30
31	·02	×	—	×	—	×	—	·03	×	·14	×	·09		31
TOTAL	2·01	0·27	2·68	2·00	0·81	1·02	1·83	1·71	1·35	1·99	2·05	5·30	Year's Total. 23·02	
* Days with .01 in. or more.	24	12	17	20	10	9	9	15	8	20	18	29	191	
* Days with .04 in. or more.	11	2	11	12	7	7	8	10	6	11	7	24	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Plowright

[P.T.O.

Section **A** for the entry of D

AIR MINISTRY

Station No. 349/8

L ORGANIZATION

349/8

LENHAM

1940

063122001

FORM 1090

REGIS

40

Kept at Lenham Co

in the County of KEN

Diameter of Funnel of Gauge 5

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASURE DAY

An observer who does not conform to *following*
year in the space on the right of this

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	Snow .01	—	—	.02	—	—	—	—	—	.02	—		1
2	—	trace	—	.12	—	—	—	—	—	.30	.56	.01		2
3	—	.19	—	.10	—	—	.01	—	—	.14	1.37	.06		3
4	—	.17	—	.02	—	—	—	—	—	.22	.11	.10		4
5	—	.02	—	—	—	—	.08	—	—	trace	1.12	.12		5
6	.15	.11	—	—	.01	—	.22	—	—	.39	.01	—		6
7	.29	.14	—	—	.02	—	.19	—	—	—	—	.02		7
8	trace	.01	—	.04	—	—	—	—	.02	.31	trace	.41		8
9	—	trace	—	—	—	—	.20	—	—	.07	.24	.10		9
10	—	—	—	—	—	—	—	.06	trace	.59	.16	—		10
11	—	Snow trace	—	.06	—	—	.03	—	—	—	.89	.03		11
12	—	Snow .05	.23	.03	—	—	.70	—	.05	—	.06	—		12
13	—	Snow .06	.75	.01	—	.21	trace	—	.14	—	1.01	—		13
14	—	Snow trace	Snow .39	.08	—	—	—	—	—	—	—	.38		14
15	—	—	.03	.01	.22	.04	.73	—	—	trace	.28	.02		15
16	Snow .49	Snow .19	.15	trace	—	.38	.30	—	.20	.48	.75	.05		16
17	Snow trace	—	.33	—	—	.14	.02	—	.02	—	.10	—		17
18	.08	.40	.24	.32	—	—	.17	trace	trace	.25	.19	.26		18
19	—	.14	.05	—	—	—	trace	—	.71	—	.06	.29		19
20	trace Snow	.02	.07	—	—	.07	.01	.03	.16	.09	.15	.01		20
21	Snow .10	—	trace	—	.12	—	.69	trace	.05	.11	.24	—		21
22	.09	trace	.03	—	.15	.09	—	—	.06	.01	.01	—		22
23	—	.26	.01	.17	trace	—	trace	trace	—	.06	.02	Sleet .05		23
24	—	—	—	.18	—	—	.14	—	—	.24	—	trace		24
25	—	—	.44	—	—	—	.24	—	—	.26	—	—		25
26	R Snow .95	—	.54	.04	.05	.06	.02	—	—	.62	trace	—		26
27	Snow .18	.33	Snow trace	trace	trace	—	.02	—	—	—	—	.01		27
28	Snow .10	.04	—	—	.04	—	—	—	—	—	—	.26		28
29	Snow .09	Sleet .05	.06	—	.12	—	—	—	.02	—	—	.02		29
30	.12	✕	trace	.20	—	—	—	—	—	—	—	—		30
31	.04	✕	—	✕	—	✕	—	—	✕	.53	✕	.11		31
TOTAL	2.68	2.19	3.32	1.38 ~~1.16~~	.75	.99	3.7[illegible]	9	1.43	4.67	7.35	2.20	Year's Total 30.71	Pkt
* Days with .01 in. or more.	12	17	14	14	9	7	17	2	10	17	20	19	158	Wt
* Days with .04 in. or more.	12	13	11	10	6	7	11	1	7	16	16	11	121	

* See Instruction 3 (f) on other side.

48
90/d
13

N

† Spare column, no entries required.

(Signed) Brig. Gen. T. M. S. Pitt

[P.T.O.

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 349/8

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Lenham Court Lenham
in the County of KENT
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Snow ·01	—	—	·02	—	—	—	—	—	·02	—		1
2	—	trace	—	·12	—	—	—	—	—	·30	·56	·01		2
3	—	·19	—	·10	—	—	·01	—	—	·14	1·37	·06		3
4	—	·17	—	·02	—	—	—	—	—	·22	·11	·10		4
5	—	·02	—	—	—	—	·08	—	—	trace	1·12	·12		5
6	·15	·11	—	—	·01	—	·22	—	—	·39	·01	—		6
7	·29	·14	—	—	·02	—	·19	—	—	—	—	·02		7
8	trace	·01	—	·04	—	—	—	—	·02	·31	trace	·41		8
9	—	trace	—	—	—	—	·20	—	—	·07	·24	·10		9
10	—	—	—	—	—	—	—	·06	trace	·59	·16	—		10
11	—	Snow trace	—	·06	—	—	·03	—	—	—	·89	·03		11
12	—	Snow ·05	·23	·03	—	—	·70	—	·05	—	·06	—		12
13	—	Snow ·06	·75	·01	—	·21	trace	—	·14	—	1·01	—		13
14	—	Snow trace	Snow ·39	·08	—	—	—	—	—	—	—	·38		14
15	—	—	·03	·01	·22	·04	·73	—	—	trace	·28	·02		15
16	Snow ·49	Snow ·19	·15	trace	—	·38	·30	—	·20	·48	·75	·05		16
17	Snow trace	—	·33	—	—	·14	·02	—	·02	—	·10	—		17
18	·08	·40	·24	·32	—	—	·17	trace	trace	·25	·19	·26		18
19	—	·14	·05	—	—	—	trace	—	·71	—	·06	·29		19
20	trace Snow	·02	·07	—	—	·07	·01	·03	·16	·09	·15	·01		20
21	Snow ·10	—	trace	—	·12	—	·69	trace	·05	·11	·24	—		21
22	·09	trace	·03	—	·15	·09	—	—	·06	·01	·01	—		22
23	—	·26	·01	·17	trace	—	trace	trace	—	·06	·02	Sleet ·05		23
24	—	—	—	·18	—	—	·14	—	—	·24	—	trace		24
25	—	—	·44	—	—	—	·24	—	—	·26	—	—		25
26	R Snow ·95	—	·54	·04	·05	·06	·02	—	—	·62	trace	—		26
27	Snow ·18	·33	Snow trace	trace	trace	—	·02	—	—	—	—	·01		27
28	Snow ·10	·04	—	—	·04	—	—	—	—	—	—	·26		28
29	Snow ·09	Sleet ·05	·06	—	·12	—	—	—	·02	—	—	·02		29
30	·12	✕	trace	·20	—	—	—	—	—	—	—	—		30
31	·04	✕	—	✕	—	✕	—	—	✕	·53	✕	·11		31
TOTAL	2·68	2·19	3·32	1·38 ~~1·16~~	·75	·99	3·7[illegible]	[illegible]9	1·43	4·67	7·35	2·30	Year's Total 30·71	Pkt
* Days with .01 in. or more.	12	17	14	14	9	7	17	2	10	17	20	19	158	–Wk
* Days with .04 in. or more.	12	13	11	10	6	7	11	1	7	16	16	11	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

48
90/6
13

N

(Signed) Brig. Gen. T. M. S. Pitt

[P.T.O.

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIST

350

LANGLEY

RUMWOOD COURT

1931-1940

063111002

780104

350

FOR OFFICIAL USE.

LL ORGANIZATION.

Kept at Rumwood Court G

in the County of K

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea l

THE MORNING MEASU **AY.**

An observer who does not conform to *e following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·09	Snow ·02	·16	–	·07	–	·12	·02	–	–	·01	1
2	·16	·07	–	·10	·03	–	–	–	·53	–	·01	–	2
3	·10	·07	·07	·07	·59	–	–	·23	·74	–	·02	·10	3
4	–	Snow ·09	–	–	·01	–	–	·01	·02	–	·02	–	4
5	–	–	–	·31	–	·61	·02	·20	·05	–	·01	·17	5
6	–	Snow ·07	–	·02	–	·01	–	–	–	·19	·33	–	6
7	Snow ·05	·03	–	–	·06	·02	·02	·06	·01	·04	·16	–	7
8	Snow ·01	·07	Snow ·02	–	·02	·17	·02	·10	–	–	·11	·02	8
9	Snow ·01	·14	Snow ·02	·01	–	–	–	–	–	–	·44	·04	9
10	·02	·14	Snow ·01	–	–	·07	–	·11	–	–	1·12	·01	10
11	·09	·49	–	–	–	–	–	–	·01	–	·48	–	11
12	·19	Snow ·04	–	–	–	–	–	·10	·40	·04	–	·01	12
13	·10	Snow ·02	–	–	·11	–	–	·15	–	–	–	–	13
14	Snow ·02	Snow ·11	–	–	–	·09	·42	·46	–	–	·01	–	14
15	·02	·03	–	·25	·05	–	·15	·16	–	–	–	·02	15
16	·02	–	–	·15	·26	–	–	·12	–	–	–	–	16
17	–	Snow ·09	–	Snow Rain ·17	·01	–	·22	·22	·06	·02	–	–	17
18	·01	Snow ·19	·01	·35	–	·12	·12	·45	·14	·01	·44	–	18
19	·02	·01	–	1·00	–	·02	·10	·23	–	–	·02	–	19
20	·01	·13	–	·17	–	–	·10	·18	·[illegible]	·01	·01	·02	20
21	·01	·03	–	–	·36	–	–	·05	·01	–	·02	–	21
22	·14	·02	·12	·01	–	–	–	–	·12	–	·03	–	22
23	·51	·02	–	–	·26	·05	–	–	·02	–	·11	·01	23
24	–	–	·02	·58	·03	·02	·03	·19	·01	–	–	–	24
25	·03	–	–	·25	–	–	·52	–	–	–	·01	·01	25
26	–	·07	–	·27	–	–	·39	–	–	·01	·20	–	26
27	·15	·33	–	·03	·25	–	·03	–	–	–	·05	–	27
28	·08	Snow ·07	–	·02	–	–	–	–	–	·01	–	·07	28
29	·16		–	·13	·10	–	·13	–	–	·27	–	·02	29
30	·07	×	–	–	·02	–	·02	–	–	–	–	–	30
31	·16	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	2·14	2·42	0·29	4·05	2·16	1·25	2·29	3·14	2·14	0·60	3·60	0·51	YEAR'S TOTAL 24·59
*Days with ·01 in. or more.	24	24	8	19	15	11	15	18	14	9	20	13	190
*Days with ·04 in. or more.	13	17	2	14	9	6	9	17	7	4	10	4	112

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William John Gould

[P.T.O.

350

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

„ Ground „ Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	Snow ·02	·16	—	·07	—	·12	·02	—	—	·01	1
2	·16	·07	—	·10	·03	—	—	—	·53	—	·01	—	2
3	·10	·07	·07	·07	·59	—	—	·23	·74	—	·02	·10	3
4	—	Snow ·09	—	—	·01	—	—	·01	·02	—	·02	—	4
5	—	—	—	·31	—	·61	·02	·20	·05	—	·01	·17	5
6	—	Snow ·07	—	·02	—	·01	—	—	—	·19	·33	—	6
7	Snow ·05	·03	—	—	·06	·02	·02	·06	·01	·04	·16	—	7
8	Snow ·01	·07	Snow ·02	—	·02	·17	·02	·10	—	—	·11	·02	8
9	Snow ·01	·14	Snow ·02	·01	—	—	—	—	—	—	·44	·04	9
10	·02	·14	Snow ·01	—	—	·07	—	·11	—	—	1·12	·01	10
11	·09	·49	—	—	—	—	—	—	·01	—	·48	—	11
12	·19	Snow ·04	—	—	—	—	—	·10	·40	·04	—	·01	12
13	·10	Snow ·02	—	—	·11	—	—	·15	—	—	—	—	13
14	Snow ·02	Snow ·11	—	—	—	·09	·42	·46	—	—	·01	—	14
15	·02	·03	—	·25	·05	—	·15	·16	—	—	—	·02	15
16	·02	—	—	·15	·26	—	—	·12	—	—	—	—	16
17	—	Snow ·09	—	Snow & rain ·17	·01	—	·22	·22	·06	·02	—	—	17
18	·01	Snow ·19	·01	·35	—	·12	·12	·45	·14	·01	·44	—	18
19	·02	·01	—	1·00	—	·02	·10	·23	—	—	·02	—	19
20	·01	·13	—	·17	—	—	·10	·18	·~~01~~	·01	·01	·02	20
21	·01	·03	—	—	·36	—	—	·05	·01	—	·02	—	21
22	·14	·02	·12	·01	—	—	—	—	·12	—	·03	—	22
23	·51	·02	—	—	·26	·05	—	—	·02	—	·11	·01	23
24	—	—	·02	·58	·03	·02	·03	·19	·01	—	—	—	24
25	·03	—	—	·25	—	—	·52	—	—	—	·01	·01	25
26	—	·07	—	·27	—	—	·39	—	—	·01	·20	—	26
27	·15	·33	—	·03	·25	—	·03	—	—	—	·05	—	27
28	·08	Snow ·07	—	·02	—	—	—	—	—	·01	—	·07	28
29	·16		—	·13	·10	—	·13	—	—	·27	—	·02	29
30	·07	×	—	—	·02	—	·02	—	—	—	—	—	30
31	·16	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·14	2·42	0·29	4·05	2·16	1·25	2·29	3·14	2·14	0·60	3·60	0·51	YEAR'S TOTAL 24·59
*Days with ·01 in. or more.	24	24	8	19	15	11	15	18	14	9	20	13	190
*Days with ·04 in. or more.	13	17	2	14	9	6	9	17	7	4	10	4	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) William John Gould [P.T.O.

350

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·05	–	·03	·24	–	·03	·02	·01	·15	·04	–	1
2	·02	–	–	·22	·04	–	–	·06	·10	–	·03	·12	2
3	–	–	–	·06	·33	·03	–	–	·37	–	–	–	3
4	–	–	–	–	–	·12	–	–	–	–	–	–	4
5	·09	·01	·02	–	·02	·06	·11	–	·05	–	–	–	5
6	·48	–	·02	·28	–	–	–	–	·02	–	–	–	6
7	·21	–	·09	·01	–	–	–	–	·03	·01	–	·07	7
8	–	·02	·20	·02	·19	–	–	–	·02	1·26	–	–	8
9	·22	snow ·12	snow ·01	·05	·75	–	–	–	–	·07	–	–	9
10	·39	snow ·08	–	·25	·14	–	–	–	·01	·06	·05	–	10
11	·30	snow ·17	snow ·21	·10	·01	·02	·02	–	–	·36	·01	–	11
12	·16	snow ·03	–	–	–	–	·01	–	·02	·15	–	–	12
13	·05	–	–	·09	·04	–	–	–	–	·83	–	–	13
14	·07	–	–	·05	·07	–	–	–	–	·09	–	·02	14
15	·02	–	–	·15	·14	–	–	–	–	·12	–	·01	15
16	·03	–	–	·23	·07	–	–	–	–	–	–	·01	16
17	–	–	–	·02	–	–	·02	–	–	·03	–	–	17
18	·01	–	–	–	–	–	–	–	·07	–	·12	–	18
19	·04	·01	–	–	–	–	–	–	·04	·16	·04	–	19
20	–	–	–	·07	·09	–	·10	·07	–	·85	·23	–	20
21	–	–	–	·03	·19	–	–	–	–	·21	–	·03	21
22	·02	·03	·44	·03	·27	–	·10	–	·64	·20	·26	–	22
23	–	·15	–	·08	·10	·02	–	–	·35	·86	·10	·09	23
24	–	·05	–	–	–	–	·51	–	·16	·12	·03	–	24
25	–	–	–	·01	–	–	·71	–	·13	·26	·02	·02	25
26	–	–	·01	·06	–	–	·40	·13	–	–	·02	·01	26
27	–	–	·17	·19	·20	–	·15	–	·02	·36	·03	·01	27
28	–	–	·01	–	·11	–	·30	–	–	·20	–	[illegible]	28
29	–	–	·30	·06	·02	–	·01	·33	·07	·30	–	·03	29
30	–	×	·06	·01	·07	·60	–	–	·06	·06	·05	·03	30
31	–	×	·04	×	–	×	·02	–	×	–	×	·02	31
TOTAL	2·16	0·72	1·58	2·10	3·09	0·85	2·49	0·61	2·17	6·71	1·03	0·47	YEAR'S TOTAL 23·98
*Days with ·01 in. or more.	16	11	13	23	20	6	14	5	18	22	14	13	175
*Days with ·04 in. or more.	11	6	8	15	17	3	8	4	11	20	8	3	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) William John Gould

[P.T.O.

350

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~350~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

" Ground " Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·23	·06	—	—	—	—	—	—	·05	·01	—	1
2	·15	—	·40	—	·20	—	—	—	—	·04	—	—	2
3	·06	·16	·23	—	—	—	—	—	—	·02	—		3
4	·06	·01	·01	—	—	—	—	—	—	—	—	—	4
5	·30	—	·12	—	·12	—	—	—	—	—	—	—	5
6	—	·12	·07	—	·79	—	—	—	—	·03	·10	·01	6
7	·47	·04	·02	—	·20	—	—	—	—	·37	—	·04	7
8	·15	—	—	—	·05	—	·70	—	—	·02	—	—	8
9	—	—	—	—	·05	—	·09	—	—	·21	·15	—	9
10	—	·08	—	—	—	·10	·02	—	—	·16	—	—	10
11	·16	—	—	—	·03	·11	·01	·07	·12	·01	·02	—	11
12	—	—	—	·07	—	·22	·15	—	·72	—	·01	—	12
13	·02	—	—	—	·10	—	·21	·02	·26	·15	·20	—	13
14	—	—	—	—	·01	—	·04	—	—	·39	·18	—	14
15	·22	—	·08	—	—	—	·24	·20	—	·02	·04	Snow ·03	15
16	·13	—	·59	—	—	·20	·02	—	—	—	—	—	16
17	Snow ·01	Snow ·01	·38	—	—	·15	—	·10	·12	—	·04	—	17
18	·06	Snow ·01	·03	—	—	·29	—	—	—	—	—	—	18
19	—	Snow ·05	·16	Snow ·08	—	·27	—	·01	·02	—	—	·01	19
20	—	·03	·04	·06	—	·07	—	—	—	—	·01	—	20
21	—	Snow ·25	—	—	—	—	·18	·18	·35	·01	—	·01	21
22	—	Snow ·07	—	—	—	—	—	·23	·30	·01	·02	—	22
23	—	—	—	·14	·15	·05	·02	—	·66	—	—	—	23
24	—	Snow ·21	—	·16	·02	·21	—	—	·38	·02	·01	—	24
25	—	—	—	·45	·02	—	—	—	·03	·04	Snow & Rain ·24	·04	25
26	—	·35	—	·03	—	·01	—	—	·03	·03	Snow & Rain ·25	·15	26
27	—	·02	—	—	·15	—	—	—	—	·16	—	·17	27
28	—	—	—	—	—	—	·14	—	·01	·14	—	·15	28
29	·02	×	—	—	·10	—	·28	—	—	·05	—	·01	29
30	·11	×	·12	—	—	—	—	—	·03	·07	—	Snow & Rain ·15	30
31	·03	×	—	×	—	×	—	·10	×	·04	×	·01	31
TOTAL	1·95	1·64	2·31	0·99	1·99	1·68	2·10	0·91	3·03	2·04	1·28	0·78	YEAR'S TOTAL 20·70
*Days with ·01 in. or more.	15	15	14	7	14	11	13	7	13	22	14	12	157
*Days with .04 in. or more.	11	10	11	6	10	10	9	5	8	13	8	6	101

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William John Gould

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rumwood Court Garden Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	Snow ·02	–	–	–	·06	–	·12	–	·21	–	·25		1
2	·06	–	·19	–	–	–	–	–	·56	·56	–	·22		2
3	·01	·09	–	·01	–	–	–	–	–	·28	·03	·04		3
4	·16	·01	·01	–	–	–	–	–	–	·34	·08	·73		4
5	–	–	·02	–	·09	–	–	·02	–	–	·01	·24		5
6	–	–	·35	·01	·16	·21	–	·08	–	·26	·03	·31		6
7	·04	–	–	–	–	–	–	·01	·01	·08	–	·13		7
8	–	·02	–	·09	·19	–	–	·04	–	–	1·06	–		8
9	·01	–	·02	–	·01	–	–	–	–	–	·36	·13		9
10	·01	·01	·25	·17	–	–	–	·06	–	·05	·18	·01		10
11	·71	–	·58	·11	–	–	·14	·04	–	–	·01	·20		11
12	·10	–	·14	–	–	–	·12	·38	–	–	·04	·13		12
13	·42	–	·06	·02	–	–	–	·21	–	–	·01	·06		13
14	·27	–	·36	·05	·01	–	–	–	–	·02	·29	·47		14
15	–	–	·01	–	·05	–	–	–	–	·01	·10	·38		15
16	·11	–	·21	·03	·13	–	–	–	–	·01	–	·05		16
17	·07	–	·42	–	·09	–	–	–	·04	·08	·06	·32		17
18	·14	–	·01	·30	–	–	·37	–	–	–	·04	·31		18
19	–	–	·28	·01	–	–	–	–	·24	·01	·01	·10		19
20	–	–	·10	–	–	–	·11	–	·01	·01	–	–		20
21	–	–	·01	·12	–	·07	–	–	–	·02	·01	–		21
22	–	·01	–	–	–	–	·05	·12	·19	–	·01	·08		22
23	–	·01	–	·31	–	·30	–	–	~~·14~~	·04	–	·24		23
24	–	·01	–	·02	–	·13	1·11	·16	·08	–	–	–		24
25	·03	·02	–	·13	–	–	–	–	–	·03	–	·33		25
26	·08	–	–	·09	–	·09	–	–	·02	–	–	·04		26
27	–	Snow ·03	–	·36	–	–	–	–	–	·01	–	·23		27
28	·02	Snow ·09	–	·14	–	·24	·02	·40	–	–	·01	·12		28
29	–	X	–	–	–	–	·32	·05	·29	–	–	·01		29
30	·14	X	–	–	–	–	–	·14	–	–	–	·32		30
31	Snow + Rain ·05	X	–	X	–	X	–	·02	X	Snow + Rain ·20	X	·12		31
TOTAL	2·44	0·32	3·02	1·97	0.73	1·10	2·24	1·85	1·44	2·22	2·34	5.57	Year's Total 25·24	
*Days with ·01 in. or more.	19	11	17	17	8	7	8	15	9	18	18	27	174	
*Days with .04 in. or more.	13	2	11	11	6	7	7	12	6	10	9	25	119	

† Spare column, no entries required.

(Signed) William John Gould

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·03	·04	—	—	·17	·22	—	·12	·13	·20	—		1
2	·26	—	·04	·06	—	—	—	—	·07	·35	·02	—		2
3	·01	·06	·04	Snow ·02	—	—	—	—	·09	·56	·10	—		3
4	—	·03	—	Snow, Rain ·22	—	·16	—	—	·44	·25	·01	·12		4
5	—	·41	·03	·02	—	·05	—	—	·58	·15	—	·01		5
6	Snow ·11	·02	·01	·42	—	·24	—	—	—	—	·17	·04		6
7	Snow ·05	Snow ·10	—	·29	—	·14	—	—	—	—	·81	·11		7
8	·01	—	Snow ·04	·48	—	—	—	·15	—	·18	·35	·07		8
9	—	—	—	·08	—	·22	—	—	—	·75	·14	·03		9
10	·04	·02	—	·01	—	·05	—	—	—	—	·07	·56		10
11	·14	·01	—	·12	—	·05	·08	—	—	·02	·24	—		11
12	—	·01	—	—	—	·19	—	·32	·01	—	·84	—		12
13	·05	·20	—	·09	·04	—	—	—	—	—	·09	·08		13
14	·01	—	—	·05	·40	·06	—	—	—	·02	·01	·08		14
15	—	·16	—	·41	·06	·03	—	—	·35	—	·25	·09		15
16	—	·06	—	·12	—	·12	—	—	·36	·01	·76	·01		16
17	·06	—	·05	·08	·05	·21	·02	—	—	—	·56	—		17
18	—	—	—	·15	·07	·05	·24	—	·26	·04	·01	—		18
19	—	—	—	·04	·55	·03	·06	—	—	—	·08	—		19
20	—	·50	—	·09	·03	·07	·32	—	·06	·02	·05	—		20
21	·04	·30	—	·03	—	—	—	—	·01	·10	·04	—		21
22	—	·10	—	—	—	—	—	·32	·08	—	—	—		22
23	—	—	·01	—	—	—	—	·24	·02	—	—	·07		23
24	·07	1·01	—	—	·46	—	—	·50	·42	·09	—	·32		24
25	·19	·09	—	·16	·11	·03	—	—	—	—	·02	·35		25
26	Snow ·06	Snow ·10	—	—	—	·04	—	·12	·03	·15	—	·40		26
27	·09	·52	—	—	·05	—	·01	·04	·16	—	·08	·18		27
28	—	·10	—	—	·08	—	—	·23	·02	·08	·01	·22		28
29	—		—	—	—	—	—	—	·39	—	—	·40		29
30	·13	×	—	·14	·13	—	—	1·32	·08	·06	·40	·33		30
31	—	×	—	×	·01	×	—	—	×	·18	×	·41	Year's Total	31
TOTAL	1·59	3·83	0·26	3·08	2·04	1·91	0·95	3·24	3·55	3·14	5·31	3·88	32·78	
*Days with ·01 in. or more.	17	20	8	21	13	18	7	9	19	18	24	20	194	
*Days with .04 in. or more.	14	14	5	17	11	15	5	—	14	14	18	17	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) William John Gould

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·18	Snow ·04	·18	—	·20	·13	·10	—	—	·08	·15		1
2	·01	·04	—	·02	—	·15	·06	·12	—	—	—	·01		2
3	·01	—	—	·35	·02	·07	—	—	·01	—	·28	—		3
4	·01	—	·09	—	—	·17	—	·04	·29	—	—	·02		4
5	·16	—	·02	·02	—	—	—	·03	·19	·20	·13	·04		5
6	·25	—	—	—	—	·08	—	·02	·12	·27	·39	—		6
7	·48	—	·05	—	—	·05	—	—	·02	·04	·40	—		7
8	·17	—	·14	—	·01	—	·03	—	·01	—	·57	·32		8
9	·44	—	·04	—	—	—	·31	·18	·03	·19	·13	—		9
10	·02	—	—	—	—	·01	·19	·61	·05	·07	—	—		10
11	—	—	—	Snow v Hail ·20	—	—	·31	—	—	—	·62	—		11
12	—	—	—	Snow ·03	—	·16	·15	·05	·08	—	·28	·15		12
13	—	—	—	—	·02	·12	·05	—	—	—	·05	·33		13
14	—	·06	—	—	—	·06	·69	—	—	·08	·10	·44		14
15	—	·10	—	—	—	—	·01	—	·02	—	·01	·16		15
16	Snow ·31	·02	—	—	·04	—	—	—	—	—	·24	·15		16
17	·18	·58	—	—	—	·08	—	·01	—	·03	·22	·24		17
18	Snow ·15	·13	—	—	—	·07	·11	—	—	·02	·58	·08		18
19	·17	·03	—	—	—	·01	—	·13	—	·06	·02	—		19
20	·23	·09	—	·52	—	·23	·05	—	·54	—	—	—		20
21	—	—	—	Snow + Rain ·34	—	·67	·06	—	·04	—	—	—		21
22	·10	·29	·05	Snow ·05	·02	·05	·17	—	—	—	·01	·13		22
23	·03	·07	·01	·06	—	—	·20	—	—	·04	—	—		23
24	·07	·06	—	—	—	·07	—	—	—	·41	—	—		24
25	·31	·01	·18	·12	—	·24	·25	—	·12	·04	·05	·01		25
26	—	·08	·25	·08	—	·03	·01	—	·08	·20	—	·01		26
27	·23	·01	·01	—	—	—	·18	—	·27	·09	—	—		27
28	·64	—	·06	—	—	·38	·07	—	·06	—	·01	·04		28
29	·06	Snow ·10	·14	—	—	·32	·35	—	—	·04	·10	·01		29
30	·07	✕	—	—	·06	·20	—	—	—	·09	—	·01		30
31	·32	✕	·19	✕	—	✕	·12	—	✕	·84	✕	·11		31
													Year's Total	
TOTAL	4·67	1·85	1·27	1·97	0-17	3.42	3·50	1·29	1·93	2·71	4·27	2·41	29·46	✓
* Days with .01 in. or more.	23	16	14	12	6	22	21	10	16	17	20	19	196	✓
* Days with .04 in. or more.	18	12	11	9	2	19	18	7	11	15	16	13	151	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) William John Gould

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 354 ft.

File No 303218/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·60	·01	Snow ·01	·08	—	—	—	—	—	—	·54	·15		1
2	—	·19	·04	·45	—	—	—	—	—	—	·01	1·20		2
3	·01	·08	Snow ·08	—	—	—	—	—	—	·02	—	·56		3
4	·14	·57	—	·12	—	—	—	—	—	—	—	·33		4
5	·20	·17	Snow ·30	—	—	—	·12	·03	—	·70	—	·09		5
6	·06	—	Snow ·49	—	·14	—	·02	—	—	·04	—	—		6
7	—	·68	Snow ·14	·02	—	—	—	—	·03	·03	—	·02		7
8	—	·16	Snow ·20	—	·04	·06	—	—	—	—	·18	·29		8
9	—	Snow ·06	Snow ·01	·40	·14	·02	·06	—	·29	—	—	·14		9
10	—	—	·34	·16	·18	·60	·04	·79	—	—	—	·39		10
11	—	—	·44	—	·12	—	·05	·01	·01	—	—	·23		11
12	·28	·34	·17	—	·40	·18	·04	·20	·43	—	—	·05		12
13	·20	·04	·47	·03	·02	·28	—	1·09	·14	—	—	·66		13
14	·02	·01	·04	—	·18	·03	—	·46	·10	—	—	—		14
15	·10	·08	—	·12	·04	·08	·45	—	·43	—	—	Snow ·02		15
16	·03	·09	·16	·20	—	—	—	·43	·06	—	—	·01		16
17	·23	·02	·04	·14	—	·07	—	—	·21	—	·36	—		17
18	·50	·05	·01	—	·25	·75	—	—	·26	—	·16	·02		18
19	·12	·17	·04	·12	·03	·15	·25	—	·04	—	—	Snow ·04		19
20	·32	·01	·51	·25	·92	·04	—	—	·12	—	—	—		20
21	·30	·45	·11	·06	—	—	·01	·03	—	—	—	·03		21
22	·44	·03	·04	·01	·03	·05	·04	—	—	·68	·60	·08		22
23	·06	—	—	—	—	—	·04	—	—	·63	·01	·02		23
24	·62	·19	·05	—	—	—	—	—	·09	·23	—	·01		24
25	·20	·25	·26	—	—	—	—	—	·10	·28	—	·01		25
26	·01	·26	Snow ·12	—	—	—	—	—	—	·20	—	—		26
27	—	·10	·02	·31	—	—	—	—	·03	·18	—	—		27
28	Snow ·16	Snow ·10	—	·01	—	—	—	—	—	·01	—	·07		28
29	Snow ·13		—	—	—	·02	—	—	—	·37	·02	·02		29
30	·26	✕	—	—	—	·01	—	—	—	·09	·12	Snow ·03		30
31	·21	✕	—	✕		✕	—	—	✕	·07	✕	·05		31
TOTAL	5·20	4·11	4·09	2·48	2·49	2·34	1·12	3·04	2·34	3·53	2·00	4·52	Year's Total 37·26	✓ ✓
* Days with .01 in. or more.	24	24	24	16	13	14	11	8	15	14	9	25	197	✓ ✓
* Days with .04 in. or more.	20	19	20	12	10	10	9	5	12	11	6	15	149	✓ ✓

94
2 50
1 60
4 44
8
1 52

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) William John Gould [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 303218/34

Kept at Rumwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	–	·21	·25	·09	–	·24	·01	–	·10		1
2	·09	–	–	·07	·12	–	·01	–	–	·26	–	·02		2
3	Snow ·01	–	–	–	·28	–	–	–	–	·45	·04	–		3
4	·05	–	–	–	–	·03	·37	·06	–	·07	–	·08		4
5	·01	–	–	–	–	–	·71	·05	–	·34	–	·01		5
6	·03	–	–	–	–	–	–	·09	·03	–	·01	–		6
7	–	–	–	–	–	–	·18	·24	–	·18	–	·06		7
8	·30	·01	–	–	–	·01	·09	–	·03	·12	·01	·01		8
9	·08	·01	–	–	–	–	·02	·20	–	·02	–	·43		9
10	·10	·05	–	–	–	·39	–	·08	–	–	–	·28		10
11	·20	–	–	–	–	–	–	–	–	–	·09	·16		11
12	·16	Snow ·04	–	–	–	·09	–	·85	–	·05	·06	·01		12
13	·44	Snow ·12	–	–	–	–	–	–	–	·10	·10	·03		13
14	·15	Snow ·13	–	–	·53	–	–	–	–	–	–	·04		14
15	·02	Snow ·33	–	–	·61	–	·25	–	–	·50	·01	·06		15
16	·18	–	·03	–	·08	–	–	·02	–	–	–	·32		16
17	–	Snow ·10	·01	–	·37	–	·08	–	–	·27	·03	–		17
18	·04	–	–	–	·01	–	·01	–	·11	·03	·40	–		18
19	–	Snow ·01	–	–	–	–	–	–	·09	–	·10	Snow ·13		19
20	–	–	–	–	·10	–	–	–	·25	–	·42	Snow ·44		20
21	·01	–	–	·01	–	–	–	·64	·07	–	·18	Snow ·24		21
22	–	–	–	·01	–	·02	–	·03	–	–	·13	Snow ·15		22
23	–	–	–	·05	–	–	–	–	–	–	–	Snow ·04		23
24	–	–	·14	–	·04	–	–	–	·03	–	·38	Snow ·21		24
25	·08	–	·36	·02	·11	–	·02	–	·12	·02	·34	Snow ·08		25
26	·47	·12	·07	–	–	–	·01	·01	·24	·25	–	Snow & Rain ·50		26
27	·15	·04	–	–	·13	·08	·29	–	1·27	·17	·21	–		27
28	·22	·05	–	–	·27	·06	–	·28	·04	–	–	–		28
29	·21		–	·04	·15	–	–	–	·02	–	·02	·28		29
30	·10	✕	–	·48	·27	–	–	–	·04	·04	·39	·01		30
31	·16	✕	–	✕	·05	✕	–	–	✕	·15	✕	·16		31
TOTAL	3·31	1·01	0·61	0·68	2·73	0·93	2·13	2·55	2·58	3·03	2·92	3·85	Year's Total 26·33	✓
* Days with .01 in. or more.	24	12	5	7	16	8	13	12	14	18	18	25	172	# ✓
* Days with .04 in. or more.	19	9	3	4	14	5	8	9	10	14	13	19	127	# ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) William John Gould

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Runwood Court Gardens Langley Maidstone

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 354 ft.

File No 30321 8/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·02	·14	·48	–	·01	·02	·10	–	·03	·01		1
2	·05	–	–	–	·06	–	·01	·43	·02	·55	·02	–		2
3	Snow ·18	–	–	·32	–	–	–	·23	–	–	·11	·33		3
4	·16	·01	·19	·12	–	–	·01	·75	–	·58	·16	·01		4
5	–	–	·01	·12	·01	–	·25	·01	–	·34	·27	·16		5
6	·46	–	·03	·01	–	–	·02	–	–	·06	·14	–		6
7	·11	·07	–	–	–	–	·01	·03	–	·04	·11	·09		7
8	·01	·04	·18	–	–	–	–	·02	–	·43	·08	·34		8
9	·03	·06	–	–	–	–	–	·01	–	·64	1·03	·16		9
10	·10	–	–	–	–	·28	–	·05	·03	·06	·02	·01		10
11	–	·01	·30	–	–	·33	–	–	–	1·94	–	·01		11
12	–	–	–	–	·04	·01	–	–	–	–	–	·04		12
13	–	–	·02	–	–	·10	–	–	–	1·44	–	·11		13
14	·42	–	·01	·01	·08	·01	·07	–	·07	·21	·50	·01		14
15	·75	–	·01	–	·58	·02	–	–	·23	·73	·11	–		15
16	·25	–	·07	·02	·23	·34	·05	–	–	–	·42	–		16
17	·16	·10	·04	–	·01	–	·02	–	–	–	·07	–		17
18	·25	–	·07	–	–	·03	·05	–	·03	·39	·44	–		18
19	·25	–	·04	–	–	–	·17	–	·02	1·01	–	–		19
20	·30	–	·01	–	–	·05	·05	·24	·16	–	–	·03		20
21	·09	–	·20	–	–	·03	·17	–	·10	·02	–	–		21
22	·15	·15	·14	–	–	·40	·07	–	·02	–	·09	–		22
23	·02	–	·01	·15	–	–	·13	·08	–	·04	·64	–		23
24	·12	·05	·02	·21	–	·02	·07	·01	–	·13	·03	–		24
25	Snow 1·35	·23	·11	·05	–	–	·52	–	–	–	·55	·01		25
26	Snow ·16	–	·10	–	–	–	–	–	·08	·22	·30	–		26
27	·12	·11	·11	·03	–	·01	–	–	–	·46	·25	–		27
28	·01	·34	·05	–	–	·02	–	–	–	·11	·07	Snow ·07		28
29	–		–	·40	–	–	–	–	–	·03	·05	–		29
30	–	☒	–	·65	–	·01	–	–	–	·02	·12	–		30
31	–	☒	–	☒	–	☒	·12	·08	☒	·01	☒	–		31
TOTAL	5·51	1·17	1·74	2·23	1·49	1·66	1·80	1·96	0·86	9·46	5·61	1·39	Year's Total 34·88	
* Days with .01 in. or more.	24	11	22	13	8	15	18	13	11	23	24	15	197	
* Days with .04 in. or more.	19	9	13	9	6	6	12	7	6	19	20	8	134	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) William John Gould

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 350

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Rumwood Court Gardens Langley Maidstone
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
,, Ground ,, Sea Level 354 ft.

File No. 303218/34

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	*Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	Snow ·01	—	—	·01	—	—	—	—	—	·03	—		1
2	—	·02	—	·18	—	—	—	—	—	·22	·67	·02		2
3	—	·16	—	·67	—	—	—	—	—	·18	1·23	·07		3
4	—	·15	—	·01	—	—	—	—	—	·20	·08	·07		4
5	—	·02	—	—	—	—	·39	—	—	—	·83	·11		5
6	·16	·08	—	—	—	—	·18	—	—	·33	~~·53~~	—		6
7	·24	·10	—	—	·02	—	·15	·01	—	—	—	—		7
8	—	—	—	—	—	—	—	—	·03	·26	—	·39		8
9	—	—	—	—	—	—	·34	—	·01	·12	·24	·10		9
10	—	—	—	—	—	—	—	—	—	·15	·06	—		10
11	—	Snow ·02	—	·06	—	—	·21	—	—	—	·82	—		11
12	—	Snow ·05	·12	—	—	—	·12	—	·08	—	·06	—		12
13	—	Snow ·05	·76	—	—	·17	—	—	·08	—	·96	—		13
14	—	—	Snow ·41	·06	—	—	—	—	—	·01	—	·32		14
15	—	—	·01	—	·28	·08	·62	—	—	·01	·54	·01		15
16	Snow ·25	Snow ·19	·17	—	—	·22	·38	—	·19	·54	·78	·07		16
17	—	—	·25	—	—	—	·15	—	—	—	·14	—		17
18	Snow ·05	·42	·31	·37	—	—	·09	—	·02	·28	·12	·19		18
19	—	·15	·10	—	—	—	·02	—	·50	—	·13	·21		19
20	—	·02	·01	·01	—	·05	—	·04	·17	·33	·06	—		20
21	Snow ·09	—	—	—	·18	—	·55	—	·02	·02	·13	—		21
22	Snow ·06	·01	·04	—	·14	·16	—	—	·08	—	·01	—		22
23	—	·25	—	·25	—	—	—	—	—	·06	·02	Snow ·04		23
24	—	—	—	—	—	—	·15	—	—	·08	—	·01		24
25	—	—	·47	—	—	—	·16	—	—	·07	—	—		25
26	Snow & Rain ·90	·14	·25	·62	·15	·04	—	—	—	·30	·01	—		26
27	Snow & Rain ·20	·20	—	·01	—	—	·01	—	—	—	—	·04		27
28	Snow ·18	·04	—	—	·08	—	—	—	—	—	—	·23		28
29	Snow ·05	Snow ·16	·05	—	·02	—	—	—	·05	—	—	—		29
30	Snow ·14	✕	—	·23	—	—	—	—	—	·07	—	·01		30
31	·05	✕	—	✕	—	✕	—	—	✕	·42	✕	·09		31
													Year's Total	
TOTAL	2·37	2·24	2·95	1·87	0·88	0·72	3·52	·0·05	1·23	3·65	6·92	1·98	28·38	
* Days with .01 in. or more.	12	20	13	11	8	6	15	2	11	19	21	17	155	
* Days with .04 in. or more.	12	14	11	8	5	6	14	1	7	16	17	13	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.